

ROYAL SOCIETY THE

HBALTH

Founded 1876

LIBRARY REGULATIONS

(a) Books, periodicals and pamphlets may be borrowed by Fellows, Members, Licentiate Members, Associates and Affiliates personally or by a messenger producing a written order. The person to whom such publications are delivered shall sign a

receipt for them in a book provided for that purpose.

(b) Publications may be borrowed through the post upon a written order. An acknowledgement of the receipt of such publications must be made on the form provided and returned to the Society immediately. Failing this, it will be assumed that the borrower has received the books, for which he will accordingly be held responsible. The postage of publications returned to the Society shall be defrayed by the borrower.

(c) A borrower may not have more than three publications

in his possession at one time.

(d) A borrower will be considered liable for the value of any publication lost or damaged while on loan to him, and, if it be a single volume or part of a set, for the value of the whole work thereby rendered imperfect. Marking or writing in the publications is not permitted, and borrowers are requested to

call attention to damage of this character.

(e) Books and pamphlets may be retained for twenty-eight days. Periodicals may be retained for fourteen days. Applica-tions for extension of the loan period must be made in writing before its expiry. This loan period cannot be extended without application being made to the Secretary of the Society whose decision in this matter must be accepted as final and binding.

(f) Books and pamphlets added to the Library will not be lent until after the expiry of one month from the date received. The current number of a periodical may not be borrowed.

(g) Borrowers retaining publications longer than the time specified, and neglecting to return them when demanded, forfeit the right to borrow until they be returned, and for such further time as may be ordered by the Council.

Any borrower failing to comply with a request for the return of a publication shall be considered liable for the cost of replacing it, and the Council, may, after giving due notice to

him, order it to be replaced at his expense.

No publication may be reissued to the same borrower until at least seven days have elapsed after its return, neither may it be transferred by one borrower to another.

(h) Publications may not be taken or sent out of the United Kingdom.

(i) Publications returned through the post must be securely packed and adequately protected.

(i) Parcels should be addressed: THE LIBRARIAN,

THE ROYAL SOCIETY OF HEALTH 90 BUCKINGHAM PALACE ROAD, LONDON, S.W.1

O.B., Truro. -February, 1963



THE ROYAL SOCIETY

FOR THE PROMOTION

OF HEALTH

90 Buckingham Palace Road, London, S.W.1

Class No. NAAA 44

This book is returnable on or before the last date Marked below



GENERAL REGISTER OFFICE

THE REGISTRAR GENERAL'S

STATISTICAL REVIEW

OF

ENGLAND AND WALES

FOR THE YEAR 1959

PART I

TABLES, MEDICAL

giometric management	Total Control of the
WEL	LIBRARY
Coll.	we!MOmec
	Avenatomec
Call	
No.	Constitution of the last of th
947	
de const	

LONDON HER MAJESTY'S STATIONERY OFFICE 1960

TABLE OF CONTENTS

	Explan	atory	notes									Page
	Corrige											x
	Comig) iida		• •	•		••				••	•
Pop	ulation											
	Table	1.	Estimated as at 30							sex and	age,	2
	Table	2.	Estimated 1959. I bations	England	l and V	Wales,	standar	d regio	ons, W	ales, co	nur-	3
Seri	al mort	ality 1	records									
	Table	3.	Deaths, of									4
	Table	4.	Death rat Englan			ips and	l infant	morta	lity, 18	341 to 1	1959.	6
	Table	5.	Deaths re England			eath ra	tes in ea	ach qua	rter, 1	841 to 1	1959.	9
	Table	6.	Standardi ages un diseases	der 15	years fi	rom the	e princi	ipal epi	demic	ath rate	es at neral	10
	Table	7.	Deaths by		and s	ex at a	ill ages,	1949	to 195	9. Eng	land	11
	Table	8.	Crude dea to 1959					s, by se	x at al	l ages,	1949	43
	Table	9.	Standardi for cert	ised Mo	ortality ses of d	Ratio leath, 1	s (base 949 to 1	years 1959. E	1950-1 England	952) by d and W	sex Vales	58
	Table :	10.	Death rat							rom ce	rtain	62
	Table :	11.	Deaths of 1959.	f infant England			ear from	m certa	in cau	ses, 194	19 to	66
	Table	12.	Infant me and Wa		from o	certain 	causes,	, 1949	to 195	9. Eng	land	67
Vita	al statist	ics b	v local are	as								
	Table		Home po		hirth	s deatl	ns infai	nt mort	ality a	nd neri	natal	
	14010		mortali	ty, 195	9. En	gland	and V	Vales,	standa	rd regi	ions,	68
Des	Aba ba											
Dea	Table	_	Deaths b	y sex a England			of age ((with n	narital	condit	ion),	118
	Table :	15.	Construct	ted ana	alysis o	of 195	9 death	hs by	age a	nd ma	rital	120
	Table :	16.	Deaths at December	t differe	ent age 59. En	s by m	onth o	f occur		Januar	y to	121

use analyses		1 age
Table 17.	Causes of death at different age periods, 1959. England and Wales	122
Table 18a.	Accidental poisoning and other non-transport accidents by place of occurrence, age and sex, 1959. England and Wales	167
Table 18b.	Deaths from violent causes according to nature of injury, sex and age, 1959. England and Wales	174
Table 18c.	Deaths from violent causes—Nature of injury according to external cause, 1959. England and Wales	178
Table 18d.	Deaths from road traffic accidents and from accidental falls— Nature of injury according to external cause, sex, and age, 1959. England and Wales	179
Table 19.	Causes of death by sex at different periods of life, 1959 (including for England and Wales only, crude death rates per million living) (International Abbreviated List). England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations	182
Table 20.	Suspended.	
Table 21.	Causes of death by sex, 1959 (Abridged List and Supplementary Abridged List). England and Wales, standard regions, Wales, conurbations, London A.C., City of London, metropolitan and county boroughs, administrative counties	230
Table 22.	Causes of death by month of occurrence, January to December, 1959. England and Wales	258
Illiatha and in	Sant montality	
Table 23.	fant mortality Stillbirths by sex and legitimacy, 1959. England and Wales,	
Table 23.	standard regions, Wales, conurbations, London A.C., City of London, metropolitan and county boroughs, urban and rural aggregates in each administrative county	267
Table 24.	Deaths at various periods in the first year of life by legitimacy. Death rates per 1,000 live births, 1959. England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations	270
Table 25.	Deaths at various periods in the first year of life, 1959 and the four quarters thereof. England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations	272
Table 26.	Infant mortality from certain causes, 1959. Deaths of infants under one year and various sub-divisions of the first year, and deaths of illegitimate infants. England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations	274
Table 27.	Causes of death at various ages under five years, 1959. England and Wales	278
fectious diseas	es	
Table 28.	Weekly notifications of certain infectious diseases and deaths	290

Ca

St

In

	T 11 00	C	Pag
	Table 29.	Cases of certain infectious diseases notified, 1949 to 1959. England and Wales	291
	Table 30.	Cases of certain infectious diseases notified, by sex and age, 1959. England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations	292
	Table 31.	Cases of certain infectious diseases notified, 1959 (including for England and Wales only, case rates per 100,000 population). England and Wales, standard regions, Wales, conurbations, counties, metropolitan and county boroughs, urban and rural aggregates outside conurbations	310
We	ather		
	Table 32.	Quarterly air temperature, rainfall and sunshine, 1959. England and Wales	320
	Table 33.	Rainfall, mean temperature and sunshine, 1910 to 1959. England and Wales	321
	Table 34.	Meteorological observations, 1959. Kew Observatory, Richmond	322
Anı	endices		
zhl	Appendix A	A. Standardised Mortality Ratios, age specific death rates and infant mortality rates from selected causes, 1959. England	
		and Wales, Scotland and Northern Ireland	324
	Appendix B	3. Abridged life table, 1959. England and Wales	330
	Appendix C	C. Crude death rates per million living from certain causes, Southern and South Western Regions, 1954 to 1958, showing rates before and after change in the constitution of these regions	331

EXPLANATORY NOTES

New or recent changes in presentation

Change in classification

From 1958 inclusive causes of death are classified according to the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955* (Seventh Revision).

2. Populations

The estimates of population appearing in this volume and described as "home" "total" populations have the following content:

Home population—the population, of all types, actually in England and Wales, distributed by area according to residence.

Total population —the home population plus members of H.M. Forces belonging to England and Wales and serving overseas but excluding the Forces of other countries temporarily in England and Wales.

3. Deaths

The deaths recorded in this volume are those registered in England and Wales. No distinction is made between deaths of civilians and deaths of non-civilians, except

where stated for past years in serial tables.

Except in Tables 16 and 22 the deaths recorded are those registered in the calendar period, the time lag between the date of occurrence and the date of registration being usually only a day or two. In Tables 16 and 22 deaths are classified by calendar month of occurrence, but they exclude deaths occurring in the current year which are not registered until after 31st March in the following year.

In all tables deaths are classified according to the area of usual residence of the

deceased. Accommodation provided under Parts III and IV of the National Assistance Act, 1948, is regarded as the place of residence of persons dying there. Before 1st January 1958 chronic sick and psychiatric hospitals were similarly treated for this purpose but from that date the method of classification was modified, the main change being that a death in such a hospital is now assigned to the area of occurrence only if the deceased had been there six months or more. If the deceased had been there

less than six months the death is transferred to the area of previous usual residence. In some small areas the number of deaths may also have been appreciably affected by the *opening*, closing or change of use of certain institutions, so that figures may not

be comparable with those of earlier years.

Causes of death

The classification of causes of death is that prescribed in the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955 (Seventh Revision) operating from the year 1958 in accordance with international agreement. In the tables this classification is referred to as ICD. Violent deaths are generally classified according to the External Cause of Injury (E codes), but the alternative method of classification by Nature of Injury (N codes) is also used in Tables 7, 8, 18B, 18C, 18D, 19 and 27. The Abridged List used for separate areas in Table 21 is an adaptation of the International List and was adopted by the Registrar General in consultation with the Ministry of Health; it is extended by the Supplementary Abridged List in the same table. The list used in Table 19 is designed so that it can be condensed into either the International Abbreviated List or the Abridged List of Table 21. Tables 18C and 18D employ both of the alternative classifications for violent deaths in the International Intermediate List.

The 1955 International Classification differs very slightly from that for 1948. For most causes of death, therefore, statistics compiled according to the 1955 Classification should be comparable with those compiled according to that for 1948. (See Appendix B

of the 1957 Statistical Review, Part III, Commentary†.)
Where more than one cause of death is mentioned on the medical certificate the choice of the assigned cause is in accordance with international procedure, determined in the main from the statement of the certifier, and not by arbitrary rules of precedence.

Death rates

The death rates for 1950 and on (except for infant mortality and maternal mortality) are derived from the total deaths registered in this country and are based on the home population, while those for 1940-49 are derived from civilian deaths and populations (see note 2 above). All death rates for years prior to 1958 have been revised so far as possible to the new method of classification. Death rates for the years 1951 to 1953

^{*} Manual obtainable from Her Majesty's Stationery Office, price 35s. 0d. net. † Obtainable from Her Majesty's Stationery Office, price 16s. 6d. net.

shown in this volume are in some cases slightly different from corresponding rates published in Parts I and II for these years because the estimated populations on which they are based have been revised in the light of final data from the 1951 Census.

The crude death rates for local areas in Table 13 (col. 12) may not be comparable one with another. In the first place, the populations on which they are based may have widely different structures by sex and age. In order to eliminate differences between local death rates due to this cause an Area Comparability Factor is calculated (as described on page 57 of the 1954 Statistical Review, Part III, Commentary*).

In the second place, the populations on which the crude death rates are based may include a disproportionate number of invalids if there are certain types of hospital in the area. In order to eliminate differences between local death rates due to this cause, the Area Comparability Factors mentioned in the previous paragraph are adjusted so that they also spread the deaths and the populations in chronic sick and psychiatric hospitals over all areas of the country in proportion to the non-institutional populations.

The product of the crude death rate and this adjusted Area Comparability Factor (col. 13 in Table 13) is a rate which is standardised for sex and age structure and, at the same time, makes allowance for the presence in or absence from the area of chronic

sick or psychiatric hospitals.

Infant mortality rates are based upon the live births occurring in the year, except in the years 1931 to 1956 when they were based upon related live births, i.e. the combined live births of the associated and preceding year to which they relate. Maternal mortality rates are based upon live and still births occurring in the calendar year, except in the case of deaths from abortion which are based on the estimated numbers of women aged 15–44. Perinatal mortality rates are based on the number of deaths under one week plus stillbirths per thousand total live and still births.

6. Standard mortality comparisons

The Comparative Mortality Index introduced in 1942 has since 1958 been replaced by a Standardised Mortality Ratio which shows the number of deaths registered in the year of experience as a percentage of those which would have been expected in that year had the sex/age mortality of a standard period (1950–52) operated on the sex/age population of the year of experience.

Tables 3, 6 and 9 are the tables affected by this change.

7. Births and birth rates

The births recorded are those occurring in the calendar year.

In Table 13 births are allocated to the area of usual residence of the mother.

The crude birth rates for local areas in Table 13 (col. 6) may not be comparable one with another. In the first place, the populations on which they are based may contain different relative numbers of women of childbearing ages. In order to eliminate differences between local birth rates due to this cause an Area Comparability Factor is calculated (as described on page 30 of the 1954 Statistical Review, Part III, Commentary).

In the second place, the crude birth rates for local areas may differ because disproportionate numbers of women of childbearing ages are in psychiatric hospitals for long periods, where they are not, in fact, 'exposed to risk' of childbearing. In order to eliminate differences between local birth rates due to this cause also, the Area Comparability Factors mentioned in the previous paragraph are adjusted so that they also spread the numbers of women of childbearing ages in psychiatric hospitals over all areas of the country in proportion to the non-institutional populations.

The product of the crude birth rate and this adjusted Area Comparability Factor (col. 7 in Table 13) is a rate which is standardised for sex and age structure—in particular for the relative numbers of women of childbearing ages—and, at the same time, makes allowance for the presence in or absence from the area of psychiatric hospitals with

female patients of childbearing ages.

8. Notification of infectious diseases

Tables 29, 30 and 31 are based on notifications corrected for subsequent amendments of diagnosis by the notifying medical practitioner or by the medical superintendent of the infectious diseases hospital. Non-civilians are included unless otherwise stated.

9. Changes in boundaries

Areas which have undergone a change of boundary on 1st April are identified in Table 13 by an asterisk (*); areas created during the year are identified by the sign (†),

^{*} Obtainable from Her Majesty's Stationery Office, price 8s. 0d. net.

while areas abolished are indicated by the sign (‡). Statistics shown for the year for such an area relate to the area as constituted in the respective parts of the year before and after the boundary change; in consequence the base population used in Table 13 for the calculation of birth and death rates, which must be a weighted average of the populations for these two parts of the year, may differ from Table 2 which relates to the area as constituted after the boundary change. An appendix showing details of changes in boundaries is published in Part II.

10. Indication of reliability

Rates given as 0 indicate that the actual rate is less than one half of a unit. A dash (—) in any column indicates that there were no events. Where a cell has been left blank no denominator is available.

Rates based upon less than 20 births, deaths or notifications are distinguished by italic type as a warning to the user that the smallness of the experiences may affect their reliability as a measure of the underlying mortality.

Numbers

If d represents the deaths in an area and p the population in that area then, if d/p is small, the standard error (s.e.) of d is approximately \sqrt{d} assuming that the deaths are independent of one another. Clearly, the larger the number of deaths the smaller will be the proportionate variability. A deviation either way of twice the s.e. may be expected about once in 20 times. Using this criterion one might expect towns each averaging 20 deaths per year to yield in the same year numbers ranging between 11 and 29 without such differences having any statistical significance. Alternatively it could be said that if 20 deaths were recorded for a town, this number would have a 95 per cent confidence interval of approximately \pm 9, there being a 95 per cent chance that the underlying mortality is represented by a number of deaths within this interval.

If d is thought to be an extreme variation it would be more reliable to use as the standard error not \sqrt{d} but $\sqrt{d'}$ where d' is the number of deaths expected if some standard rate (e.g. the national rate) were applied.

Rates

The appropriate standard error of a death rate when d represents the number of deaths and p the population is

 $\frac{\sqrt{d}}{p}$ or $\frac{m}{\sqrt{d}}$

where m is the death rate. The difference between two local death rates m_1 and m_2 can only be regarded as significant if it amounts to more than twice the standard error of the difference, viz.

$$2\sqrt{\frac{m_1^2}{d_1}+\frac{m_2^2}{d_2}}$$
.

Comparison of adjusted rates

Before comparisons are made, other known sources of variation (such as differences in the sex and age composition of the population) must be removed. If C is the local death Area Comparability Factor, then mC is to be compared with m', the national death rate. The s.e. of mC is

$$\sqrt{\frac{mC}{p}}$$

and

$$\sqrt{\frac{mC}{p}}$$

$$mC \pm 2\sqrt{\frac{mC}{p}}$$

is to be compared with m'. As already indicated, m' can be used instead of m in the calculation of the s.e.; m' has the advantage of itself having a small sampling error.

11. Definition of areas

London A.C.=Administrative County of London, which consists of the City of London (including the Inner and Middle Temples) and the metropolitan boroughs. C.B.=county borough; M.B.=municipal borough; Met.B.=metropolitan borough; U.D.=urban district; R.D.=rural district.

12. Standard regions

The constitution of the standard regions of England and Wales used in this volume is as follows:

	EGION I	REGION IV	REGION VI	Wales II (remainder)
	Northern	Eastern	Southern	Anglesey
Cumber	land	Bedfordshire	Berkshire	Caernaryonshire
Durham		Cambridgeshire	Buckinghamshire	Cardiganshire
	nberland	Elv. Isle of	*Dorset, Part of6	Denbighshire
Westmo		Essex, Part of ²	*Hampshire	Flintshire
	re, North Riding		Oxfordshire	Merionethshire
IOIKSIII	ie, riorth Klumg	Huntingdonshire	Wight, Isle of	Montgomeryshire
		Norfolk	Wight, isle of	Pembrokeshire
TO 1	CION II			
	EGION II	Suffolk, East	DECION VII	Radnorshire
	d West Ridings	Suffolk, West	REGION VII	
	re, East Riding		South Western	DEGRAM W
Yorkshi	re, West Riding		Cornwall	REGION IX
		REGION V	Devon	Midland
		London and South	*Dorset, Part of ⁷	Herefordshire
	EGION III	Eastern	Gloucestershire	Shropshire
	rth Midland	Essex, Part of	Somerset	Staffordshire
Derbysh	ire, Part of 1	Hertfordshire, Part of ⁵	Wiltshire	Warwickshire
Leiceste		Kent	· ·	Worcestershire
Lincolns	hire—	London Admin, County		
	of Holland	Middlesex	REGION VIII	
	of Kesteven	Surrey	Wales I (South East)	REGION X
	of Lindsey	Sussex, East	Brecknockshire	North Western
	nptonshire	Sussex West	Carmarthenshire	Cheshire
	hamshire	Bussen, West	Glamorganshire	Derbyshire, Part of ⁸
			Monmouthshire	Lancashire
	ough, Soke of		Monmoutnshire	Lancasmre
Rutland				

- 1. All except Buxton M.B., Glossop M.B., New Mills U.D., Whaley Bridge U.D., and Chapel en le Frith R.D.
- 2. All except East Ham C.B., West Ham C.B., Chingford M.B., Wanstead and Woodford M.B., Leyton M.B., Walthamstow M.B., Ilford M.B., Barking M.B., Dagenham M.B., Waltham Holy Cross U.D., and Chigwell U.D.
 - 3. All except Barnet U.D., Bushey U.D., Cheshunt U.D., East Barnet U.D., and Elstree R.D.
 - 4. All areas stated in 2 above. 5. All areas stated in 3 above. 6. Poole M.B. only.
 - 7. All areas except Poole M.B. 8. All areas stated in 1 above.

* On 1st April, 1959 the administrative county of Southampton was renamed Hampshire.

The constitution of the standard regions has been changed by the transfer of Dorset (except Poole M.B.) from the Southern Region to the South Western Region.

13. Conurbations

The conurbation areas used in this volume are those which were agreed in 1950, under the aegis of the Interdepartmental Committee on Social and Economic Research and the Central Statistical Office, for the presentation of official statistics generally†. They each consist of an aggregation of entire local authority areas and are constituted as follows:

		Ty	neside	
	Durham		Northum	berland
Gateshead C.B. South Shields C.B.	Felling U.D. Hebburn U.D. Jarrow M.B. Whickham U.D.		Newcastle upon Tyne C.B. Tynemouth C.B. Gosforth U.D.	Longbenton U.D. Newburn U.D. Wallsend M.B. Whitley Bay M.B.

West Yorkshire Yorkshire, West Riding

Bradford C.B. Dewsbury C.B. Halifax C.B. Huddersfield C.B. Leeds C.B. Wakefield C.B. Aireborough U.D. Baildon U.D. Batley M.B. Bingley U.D. Brighouse M.B.

Colne Valley U.D. Denby Dale U.D. Denholme U.D. Elland U.D. Heckmondwike U.D. Holmfirth U.D. Horbury U.D. Horsforth U.D. Keighley M.B.

Kirkburton U.D. Meltham U.D. Mirfield U.D. Morley M.B. Ossett M.B.
Pudsey M.B.
Queensbury and Shelf
U.D.
Ripponden U.D.
Rothwell U.D.

Shipley U.D. Sowerby Bridge U.D. Spenborough M.B. Stanley U.D.

[†] See Census 1951, England and Wales, Preliminary Report, page xxii, H.M.S.O. price 5s. 0d. net; also Census 1951, England and Wales, Report on Greater London and Five Other Conurbations, page xv, H.M.S.O. price £5 5s. 0d. net.

South East Lancashire

Cheshire Stockport C.B. Alderley Edge U.D. Altrincham M.B. Bowdon U.D. Bredbury and Romiley

U.D. Cheadle and Gatley U.D. Dukinfield M.B.

Hale U.D.
Hazel Grove and Bramhall U.D.
Hyde M.B.
Marple U.D.
Sale M.B. Stalybridge M.B. Wilmslow U.D.

Disley R.D.

Bolton C.B. Bury C.B. Manchester C.B. Oldham C.B. Rochdale C.B. Salford C.B.

Ashton-under-Lyne M.B. Audenshaw U.D. Chadderton U.D. Crompton U.D. Denton U.D.

Droylsden U.D. Eccles M.B. Failsworth U.D. Farnworth M.B. Heywood M.B.

Horwich U.D. Irlam U.D Kearsley U.D. Lees U.D. Littleborough U.D.

Lancashira

Little Lever U.D. Middleton M.B. Milnrow U.D. Mossley M.B. Prestwich M.B.

Radcliffe M.B. Royton U.D. Stretford M.B Swinton and Pendlebury MR Tottington U.D.

Urmston U.D. Wardle U.D. Westhoughton U.D. Whitefield U.D. Whitworth U.D. Worsley U.D.

Merseyside

Birkenhead C.B. Wallasey C.B. Bebington M.B.

Cheshire Ellesmere Port M.B. Hoylake U.D. Neston U.D. Wirral U.D.

Bootle C.B. Liverpool C.B. Crosby M.B.

Lancashire

Huyton-with-Roby U.D. Litherland U.D.

Smethwick C.B. Walsall C.B. West Bromwich C.B Wolverhampton C.B.

Aldridge U.D. Amblecote U.D. Bilston M.B. Brierley Hill U.D. Coseley U.D. Staffordshire Darlaston U.D. Rowley Regis M.B. Sedgley U.D. Tettenhall U.D. Tipton M.B.

Wednesbury M.B. Wednesfield U.D. Willenhall U.D.

West Midlands Warwickshire Birmingham C.B.

Solihull M.B. Sutton Coldfield M.B.

Worcestershire Dudley C.B.

Halesowen M.B. Oldbury M.B. Stourbridge M.B.

Greater London

London (whole county)
Middlesex (whole county)

Croydon C.B. Banstead U.D. Barnes M.B. Beddington and Walling-ton M.B.

Carshalton U.D.

Coulsdon and Purley U.D. Epsom and Ewell M.B. Esher U.D.

Surre Kingston-upon-Thames

M.B.
Malden and Coombe M.B.
Merton and Morden U.D.
Mitcham M.B.

Richmond M.B. Surbiton M.B.
Sutton and Cheam M.B.
Wimbledon M.B.

Kent Beckenham M.B. Bexley M.B. Bromley M.B.

Chislehurst and Sidcup U.D. Crayford U.D. Erith M.B. Orpington U.D. Penge U.D.

Hertfordshire Barnet U.D. Bushey U.D. Cheshunt U.D. East Barnet U.D.

Elstree R.D

Essex East Ham C.B. West Ham C.B.

Barking M.B. Chigwell U.D. Chingford M.B Dagenham M.B. Ilford M.B.

evton M.B. Waltham Holy Cross U.D. Walthamstow M.B. Wanstead and Woodford M.B.

14. Urban and rural aggregates

Urban and rural aggregates relate to groups of local authority areas by type (all those within conurbations, urban areas, rural districts) and, in the case of urban areas, by size of enumerated population at the 1951 Census. 'Urban areas' include boroughs and urban districts as defined under the Local Government Acts, and rural districts are also as defined by those Acts.

CORRIGENDA

Statistical Review, 1958: Part I, Tables, Medical

Page 8. Table 4, 1958, age 35—, for 2·11 read 1·80.

Page 167. Table 18 A, cause E871, males age 45—:
Total, for 47 read 48
Public building, for 1 read 2

Page 268. Table 23, Wolverhampton, last column, for 2 read 28.

Pages 324–325. Appendix A. All causes. Northern Ireland. See pages 328 and 329 following Appendix A, 1959.

PART I TABLES, MEDICAL

(Figures in thousands)

Note. The estimates of population described as "home" and "total" have the following content:—

Home population — the population, of all types, actually in England and Wales.

Total population — the home population plus members of H.M. Forces belonging to England and Wales and serving overseas but excluding the Forces of other countries temporarily in England and Wales.

A	То	tal populat	ion	Но	me populat	ion	Civilian population			
Age	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females	
0 1 2 3 4	736 715 691 666 644	378 367 354 342 330	358 348 337 324 314	736 715 691 666 644	378 367 354 342 330	358 348 337 324 314	736 715 691 666 644	378 367 354 342 330	358 348 337 324 314	
0-4	3,452	1,771	1,681	3,452	1,771	1,681	3,452	1,771	1,681	
5 6 7 8 9	656 652 640 657 677	336 334 327 336 346	320 318 313 321 331	656 652 640 657 677	336 334 327 336 346	320 318 313 321 331	656 652 640 657 677	336 334 327 336 346	320 318 313 321 331	
5—9	3,282	1,679	1,603	3,282	1,679	1,603	3,282	1,679	1,603	
10 11 12 13 14	711 765 856 665 657	364 390 438 340 337	347 375 418 325 320	711 765 856 665 657	364 390 438 340 337	347 375 418 325 320	711 765 856 665 657	364 390 438 340 337	347 375 418 325 320	
10—14	3,654	1,869	1,785	3,654	1,869	1,785	3,654	1,869	1,785	
15 16 17 18 19	663 627 574 531 567	339 320 292 268 286	324 307 282 263 281	663 628 575 529 558	339 321 293 266 277	324 307 282 263 281	660 621 564 512 525	336 314 282 251 246	324 307 282 261 279	
15—19	2,962	1,505	1,457	2,953	1,496	1,457	2,882	1,429	1,453	
20	584	293	291	553	263	290	495	206	289	
All ages under 21	13,934	7,117	6,817	13,894	7,078	6,816	13,765	6,954	6,811	
20—24	2,898	1,468	1,430	2,828	1,399	1,429	2,648	1,223	1,425	
25—29 30—34 35—39 40—44 45—49	2,876 3,032 3,465 2,837 3,284	1,450 1,517 1,713 1,394 1,619	1,426 1,515 1,752 1,443 1,665	2,861 3,023 3,457 2,833 3,282	1,435 1,508 1,705 1,390 1,617	1,426 1,515 1,752 1,443 1,665	2,817 2,998 3,429 2,815 3,272	1,392 1,484 1,678 1,372 1,607	1,425 1,514 1,751 1,443 1,665	
50—54 55—59 60—64 65—69 70—74	3,185 2,857 2,351 1,938 1,515	1,555 1,354 1,028 805 596	1,630 1,503 1,323 1,133 919	3,184 2,857 2,351 1,938 1,515	1,554 1,354 1,028 805 596	1,630 1,503 1,323 1,133 919	3,181 2,857 2,351 1,938 1,515	1,551 1,354 1,028 805 596	1,630 1,503 1,323 1,133 919	
75—79 80—84 85 and over	1,056 577 283	392 197 90	664 380 193	1,056 577 283	392 197 90	664 380 193	1,056 577 283	392 197 90	664 380 193	
All ages	45,504	22,002	23,502	45,386	21,885	23,501	45,007	21,5 17	23,490	

TABLE 2. Estimated home population by sex and age, as at 30th June 1959

England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations

			(Figu	ires in i	thousan	ds)					
		All	0	5—	15—	25—	35—	45	55	65—	75 and over
ENGLAND AND WALES Regions and conurbations:	${M \choose F}$	21,885 23,501	1,771	3,548 3,388	2,895 2,886	2,943 2,941	3,095 3,195	3,171 3,295	2,382 2,826	1,401 2,052	679 1,237
Northern	$\left\{ _{F}^{M}\right.$	1,585 1,637	140 133	265 254	223 221	217 211	210 211	219 221	166 187	99 130	46 69
Tyneside Conurbation	${M \atop F}$	410 442	37 36	66 65	54 59	59 59	56 58	58 61	44 51	25 35	11 18
Remainder of Northern	${M \atop F}$	1,175 1,195	103 97	199 189	169 162	158 152	154 153	161 160	122 136	74 95	35 51
East and West Ridings	{M F	2,000 2,150	164 155	324 313	246 267	273 268	284 292	299 308	224 262	128 185	58 100
West Yorkshire Conurbation	{M F	798 895	65 62	126 121	90 104	109 107	114 121	125 135	94 117	52 83	23 45
Remainder of East and West Ridings	${M \atop F}$	1,202 1,255	99 93	198 192	156 163	164 161	170 171	174 173	130 145	76 102	35 55
North Western	{M F	3,091 3,416	260 248	507 489	385 413	408 417	438 463	461 493	349 429	196 304	07 [60
South East Lancashire Conurbation	{M F	1,145 1,274	96 91	185 179	135 148	156 157	168 177	174 188	130 162	71 114	30 58
Merseyside Conurbation	{M F	653 731	64 62	117 114	91 102	86 92	89 96	89 96	65 80	36 58	16 31
Remainder of North Western	{M F	1,293 1,411	100 95	205 196	159 163	166 168	181 190	198 209	154 187	89 132	41 71
North Midland	{M F	1,752 1,808	143	288 276	231 227	243	246 244	251 250	185	111	54 87
Midland	{M F	2,278 2,362	186 177	382 364	306 306	325 317	334 325	325 322	229	130	61
West Midlands Conurbation	{M F	1,112 1,180	92 88	187 180	141 155	164 162	168 164	161 163	111 129	60 89	28 50
Remainder of Midland	{M F	1,166 1,182	94 89	195 184	165 151	161 155	166 161	164 159	118 132	70 94	33 57
Eastern	{M F	1,752	147	281 265	244	233	245	242 243	182	116	62 107
London and South Eastern	{M F	5,173 5,851	395 375	810 772	629 693	702 734	774 832	782 846	581 721	336 535	164 343
Greater London '	{M F	3,862 4,343	294 279	589 567	461 524	546 565	598 636	597 640	433 527	235 373	109 232
Remainder of South	{M F	1,311	101	221 205	168 169	156 169	176 196	185 206	148 194	101 162	55 111
*Southern	{M F	1,354 1,387	109	220 207	230	170	177	177	138	87 128	46 86
*South Western	{M F	1,614	126	264 249	231	201	214 223	228 240	180	111	59 113
Wales (including Mon-	{M F	1,286	101	207	170	171	173	187	148	87 112	42 65
mouthshire) Wales I (South East)	{M F	927 955	74 70	150	119 123	127 125	126 127	136 135	107 114	60 75	28 42
Wales II (remainder)	{M F	359	27 26	57	51 47	44 44	47 49	51 54	41 47	27 37	14 23
Urban/Rural aggregates:	1)	382	20	33	4/	44	49	34	7'	31	23
Conurbations	${M \choose F}$	7,980 8,864	648 618	1,270 1,226	972 1,092	1,120 1,142	1,193 1,252	1,204 1,282	877 1,066	479 752	217 434
Areas outside conurbation	ns:										
Urban areas with populations of 100,000 and over	$\left\{ _{F}^{M}\right.$	2,809 3,048	234 223	458 444	363 381	387 383	394 406	407 425	310 369	175 264	81 153
Urban areas with populations of 50,000 and under 100,000	${M \atop F}$	1,665 1,821	137 129	271 259	220 223	227 227	230 241	238 251	182 221	108 166	52 104
Urban areas with populations under 50,000	$\left\{ _{F}^{M}\right.$	4,899 5,294	400 378	811 768	623 641	640 647	675 703	706 732	540 645	335 481	169 299
Rural districts	${M \atop F}$	4,532 4,474	352 333	738 691	717 549	569 542	603 593	616 605	473 525	304 389	160 247

^{*} Constitution changed. See explanatory note 12.

TABLE 3. Deaths, death rates, mortality comparisons, infant mortality, and live and still birth rates, 1841 to 1959

England and Wale

See explanatory notes. For explanation of Standardised Mortality Ratios see note 6.

		Deaths		Crude rates per 1,000 living			Mor	andardis tality R 950–52=	atios	Deaths of infants under 1 year per 1,000 live births†			s per	per 1,000 still) births
Period	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females	Total	Legitimate	Illegitimate	Live birth rates per 1,000 population	Stillbirth rates total (live and
1841–1850	3,769,396	1,909,125	1,860,271	22.4	23·1	21.6	357	320	396	153			32.6	
1851–1860	4,210,715	2,138,536	2,072,179	22.2	23.1	21.4	348	313	384	154			34.1	
1861-1870	4,794,498	2,459,489	2,335,009	22.5	23.7	21.4	351	319	383	154		_	35.2	
1871–1880 1881–1890	5,178,311 5,244,770	2,679,416 2,698,316	2,498,895 2,546,454	21·4 19·1	22·7 20·3	20·1 18·1	335 304	308 281	362 327	149 142			35·4 32·4	
1001-1000	3,277,770	2,000,010	2,540,454	1) 1	20 3	10 1	304	201	321	142				
1891–1900	5,575,375	2,865,226	2,710,149	18.2	19.3	17-1	288	268	307	153			29.9	
1901-1910	5,248,774	2,706,356	2,542,418	15.4	16.4	14.4	235	221	248	128	0.5	10.	27.2	
1911-1920*	5,188,052	2,684,511	2,503,541	14.4	15.9	13.0	197	187	207	100	96	194	22.7	
1921-1930 1931-1940*	4,722,991 4,992,208	2,407,475 2,551,612	2,315,516 2,440,596	12·1 12·3	12·9 13·1	11·4 11·5	151	142 125	159 136	72 59	70 57	130 95	18·3 14·9	40
		2,001,012	2,110,000	123										
1941–1950*	4,997,653	2,586,188	2,411,465	12.4	14-1	11.0	106	104	107	43	41	61	18.0	27
1841–1845	1,746,110	885,168	860,942	21.4	22-1	20.6	344	307	381	148			32.3	
1846-1850	2,023,286	1,023,957	999,329	23.3	24.1	22.6	369	331	409	157			32.8	
1851-1855	2,087,236	1,061,271	1,025,965	22.7	23-5	21.8	356	321	392	156			33.9	
1856–1860	2,123,479	1,077,265	1,046,214	21.8	22.6	21.0	341	306	377	152			34.4	
1861–1865	2,331,957	1,192,943	1,139,014	22.6	23.7	21.5	353	320	387	151			35-1	
1866-1870	2,462,541	1,266,546	1.195 995	22-4	23.7	21.2	349	318	380	157			35-3	
1871-1875	2,572,749	1,330,063	1,242,686	22.0	23.3	20.7	342	314	371	153			35.5	
1876–1880	2,605,562	1,349,353	1,256,209	20.8	22-1	19.5	328	302	354	145			35-3	
1881–1885 1886–1890	2,585,164 2,659,606	1,330,461 1,367,855	1,254,703 1,291,751	19·4 18·9	20·5 20·0	18·3 17·8	308	284 278	333 322	139 145			33·5 31·4	
1001 1005	2 705 201			40.5	10.0		20.5	27.5	210				20.5	
1891–1895 1896–1900	2,785,391 2,789,984	1,427,164 1,438,062	1,358,227 1,351,922	18·7	19·8 18·8	17·7 16·6	296 279	275 262	318 297	151 156		1	30·5 29·3	
1901–1905	2,671,566	1,379,931	1,291,635	16.0	17.1	15.0	249	234	264	138			28.2	
1906–1910	2,577,208	1,326,425	1,250,783	14.7	15.6	13.8	221	208	234	117	113	224	26.3	
1911-1915*	2,598,719	1,344,171	1,254,548	14.3	15.4	13.3	205	195	215	110	105	210	23.9	
19161920*	2,589,333	1,340,340	1,248,993	14-4	16.5	12.8	190	180	199	90	85	179	21.5	
1921-1925	2,336,270	1,189,865	1,146,405	12-1	12.9	11-4	157	147	166	76	73	140	19.9	
1926-1930	2,386,721	1,217,610	1,169,111	12-1	12-9	11.4	145	137	153	68	65	119	16.7	
1931-1935	2,426,435	1,232,370	1,194,065	12.0	12.7	11-4	134	127	141	62	60	103	15.0	41
1936-1940*	2,565,773	1,319,242	1,246,531	12.5	13.5	11.6	128	123	132	55	54	86	14.9	38
1941-1945*	2,497,013	1,301,357	1,195,656	12.8	15.1	11-1	112	110	113	50	48	71	17.6	30
1946-1950*	2,500,640	1,284,831	1,215,809	11.8	12.8	10.9	101	99	102	36	36	51	18-4	24
1951–1955	2,571,153	1,325,747	1,245,406	11.7	12.5	10.9	97	98	95	27	27	34	15.2	23
1908	520,456	268,714	251,742	14.8	15.8	13.9	223	211	235	120	116	233	26.7	
1909	518,003	265,203	252,800	14-6	15-5	13-8	219	205	233	109	104	211	25.8	
1910	483,247	249,016	234,231	13.5	14.4	12-7	201	190	212	105	102	195	25-1	
1911	527,810	272,512	255,298	14.6	15.6	13-7	216	204	227	130	125	245	24.4	
1912	486,939	250,232	236,707	13.4	14.2	12.6	196	184	207	95	91	181	24.0	

[•] For the years 1915-20 and from 3rd September 1939 to 31st December 1949, for males, and from 1st June 1941 to 31st December 1949, for females, the mortality rates are based upon civilians only, but, as in other years, the numbers of deaths include those of non-civilians registered in England and Wales.

[†] Based on related live births from 1931 to 1956.

[‡] Based on half year's figures only.

Period		Deaths		Cr p	ude rate er 1,000 living	S	Mor	andardis tality R 950-52=	Deaths of infants under 1 year per 1,000 live births†			s per on	per 1,000 still) births	
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females	Total	Legitimate	Illegitimate	Live birth rates p 1,000 population	Stillbirth rates total (live and
1913	504,975	261,687	243,288	13-8	14.8	12.9	200	190	209	108	104	213	24.1	
1914	516,742	267,359	249,383	14.0	14.9	13-1	201	191	211	105	100	207	23.8	
1915*	562,253	292,381	269,872	15.7	17-7	14.0	215	205	224	110	105	203	23-1	
1916* 1917*	508,217 498,922	265,030 262,215	243,187 236,707	14·3 14·2	16·7 17·1	12-5	191	183	200	91	87	183	22.7	
1711	470,722	202,213	230,707	14.7	17.1	12.1	186	180	192	96	90	201	19-5	
1918*	611,861	314,704	297,157	17-3	20-1	15.2	222	208	238	97	91	186	19-5	
1919*	504,203	258,089	246,114	14.0	15.7	12.6	183	173	194	89	84	173	19.5	
1920* 1921	466,130 458,629	240,302	225,828	12.4	13-5	11.5	166	159	174	80	76	156	28.0	
1921	486,780	234,291 247,221	224,338 239,559	12·1 12·7	12·9 13·5	11·3 12·0	160 167	151 157	169 177	83 77	79 74	158 139	22·4 20·4	
	100,700	,	235,555	12 /	13 3	12 0	107	137	1//	- ' '	/**	1391	20.4	
1923	444,785	226,858	217,927	11.6	12-4	10.9	149	140	157	69	67	132	19.7	
1924	473,235	240,620	232,615	12-2	13.0	11.5	155	146	164	75	73	133	18-8	
1925	472,841 453,804	240,875	231,966	12-1	12.9	11.4	153	144	162	75	72	136	18.3	
1926 1927	484,609	231,549 246,606	222,255 238,003	11·6 12·3	12·4 13·1	10·9 11·6	143	135 142	151 159	70 70	68	130	17.8	204
.,	101,005	240,000	250,005	12.3	15.1	11.0	150	142	139	70	67	120	16.7	38‡
1928	460,389	235,542	224,847	11.7	12-5	10-9	139	132	146	65	63	115	16.7	40
1929	532,492	269,903	262,589	13.4	14-2	12.7	160	150	170	74	72	126	16.3	40
1930 1931	455,427 491,630	234,010	221,417	11.4	12.3	10.7	134	127	140	60	58	105	16.3	41
1931	484,129	249,717 245,715	241,913 238,414	12·3 12·0	13·0 12·7	11·6 11·4	142	133 129	150 144	66	64	109	15.8	41
1702	101,125	213,713	250,414	120	12 /	11 7	137	123	1.44	04	62	112	15.3	41
1933	496,465	250,625	245,840	12.3	12.9	11.7	138	129	146	63	61	106	14-4	41
1934	476,810	242,855	233,955	11-8	12-5	11.1	129	123	136	59	58	96	14.8	40
1935 1936	477,401 495,764	243,458 253,319	233,943 242,445	11·7 12·1	12·5 12·9	11.1	127	120	132	57	56	89	14.7	41
1937	509,574	260,057	242,443	12.4	13.2	11·4 11·7	129	123 124	134 135	5 9	57 56	88 88	14·8 14·9	40 39
			212,011		10 -	* 1	150	12.1	133	50	30	00	140	39
1938	478,996	246,898	232,098	11.6	12.5	10.8	119	116	123	53	52	81	15.1	38
1939*	499,902	255,879	244,023	12.1	13.0	11.3	122	117	126	51	49	90	14.9	38
1940* 1941*	581,537 535,180	303,089 281,035	278,448 254,145	14.4	16·1 15·7	12·9 11·8	139	135	141	57	55	82	14.8	37
1942*	480,137	251,333	228,804	12.3	14.4	10.7	126 110	124 109	127 111	60 51	59 49	82 75	14·9 17·0	35 33
							110		***		7	"	1,0	33
1943*	501,412	259,206	242,206	13.0	15-3	11-3	112	109	114	49	48	71	18-1	30
1944* 1945*	492,176 488,108	257,705	234,471	12.7	15.3	10.8	107	106	108	45	44	69	19.9	28
1946*	492,090	252,078 252,380	236,030 239,710	12·6 12·0	15·0 - 13·4	10·8 10·9	104	103 101	106 106	46	44	65	17·9 20·2	28 27
1947*	517,615	267,714	249,901	12.3	13.6	11.3	107	106	108	41	40	58	21.1	24
1948* 1949*	469,898 510,736	242,899 260,686	226,999 250,050	11·0 11·8		10.1	94		95	34	33	45	18.1	23
1949	510,736	261,152	230,030	11.8	12·6 12·3	11·1 11·0	101 99	99 98	103 101	32 30	32 29	45 39	16·9 15·8	23
1951	549,380	281,724		12.5	13.4	11.8	106	106	106	30	29	38	15.4	23 23
1952	497,484			11-3	12.2	10.5	95	96	93	28	27	35	15.3	23
10.52	E02 E20	250 400	244.020		10.0									
1953 1954	503,529 501,896	259,490 259,797	244,039 242,099	11·4 11·3	12·2 12·2	10·7 10·5	95	96	94	27	27	33	15.4	22
1955	518,864	266,976		11.7	12.2	10.5	93 95	95 97	91 93	25 25	25 25	32 32	15·1 15·0	23 23
1956	521,331	267,904		11.7		10.9	94	96	92	24	23	29	15.6	23
1957	514,870			11.5	12.3	10.7	91	94	88	23	23	30	16.1	22
1958	526.042	270 620	255 204	11.7	10	11.0		0.5	0.0	-0.2		0.0	10.	-
1958	526,843 527,651	270,639 269,878			12·4 12·3	11·0 11·0	92 91	95 94	90 89	23	22	28 27	16·4 16·5	22 21
	11,534		201,1.75			-1 0	, 51	1			200		.03	

^{* † ‡} See footnotes on first page of this table.

See explanatory notes. PERSONS

PERSONS													
Period	1—	5	10	15	20—	25—	35—	45—	55—	65	75—	85 and over	Deaths under 1 year per 1,000 live births†
1841-1850 1851-1860 1861-1870 1871-1880 1881-1890		9·05 8·46 7·99 6·47 5·30	5·29 4·97 4·49 3·71 3·03	7·48 7·04 6·42 5·35 4·37	9·29 8·67 8·21 7·07 5·63	10·3 9·76 9·83 8·96 7·56	12·9 12·3 12·7 12·7 11·5	17·0 16·5 17·4 17·8 17·1	29·9 28·9 30·4 31·6 31·4	63·6 61·7 62·8 65·0 65·0	141·5 139·9 140·4 142·2 137·6	301·0 296·5 296·6 308·3 284·0	154 154 149
1891-1900 1901-1910 1911-1920* 1921-1930 1931-1940*	5.65	4·34 3·56 3·60 2·42 2·01	2·51 2·11 2·28 1·64 1·31	3·73 2·99 3·32 2·55 2·17	4·74 3·82 4·29 3·21 2·85	6·40 5·13 5·47 3·64 3·04	10·5 8·31 7·41 5·54 4·58	16·8 14·3 12·6 10·0 9·26	31·5 28·1 25·0 21·3 20·2	65·0 58·8 55·8 50·8 48·8	137·2 127·2 125·5 120·9 119·5	270·8 260·8 254·2 260·2 259·8	153 128 100 72 59
1941-1950*	2.55	1.13	0.85	1.58	2.24	2.37	3.38	7-44	17-6	42-4	104.0	216.5	43
1841-1845 1846-1850 1851-1855 1856-1860 1861-1865		8·69 9·39 8·64 8·33 8·39	5·01 5·56 5·23 4·72 4·72	7·21 7·74 7·48 6·74 6·64	8·81 9·77 9·06 8·33 8·39	9·66 10·9 10·1 9·38 9·79	12·2 13·6 12·7 12·0 12·6	16·1 18·1 17·2 16·1 17·2	28·7 31·4 29·6 28·4 30·3	62·0 65·9 62·9 61·0 62·5	137·2 145·7 143·2 136·7 139·1	295·3 306·5 299·6 293·4 299·0	156 152
1866-1870 1871-1875 1876-1880 1881-1885 1886-1890	,	7·62 6·86 6·10 5·76 4·86	4·28 3·97 3·47 3·23 2·84	6·21 5·81 4·93 4·63 4·13	8·03 7·74 6·46 5·96 5·32		12·9 13·1 12·3 11·8 11·1	17·6 18·0 17·5 17·2 17·1	30·6 31·6 31·6 31·0 31·8	63·2 65·3 64·7 63·5 66·4	141·7 141·7 142·9 136·2 139·0	294·3 305·2 311·5 277·9 290·1	153 145
1891-1895 1896-1900 1901-1905 1906-1910 1911-1915*		4·56 4·12 3·74 3·38 3·39	2·65 2·36 2·19 2·03 2·08	3·98 3·48 3·11 2·87 2·88	5·01 4·50 4·00 3·64 3·58	6·81 6·03 5·44 4·84 4·57	11·0 10·1 8·86 7·81 7·28	17·3 16·2 14·9 13·7 13·1	32·5 30·5 28·7 27·5 26·2	67·3 62·9 59·4 58·1 57·3	140·7 133·8 127·3 127·0 126·2	273·9 267·7 258·6 262·4 257·9	
1916-1920* 1921-1925 1926-1930 1931-1935 1936-1940*	6·56 4·70	3·81 2·48 2·37 2·18 1·84	2·48 1·71 1·57 1·41 1·20	3·77 2·61 2·49 2·33 2·01	5·16 3·30 3·11 2·96 2·72	3·79 3·49	7·54 5·71 5·37 4·82 4·35	12·1 10·1 9·94 9·44 9·09	24·0 21·6 21·0 20·1 20·4	54·5 51·1 50·6 49·0 48·5	124·8 121·8 120·2 119·3 119·7	250·7 251·4 268·2 255·7 263·4	68 62
1941-1945* 1946-1950* 1951-1955	3·50 1·77 1·14	1·50 0·77 0·47	1·08 0·62 0·41	1·96 1·18 0·68	3·06 1·63 0·96	3·04 1·84 1·24	3·95 2·89 2·40	8·00 6·94 6·36	18·1 17·1 16·6	43·0 41·9 42·0	104·5 103·5 105·7	213·0 219·3 235·7	50 36 27
1929 1930		2·47 2·29	1·70 1·54	2·61 2·45	3·28 3·00	3·65 3·36	5·74 4·95	10·9 9·43	22·8 20·0	56·2 47·2	136·5 111·8	312·3 238·1	74 60
1931 1932 1933 1934 1935	7·55 6·96 6·56 6·59 5·08	2·14 2·07 2·20 2·44 2·04	1·47 1·39 1·43 1·43 1·32	2.28	3·10 3·02 3·09 2·85 2·72		5·45 4·79 5·15 4·60 4·49	9·80 9·89 9·19 8·99	20·6 20·1 20·4 19·7 19·6	50·8 49·8 49·5 47·9 47·5	123·9 121·9 123·8 113·2 114·6	268·2 264·6 266·2 236·4 245·4	66 64 63 59 57
1936 1937 1938 1939* 1940*	5·50 5·11 4·59 3·49 4·83	1·99 1·87 1·87 1·48 1·96	1·21 1·18 1·19 1·03 1·40	1·95 1·97 1·86 1·75 2·54	2·69 2·66 2·49 2·45 3·50		4·39 4·47 4·05 3·94 4·92	9·09 9·23 8·47 8·56 10·1	20·1 20·6 19·0 19·7 22·6	48·5 49·0 45·5 47·2 52·3	118·3 120·0 110·6 119·0 130·1	265·5 271·7 240·0 260·6 278·7	58
1941* 1942* 1943* 1944* 1945*	5·30 3·42 3·34 2·84 2·64	2·06 1·50 1·40 1·38 1·18	1·37 1·04 1·04 1·05 0·91	2·59 1·91 1·88 1·73 1·56	3·55 3·02 3·02 2·96 2·73	3·53 2·92 2·97 3·01 2·67	4·62 3·87 3·95 3·82 3·48	8.97 7.82 8.02 7.73 7.36	19·8 17·8 18·0 17·6 17·3	46·5 42·4 43·1 41·7 41·5	114·3 102·6 106·4 100·3 100·3	247·2 216·8 220·2 196·5 194·5	60 51 49 45 46
1946* 1947* 1948* 1949* 1950	2·08 2·18 1·75 1·56 1·35	0·86 0·90 0·75 0·69 0·64	0.56	1·33 1·39 1·20 1·10 0·90		1·82 1·70	3·15 3·08 2·79 2·80 2·62	7·25 7·24 6·70 6·81 6·72	17·4 17·5 16·4 17·2 17·0	41·3 42·8 39·4 43·1 42·7	102·4 108·3 94·1 105·7 106·9	214·5 234·4 191·9 227·5 227·6	43 41 34 32 30
1951 1952 1953 1954 1955	1·35 1·18 1·18 0·94 1·00	0·55 0·49 0·49 0·41 0·43	0·41 0·37	0·76 0·71 0·64 0·63 0·64	0.92 0.87	1.15	2·63 2·42 2·35 2·37 2·23	6·90 6·35 6·26 6·19 6·14	18·0 16·5 16·3 16·1 16·1	46·1 41·0 41·1 40·6 41·4	117·2 102·3 103·3 101·0 105·1	266·9 228·4 230·9 222·2 233·5	30 28 27 25 25
1956 1957 1958 1959	0.91 0.97 0.88 0.91	0·40 0·41 0·40 0·41	0·34 0·38 0·32 0·34	0·57 0·68 0·60 0·65	0.80 0.84 0.80 0.83	1·04 1·03 0·98 0·96	2·19 2·20 2·27 2·09	5·95 6·00 5·92 5·77	16·1 16·2 15·9 15·9	41·0 40·4 40·4 39·9	104·1 97·4 101·0 99·2	233·3 208·0 224·2 223·2	24 23 23 22

Civilian mortality only in 1915-20 and from 3rd September 1939 to 31st December 1949 for males, and from
1st June 1941 to 31st December 1949, for females.
 Based on related live births from 1931 to 1956.

TABLE 4 continued

MALES

Period	1—	5—	10-	15—	20	25—	35—	45	55	65—	75—	85 and over	Deaths under 1 year per 1,000 live births†
1841-1850 1851-1860 1861-1870 1871-1880 1881-1890		9·17 8·51 8·19 6·71 5·35	5·13 4·88 4·48 3·71 2·95	7·05 6·69 6·19 5·25 4·32	9·51 8·83 8·48 7·36 5·73	9·94 9·57 9·94 9·34 7·77	12·9 12·5 13·5 13·8 12·4	18·2 18·0 19·3 20·1 19·4	31·8 30·9 33·1 34·9 34·7	67·5 65·3 67·1 69·7 70·5	148·3 146·7 147·2 150·8 146·6	312·3 308·2 315·0 327·4 305·8	168
1891-1900 1901-1910 1911-1920* 1921-1930 1931-1940*	5 ·96	4·31 3·50 3·61 2·52 2·13	2·45 2·05 2·23 1·65 1·36	3·79 3·09 3·44 2·62 2·30	5·06 4·18 4·94 3·41 3·08	6·76 5·57 6·46 3·86 3·20	11·5 9·15 8·61 6·34 5·17	18·9 16·2 14·5 11·6 11·1	34·9 31·8 29·0 24·6 24·3	70·4 64·8 63·5 58·2 56·8	146·1 137·7 139·3 135·4 137·5	286·8 279·2 274·5 285·8 282·9	140
1941-1950*	2.72	1.28	0.95	1.79	2.72	2.72	3.93	9.16	22.7	51.6	120-2	234.7	48
1841-1845 1846-1850 1851-1855 1856-1860 1861-1865		8·82 9·54 8·75 8·30 8·53	4·84 5·39 5·15 4·63 4·68	6·76 7·35 6·98 6·42 6·39	8·99 10·0 9·24 8·44 8·65	9·37 10·5 9·95 9·17 9·76	12·2 13·6 12·9 12·2 13·2	17·2 19·2 18·6 17·5 18·9	30·3 33·2 31·6 30·4 32·8	65·5 69·5 66·7 64·3 66·4	143·7 152·9 150·9 142·7 145·9	350·1 319·5 310·9 305·3 316·6	172 166
1866–1870	,	7·88	4·30	5·99	8·31	10·1	13·7	19·6	33·5	67·8	148·7	313·5	170
1871–1875		7·10	3·99	5·71	8·07	10·0	14·3	20·3	34·8	70·1	149·6	323·3	167
1876–1880		6·34	3·44	4·84	6·70	8·70	13·4	19·8	34·9	69·4	152·2	331·5	159
1881–1885		5·85	3·16	4·53	6·00	8·16	12·8	19·3	34·2	68·8	145·4	297·9	152
1886–1890		4·86	2·76	4·12	5·48	7·40	12·1	19·4	35·2	72·1	147·9	313·7	159
1891-1895 1896-1900 1901-1905 1906-1910 1911-1915*		4·53 4·09 3·68 3·33 3·42	2·57 2·32 2·14 1·97 2·05	4·00 3·59 3·20 2·97 3·01	5·23 4·90 4·39 3·97 3·98	7·07 6·47 5·89 5·25 5·15	11·9 11·1 9·74 8·62 8·20	19·5 18·4 17·0 15·5 14·9	35·8 34·1 32·4 31·2 30·2	72·5 68·3 65·3 64·4 64·1	149·2 143·1 137·6 137·7 139·2	290·8 282·8 274·6 283·0 281·6	170 151 129
1916-1920* 1921-1925 1926-1930 1931-1935 1936-1940*	6·88 5·00	3·81 2·55 2·48 2·28 1·96	2·41 1·69 1·61 1·44 1·27	3·91 2·66 2·58 2·45 2·15	6·60 3·53 3·30 3·15 2·99	8·58 4·05 3·68 3·31 3·09	9·07 6·51 6·18 5·40 4·95	14·0 11·6 11·6 11·2 11·0	27·9 24·9 24·4 23·6 25·0	63·0 58·2 58·3 56·7 56·8	139·4 135·5 135·4 135·2 139·5	267·8 272·7 298·1 278·9 286·3	101 86 77 70 62
1941–1945*	3·72	1·69	1·20	2·22	5·00	4·16	4·81	9·85	23·1	51·7	121·6	226·1	56
1946–1950*	1·90	0·88	0·69	1·33	1·75	1·92	3·23	8·55	22·4	51·6	119·0	241·6	41
1951–1955	1·23	0·55	0·48	0·86	1·23	1·39	2·71	7·93	22·5	54·6	126·7	265·9	30
1929		2·61	1·74	2·69	3·48	3·86	6·70	12·9	26·3	64·1	151·5	343·6	83
1930		2·41	1·57	2·57	3·24	3·52	5·66	11·2	23·4	55·2	126·6	263·5	68
1931	8·05	2·29	1·46	2·60	3·31	3·46	5·76	11.6	23·9	58·7	138·4	295.9	74
1932	7·20	2·20	1·45	2·54	3·24	3·33	5·33	10.8	23·4	57·9	138·0	289.7	73
1933	6·88	2·27	1·49	2·56	3·27	3·49	5·74	11.7	23·8	56·6	139·4	286.3	71
1934	6·91	2·49	1·45	2·38	3·07	3·19	5·14	10.9	23·4	55·4	129·3	256.4	66
1935	5·30	2·14	1·35	2·14	2·88	3·10	5·02	10.8	23·3	55·2	131·8	268.9	64
1936	5·82	2·12	1·29	2·06	2·87	2·94	4·91	10·8	24·2	56·3	137·3	291·8	66
1937	5·42	1·98	1·23	2·12	2·81	3·02	5·03	11·1	24·9	57·1	138·5	292·3	65
1938	4·89	1·93	1·28	2·01	2·73	2·83	4·57	10·2	23·1	53·7	130·1	263·6	60
1939*	3·72	1·65	1·08	1·87	2·64	2·74	4·42	10·3	24·3	55·4	139·1	280·8	56
1940*	5·16	2·12	1·48	2·76	4·80	4·08	5·84	12·5	28·3	61·3	151·8	303·2	64
1941*	5·58	2·25	1·50	2·94	5·57	4·64	5·64	11·0	25·1	55·2	134·6	258·8	67
1942*	3·69	1·68	1·16	2·12	4·75	3·85	4·67	9·58	22·4	51·2	120·7	232·9	57
1943*	3·50	1·61	1·10	2·12	5·04	4·04	4·76	9·95	22·8	51·4	122·6	234·1	55
1944*	3·06	1·58	1·18	1·95	4·79	4·29	4·75	9·62	22·7	50·6	116·5	212·0	50
1945*	2·84	1·35	1·03	1·79	4·75	3·84	4·20	9·10	22·3	50·3	115·7	204·7	51
1946*	2·26	0·97	0·86	1·52	2.66	2·24	3·55	8·94	22·3	49·7	117·4	232·3	48
1947*	2·38	1·04	0·78	1·62	2.05	2·12	3·44	8·98	22·9	52·5	125·9	266·5	46
1948*	1·87	0·88	0·64	1·30	1.54	1·87	3·15	8·24	21·6	49·0	108·6	210·2	38
1949*	1·69	0·80	0·63	1·27	1.59	1·75	3·12	8·39	22·6	53·2	120·7	249·0	36
1950	1·42	0·75	0·56	1·01	1.39	1·69	2·92	8·26	22·5	53·3	122·5	250·4	34
1951	1·44	0.65	0·57	0.89	1·36	1·61	2.96	8·62	24·3	58·8	136·9	307·8	34
1952	1·32	0.57	0·50	0.90	1·33	1·43	2.75	7·91	22·2	53·1	122·1	265·1	31
1953	1·26	0.56	0·46	0.82	1·18	1·37	2.61	7·81	22·2	53·7	123·4	258·1	30
1954	1·06	0.48	0·43	0.81	1·12	1·29	2.66	7·69	21·9	53·3	123·0	249·6	29
1955	1·04	0.49	0·45	0.88	1·18	1·25	2.53	7·66	22·0	54·2	128·5	256·2	28
1956	0.98	0·46	0·41	0·79	1·07	1·21	2·49	7·45	22·1	54·2	127·5	256·2	27
1957	1.04	0·48	0·44	0·91	1·15	1·19	2·50	7·51	22·3	54·0	119·9	226·8	26
1958	0.99	0·49	0·39	0·83	1·07	1·17	2·43	7·40	21·9	54·3	124·6	242·6	25
1959	1.00	0·49	0·39	0·94	1·14	1·13	2·42	7·23	21·8	53·6	122·2	240·0	25

^{*} Civilian mortality only in 1915-20 and from 3rd September 1939 to 31st December 1949, † Based on related live births from 1931 to 1956.

TABLE 4—continued

FEMALES

Period	1—	5	10	15—	20—	25—	35—	45	55—	65—	75—	85 and over	Deaths under 1 year per 1,000 live births†
1841-1850		8·90	5·44	7·89	9·09	10·6	12·9	16·0	28·4	61·0	135·9	293·3	137
1851-1860		8·42	5·06	7·39	8·53	9·93	12·1	15·2	27·0	58·7	134·5	288·9	139
1861-1870		7·80	4·51	6·65	7·97	9·72	12·1	15·6	27·9	59·1	134·9	285·1	139
1871-1880		6·23	3·72	5·45	6·81	8·61	11·6	15·6	28·7	61·0	135·4	296·4	134
1881-1890		5·26	3·11	4·42	5·54	7·38	10·6	15·1	28·5	60·4	130·6	270·8	128
1891-1900	5∙34	4·37	2·57	3·67	4·46	6·08	9·59	14·7	28·4	60·7	130·6	261·4	138
1901-1910		3·61	2·17	2·89	3·50	4·74	7·53	12·5	24·8	53·9	119·8	250·3	114
1911-1920		3·59	2·34	3·21	3·87	4·78	6·42	10·9	21·5	49·6	116·3	243·6	89
1921-1930		2·33	1·63	2·48	3·02	3·45	4·85	8·61	18·3	44·9	111·6	248·2	63
1931-1940		1·90	1·26	2·04	2·63	2·88	4·07	7·71	16·7	42·3	107·9	249·1	51
1941-1950*	2.36	0.97	0.76	1.40	1.97	2.11	2.91	5.96	13.4	35.2	93.3	207-9	37
1841-1845		8·56	5·17	7·65	8·64	9·92	12·1	15·1	27·2	59·1	131·8	288·6	133
1846-1850		9·23	5·72	8·12	9·57	11·2	13·7	17·0	29·7	62·7	140·0	297·7	142
1851-1855		8·54	5·32	7·75	8·90	10·3	12·6	15·8	27·8	59·7	137·2	292·1	141
1856-1860		8·35	4·82	7·06	8·24	9·57	11·8	14·8	26·5	58·1	131·9	285·8	137
1861-1865		8·26	4·76	6·89	8·17	9·82	12·1	15·5	27·9	59·1	133·8	287·9	136
1866-1870	1	7·37	4·27	6·42	7·78	9·63	12·1	15·8	27·9	59·1	136·1	282·3	142
1871-1875		6·61	3·95	5·92	7·43	9·23	12·0	15·9	28·7	61·3	135·3	293·9	138
1876-1880		5·87	3·50	5·02	6·23	8·03	11·3	15·3	28·6	60·8	135·5	299·0	130
1881-1885		5·68	3·30	4·72	5·93	7·86	10·9	15·2	28·1	59·1	129·0	265·5	125
1886-1890		4·85	2·93	4·15	5·17	6·92	10·3	15·0	28·8	61·7	132·3	276·1	131
1891–1895		4·59	2·73	3·97	4·81	6·57	10·1	15·2	29·5	63·0	134·3	264·0	135
1896–1900		4·15	2·40	3·37	4·14	5·63	9·10	14·3	27·4	58·5	127·0	258·7	141
1901–1905		3·79	2·24	3·02	3·66	5·04	8·05	13·1	25·4	54·8	119·9	249·4	124
1906–1910		3·44	2·09	2·76	3·34	4·46	7·05	12·0	24·3	53·1	119·6	250·9	105
1911–1915		3·37	2·11	2·75	3·25	4·08	6·46	11·4	22·7	51·7	117·5	245·4	97
1916–1920 1921–1925 1926–1930 1931–1935 1936–1940	6·23 4·40	3·81 2·41 2·25 2·07 1·71	2·56 1·72 1·53 1·37 1·13	3·66 2·56 2·41 2·22 1·87	4·47 3·11 2·94 2·77 2·49	5·48 3·58 3·33 3·09 2·68	6·39 5·03 4·69 4·33 3·83	10·4 8·79 8·44 7·96 7·47	20·4 18·7 18·0 17·0 16·5	47·7 45·5 44·4 42·8 41·8	115·1 112·9 110·4 108·9 107·1	241·9 241·2 254·4 245·0 252·7	79 66 59 54 48
1941-1945*	3·26	1·31	0·97	1·74	2·41	2·46	3·27	6·43	14·0	36·0	93·5	206·6	44
1946-1950*	1·62	0·64	0·54	1·05	1·54	1·76	2·56	5·51	12·8	34·4	93·2	208·9	32
1951-1955	1·04	0·39	0·34	0·50	0·70	1·09	2·11	4·89	11·8	33·1	92·4	222·0	23
1929		2·33	1·66	2·53	3·09	3·46	4·93	9·05	19·6	49·9	126·7	298·2	65
1930		2·18	1·51	2·34	2·76	3·21	4·35	7·90	16·9	40·7	102·2	226·5	51
1931	7·04	1.99	1·47	2·40	2·90	3·27	4·51	8·27	17·6	44·4	114·4	255·3	57
1932	6·71	1.94	1·33	2·24	2·81	3·10	4·34	8·02	17·1	43·2	111·4	253·0	56
1933	6·23	2.12	1·38	2·27	2·91	3·20	4·65	8·35	17·4	43·8	113·5	256·9	54
1934	6·26	2.39	1·40	2·18	2·64	3·02	4·13	7·69	16·5	41·7	102·8	227·1	52
1935	4·84	1.94	1·29	1·99	2·57	2·88	4·04	7·48	16·4	41·2	103·4	234·4	50
1936	5·18	1·86	1·13	1·84	2·52	2·71	3·94	7·60	16·5	42·2	106·2	253·2	51
1937	4·80	1·75	1·13	1·83	2·52	2·77	3·98	7·67	16·9	42·5	108·2	261·9	50
1938	4·28	1·80	1·09	1·71	2·25	2·49	3·59	6·97	15·5	38·8	98·1	228·9	46
1939	3·26	1·31	0·97	1·64	2·27	2·47	3·51	7·05	15·7	40·5	106·2	251·1	44
1940	4·48	1·80	1·31	2·32	2·87	2·94	4·14	8·04	17·7	45·0	116·4	267·5	49
1941*	5·00	1·86	1·24	2·28	2·81	2·85	3·77	7·26	15·4	39·5	101·5	241·7	52
1942*	3·15	1·31	0·91	1·73	2·41	2·41	3·22	6·37	13·9	35·4	91·0	209·2	44
1943*	3·18	1·18	0·98	1·69	2·36	2·45	3·32	6·43	13·9	36·4	95·9	213·5	43
1944*	2·61	1·17	0·92	1·55	2·36	2·44	3·11	6·19	13·4	34·6	89·7	188·8	40
1945*	2·44	1·01	0·79	1·38	2·09	2·13	2·92	5·92	13·3	34·6	90·2	189·5	40
1946*	1·90	0·75	0·67	1·17	1·78	1.99	2·79	5·82	13·3	34·6	92·4	206·2	37
1947*	1·96	0·75	0·61	1·21	1·82	1.94	2·74	5·72	13·1	35·2	96·6	219·8	36
1948*	1·63	0·62	0·55	1·12	1·56	1.77	2·45	5·33	12·2	32·1	84·5	183·5	30
1949*	1·43	0·57	0·49	0·96	1·43	1.65	2·48	5·39	12·8	35·5	95·8	217·5	28
1950	1·27	0·53	0·41	0·78	1·09	1.45	2·32	5·30	12·6	34·7	96·6	216·9	26
1951	1·26	0·46	0·37	0·64	0.90	1·30	2·32	5·32	13·0	36·9	104·4	249·1	26
1952	1·03	0·41	0·34	0·52	0.76	1·10	2·09	4·90	11·9	32·3	89·6	212·3	24
1953	1·09	0·41	0·35	0·46	0.67	1·07	2·11	4·79	11·6	32·1	90·7	218·8	24
1954	0·82	0·34	0·31	0·46	0.63	1·01	2·09	4·75	11·4	31·6	87·4	209·7	22
1955	0·97	0·36	0·32	0·40	0.55	0·94	1·93	4·70	11·3	32·3	90·9	222·9	21
1956 1957 1958 1959	0.83 0.90 0.77 0.81	0·33 0·34 0·31 0·33	0·27 0·30 0·24 0·29	0·36 0·45 0·35 0·37	0·53 0·54 0·54 0·53	0·87 0·86 0·80 0·79	1·90 1·92 1·80 1·78	4·52 4·56 4·50 4·36	11·2 11·2 10·9 10·8	31·8 30·9 30·9 30·5	90·1 84·2 87·5 86·3	222·7 199·2 215·6 215·4	20 20 20 20 20

Civilian mortality only from 1st June 1941 to 31st December 1949.
 Based on related live births from 1931 to 1956.

			See e	explanatory no	otes.			
Period				Quarte	r ended			
	March	June	Sept.	Dec.	March	June	Sept.	Dec.
		Deaths	: Males			Deaths	: Females	1
1841–1850	522,415	471.060	452 200	462.522	507.070	454 100	440.000	
1851–1860	587,846	471,969 532,002	452,208 491,400	462,533 527,288	507,070 570,070	454,122 508,594	440,756 474,524	458,323
1861–1870	677,517	597,458	578,694	605,820	645,889	559,376	547,594	518,991 582,150
1871-1880	731,877	658,545	621,924	667,070	690,899	600,519	573,079	634,398
1881-1890	744,679	661,355	618,271	674,011	714,871	610,420	575,831	645,332
1891–1900	790,553	697,093	682,542	695,038	771,792	640,661	629,133	668,563
1901–1910	756,871	648,442	621,683	679,360	733,364	598,293	563,732	647,029
1911-1920*	785,560	638,473	565,071	695,407	746,774	582,169	509,764	664,834
1921-1930	746,920	585,095	484,852	590,608	743,076	551,336	451,409	569,695
1931–1940*	798,598	604,458	518,256	630,300	780,376	573,530	487,622	599,068
1941-1950*	801,980	612,766	519,908	651,534	751,419	566,731	484,757	608,558
1949*	82,234	61,287	51,480	65,685	79,031	58,685	49,710	62,624
1950	76,984	61,633	52,914	69,621	74,300	59,158	49,953	65,738
1951	104,298	62,560	51,658	63,208	101,580	59,123	48,399	58,554
1952	76,112	59,332	51,097	71,219	70,836	56,037	47,516	65,335
1953	87,706	59,119	50,977	61,688	83,644	55,525	47,568	57,302
1954	79,372	60,528	53,851	66,046	73,748	56,677	50,263	61,411
1955	86,465	63,433	52,582	64,496	82,180	60,797	49,095	59,816
1956	87,175	61,748	53,381	65,600	83,117	58 311	50,750	61,249
1957	68,995	60,972	56,828	79,612	65,562	57,150	53,209	72,542
1958	84,474	63,140	53,762	69,263	79,121	61,029	51,867	64,187
1959	90,251	61,404	52,919	65,304	86,629	58,768	50,479	61,897
		Deaths :	Persons		Annual	death rates p	per 1,000 pers	ons living
1841-1850	1,029,485	926,091	892,964	920,856	24.7	22.0	21.0	21.7
1851–1860 1861–1870	1,157,916	1,040,596	965,924	1,046,279	24.7	22.1	20.3	21.9
1871–1880	1,323,406 1,422,776	1,156,834 1,259,064	1,126,288 1,195,003	1,187,970 1,301,468	25·2 23·7	21·8 20·9	21·0 19·6	22.1
1881–1890	1,459,550	1,271,775	1,194,102	1,319,343	21.6	18.7	17.3	21·3 19·1
1891–1900	1,562,345	1,337,754	1,311,675	1,363,601	20.7	17.6	17.0	17.7
1901–1910	1,490,235	1,246,735	1,185,415	1,365,601	17.7	17·6 14·6	17·0 13·8	17·7 15·4
1911-1920*	1,532,334	1,220,642	1,074,835	1,360,241	17.2	13.6	11.8	14.9
1921-1930	1,489,996	1,136,431	936,261	1,160,303	15.5	11.7	9.5	11.8
1931-1940*	1,578,974	1,177,988	1,005,878	1,229,368	15.8	11.6	9.8	12.0
1941-1950*	1,553,399	1,179,497	1,004,665	1,260,092	15.5	11.6	9.8	12.3
1949*	161,265	119,972	101,190	128,309	15.2	11.2	9.3	11.8
1950	151,284	120,791	102,867	135,359	14.0	11-1	9.3	12.3
1951	205,878	121,683	100,057	121,762	19-1	11-1	9-1	11.0
1952	146,948	115,369	98,613	136,554	13.4	10.6	8.9	11·0 12·4
1953	171,350	114,644	98,545	118,990	15.8	10.4	8.9	10.7
1954	153,120	117,205	104,114	127,457	14.0	10.6	9.3	11.4
1955	168,645	124,230	101,677	124,312	15.4	11.2	9.1	11-1
1956	170,292	120,059	104,131	126,849	15.3	10.8	9.3	11.3
1957	134,557	118,122	110,037	152,154	12.2	10.6	9.7	13-4
1958	163,595	124,169	105,629	133,450	14.7	11.0	9.3	11.7
1959	176,880	120,172	103,398	127,201	15.8	10.6	9.0	11.1

TABLE 6. Standardised Mortality Ratios (all ages) and death rates per million population at ages under 15 years from the principal epidemic and general diseases, 1851 to 1959

England and Wales

Note. 1 For explanation of Standardised Mortality Ratio see explanatory note 6.
2 Changes in cause assignment are allowed for throughout as far as possible.
3 See explanatory notes.

	á	3	see exp	anatory		26 . 1	·						D (1		.,,,	
						Mortal -1952 t						popu		rates po		
Period	Tuberculosis (all forms) 001–019	Syphilis 020–029	Typhoid and paratyphoid fevers 040, 041	Meningococcal infections 057	Cancer 140-205	Diabetes mellitus 260	Diseases of heart 410-443	Influenza 480-483	Pneumonia (all forms) 490-493, 763	Peptic ulcer 540-542	Suicide E970-E979	Scarlet fever 050	Diphtheria 055	Whooping cough	Poliomyelitis 080, 081	Measles 085
1851-1860 1861-1870 1871-1880 1881-1890 1891-1900	1,438 1,346 1,190 1,004 815		85,518 52,087 45,789					446			102 109 121 136	2,282 1,664 787 383	1,122 747 804 873	1,319 1,372 1,316 1,171 1,037		1,082 1,148 976 1,153 1,144
1901-1910 1911-1920* 1921-1930 1931-1939* 1940-1949*	649 541 362 245 196	· 150	23,581 8,926 2,729 1,180 387	246 157 343 355	97 98	156 162 154 176 129	91	254 605 345 222 90	125	90 99 110 102	147 120 136 142 100	271 123 64 46 7	571 437 298 290 112	815 554 405 197 111	13 11 11 11	915 838 389 217 62
1851–1855 1856–1860 1861–1865 1866–1870 1871–1875	1,502 1,377 1,370 1,323 1,217		98,690								101 103 103	1.919 2,307 2,258 1,760	1,347 1,389 871 788	1,338 1,300 1,336 1,405 1,282		1,047 1,114 1,189 1,109 962
1876–1880 1881–1885 1886–1890 1891–1895 1896–1900	1,165 1,053 958 867 767		73,165 57,187 47,292 45,643 45,934					514 383			116 117 124 137 135	1,575 1,012 572 434 331	709 828 781 875 872	1,349 1,180 1,163 1,070 1,003		988 1,070 1,234 1,104 1,184
1901–1905 1906–1910 1911–1915* 1916–1920* 1921–1925	690 610 542 540 393		29,456 18,029 12,044 5,734 3,147	214 281 125		148 163 177 148 149		233 274 198 985 359		93 88 89	149 146 132 109 125	319 224 161 84 79	653 491 434 439 302	874 756 633 473 448	14 12 11	955 874 1,043 625 420
1926-1930 1931-1935 1936-1939* 1940-1944* 1945-1949*	333 270 216 221 174	178 123	2,331 1,277 1,063 564 224	191 407 261 585 155	97 97 97 98	159 172 181 153 107	92 91	333 260 178 129 54	146 107	109 109 111 109 95	145 150 133 95 104	48 50 27 11 3	294 293 287 192 30	360 223 163 140 81	12 11 11 7 16	357 270 149 78 47
1950–1954	85	93	72	100	100	94	97	82	99	98	104	1	2	29	14	19
1929 1930	337 313		2,368 1,920	233 253		170 166		652 110		111 112	147 146	50 55	320 332	604 196	10 11	324 404
1931 1932 1933 1934 1935	303 281 276 254 238		1,530 1,558 1,332 948 1,027	582 494 387 303 259	97 97 97 98 97	167 172 173 174 175		308 276 470 113 144		114 105 107 110 108	146 159 156 151 140	39 40 55 72 41	252 223 255 393 345	244 288 221 199 159	7 13 13 9 11	320 332 190 368 134
1936 1937 1938 1939* 1940*	226 226 206 205 229	203	1,500 1,192 935 642 742	269 296 274 208 1,028	98 97 98 97 98	190 186 169 180 185	106	116 349 89 162 202	182	113 110 107 112 126	134 134 136 128 116	38 27 27 15 12	311 305 305 228 266	210 179 119 140 78	7 8 18 10 9	281 106 169 34 95
1941* 1942* 1943* 1944* 1945*	238 214 217 204 200	195 179 168 149 138	873 486 404 306 262	877 485 312 233 210	97 97 98 96 97	166 148 140 129 125	93 87 87 87 87	120 58 208 63 42	164 126 146 115 112	119 100 99 101 102	95 88 91 88 93	11 9 11 9 7	280 192 134 92 67	279 94 129 121 79	9 7 4 4 4	128 53 86 28 80
1946* 1947* 1948* 1949* 1950	178 179 165 149 119	138 125 110 107 102	285 158 255 169 83	187 188 103 99 96	97 98 98 99 100	113 106 95 99 104	89 95 86 97 101	81 50 18 80 55	110 120 91 105 91	96 95 91 93 96	104 104 110 109 102	3 3 2 1	40 23 14 7 4	91 99 80 55 41	5 33 8 29 33	22 69 33 30 22
1951 1952 1953 1954 1955	103 79 66 58 48	104 94 83 81 78	115 102 24 36 83	101 103 105 94 75	100 100 100 101 101	104 92 87 81 87	106 94 92 92 93	222 24 88 24 39	114 95 105 90 103	105 99 93 98 98	101 97 106 112 110	1 0 1 0	2 2 2 1 1	46 18 24 13 9	8 10 14 5 8	30 14 24 5 17
1956 1957 1958 1959	39 35 32 28	76 71 68 61	41 47 23 29	69 67 52 56	101 101 101 102	85 81 84 80	93 89 92 88	34 85 30 98	108 107 111 122	94 86 84 77	115 115 113 111	0 0 0	0 0	9 8 3 2	4 6 4 2	2 9 5 8

^{*} Civilian mortality only in 1915-20 and from 3rd September 1939 to 31st December 1949, for males, and from 1st June 1941 to 31st December 1949, for females.

(Excluding non-civilians for 1949)

- Note. 1 The following categories of the 1955 International Statistical Classification are not applicable to primary death tabulation and are therefore omitted from this table: 306, 308, 649, 775.
 - An addendum to the 1948 International Statistical Classification was issued by the World Health Organization and put into effect in the General Register Office in 1951. Comparability before and after that year was affected for certain categories which are noted accordingly.
 - Deaths due to certain underlying causes where the interval since onset was stated to exceed one year have for certain years been assigned to other conditions mentioned on the certificate. The numbers of such "late effects" are given in footnotes. The years and categories affected are as follows:

 1951 and on: 040-043, 050, 055, 056, 058, 084-087, 100-108, 640-689.

 1958 and on: 051, 052, 057-0, 057-1, 057-3, 059, 061, 089, 091, 094, 480-483, 490-493.

- 4 For causes from which there have been few deaths from 1949, see list at end of table,
- 5 See explanatory notes.

ICD No.	Causes of death	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959
	ALL CAUSES $\dots \{ M \}$	259,942 250,031	261,152 249,149	281,724 267,656	257,760 239,724	259,490 244,039	259,797 242,099	266,976 251,888	267,904 253,427	266,407 248,463	270,639 256,204	269,878 257,773
01-138	I INFECTIVE AND PARASITIC DISEASES { F	14,689 9,849	12,629 7,962	11,246 6,643	9,129 4,922	8,042 4,407	7,066 3,679	6,249 3,180	5,340 2,678	4,976 2,501	4,543 2,317	4,142 1,991
01-019	Tuberculosis (all forms) $\cdots \left\{ egin{array}{c} M \\ F \end{array} \right.$	11,918 7,879	9,922 6,047	8,826 4,980	7,114 3,471	5,964 2,938	5,392 2,505	4,533 1,959	3,804 1,571	3,414 1,370	3,207 1,273	2,810 1,044
001-008	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	10,655 6,816	8,934 5,145	7,903 4,128	6,421 2,914	5,447 2,466	4,944 2,125	4,172 1,665	3,534 1,319	3,150 1,099	2,949 1,050	2,620 854
001	With mention of occupational M disease F	262 9	255 7	288 6	292 3	298 6	276 4	296 6	247 6	215	215 6	199 4
002	Pulmonary $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	10,274 6,731	8,603 5,084	7,550 4,081	6,066 2,868	5,107 2,426	4,630 2,083	3,844 1,630	3,263 1,291	2,899 1,085	2,706 1,028	2,402 839
003	Pleural $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	66 47	57 38	50 33	53 35	34 29	30 33	25 25	18 19	31 11	23 11	13
	0 Pleurisy specified as tuberculous {M	24 11	26 8	19 9	22 7	11 12	15 10	10 4	6	12 1	B 2	7
	1 Pleurisy with effusion \ M without mention of cause \ F	42 36		31 24	31 28	23 17	15 23	15 21	12 15	19 10		6 7
004	Primary, complex with Symptoms	- 1	_ 1	_ 2	_ 2	- ₁	- 1		_	_		
005	Tracheobronchial glandular, M with symptoms F	5 7	9 7	5 7	: 4	3 2	5 3	4 4	4 2	1	4 3	_ 2
007	Other respiratory $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	30		6	4	3	_ 1	=	_	1	_	_ 3
008	Unspecified site $\dots \begin{cases} M \\ F \end{cases}$	18		_ 2		2	2	_ 3	2	3	1 2	_ 4
010-019	Tuberculosis, other forms $\ldots \left\{ egin{matrix} M \\ F \end{array} \right.$	1,263 1,063			693 557	517 472	448 380	361 294	270 252	264 271	258 223	190 190
010	Meninges and central nervous \{ M \\ system \qquad \dots \qquad \dots \qquad \dots \qquad \frac{M}{F} \end{array}	558 533	432 458		265 246	177 168	96 95	67 65	39 52	47 63	44 49	50 37
011	Intestines, peritoneum, and M mesenteric glands F	146 148		83 99	67 66	60 59	38 58	45 41	35 35		25 35	17 21
012	Bones and joints, active or un- \{ M \\ Specified \cdots \cdots \cdots \cdot \cdot \cdot \cdot \cdot \cdot \cdot \cdot \cdot \cdot \cdot \cdot \cdot \cdot \cdot \cdot \cdot \cdot \cdot \cdot \cdot \cdot \cdot \cdot \cdot \cdot \cdot \cdot \cdot \cdot \cdot \cdot \cdot \cdot \	146 119		114 93	110 70	68 71	75 65	67 44	48 36		49 43	37 48
	0 Vertebral column $$ M	108 99			81 54	47 51	58 56	52 35	37 28	33 39	38 34	26 40
	1-3 Other $\binom{M}{F}$	38 20			. 29 16	21 20	17 9	15 9	11 8	9 10	11 9	11 8
013	Late effects, bones and joints $\left\{ egin{aligned} M \\ F \end{aligned} \right.$	1 2	5 2		5 2	3 2	2 2	6 2	4 5	2 3	_ 2	
014	Skin and subcutaneous cellular { M tissue { F	5 8		5 11	1 3	2 3	- 7	1 3	- 4	2 2	2 6	
015	Lymphatic system $\left\{ egin{array}{ll} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	21 36	18 31		15 14	9 15	10 10	11 10	9	5 13	3 4	5 9
016	Genito-urinary system	208			144 66	109 79	121 64	87 52	82 64	81 44	64 36	44 43
017	Adrenal glands	18		8 16	13 18	19 12	14	6 7	11 5	9	13 7	8 5
018	Other organs $\binom{M}{F}$	5 7			13 11	8 7	9	11 13	6	10 13	7 9	5 5

			TABL	E /ce	ontinue	a						
ICD No.	Causes of death	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959
019	Disseminated $\left\{ egin{array}{ll} M \\ F \end{array} \right\}$	155 107	95 92	74 75	60 61	62 56	83 66	60 57	36 39	38 48	49 34	2
	0-1 Acute miliary tuber- M culosis F	22 13	22 10	7 11	4 2	3 5	5 7	4	2 1	3 5	5 5	
	2 Other forms $$ $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$	133 94	73 82	67 64	56 59	59 51	78 59	56 54	34 38	35 43	44 29	3
020-029	Syphilis and its sequelae $\left\{egin{array}{ll} M\\ F\end{array}\right\}$	1,120 430	1,035 454	1,086 436	935 445	850 375	808 398	795 368	772 378	728 344	653 388	62 33
020	Congenital syphilis $\ldots \left\{ egin{array}{ll} M \\ F \end{array} \right.$	45 38	25 20	17 15	17 15	10 3	6 6	2 4	6	3 7	10 3	
021	Early syphilis $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	1	- 1	1	1 2	- 1			- 1	_	=	
022	Aneurysm of aorta $$ $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	406 151	340 178	375 161	341 175	319 149	307 166	332 173	329 171	358 183	306 219	29 19
023	Other cardiovascular syphilis $\begin{cases} M \\ F \end{cases}$	292 105	372 125	379 130	320 143	282 131	278 115	281 112	271 126	231 88	208 94	18 6
024	Tabes dorsalis $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	114 20	99 24	111 32	100 27	87 26	. 70 26	53 24	66 15	53 22	41 16	5 2
025	General paralysis of insane $ \begin{cases} M \\ F \end{cases} $	161 65	111 56	121 47	78 45	91 26	89 37	84 36	56 28	48 20	57 28	6 2
026	Other syphilis of central ner- \{ M \\ vous system \dots \dots \cdot \} F	29 19	46 28	48 30	50 21	37 25	47 32	27 13	33 19	26 18	17 20	2
027	Other forms of late syphilis $$ M	36 13	21 5	29 14	23 13	18 13	8 15	13 5	10 9	7 4	10 6	
029	Syphilis, unqualified $\left\{ egin{array}{ll} M \\ F \end{array} \right\}$	37 18	21 17	6	5 4	6	3	3	11	2 2	4 2	-
030-039	Gonococcal infection and other \(M \) venereal diseases \(\therefore \). \(\text{F} \)	3 2	_ 9	6 I	12 1	_ 6	13	3 2	8	5 I	21	2
030	Acute or unspecified M gonorrhoea F	_ 2	_ 5	2	_ 2	_	_ 2	_	_ 1	_ 2	1	_
034	Gonococcal infection of other { M sites	1	_ 2	_ 1	- 1	_	_ 2		_ 1	_	_	
035	Late effects of gonococcal in- M fection F	_	_ 1	1	_ 8	_ 6	_ 7	_ 2	_ 6	_ 3	_18	_2
040-049	Infectious diseases commonly \(\) M arising in intestinal tract \(\). \(\) F	75 69	84 68	75 57	62 40	53 47	48 33	58 51	46 55	42 38	42 36	4
040	Typhoid fever* $$ $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	10 9	8 7	5	4	1 2	3	4 2	- 2	1 5	_ 2	
041	Paratyphoid fever* $$ M	5 8	- 1	1 8	5	1	1 2	3 5	2	- 2	1	-
042	Other Salmonella infections* {M F	24 31	31 27	27 9	27 16	23 20	22 11	25 19	20 26	29 20	21 15	1
044	Brucellosis (undulant fever) $$ $\begin{cases} M \\ F \end{cases}$	_ 3	ı — ₁	. 1	_ 2	2 2	_	1	2	_	_ 1	{
045	Bacillary dysentery $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	17 8	22 21	27 30	11 10	13 15	12 13	15 12	13 13	7 8	12 14	1-
046	Amoebiasis $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	9	14 3	13	_11	5	6 2	7	2	4	3	5
048	Unspecified forms of dysentery $\begin{cases} M \\ F \end{cases}$	3 4	3 2	1 2	2 2	1 1	4 2	1 4	2 2	- 2	_ 1	-
049	Food poisoning (infection and \ M intoxication) \ F	4 5	6	- 1	- 4	8 5	_ 3	3 7	5 7	_ 1	1 4	50
050-064	Other bacterial diseases $\ldots \left\{egin{array}{c} M \\ F \end{array}\right.$	651 622	574 531	537 504	384 365	419 388	321 294	241 216	257 209	208 208	169 159	180
050	Scarlet fever* $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	13 14	15 18	6	4	2 2	2 2	_ 2	- 1	1 2	3	
* Exclud	ling the following "late effects" (see n	ote 3 at	head of t	able):								

^{*} Excluding the following "late effects" (see note 3 at head of table):

040	Typhoid fever	ſM	1931	1952	1955	1954	1955	1930	1957	1938	1959
040	Typholu level	1F	2	3					2	1	1
041	Paratyphoid fever	∫M			-	_	-	-			
	,	\F	-		1	1		masser		- 1	
042	Other Salmonella	SM	-	Section 1	_	_	_	-	-		1
	infections	1F	-				-	-		_	_
050	Scarlet fever	SM	7	5	6	8	8	8	3	1	5
		(F)	15	10	17	15	11	6	4	3	4

ICD No.	Causes of death	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959
051	Streptococcal sore throat $\left\{ egin{array}{ll} M \\ F \end{array} \right\}$	23 43	37 24	14 15	21 20	15 19	13 12	14 10	15 13	7 9	4 6	12
052	Erysipelas* $\left\{ egin{array}{lll} M \\ F \end{array} \right.$	27 27	20 21	9	6 10	9 13	9 5	7 6	3 4	5 1	2 5	3
053	Septicaemia and pyaemia $\dots \begin{cases} M \\ F \end{cases}$	80 55	88 73		44 64	67 52	55 66	37 39	57 40	38 39	45 36	38 32
	0 Streptococcus $$ $M \\ F$	13 13	12 10	8	4 9	12 9	6 7	4	8	4 5	6	6 5
	1 Staphylococcus $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	32 12	24 18	14	18 13	20 15	15 26	12 16	16 12	10 11	23 9	17 13
	2 Pneumococcus $$ M F	4	10 10		7 7	3 6	4	5	3 2	3 2	3 2	=
	3 Other specified organism $\begin{cases} M \\ F \end{cases}$	5	8	1 3	- ₃	3	6	6 2	3 2	I 2	1 1	1
	4 Organism unspecified $$ M F	26 29	34 31	30 18	15 32	29 19	24 29	10 16	27 18	20 19	12 18	
054	Bacterial toxaemia $\dots \begin{cases} M \\ F \end{cases}$	_ ₂	_ 2	_ 1	=	_ 2	_	- 1	- 1	_ 1		_
055	Diphtheria* $\binom{M}{F}$	45 39	31 18	14 16	13 10	10 10	3 5	6 6	2	2 2	4	_
056	Whooping cough* $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	238 289	162 232	211 242	82 99	104 139	66 73	45 42	41 51	32 55	13 14	1 I 14
057	Meningococcal infections* $\dots \begin{Bmatrix} M \\ F \end{Bmatrix}$	154 133	154 129	156 142	160 130	166 125	138 121	105 100	109 80	94 90	71 74	97 62
061	Tetanus $\cdots \left\{ egin{array}{cccccccccccccccccccccccccccccccccccc$	61 18	61 10		42 21	37 24	28 9	23 10	22 15	23 5	10 10	17 8
062	Anthrax $\binom{M}{F}$	_ 2	_	_ 1	_ 2	1	_ 1	_ 1	_ 3	_ 1		_
063	Gas gangrene $\left\{ egin{array}{ll} M \\ F \end{array} \right\}$	7 2	4		10 6	4 3	5 1	_ 3	4	4	5 4	1
064	Other bacterial diseases $\left\{ egin{array}{ll} M \\ F \end{array} \right\}$	1	_ 2	1	- 1	2 1	_ 1	-	1 2	- 1	12 5	1 5
070-074	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	39 2	- 45 12		32 I	28 5	25 2	27 2	13	18 3	19 1	11
070	Vincent's infection $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	3	2 6		_ 2	2 2	=	2	1	1 2	_	1 2
072	Leptospirosis $\left\{ egin{array}{ll} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	36 1	39 5		29 1	26 2	25 2	24 1	11	_17	18 1	10
080-096	Diseases attributable to viruses M	839 809	917 811		535 546	680 607	395 401	536 529	382 402		380 399	381 380
080	Acute poliomyelitis $\binom{M}{F}$	355 288	411 323	110 81	167 108	199 121	73 39	150 91	68 46		71 58	41 25
	0 Specified as bulbar or M polio-encephalitis F	155 118			72 42	102 52	29 17	73 41	25 15	63 30	34 18	14 15
	1 With other paralysis $$ M F	17 12	57 44		30 12	28 15	13 4	23 17	14 9	21 16	14 14	6
	3 Unspecified $\binom{M}{F}$	183 158	190 165			69 54	31 18	54 33	29 22	59 37	23 26	21 9
081	Late effects of acute polio- $\{M\}$ myelitis $\{F\}$		10	10	9	8	11 11	11 18	9 14		11 14	11 10
082	Acute infectious encephalitis $\begin{cases} M \\ F \end{cases}$	105 91		63	52		51 37	49 38	58 48		52 40	55 53
083	Late effects of acute infectious $\left\{ egin{array}{ll} M \\ encephalitis \\ \end{array} \right.$		132	92	79	99	80 95		82 67	55 50	72 63	64 44
* Exclu	ding the following "late effects" (see	note 3 at	head of	table):								

TOHOV	ving late enects	(see note s	at nea	iu oi ta	ole).						
			1951	1952	1953	1954	1955	1956	1957	1958	1959
052	Erysipelas	{M F	_					_			1
055	Diphtheria	{M F	1	1 8	1			3		2	
056	Whooping cough		1	2				1 2			-1
057	Meningococcal infections	{M F			=		=		_	1 2	1 2

ICD No.	Causes of death	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959
084	Smallpox* $\left\{ egin{array}{lll} M & F \end{array} \right.$	1 4	_	3 7	Sedenstein Selection	· 6	_	Samuel Sa	_	1	_ 1	=
085	Measles* $\left\{ egin{array}{lll} M & & & \\ F & & & \end{array} \right.$	152 155	133 88	173 144	71 70	140 102	24 21	85 89	14 14	53 41	23 26	4
086	Rubella (German measles)* { M F	1 1	1	1	2	3 3	_ 2	_	- 1	1	1	_
087	Chickenpox $\binom{M}{F}$	7	3 4	6 10	8 5	10 2	8	4 5	4 8	5	7 5	1
088	Herpes zoster $\begin{cases} M \\ F \end{cases}$	20 36	20 53	19 39	18 42	8 38	17 30	25 41	17 45	24 49	21 44	10
089	Mumps $\left\{ egin{array}{lll} M & F \end{array} \right.$	_ 3	5	5 8	4	4 5	7 2	3	4	3	4 4	
092	Infectious hepatitis $\begin{cases} M \\ F \end{cases}$	114 116	142 142	127 125	116 148	126 162	108 151	116 159	116 156	119 173	110 135	119 14
093	Glandular fever (infectious M mononucleosis)	_ 1	1	1	4	1 2	2 2	_ 3	5	3 2	2 2	
096	Other diseases attributable to M	3 9	1 10	5	4	6 11	12 4	8	4 2	6 5	5	1
100-108	Typhus and other rickettsial \{ M \\ diseases* \tau \tau \\ \footnote{F}	_	_	_				_		_	_	_
110-117	Malaria $\binom{M}{F}$	_ 5	9	10	8	_ 4	. 9	5	3	3	2	-
112	Falciparum malaria (malignant { M tertian)	1	6 2	_ 7	4	4	_ 5	_ 4	1	1	2 2	-
116	Other and unspecified forms M of malaria F	_	3	_ 1	3	_	_ 4	_ 1	_ 2	_ 1	=	-
120138	Other infective and parasitic M diseases F	39 36	34 36	54 45	47 52	38 46	55 46	51 53	57 61	65 58	50 58	86 63
122	Other protozoal diseases $$ M	1	1 2	1 2	3 2	2	5	1	1	3	_ 1	-
123	Schistosomiasis $\binom{M}{F}$	1	- 1	_		1	1	_ 2	1	_	1	
125	Hydatid disease $\ldots \qquad \left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	6	3	17 6	7 5	6	5	6	4	11 8	2	3
126	Other cestode infestation $\dots \begin{cases} M \\ F \end{cases}$	_	2 2	_ 2	_ 2	1	2 2	3 1	5	5	- 1	_ ^
131	Dermatophytosis $\left\{ \begin{array}{ll} M \\ F \end{array} \right\}$	1 2	1	_ 2	_ 1	_ 2	_		1	_	_	
132	Actinomycosis $\binom{M}{F}$	13 11	8 5	6	6	2 5	5 2	_ 4	1 4	4 2	3	_ 4
134	Other fungus infections $$ M	11	9	9	10 9	12	13	9 5	14 7	13	9 11	16
138	Other infective and parasitic M Giseases F	4.5	11 13	17 21	17 30	9 23	21 28	24 39	31 41	27 38	33 39	35
140-239	II NEOPLASMS $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	43,124 42,054	44,436 42,838	45,531 42,436	46,220 43,138	46,773 42,907	48,104 43,727	48,907 44,097	49,675 44,679	50,792 44,853	51,273 45,727	52,324 46,069
140-205	Malignant neoplasms including M neoplasms of lymphatic and F		43,570 41,700	44,632 41,448	45,429 42,213	45,935 41,989	47,313 42,782	48,160 43,180	48,935 43,775	50,056 43,961	50,735 45,069	51,783 45,334
140-148	haematopoietic tissues Malignant neoplasm of buccal M cavity and pharynx	1,560 580	1,584 618	1,566 630	1,472	1,402 568	1,516	1,421 650	1,234 654	1,259 669	1,267 657	1,249
140	Lip { M F	160 19	148 13	136 12	96 18	116	104 13	109 13	80 13	83	83	74 10
								~ ~				
	0 Upper lip $\begin{cases} M \\ F \end{cases}$	} ?	?	?	?	?	?	?	?	?	_8	10

^{*} Excluding the following "late effects" (see note 3 at head of table):

		1	1952	1953	1954	1955	1956	1957	1958	1959
084	Smallpox	SM								
		(F	1	-	*****			_	-	_
085	Measles	∫ M	-	2	5	2 :	1	1	1	-
		1F		1			1		1	1
086	Rubella (German measles)	ſΜ	_			-				_
	,	٦F			1	_				-
102	Brill's disease	ſΜ		-	_					
		1F	I					_		_

			TABL	E /cc	munuec							
ICD No.	Causes of death	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959
	1 Lower lip\{M\}F	1									71	53
	8, 9 Both lips, unspecified {MF	?	?	?	?	?	?	?	?	?	4	11
141	Tongue $\left\{ egin{array}{lll} M \\ F \end{array} \right.$	499 156	525 146	492 155	451 135	424 143	442 146	393 150	359 165	336 158	359 143	363 152
	0 Base of tongue $\left\{ egin{array}{ll} M \\ F \end{array} \right.$										137 47	134 34
	7 Other specified parts of \{ M \\ tongue \dots \dots \langle F	?	?	?	?	?	?	?	?	?	180 77	180 98
	8,9 Multiple and unspeci- M fied parts of tongue										42 19	49 20
142	Salivary gland $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	88 56	82 51	81 58	99 70	80 51	80 60	75 65	78 57	81 64	90 76	67 77
	0 Parotid gland $$ $\left\{ egin{array}{ll} M \\ F \end{array} \right.$										74 68	55 62
	7 Other salivary gland $$ $\begin{cases} M \\ F \end{cases}$?	?	?	?	?	?	?	?	?	14 8	10 13
	8, 9 Multiple and unspeci- M fied salivary gland F										_ 2	2 2
143	Floor of mouth $\dots \begin{cases} M \\ F \end{cases}$	87 16	89 22	80 22	65 18	80 16	85 23	90 22	78 21	63 20	57 21	71 23
144	Other parts of mouth and M mouth unspecified F	244 65	226 77	246 85	219 74	193 66	226 63	223 71	199 82	186 71	208 84	185 49
145	Oral mesopharynx $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	157 33	172 37	188 41	178 55	167 32	180 46	141 46	110 44	153 47	183 42	154 55
	0 Tonsil (excluding pillars) { M F										144 39	121 46
	7-9 Other multiple and un- { M specified parts of oral { F	?	?	?	?	?	?	?	?	?	39 3	33 9
146	$\begin{bmatrix} & mesopharynx & & & \\ Nasopharynx & . & . & . & . & . & . & M \\ F & & & & F \end{bmatrix}$	48 34	50 37	68 42	76 42	69 31	100 38	83 30	73 42	78 45	86 42	98 33
147	Hypopharynx $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	56 106	99 139	73 124	87 148	100 146	98 153	106 154	83 152	85 157	133 209	169 180
148	Pharynx, unspecified \{ M \ F	221 95	193 96	202 91	201 86	173 75	201 99	201 99	174 78	194 98	68 36	68 34
150-159	Malignant neoplasm of digestive \(\) M organs and peritoneum \(\) . \(\) F	20,547 18,453	20,354 18,645	20,342 18,142	20,112 18,331	19,740 18,052	19,545 18,227	19,376 18,226	19,077	19,348 17,882	19,136 18,365	19,160 18,585
150	Oesophagus $\begin{cases} M \\ F \end{cases}$	1,434 783	1,505 831	1,483 848	1,470 846	1,330 860	1,301 925	1,352 951	1,372 952	1,306 956	1,300 993	1,369 955
151	Stomach $\binom{M}{F}$	8,039 6,113	7,985 6,404	8,128 6,478	8,039 6,316	8,016 6,176	7,818 6,232	7,942 6,146	7,712 6,163	7,951 5,966	7,934 6,178	7,930 6,146
152	Small intestine, including duo- { M Genum M F M M F M M M M M	113 102	96 86	92 108	109 93	110 99	101 93	104 101	111 98	97 75	110 108	104 104
	0 Duodenum $$ $\left\{ {\mathop{_{F}^{M}}} \right\}$										23 25	33 32
	7-9 Other multiple and un- \ M specified parts of small \ F	?	?	?	?	?	?	?	?	?	87 83	71 72
153	Large intestine, except rectum { M F	4,495 5,907	4,304 5,808	4,232 5,428	4,151 5,633	4,148 5,527	4,031 5,451	3,904 5,505	3,795 5,433	3,793 5,388	3,698 5,431	3,611 5,542
	3 Sigmoid colon $$ M F										1,418 1,827	1,306 1,854
	0-2, 7, 8 Other parts of large { M intestine	?	?	?	?	?	?	?	?	?	2,238 3,551	2,262 3,628
	9 Intestinal tract, part un- {M specified										42 53	43 60
154	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	3,750 2,598	3,686 2,526	3,602 2,404	3,401 2,386	3,236 2,416	3,321 2,461	3,173 2,380	3,152 2,368	3,102 2,275	3,132 2,501	3,059 2,602
155	Biliary passages and of liver { M (stated to be primary site) { F	434 683	451 772	451 722	506 745	458 732	516 761	462 760	486 812	535 784	579 909	603 871
	0 Liver $\dots $ M						2			2	213 178	243 180
	1, 8 Gall bladder, other and { M multiple sites { F	} ?	?	?	?	?	?	?	?	?	366 731	360 691

			IADL		minuce			1				
ICD No.	Causes of death	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959
156	Liver (secondary and un- M specified) F	616 692	614 610	590 589	585 516	561 516	514 548	476 508	457 489	494 474	273 297	28 31
157	Pancreas $\left\{ egin{array}{lll} M \\ F \end{array} \right.$	1,509 1,357	1,562 1,428	1,615 1,362	1,717 1,555	1,718 1,483	1,766 1,522	1,822 1,619	1,839 1,546	1,885 1,710	1,980 1,747	2,08 1,85
158	Peritoneum $\left\{ egin{array}{lll} M \\ F \end{array} \right.$	153 212	143 173	143 192	121 224	148 225	162 216	126 231	130 180	163 230	95 156	16
159	Unspecified digestive organs $\begin{cases} M \\ F \end{cases}$	4 6	8 7	6 11	13 17	15 18	15 18	15 25	23 19	22 24	35 45	0.000
160-165	Malignant neoplasm of res- \{ M \\ piratory system \tau \tau \\ \tau \tau \\ \tau \tau \tau \tau \tau \tau \tau \tau \tau \tau \tau \tau \tau \tau \tau \tau \tau \tau \tau \tau \tau \tau \tau \tau \tau \tau \tau \tau \tau \tau \tau \tau \tau \tau \tau \tau \tau \tau \tau \tau \tau \tau \tau \tau \tau \tau \tau \tau \tau \tau \tau \tau \tau \qua	10,160 2,199	11,305	12,198 2,425	12,932 2,570	13,816 2,565	14,834 2,668	15,669 2,781	16,452 2,879	17,212 2,983	17,899 3,092	19,02
160	Nose, nasal cavities, middle M ear, and accessory sinuses F	120 87	117 102	124 86	118 85	130 99	125 104	118 82	134 97	114 86	123 96	12
	0 Nose (internal) and nasal $\{M\}$ cavities $\{F\}$,					16 14	
	1 Eustachian tube and $\begin{cases} M \\ \text{middle ear} \end{cases}$										8 12	
	2 Maxillary sinus	?	?	?	?	?	?	?	?	?	84 63	1
	7 Other specified sinus { M (accessory) { F						the same of the sa				10 6	
	8, 9 Multiple and unspeci- M fied sites of nose, etc. F										5 1	
161	Larynx $\left\{ egin{array}{lll} M \\ F \end{array} \right.$	787 199	809 182	805 202	752 189	737 168	662 181	695 202	675 169	661 174	662 171	64
162 163	Trachea, bronchus and lung $\ldots \left\{ egin{matrix} M \\ F \end{matrix} \right.$	9,101 1,837	10,219 1,978	11,127 2,072	11,942 2,228	12,835 2,239	13,941 2,323	14,761 2,438	15,544 2,553	16,358 2,670	17,040 2,780	18,18 2,88
162	Bronchus and trachea, and of \{ M \\ lung specified as primary \{ F	?	?	?	?	?	?	9,520 1,553	10,141 1,665	10,740 1,744	11,432 1,847	12,23 1,81
	0 Trachea $\left\{ egin{array}{ll} M \\ F \end{array} \right.$										27 9	1
	1 Bronchus and lung $\left\{ egin{array}{ll} M \\ F \end{array} \right\}$										11,397 1,838	12,19 1,80
	2 Pleura $\binom{M}{F}$?	?	?	?	?	?	?	?	?	6	
	8 Multiple sites $\binom{M}{F}$										_ 2	
163	Lung, unspecified as to whether \(\) M primary or secondary \(\). \(\) F	?	?	?	?	?	?	5,241 885	5,403 888	5,618 926	5,608 933	5,9; 1,00
164	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	130 69	135 60	115 53	100 54	99 39	82 43	76 39	68 42	57 36	58 29	420
165	Thoracic organs (secondary) $\begin{cases} M \\ F \end{cases}$	22 7	25 22	27 12	20 14	15 20	24 17	19 20	31 18	22 17	16 16	0
170-181	Malignant neoplasm of breast \{ M \\ and genito-urinary organs \dots \{ F \\ \}	5,551 15,926	5,793 16,105	5,815 16,154	5,940 16,432	6,031 16,304	6,281 16,528	6,373 16,810	6,657 17,028	6,591 17,139	6,800 17,840	6,70
170	Breast $\dots \dots \begin{Bmatrix} M \\ F \end{Bmatrix}$	78 7,843	65 7,892	63	59 8,251	81 8,115	80 8,315	77 8,449	69 8,522	70 8,552	73 8,949	8,7
171	Cervix uteri F	2,129	2,642		2,536	2,488	2,397	2,472	2,494	2,456	2,702	2,5
172	Corpus uteri F	512	1,152	1,180	1,232	1,197	1,179	1,141	1,176	1,207	1,189	1,2
173	Other parts of uterus, including F	16	25	41	27	41	48	28	39	36	34	-
174	Uterus, unspecified* F	1,579	302	248	213	200	203	203	212	213	190	
175	Ovary, Fallopian tube, and F broad ligament 0 Ovary F	2,340	2,490	2,531	2,492	2,551	2,601	2,771	2,791	2,854	2,890 2,866	
	1 Fallopian tube and broad F	?	?	?	?	?	?	?	?	?	21	-
	ligament 8,9 Multiple and unspecified sites of ovary, etc.										3	
176	Other and unspecified female F genital organs	425	466	443	471	472	488	477	475	519	519 365	
	1 Venine E	2	?	2	?	?	?	2	?	?	143	1
	7-9 Other multiple and un- F										11	
* 174	specified sites of female genital organs	IJ		1								

^{* 174.} Enquiries made from 1950 onwards.

TABLE 7—continued

	TABLE 7—continued												
ICD No.	Causes of death	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	
177	Prostate M	2,954	3,084	3,010	2,997	3,157	3,327	3,315	3,538	3,460	3,614	3,590	
178	Testis M	187	217	195	208	197	217	165	201	175	203	193	
179	Other and unspecified male M genital organs	158	160	169	154	123	127	162	140	139	140	143	
	0 Penis M				'						110	106	
	1 Scrotum	?	. ?	?	?	?	?	?	?	?	28	30 7	
180	Kidney $\left\{ egin{array}{lll} M \\ F \end{array} \right.$	562 384	597 366	597 430	638 471	655 443	676 455	706 42 1	700 463	704 433	761 504	704 459	
181	Bladder and other urinary $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	1,612 698	1,670 770	1,781 735	1,884 739	1,818 797	1,854 842	1,948 84 8	2,009 856	2,043 869	2,009 863	2,012 954	
	0 Bladder $\left\{ egin{array}{ll} M \\ F \end{array} \right.$										1,997 849	1,991 932	
	7,8 Other urinary organs M and sites	?	?	?	?	?	?	?	?	?	12 14	21 22	
90-199	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2,486 2,409	2,584 2,497	2,587 2,376	2,664 2,503	2,605 2,681	2,715 2,784	2,834 2,727	2,975 3,039	2,919 3,124	2,926 2,904	2,853 2,952	
190	Malignant melanoma of skin $\begin{cases} M \\ F \end{cases}$	71 102	93 131	112 137	115 178	132 168	144 185	164 213	166 181	145 247	125 206	161 220	
191	Other malignant neoplasm of $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	447 351	461 343	376 281	369 298	337 292	325 264	312 262	310 249	316 254	282 235	265 228	
192	Eye $\binom{M}{F}$	60 41	60 62	58 54	49 60	51 57	53 69	53 44	57 56	60 51	63 62	61 70	
193	Brain and other parts of M nervous system F	654 462	678 521	738 495	833 525	811 589	831 624	903 611	889 659	894 667	1,079 794	1,046 823	
	0 Brain M										998 743	983 750	
	1 Spinal cord $\begin{cases} M \\ F \end{cases}$										15 10	11 23	
	2 Meninges $$ $\left\{ egin{array}{ll} M \\ F \end{array} \right.$										7 3	7 8	
	3 Peripheral nerves $$ M F	?	?	?	? .	?	?	?	?	?	2 2	3 4	
	4 Sympathetic nervous System										35 17	29 27	
	8, 9 Multiple and unspeci- { M fied sites of brain, etc. { F										22 19	13 11	
194	Thyroid gland $\left\{ egin{array}{ll} M \\ F \end{array} \right\}$	82 254		94 257	104 260		99 268	95 268	113 272		92 244	100 280	
195	Other endocrine glands $\left\{ egin{array}{ll} M \\ F \end{array} \right\}$	41 63	65 50		74 49		60 38		66 55		67 45	58 38	
	0 Suprarenal gland $$ ${M \atop F}$		0								46 29	40 21	
	3 Pituitary gland and { M craniopharyngeal duct { F		?	?	?	?	?	?	?	?	6 7	4 6	
	1, 2, 4-8 Other and mul- { M tiple endocrine { F glands										15 9		
196	Bone $\binom{M}{F}$	499 409									354 300		
197	Connective tissue $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	52			122 94		119 105		121 111				
198	Secondary and unspecified mal- { Mignant neoplasm of lymph { F				46 29	38 29	43 29		37 14		45 21	43 16	
199	$ \begin{array}{c} \text{nodes} \\ \text{Other and unspecified sites} \\ \end{array} \dots \begin{cases} M \\ F \end{array} $	497 636		557 679	557 684								
200205	Neoplasms of lymphatic and M. haematopoietic tissues F				2,309 1,731					2,727 2,164	2,707 2,211	2,791 2,389	
200	Lymphosarcoma and reticulo- MF	394 249		421 294	453 286								
	0 Reticulum-cell sarcoma {M	61 55											

17

	TABLE 1—continued												
ICD No.	Causes of death	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	
	1 Lymphosarcoma $$ M F	274 141	241 154	272 186	271 175	283 166	286 203	270 221	266 194	284 207	298 235	1000	
	2 Other primary malignant M neoplasms of lymphoid F	59 53	37 19	42 40	45 32	40 24	47 27	29 31	24 34	32 17	24 19		
201	tissue Hodgkin's disease $\begin{cases} M \\ F \end{cases}$	451 246	414 249	472 277	483 278	488 287	493 288	495 284	507 309	584 288	472 314	53	
202	Other forms of lymphoma M (reticulosis) F	41 36	45 41	82 53	90 46	82 64	93 5 9	75 52	78 62	78 76	110 87	п	
	0 Giant follicular lymph- M oma (Brill-Symmers' F	4 2	7 6	7 13	12 6	16 6	13	11 18	13	7 13	14 17	п	
	disease) 1 Other M	37 34	38 35	75 40	78 40	66 58	80 52	64 34	65 55	71 63	96 70	П	
203	Multiple myeloma (plasmo- M cytoma) F	91 105	107 110	154 150	161 175	190 149	218 217	217 261	250 277	268 314	298 290	2	
204	Leukaemia and aleukaemia M	905 798	994 838	984 943	1,102 941	1,116 1,005	1,142 1,018	1,223 1,001	1,229 1,086	1,301	1,301	1,3	
	0 Lymphatic leukaemia $\left\{ egin{aligned} \mathbf{M} \\ \mathbf{F} \end{aligned} ight.$	206	266	275	284	278	296	310	288	1,093	1,085	2	
	1 Myeloid leukaemia M	146 170	200	207 220	184 248	201	260	214	211	299	184 229	2	
	\[\f\] \[\]	172 46	220 96	262 83	255 86	270 100	265 99	273 92	296 119	307 103	247 105	1	
	∫F 3 Acute leukaemia∫M	57 387	69 373	62 377	86 451	96 446	82 458	93 498	487	112 519	110 662	6	
	\F 4 Other and unspecified∫M	335 96	325	377 29	383	408	414	394	428	420 41	512 35	5	
205	leukaemia ∫ F	88	24	35 11	33 20	30	33 16	27 11	40 17	32 10	32	п	
210-229		7 371	375	386	5 346	13 363	14 328	6 328	305	12 329	319	3	
210	₹ F	625	689	580	584	555	598 1	571	548	555	499	5	
211	Buccal cavity and pharynx \ M F	3	3	1	2	1	2	1	1	1	1	-	
	Other parts of digestive system M	36 34	30 38	28 16	32 18	25 17	23 24	22 32	23 29	17 28	16 19	п	
212	Respiratory system $\begin{cases} M \\ F \end{cases}$	25 10	16 11	9	15 9	16 7	17 8	12 10	13	10 10	11	П	
213	Breast $\left\{ egin{array}{ll} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	_		1	2	_ 1	3		1		_ 2	-	
214	Uterine fibromyoma F	169	174	135	127	117	126	99	93	87	81		
215	Other benign neoplasm of F uterus Ovary	17 141	16 154	14 120	9 125	13	11	103	17	12	93		
217	Other female genital organs F	8	3	1	4	4	2	3	1	1	1		
218	Male genital organs M	4	-	1	2	Withdraw	who had a	N/A-Pitageneth	Shadowa .	2000			
219	Kidney and other urinary { M organs { F	120 28	118 44	121 35	99 31	100 28	98 34	87 34	67 34	91 41	75 34		
220	Benign melanoma of skin {M	1	-	- marrier		-		-		0.000**	-	8-	
221	Pilonidal cyst M	_	-,	371 <u> </u>	-	- 2	és _ 1		= -	_ 2	1	- 15	
222	Other benign neoplasm of skin { M	3 2	2	1	1	- 1	_	1	_ 1	1 3	- 1	- 10	
223	Brain and other parts of M nervous system \{ F	120 159	133 161	136 164	115 164	141 168	125 177	133 178	125 163	131 179	138 158	1.	
224	Endocrine glands M	23 20	39 44	54 52	48 49	37 46	37 52	38 48	39 45	38	48	-	
225	Bone and cartilage	11	13 11	6 14	5 7	18	9	7 10	6	12	5 7		
226	Lipoma \{ M	2	2 6	3	3 6	6	3	4 3	3	3 4	1 3		
227	Other benign neoplasm of M muscular and connective F	2 4	7 6	4 7	, 6 7 11	6	4 9	5	5 12	5	7 6		
	tissue	1			4.1					1		-	

	TABLE 1—continued													
ICD No.	Causes of death	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959		
228	Haemangioma and lymph- M angioma F	8 11	12 12	20 12	13 19	11 12	9 11	12 11	17 8	14 13	13	15 15		
229	Other and unspecified organs M and tissues F	13 8	2 3	- 3	3	2	1 3	5	3 4	3 7	3 4	2 4		
30-239	Neoplasm of unspecified nature \(\begin{aligned} M \\ F \end{aligned} \)	557 421	491 449	513 408	445 341	475 363	463 347	419 346	435 356	407 337	219 159	225 211		
230	Digestive organs \int M	27 31	27 40	30 41	16 37	23 19	31 19	20 23	18 26	26 23	13 26	21 19		
231	Respiratory organs $\begin{cases} M \\ F \end{cases}$	35	47 19	42 18	36 17	36	27 11	21 11	23	14 10	30 8	15 10		
232	Breast M	4	-	_ 2	_	-	1	- 1	Salatina Allegania	and the same of th	_	gapene.		
233	Uterus F	1	1	1	1	2	. 3	1	1		1	2		
234	Ovary F	. 4	5	1	2	2	7	4	7	1	2	2		
235	Other female genital organs 'F	1	*****	1				Management .		0.0704		_		
236	Other genito-urinary organs $\left\{ egin{aligned} M \\ F \end{aligned} \right.$	11 2	7 7	8 7	6 7	11 6	9	6	5	6 2	4 7	6 5		
237	Brain and other parts of $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	443 340	391 347	405 312	372 260	390 304	383 274	360 279	375 295	344 279	160 97	171 156		
238	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	9	7 4	10 3	4 7	- 4	3 6	1 1	1 3	5 5	3 4	7 4		
239	Other and unspecified organs $\left\{ egin{aligned} M \\ F \end{aligned} \right.$	32 27	12 26	18 22	11 10	9 17	10 18	11 26	13 10	12 17	9 14	5 13		
40289	III ALLERGIC, ENDO- ∫M CRINE SYSTEM, MET-∫F ABOLIC, AND NUTRI- TIONAL DISEASES	2,626 4,393	2,754 4,639	2,959 4,884	2,530 4,228	2,404 4,041	2,359 3,947	2,365 4,100	2,335 4,022	2,138 3,924	2,217 3,980	2,032 3,824		
40-245	Allergic disorders \ M F	1,197 1,014	1,156 1,042	1,318 1,224	1,005 882	976 967	891 881	889 840	812 907	720 798	625 840	539 689		
241	Asthma M	1,195 1,013	1,153 1,040	1,311 1,219	1,001 878	971 964	886 877	887 833	806 902	715 792	617 836	534 680		
242	Angioneurotic oedema $\dots \begin{cases} M \\ F \end{cases}$	_ 2	2 2	3 4	2 3	4	3 2	2 2	5 2	3 4	7 2	6		
245	Other allergic disorders $\dots \begin{cases} M \\ F \end{cases}$	_	<u>.</u>	2	. 1	1	1	- 3	2	2 2	- 1	5 3		
50-254	Diseases of thyroid gland $\left\{ egin{array}{ll} M \\ F \end{array} \right\}$	117 761	117 804	121 783	104 679	104 525	98 623	95 643	99 597	89 590	96 589	114 621		
250	Simple goitre $\ldots M_F$	10 40	15 31	5 29	9	6 18	10 26	7 21	7 20	4 22	4 17	7 15		
251	Non-toxic nodular goitre $\left\{ \begin{array}{ll} M \\ F \end{array} \right\}$	6 32	8 50	6 34	4 38	6 31	6 21	6 42	5 27	2 22	11 25	5 18		
252	Thyrotoxicosis with or without \{ M \\ goitre \qquad \tau \qquad \tau \qquad \tau \qquad \qquad \qquad \qquad \qquad \qquad \qqqqq \qqqq \qqqqq \qqqqq \qqqqq \qqqqq \qqqqq \qqqqq \qqqqq \qqqqq \qqqq \qqqqq \qqqqq \qqqqq \qqqqq \qqqqq \qqqqq \qqqqq \qqqqq \qqqqqq	77 512	61 502	81 478	61 397	65 317	52 342	50 320	50 300	59 314	40 282	55 296		
	0 Toxic diffuse goitre $\dots \left\{ egin{array}{l} M \\ F \end{array} \right.$	72 479	56 470	77 444	58 375	61 296	51 324	49 303	48 286	57 292	39 262	54 281		
	1 Toxic nodular goitre $\dots \begin{cases} M \\ F \end{cases}$	5 33	5 32	4 34	3 22	4 21	1 18	1 17	2 14	2 22	1 20	1 15		
253	Myxoedema and cretinism $\ldots \begin{cases} M \\ F \end{cases}$	20 158	28 208	25 227	27 213	22 148	27 225	29 249	34 241	22 223	37 250	42 279		
254	Other diseases of thyroid gland $\begin{cases} M \\ F \end{cases}$	4 19	5 13	4 15	3 13	5 11	3 9	3 11	3	2 9	4 15	5 13		
260	Diabetes mellitus $\ldots \left\{ egin{array}{ccc} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	1,100 2,338	1,221 2,463	1,219 2,484	1,091 2,247	1,066 2,128	1,048 1,980	1,084 2,207	1,108 2,134	1,013 2,124	1,152 2,163	1,100 2,093		
270-277	Diseases of other endocrine M glands F	121 169	140 183	158 2 26	138 211	136 194	134 201	114 156	124 146	112 156	135 132	97 141		
270	Disorders of pancreatic internal M secretion other than diabetes F	2 4	3	6 3	3	3 2	5. 2	7 4	8 4	4 5	_10	3 3		
271	$\begin{array}{c} \text{mellitus} \\ \text{Diseases of parathyroid gland} \left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right. \end{array}$	6	4 2	5	4 3	3 5	3 4	5 7	1 11	2 11	2 7	3 12		
272	Diseases of pituitary gland $\dots \begin{Bmatrix} M \\ F \end{Bmatrix}$	29 36	37 55	41 71	39 64	30 80	31 80	36 6 0	37 58	40 65	38 55	37 55		
273	Diseases of thymus gland $\dots \begin{cases} M \\ F \end{cases}$	23 7	20 12	30 13	18 7	15 8	11 3	9 4	13 2	6	4	7 2		

TABLE 1—commune												
ICD No.	Causes of death	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	19:
274	Diseases of adrenal glands $\dots \begin{cases} M \\ F \end{cases}$	63 102	63 93	58 107	52 106	67 74	70 75	52 52	49 49	42 50	63 48	
277	Polyglandular dysfunction and \(\)M other diseases of endocrine \(\)F	4 14	12 21	21 27	22 28	18 25	14 37	5 29	16 21	18 20	18 18	
280-289	glands Avitaminoses and other meta- M bolic diseases F	91	120 147	143	192	122	188 262	183	192	204 256	209 256	
280	Beriberi	1 2	2 2	3		3	1	1	4	2	1	
281	Pellagra M		_ 2		1 3	1 4	2	2		- 2	1	-
282	Scurvy \int_{F}^{M}	6	8 2	2	2	5	- 2	3	1	1 4	4	
283	Active rickets	3	5	1 3	2		2	1	1 2	_ 1		_
284	Late effects of rickets M		- 1	2	4	_ 1	_ 1	2	- 2	1 3		
285	Osteomalacia M	4 10	_]	2 3	1 4	_ 4	3	1	1 2	- 1	2	_
286	Other avitaminoses and nutri- \{ M \\ tional deficiency states \tau \} F	27 30	37 31	46 43	64 61	36 58	63 60	48 69	50 69	41 56	50 62	
	0 Steatorrhoea and sprue $\begin{cases} M \\ F \end{cases}$	18 22	23 13	32 23	36 20	21 22	27 21	22 22	15 28	22 24	20	
	5 Malnutrition, unqualified M	3 2	8 11	8 13	16 32	10 25	20 29	17 38	22 31	14 21	24 31	
	1-4, 6, 7 Other deficiency States { M	6	6	6 7	12	5 11	16 10	9	13 10	5 11	6	
287	Obesity, not specified as of M endocrine origin \ F	4 24	15 60	30 79	34 76	30 100	45 136	30 110	41 101	55 127	52 123	
288	Gout $\left\{ egin{array}{lll} M & F \end{array} \right.$	14 4	11 7	23	21	10	17 4	16 2	16 2	17	10	
289	Other metabolic diseases $\ldots \begin{cases} M \\ F \end{cases}$	32 34	45 39	34 34	63 56	40 52	58 52	82 64	78 58	87 59	89 62	
	0 Lipidosis (disturbance of M lipid metabolism) F	3 7	5 12	8	11 12	5 10	15 14	19 10	16 12	15	18 10	
	1 Amyloidosis $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	9	11 5	7 8	14 10	12 12	14 12	17 16	18 12	36 21	. 23	
	2 Other $\left\{ egin{array}{lll} M \\ F \end{array} \right.$	20 22	29 22	19 23	38 34	23 30	29	46 38	44 34	36	48 38	
290–299	IV DISEASES OF THE M BLOOD AND BLOOD- F	906 1,529	831 1,565	867 1,513	848 1,401	772 1,256	817 1,381	796 1,344	707 1,379	741 1,348	742 1,308	1,
290	FORMING ORGANS Pernicious and other hyper- \int M chromic anaemias \int F	441 844	412 836	380 783	322 661	282 587	279 639	283 628	262 650	260 622	247 578	
	0 Pernicious anaemia $\ldots \left\{ egin{matrix} M \\ F \end{array} \right.$	409 780	346 751	333 703	282 584	246 519	246 569	241 547	218 567	216 551	214 502	
	1 Subacute combined de- \{ M \\ generation of spinal cord \{ F \}	25 43	43 58	32 53	33 48	27 39	13 37	24 34	18 36	13 28	16 25	
	2 Other hyperchromic anaemias $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	7 21	23 27	15 27	7 29	9 29	20 33	18 47	26 47	31 43	17 51	
291	Iron deficiency anaemias (hypo- { M chromic anaemias) F	35 90	48 137	41 160	61 147	59 157	64 180	66 169	70 192	70 193	73 194	
292	Other anaemias of specified M type K	140 185	131 208	153 182	181 232	191 202	222 242	207 225	189 216	181 237	203 225	
	4 Aplastic anaemia $\ldots \left\{ egin{matrix} M \\ F \end{array} \right.$	103 121	100 140	111 126	137 175	145 147	159 173	143 144	128 138	107 151	128 133	
	0-3, 5-7 Other specified anaemias M	37 64	31 68	42 56	44 57	46 55	63 69	64 81	61 78	74 86	75 92	
293	Anaemia of unspecified type $\dots \begin{cases} M \\ F \end{cases}$	55 110	43 106	61 78	39 108	48 78	47 91	47 105	46 108	48 115	53 112	
294	Polycythaemia $\ldots {M \choose F}$	27 24	22 32	31 28	35 25	34 18	35 19	45 26	20 32	37 28	45 28	
295	Haemophilia $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	18	14	23	⁷ 19	_13	15	12	_ 9	_19	_ 8	-
								-				

CD lo.	Causes of death	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959
296	Purpura and other haemor- M rhagic conditions F	62 73	56 72	70 100	74 88	66 92	76 81	71 85	59 63	70 73	62 82	52 79
297	Agranulocytosis $\left\{ egin{array}{ll} M \\ F \end{array} \right\}$	11 26	9 28	24 29	17 26	6 21	14 21	10 17	12 20	8	10 12	7 13
298	Diseases of spleen $$ $\begin{cases} M \\ F \end{cases}$	115 174	90 140	79 150	95 110	69 97	58 103	52 87	33 87	38 62	30 60	36 56
299	Other diseases of blood and M blood-forming organs F	2	6	5	5	4	7 5	3 2	7	10 10	11 17	13 14
0-326	V MENTAL, PSYCHO-{M NEUROTIC AND PER-{F	451 710	479 797	521 815	476 675	415 708	458 715	438 709	374 764	347 698	341 565	364 644
0-309	SONALITY DISORDERS Psychoses	329 553	314 645	372 641	344 527	306 575	346 611	313 570	278 643	259 593	243 475	254 519
300	Schizophrenic disorders (de- \{ M \\ mentia praecox\) \{ F	27 33	27 41	35 44	39 31	25 37	44 39	24 37	28 24	27 23	22 19	21 23
301	Manic-depressive reaction $\dots \begin{cases} M \\ F \end{cases}$	48 80	39 83	30 62	20 53	26 36	27 46	27 37	17 52	9 30	14 27	8
302	Involutional melancholia \ M F	1 10	2	2	5	3	3 2	4 5	3	5	1 3	2
303	Paranoia and paranoid states $\begin{cases} M \\ F \end{cases}$	1 2	2	2 3	1 1	_	_ 4	1	2	3	_ 1	3 3
304	Senile psychosis $\begin{cases} M \\ F \end{cases}$	214 379	202 453	261 458	220 381	204 416	216 450	202 415	176 500	161 440	151- 339	155 381
305	Presenile psychosis \(\begin{array}{c} M \ F \end{array} \)	14 19	25 29	21 33	35 29	29 37	28 39	34 42	37 47	43 61	30	48 71
307	Alcoholic psychosis { M	_ 2	5	5	1 2	3	2	_ 6	_ 2	3	5	2
309	Other and unspecified { M psychoses { F	22 30	12 36	16 32	23 26	16 38	26 30	15 34	15 13	11 27	19 20	15 22
0-318	Psychoneurotic disorders $\ldots \begin{cases} M \\ F \end{cases}$	13 34	15 52	15 52	15 37	11 43	20 35	17 42	16 38	14 36	15 31	23 54
310	Anxiety reaction without men- \{ M \\ tion of somatic symptoms \} F	1 1	_ 3	1	3	_ ₄	1 2	2 5	2 3	- 1	3 2	3 5
311	Hysterical reaction without M mention of anxiety reaction F	3 21	6 31	6 39	7 26	5 29	8 26	4 27	4 22	7 23	3 23	6 36
314	Neurotic-depressive reaction $\begin{cases} M \\ F \end{cases}$	_ 2	_	3	3	_ 2	1	2 4	2 5	8	3	2 5
316	Psychoneurosis with somatic M symptoms (somatization re- F action) affecting digestive	1 2	2 2	2 1	- 1	_ 2	2 1	1	1	1 2	=	- 3
317	system Psychoneurosis with somatic M symptoms (somatization re- F action) affecting other	_ 1	1	3 1	_ 1	- 1	1 1	_ 4	5 2	_ 2	_ 2	_ 4
318	systems Psychoneurotic disorders, other, M mixed and unspecified types F	6 5	3 12	4 7	4 2	3 6	5 4	4 5	3 4	2 2	2 4	6 5
0-326	Disorders of character, be- \{ M \\ haviour, and intelligence \{ F	109 123	150 100	134 122	117 111	98 90	92 69	108 97	80 83	74 69	83 59	87 71
322	Alcoholism $\left\{ egin{array}{lll} M \\ F \end{array} \right.$	24 24	33 16	33 18	21 23	24 13	20 11	22 16	20 18	15 8	25 17	33 15
	0 Acute $\binom{M}{F}$	8 3	6 2	5	3 2	5 1	3	3 2	_ 2	1 2	_ 5	6 3
	1 Chronic $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	11 21	20 12	23 15	16 19	14 6	15 10	16 9	12 18	10 5	15 15	20 11
	2 Unspecified $\begin{cases} M \\ F \end{cases}$	_ 5	7 2	5	2 2	5	_ 2	3 5	_ 6	4 1	5 2	7
323	Other drug addiction $\begin{cases} M \\ F \end{cases}$	3	1	2 11	10 4	2 3	1 3	_ 2	- 1	- 1	2	4
325	Mental deficiency $\dots \left\{ egin{array}{ll} M \\ F \end{array} \right.$	82 98	115 83	99 93	86 83	72 73	71 55	84 81	56 62	59 60	55 39	50 55
0-398	VI DISEASES OF THE {M NERVOUS SYSTEM {F	28,365 37,913	30,401 40,709	32,018 42,617	31,955 43,066	31,481 42,230	33,086 44,386	33,967 46,011	33,707 46,334	33,242 45,959	33,915 47,763	33,593 47,184
0-334	AND SENSE ORGANS Vascular lesions affecting central nervous system F	25,270 34,781	27,175 37,528	29,003 39,443	29,158 40,230	28,762 39,307	30,516 41,626	31,098 43,054	31,034 43,453	30,537 43,132	31,298 44,879	30,897 44,253
330	Subarachnoid haemorrhage* {M F	536 780	670 1,006	831 1,231	1,014 1,633	1,058 1,618	1,211 1,747	1,094 1,856	1,244 1,902	1,193 1,902	1,214 2,039	1,231 1,934
330 9												

330. See note 2 at head of table.

TABLE 7—continued												
ICD No.	Causes of death	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	1
331	Cerebral haemorrhage $\dots M$	13,289 18,983	13,642 19,587	13,752 19,507	13,122 18,784	12,831 18,274	13,326 18,833	12,861 18,629	12,562 18,192	11,970 17,408	11,923 17,784	1
332	Cerebral embolism and throm- M bosis F	10,061 13,398	11,510 15,331	12,682 16,520	13,072 17,413	12,916 17,025	13,795 18,292	14,813 19,649	14,791 20,366	14,914 20,806	15,452 21,670	1 2
333	Spasm of cerebral arteries \ M F	_ 2	_ 2	1	_ 2	2 2	_ 1	1 3		_ 1	1 2	
334	Other and ill-defined vascular M lesions affecting central ner- F	1,384 1,618	1,351 1,604	1,737 2,184	1,948 2,400	1,955 2,388	2,183 2,754	2,329 2,917	2,437 2,993	2,459 3,016	2,708 3,384	
340–345	vous system* Inflammatory diseases of central \{ M \\ nervous system \tau \tau \\ F	779 752	760 768	731 855	649 722	662 791	661 729	717 779	653 793	736 787	689 820	
340	Meningitis, except meningococ- { M cal and tuberculous { F	254 186	215 159	204 154	178 132	209 167	190 127	213 143	191 153	233 143	197 142	
	0 H. influenzae $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	38 27	27 22	27 15	24 15	25 12	15 15	24 20	22 20	29 14	11	
	1 Pneumococcus \{ M \ F	84 69	80 53	92 54	72 51	80 67	85 56	95 58	98 71	112 60	80 66	
	2 Due to other specified M organism Y	35 22	35 23	30 29	24 16	48 45	41 20	42 28	35 27	39 35	55 29	
	3 With no organism speci- \{ M \\ fied as cause \cdot \cdot \cdot \cdot \} F	97 68	73 61	55 56	58 50	56 43	49	52 37	36 35	53 34	51 37	
341	Phlebitis and thrombophle- M bitis of intracranial venous F	5 2	14 19	12	12 11	10 15	12 10	10 11	6	15 16	10	
342	sinuses Intracranial and intraspinal M abscess F	77 38	81 37	63 38	52 38	54 27	53 31	53 26	57 32	71 26	41	
343	Encephalitis, myelitis, and { M encephalomyelitis (except { F	100 103	106 75	78 72	69 55	69 46	58 42	67 65	49 66	74 62	68 56	
344	acute infectious) Late effects of intracranial \(M \) abscess or pyogenic infection \(F \)	24 19	20 21	22 27	26 19	40 25	36 32	30 30	37 38	33	47 37	
345	Multiple sclerosis $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	319 404	324 457	352 558	312 467	280 511	312 487	344 504	313 493	310 502	326 539	
350-357	Other diseases of central ner- $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	1,895 2,088	2,075 2,153	1,932 2,089	1,859	1,761	1,651	1,916	1,812	1,788	1,761	1
350	Paralysis agitans $$ $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	614 803	633 813	711 896	665 864	655 829	599 812	775 924	675 891	685 838	686 867	
351	Cerebral spastic infantile { M paralysis F	60 37	67 53	80 60	64 54	59 50	60	66 59	79 61	61 56	65 47	
352	Other cerebral paralysis $\ldots \begin{cases} M \\ F \end{cases}$	278 430	443 484	239 377	244 253	200 272	216 259	233 299	237 295	206 310	214 306	
353	Epilepsy $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	483 440	472 443	467 436	456 408	406 418	337 348	404 373	387 341	374 319	358 343	
	2 Status epilepticus $ \dots \begin{cases} M \\ F \end{cases} $	169 193	181 206	185 192	185 179	140 176	172 176	163 154	144 131	134 132	124 143	
	0, 1, 3 Other epilepsy $ \left\{ $	314 247	291 237	282 244	271 229	266 242	165 172	241 219	243 210	240 187	234 200	
355	Other diseases of brain $$ M	87 102	82 110	85 94	70 89	93 105	103 97	98 99	97 111	115 126	104 128	
356	Motor neurone disease and $\{M\}$ muscular atrophy $\{F\}$	335 251	315 217	300 189	318 202	303 216	307 221	295 218	297 199	317 223	298 231	
	O Progressive muscular { M atrophy	254 184	211 157	214 137	208 148	225 141	221 166	183 151	172 138	197 148	184 141	
	1 Amyotrophic lateral Sclerosis {M	64 50	82 45	59 39	83 37	51 40	56 27	64 36	56 25	44 25	46 40	
	2, 3 Other motor neurone M disease F	17 17	22 15	27 13	27 17	27 35	30 28	48	69	76 50	68 50	
357	Other diseases of spinal cord $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	36 25	62 33	50 37	41 43	44 35	29 30	45 38	40 26	30 30	36 19	
360-369	Diseases of nerves and peri- M pheral ganglia F	91 81	83 68	80 48	54 48	54 49	62 53	40 35	38 42	33 29	49 20	
361	Trigeminal neuralgia $\left\{ egin{array}{ll} M \\ F \end{array} \right\}$	4 4	1 8	4 2	3 7	3 7	3 4	2 3	3 5	1 2	2 2	
363	Sciatica $\left\{ egin{array}{cccccccccccccccccccccccccccccccccccc$	2 6	- 1	4 5	_ 2	- 1	2	1 2	1	1	2	
			-	1		1						

^{* 334.} See note 2 at head of table.

INDE I—Quinned												
D o.	Causes of death	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959
364	Polyneuritis and polyradiculitis M	42 22	33 23	30 13		25 19	38	27 18	28 23	25 19	37 11	22 19
365	Erythroedema polyneuritica \ M F	36 30	34 23	34 19		19 17	8	4	3	2	- 1	1
366	Other and unspecified forms of \(\) M neuralgia and neuritis \(\). \(\) F	6 12	15 10	7	13	7 4	9	5	3	2	5	10
367	Other diseases of cranial nerves \(\int \mathbb{M} \)	1	2	1	1		1	decrees .	1		1	1
368	Other diseases of peripheral M nerves except autonomic F	1	1	2	1		2	1	- 1	1	_ 2	1
379	Inflammatory diseases of eye $\begin{cases} M \\ F \end{cases}$	10	5 8	8 9	7 5	1 9	1 4	8	2 7	1	1	2 3
372	Hordeolum (stye) \(\begin{array}{c} M \\ F \end{array} \)	_	- 2		2	- 1	- 1	_	1	_		1
376	Other inflammation of uveal \ M tract \ F	4	2	- 1	_ 2	1		2 2	_ 3	1 3	_ 1	
377	Inflammation of optic nerve M and retina F	_ 1	- 1	1 1	1	1	- 1	1	1 1 1;	- 1	3	_ 3
378	Inflammation of lachrymal M glands and ducts F	1 3	_ 1	. — 1	- 1	- 1	_	_ 2			_	
379	Other inflammatory diseases of M eye F	2 7	3 2	2 3	2	1 1	1	_ 2	_ 2	- 1	2	
389	Other diseases and conditions of $\left\{ egin{array}{ll} M \\ eye & \ldots & \ldots & \Gamma \end{array} \right\}$	9 14	14 16	7 18	9 30	17 37	20 32	18 32	18 34	23 34	14 40	26 36
381	Corneal ulcer $\left\{ egin{array}{lll} M \\ F \end{array} \right.$	_ 2	2	1	1	_ 3	, 1	_ 1	_	_ 1	1 2	- ₁
384	Strabismus $\left\{ egin{array}{ll} M \\ F \end{array} \right\}$	1	2 2	- 1	_ 2	1 2	3 4	2	1	_ 2	_ 1	1 3
385	Cataract $\left\{ egin{array}{lll} M & F \end{array} \right.$	1 8	. 6 10	2 13	3 16	9 17	8 15	7 23	9 21	11 22	6	15 22
386	Detachment of retina $\ldots \begin{cases} M \\ F \end{cases}$		_ 1	- 1	1 1	- 1	2 3	- 2	3	2 5	_ 3	2 2
387	Glaucoma $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	2 5	3 4	3	- 9	1 6	2	1	2 4	3 2	3 14	4 5
388	Other diseases of eye $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	1	_	- 1	- 1	2 2	1 3	2	1 3	3 2	1 4	2 3
389	Blindness $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	_ 2		1 1	2 3	3 6	3	5	2 2	1 3	2 2	_ 2
398	Diseases of ear and mastoid $\left\{ egin{array}{lll} \mathbf{M} \\ \mathbf{process} & \dots & \dots & \dots \end{array} \right\}$	311 181	289 168	257 155	219 118	224 112	175 109	170 98	150 80	124 69	103 57	138 57
391	Otitis media without mention M of mastoiditis	229 129	207 122	186 124	156 93	172 88	142 91	137 67	121 61	95 52	79 47	109 45
392	Otitis media with mastoiditis M	18	15 15	21 4	20 6	12	6	8	3	6 5	6 2	11 4
393	Mastoiditis without mention of $\left\{ egin{array}{ll} M \\ \text{otitis media} & \dots & \Gamma \end{array} \right\}$	56 42	60 28	41 23	36 16	38 14	23 12	24 20	24 14	21	16 6	17 5
394	Other inflammatory diseases of $\{M\}$	_ 2	_ 1	1 1	1		_ 1	_	_ 2	-	_ 2	arrents Aspinents
395	Ménière's disease $\dots \left\{ egin{array}{ll} M \\ F \end{array} \right.$	2	1	1 2	- 1		_ 1	-	_	1	- 1	
396	Other diseases of ear and M mastoid process F	4 2	5	7	5 2	1	2	1	- 1	1	- 1	_ 2
468	VII DISEASES OF THE M CIRCULATORY	88,691 90,921	92,480 93,396	97,749 98,922		91,423 90,477	94,637 91,331	96,704 95,222	98,065 95,470	95,784 92,566	99,907 97,738	96,306 95,526
402	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	312 391	259 310	164 214	144 184	143 167	152 147	103	102 106	78 96	70 61	63
400	Rheumatic fever without men- { M tion of heart involvement { F	24 23	21 15	5 11	7 18	13 13	8 11	9 5	5 7	3 2	3	1 4
401	Rheumatic fever with heart in- $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	284 355	227 259	150 169	128 140	123 135	141 113	87 89	92 81	68 81	63 51	57 47
	0 Active rheumatic peri- M carditis F	60 39	36 38	35 28	33 39	39 35	42 27	30 24	29 22	23 14	27 23	21 28
	1 Active rheumatic endo- { M carditis } F	67 80	42 46	41 43	37 45	34 38	31 18	13 16	15 15	10 17	10 11	19 5

ICD No.	Causes of death	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
	2 Active rheumatic myo-∫M	11	10	5	10	7	7	5	2	2	4
	carditis \ F 3 Active rheumatic fever ∫ M	26 146	15 139	69	5 48	43	8 61	39	46	33	- 22
	with other and multiple F types of heart involvement	210	160	89	51	54	60	46	40	41	17
402	Chorea $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	4 13	11 36	9 34	9 26	7 19	3 23	7 20	5 18	7 13	4 7
	0 Without mention of heart $\begin{cases} M \\ \text{involvement} \end{cases}$.	7	3 17	6 31	7 22	7 17	3 18	6 18	5 17	6 12	1 4
	1 With heart involvement $\begin{cases} M \\ F \end{cases}$	3 6	8 19	3	2 4	- 2	- 5	1 2	' - ₁	1	3
410-416	Chronic rheumatic heart disease $\left\{egin{aligned} \mathbf{M} \\ \mathbf{F} \end{aligned} ight.$	3,733 6,075	4,251 6,940	4,076 6,777	3,469 5,637	3,334 5,503	3,144 5,452	2,991 5,356	3,049 5,161	2,989 5,228	2,567 4,867
410	Diseases of mitral valve $\left\{egin{array}{c} M \\ F \end{array}\right\}$	2,726 4,815	2,843 5,083	2,736 4,955	2,385 4,371	2,296 4,267	2,139 4,241	2,035 4,066	1,989 3,926	1,937 3,933	1,633 3,629
411	Diseases of aortic valve speci- $\left\{ egin{array}{ll} M \\ \text{fied as rheumatic} & \dots & \cdot \end{array} \right\} \left\{ egin{array}{ll} F \\ \end{array} \right.$	198 114	272 109	290 133	305 128	290 140	302 172	272 156	325 177	342 171	343 187
412	Diseases of tricuspid valve $\hdots \higgsymbol{ \left\{ egin{array}{ll} M \\ F \end{array} \right.}$	6 4	3 5	3 4	3 4	2 2	6 4	4 12	11 6	3 8	7 6
414	Other endocarditis specified as $\left\{ egin{array}{ll} M \\ rheumatic & \dots & \dots \end{array} \right\} \left\{ egin{array}{ll} F \\ \end{array} \right.$	419 629	650 1,049	555 907	317 499	276 415	255 361	243 404	259 344	236 347	182 282
415	Other myocarditis specified as { M rheumatic } F	174 256	192 2 81	147 259	125 173	124 160	96 150	79 151	96 128	77 141	67 112
416	Other heart disease specified as { M rheumatic } F	210 257	. 289 . 413	345 517	334 462	346 519	346 524	358 5 67	369 5 80	394 628	335 651
420-422	$\begin{array}{cccc} Arterioslerotic & and & degener- \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ \end{array}$	66,262 63,507	67,950 63,587	71,652 67,455	68,631 61,480	67,022 61,265	69,683 61,519	71,677 63,918	73,012 64,175	71,151 61,598	75,237 65,770
420	Arteriosclerotic heart disease, M including coronary disease. F	30,460 17,543	35,379 20,455	37,654 21,777	39,568 22,827	39,449 23,175	42,919 24,925	44,857 26,813	47,476 28,300	48,266 28,910	52,085 31,956
	0 Arteriosclerotic heart disease so described \{ \begin{array}{c} M \ F \end{array}	97 72	91 103	161 161	170 151	198 180	247 247	296 263	273 286	344 364	454 541
	1 Heart disease specified as { M involving coronary arter- { F	29,178 16,806	34,320 19,807	36,679 21,132	38,765 22,303	38,764 22,688	42,246 24,411	44,199 26,254	46,909 27,781	47,655 28,339	51,389 31,223
	ies 2 Angina pectoris without M mention of coronary F	1,185 665	968 545	814 484	633 373	487 307	426 267	362 296	294 233	267 207	242 192
421	disease Chronic endocarditis not speci- \{ M \\ fied as rheumatic \dots \cdot \} \}	2,409 2,242	1,576 1,266	1,340 1,065	1,557 1,449	1,497 1,372	1,714 1,482	1,606 1,383	1,612 1,371	1,757 1,631	1,675 1,519
	0 Of mitral valve, specified { M as non-rheumatic* { F	7 8	34 28	16 25	86 98	64 99	54 73	45 80	71 109	97 183	110 195
	1 Of aortic valve, not speci- \{ M \\ fied as rheumatic \dots \} \{ F	1,053 569	1,003 605	951 571	931 539	956 5 77	1,170 734	1,163 723	1,148 773	1,313 913	1,257 879
	2 Of tricuspid valve, speci- M fied as non-rheumatic F	=	_ 3	3 2	- 3	1 2	_ 2	1	3 1	1	- 1
	3 Of pulmonary valve, not { M specified as rheumatic { F	_ 1	_	3 2	1 3	2	1	3	_ 2	1 3	7
	4 Other and ill-defined, not \{ M \\ specified as rheumatic \{ F \}	1,348 1,665	536 633	367 465	539 806	474 693	487 674	394 578	390 486	345 531	301 443
422	Other myocardial degeneration $\left\{egin{aligned} M \\ F \end{aligned}\right\}$	33,393 43,722	30,995 41,866	32,658 44,613	27,506 37,204	26,076 36,718	25,050 35,112	25,214 35,722	23,924 34,504	21,128 31,057	21,477 32,295
	0 Fatty degeneration $$ $\left\{ egin{array}{l} M \\ F \end{array} \right.$	213 445	204 366	196 292	113 218	109 212	113 195	101 185	92 166	85 141	78 122
	1 With arteriosclerosis $ \left\{ egin{array}{l} M \\ F \end{array} \right.$	11,848 14,323	12,087 14,885	13,111 16,434	11,484 14,433	11,100 14,611	10,771 14,124	11,093 14,623	10,791 14,375	9,448 13,444	9,830 14,162
	2 Other $\left\{ egin{array}{lll} M \\ F \end{array} \right.$	21,332 28,954	18,704 26,615	19,351 27,887	15,909 22,553	14,867 21,895	14,166 20,793	14,020 20,914	13,041 19,963	11,595 17,472	11,569 18,011
430-434	Other diseases of heart $\ldots \left\{egin{array}{l} M \\ F \end{array} ight.$	3,684 4,902	3,646 4,873	4,623 5,810	4,451 5,579	4,781 5,814	5,116 5,875	5,127 6,126	5,252 6,435	5,666 6,772	5,845 7,150
430	Acute and subacute endo- $\left\{ egin{array}{cccccccccccccccccccccccccccccccccccc$	255 215	232 167	212 158	182 133	199 140	198 118	208 119	196 121	195 128	187 135
	0 Acute and subacute bac- $\left\{ egin{array}{ll} M \\ terial\ endocarditis \end{array} ight.$	242 206	226 160	209 156	182 129	195 138	196 114	204 116	194 119	193 127	185 129
	1 Other acute endocarditis { M F	13 9	6	3 2	- 4	4 2	2 4	4 3	2 2	2	2

^{* 421-0.} See note 2 at head of table.

	TABLE 1—continuea												
D o.	Causes of death	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	
431	Acute myocarditis not specified \{ M \\ as rheumatic \dots \dots \frac{1}{2} \dots \frac{1}{2} \dots \dots \frac{1}{2} \dots \	96 128	107	98 103	77	84 83	80 65	59 57	77 60	66 72	53 67	74 70	
432	Acute pericarditis specified as M non-rheumatic F	19 25	18 12	15 5	11 18	14 11	17 12	13 17	12	15	6	5	
433	Functional disease of heart \{ M \ F	2,413 3,701	2,090 3,487	2,562 4,006	2,407 3,740	2,468 3,706	2,321 3,557	2,080 3,433	2,157 3,441	2,113 3,351	2,164 3,422	1,927	
434	Other and unspecified diseases { M of heart*	901 833	1,199 1,111	1,736 1,538	1,774 1,611	2,016 1,874	2,500 2,123	2,767 2,500	2,810	3,277 3,213	3,435	3,268	
443	Hypertensive heart disease $\left\{ \begin{array}{ll} M \\ F \end{array} \right\}$	4,291 4,799	7,626 8,514	8,278 9,220	5,225 6,094	5,353 6,263	5,686 6,667	5,834 7,320	5,782 7,251	5,491 7,101	3,513 5,173	3,659 4,656	
440	Essential benign hypertensive M heart disease F	9	125 138	127	82 86	80 107	95 108	104 124	97 138	106	7,110 98 129	6,719	
441	Essential malignant hyper- \{ M \\ tensive heart disease \} F	37 37	165 137	201 150	107 74	120 63	104 81	126 46	121 65	110 77	106	94	
442	Hypertensive heart disease with \(\) M arteriolar nephrosclerosis \(\). \(\) F	271	245 299	315 353	155 189	165 175	123 157	129 184	143 138	125 130	116 129	98 107	
443	Other and unspecified hyper- M tensive heart disease F	3,974 4,456	7,091 7,940	7,635 8,594	4,881 5,745	4,988 5,918	5,364 6,321	5,475 6,966	5,421 6,910	5,150 6,744	4,853 6,772	4,369 6,423	
447	Other hypertensive disease \{ M \ F	3,986 4,179	2,132 2,037	2,076	4,072 4,058	4,214 4,106	4,044 4,176	3,966 4,152	3,776 3,994	3,570 3,684	3,524 3,839	3,269	
444	Essential benign hypertension $\begin{cases} M \\ F \end{cases}$	2,730 3,093	935 1,124	973 1,112	2,832 3,111	2,799 3,190	2,809 3,228	2,726 3,330	2,628 3,154	2,482 2,932	2,421 3,037	3,555 2,166 2,784	
445	Essential malignant hyper- M tension F	639 460	584 353	540 384	716 442	848 420	718 450	738 333	721 378	704 365	701 400	724 379	
446	Hypertension with arteriolar M nephrosclerosis F	615 624	612 559	562 534	522 503	565 494	515 496	500 487	425 460	382 385	398 399	377 391	
447	Other hypertensive disease M without mention of heart F	2 2	1	1	2 2	2 2	2 2	2 2	2 2	2 2	4	2	
456	Diseases of arteries M	5,718 6,020	5,814 5,958	6,094 6,331	5,766 5,953	5,764 6,088	5,895 6,148	6,000 6,763	6,006	5,727 6,457	6,411 7,173	6,208 7,368	
450	General arteriosclerosis { M F	4,858 5,109	5,208 5,374	5,512 5,806	4,839 5,184	4,751 5,325	4,783 5,252	4,804 5,790	4,723 5,596	4,297 5,367	4,801 5,913	4,578 6,130	
	0 Without mention of gan- { M grene { F	4,327 4,701	4,569 4,840	4,817 5,239	4,227 4,677	4,171 4,829	4,198 4,766	4,225 5,276	4,145 5,106	3,827 4,876	4,273 5,414	4,082 5,611	
	1 With mention of gan- M grene as a consequence. F	531 408	639 534	695 567	612	580 496	585 486	579 514	578 490	470 491	528 499	496 519	
451	Aortic aneurysm, non-syphil- { M itic, and dissecting aneurysm† { F	214 234	262 254	290 287	678 564	730 526	844 663	924 711	1,001	1,135	1,312 1,003	1,310 946	
452	Other aneurysm, except of M heart and aorta	286 337	134 157	52 45	44 44	64 48	69 28	74 45	61	63	62	79 47	
453	Peripheral vascular disease $\dots \begin{Bmatrix} M \\ F \end{Bmatrix}$	60 26	52 26	73 23	71 26	70 22	55	63	63	59 12	54 21	62 25	
1	0 Raynaud's disease { M	4	6	4	5	2 8	4 15	8 3	5	3 5	1 4	1 7	
	1 Thrombo-angiitis { M obliterans { F	55 14	41	52	51 11	52	39	40	45	39	34	32 5	
	2, 3 Other peripheral { M vascular disease { F	1 2	5 4	17	15	16	12	15	13 15	17	19	29 13	
454	Arterial embolism and throm- M bosis	18 34	38 42	51 57	31	30 38	21	32 53	34 51	36 40	35 43	27 57	
455	Gangrene of unspecified cause { M F	206 203	47 40	27 38	17 20	25 24	9 22	11 25	23	12	19 13	17 22	
456	Other diseases of arteries $\left\{ \begin{array}{ll} M \\ F \end{array} \right\}$	76 77	73 65	89 75	86 92	94 105	114 109	92 123	101 116	125 142	128 144	135 141	
468	Diseases of veins and other M diseases of circulatory system F	705 1,048	802 1,177	786 1,084	755 1,166	812 1,271	917 1,347	1,006	1,086	1,112	1,080	1,284	
460	Varicose veins of lower ex- M tremities F	73 212	83 235	79 225	74 218	50 169	52 201	51 196	55	53	48	61 168	
461	Haemorrhoids $$ $\begin{cases} M \\ F \end{cases}$	15 16	21 13	13	21	12	24	22	23	19	18	16 11	
24 4	10 447 452 Contain channel in 11												

^{34, 440-447, 452.} Certain changes in coding practice were introduced at the beginning of 1952 which resulted in a transfer of deaths in that year from codes (440-443) to codes (444-447).

51. See note 2 at head of table.

ICD No.	Causes of death	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
462	Varicose veins of other speci- \{ M \\ fied sites \tau \tau \tau \\ \ F	23 23	17 19	27 14	18 21	20 25	20 12	20 20		27 26	26 16
463	Phlebitis and thrombophlebitis M of lower extremities F	87 160	147 288	119 217	138 224	120 236		141 223	156 261	132 254	131 247
464	Phlebitis and thrombophlebitis M of other sites F	55 81	14 24	23 21	10 17	10 20		14 20	13 20	14 24	12 17
465	Pulmonary embolism and in- M farction F	284 312	308 333		316 360	377 428	413 433	465 484	457 574	486 565	
466	Other venous embolism and $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	142 209	163 227	144 239	150 284	189 341	261 399	253 469	332 535		
467	Other diseases of circulatory M system	12 18	36 31	39 29	21 26	23 31	29 31	31 38	26 29	19 26	
468	Certain diseases of lymph M nodes and lymph channels F	14 17	13 7	7 5	7 6	11	5 12	9	7 6	3 10	
470–527	VIII DISEASES OF THE {M RESPIRATORY {F	34,324 26,022	32,263 23,145	45,783 35,824	31,951 21,038	36,799 26,364	31,090 20,056	35,381 23,345	36,080 24,428		37,024 23,784
470-475	SYSTEM Acute upper respiratory infec- { M tions F	102 75	127 146		81 81	B1 86	78 83	67 69	68 70	68 72	
470	Acute nasopharyngitis { M (common cold)*	6 7	22 47	33 48	10 15	12 15	8 16	8	3 4	6 8	
471	Acute sinusitis $\ldots \left\{ egin{array}{ll} M \\ F \end{array} \right.$	8		1 4	1 4	4 2	2 4	1	3 3	2	
472	Acute pharyngitis $\ldots \begin{Bmatrix} M \\ F \end{Bmatrix}$	9 10	14 14		7 11	9 10		8	13 14	7 7	12 4
473	Acute tonsillitis $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	32 30		22 29	21 27	16 19	18 23	14 18	13 18	17 14	14 12
474	Acute laryngitis and tracheitis $\left\{egin{aligned} M \\ F \end{aligned} ight.$	39 18	28 23		29 12	23 25	27 17	26 27	24 18	24 29	19 27
475	Acute upper resp: infection of \{ M \\ multiple of unspecified sites \{ F	8 7	24 24	22 24	13 12	17 15	14 14	10 9	12 13	12 13	10 8
480-483	Influenza $\left\{egin{array}{ll} M \\ F \end{array}\right\}$	2,630 2,962	1,862 2,040		879 871	2,905 3,560	878 933	1,460 1,523	1,272 1,354	3,553 3,163	1,216 1,185
480	Influenza with pneumonia $\ \ \dots \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $	1,209 1,282	941 922	3,708 4,046	449 429	1,442 1,756	459 446	776 774	661 645	2,516 2,236	767 706
481	'Flu: with other resp: manifes- { M tations, and 'flu: unqualified; } F	1,387 1,634	882 1,071			1,427 1,753	410 463	664 725	597 693	1,009 892	433 463
482	'Flu: with digestive manifesta- { M tions, but without resp: { F	24 38	30 41	41 49	16 22	28 38	5 23	12 19	6 14	9	8 9
483	symptoms 'Flu: with nerv: manifestns: \{ M \\ but without dig: or resp: \{ F \\ \text{Symptoms}	10	9		10	8 13	4 1	8 5	8 2	19 17	8 7
490493	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	10,518 9,654	9,096 8,511		9,801 8,839	10,719 10,078	9,277 8,838	10,618 10,415	11,169	11,645	11,799
490	Lobar pneumonia \ddagger $\begin{Bmatrix} M \\ F \end{Bmatrix}$	2,404 1,776	2,234 1,589	2,387 1,699	2,175 1,445	2,175 1,524	1,874 1,469	1,999 1,474	1,977 1,451	1,889 1,354	1,746 1,351
491	Bronchopneumonia ‡ $\left\{egin{array}{c} M \\ F \end{array}\right.$	7,270 7,149	6,153 6,355	8,337 8,470	6,903 6,733	7,776 7,914		7,894 8,332	8,439 9,156	8,906 9,156	9,321 9,991
492	Primary atypical pneumonia $\left\{egin{array}{c} M \\ F \end{array}\right.$	19 9	55 37	86 58	76 45	59 57	89 79	59 67	86 76	145 115	98 94
493	Pneumonia, other and unspeci- { M fied‡ { F	825 720	654 530	809 687	647 616	709 583	593 489	666 542	667 562	705 578	634 503
500-502	Bronchitis $\ldots \left\{ egin{array}{cccc} M \\ F \end{array} \right]$	17,662 11,723	17,703 10,959	22,910 14,582	17,781 9,787	19,567 11,141	17,163 8,625	19,318 9,675	19,890	18,956 8,141	20,326 9,070

^{* 470.} See note 2 at head of table.

480 Influenza with pneumonia

481 'Flu: with other resp: manifestations, and 'flu: unqualified

490 Lobar pneumonia

491 Bronchopneumonia

493 Pneumonia, other and unspecified

	1958	1959
SM.	_	2
(F		
∫ M	******	2
(F	~~	
∫ M	1	1
{F	2	
f Mi	1	3
1F	1	3
ſΜ	8	3
1F	2	4
_		

^{† 490-493.} See 763 (Pneumonia of newborn) for pneumonia deaths at ages under 4 weeks.

[‡] Excluding the following "late effects" (see note 3 at head of table):

D o.	Causes of death	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959
500	Acute bronchitis $\binom{M}{F}$	2,627 3,110	1,974 2,559	2,848 3,630	1,894 2,097	2,156 2,522	1,496 1,722	1,699 1,893	1,678 2,009	1,397 1,453	1,494 1,599	1,487 1,577
501	Bronchitis, unqualified $\ldots \begin{cases} M \\ F \end{cases}$	1,747 1,735	1,387 1,331	1,683 1,760	1,122 1,121	1,245 1,189	1,065 1,045	1,079 1,052	1,057 1,123	884 845	969 1,003	917 932
502	Chronic bronchitis { M	13,288 6,878	14,342 7,069	18,379 9,192	14,765 6,569	16,166 7,430	14,602 5,858	16,540 6,730	17,155 6,887	16,675 5,843	17,863 6,468	17,789 6,349
	0 Bronchitis with emphy- M sema F	4,213 953	4,927 1,026	6,538 1,492	6,056 1,307	6,792 1,454	6,537 1,293	7,959 1,609	8,369 1,820	8,529 1,563	9,316 1,815	9,223 1,845
	1 Other $\left\{ egin{array}{lll} M \\ F \end{array} \right.$	9,075 5,925	9,415 6,043	11,841 7,700	8,709 5,262	9,374 5,976	8,065 4,565	8,581 5,121	8,786 5,067	8,146 4,280	8,547 4,653	8,566 4,504
- 527	Other diseases of respiratory M system	3,412 1,608	3,475 1,489	3,737 1,775	3,409 1,460	3,527 1,499	3,694 1,577	3,918	3,681 1,740	3,717 1,487	3,624 1,531	3,405 1,525
510	Hypertrophy of tonsils and M adenoids F	18 22	28 21	17 26	28 19	24 18	21 12	22 15	16 13	17 5	17 18	13
511	Peritonsillar abscess (quinsy) $\begin{cases} M \\ F \end{cases}$. 9	6	13 7	8 13	7 4	10	4 5	4	5	5	5 4
512	Chronic pharyngitis and naso- { M pharyngitis } F	- 1	- 2	_ 3	2 3	1 4	4	- 3	3 2	21	1 2	1 2
513	Chronic sinusitis $\ldots \begin{Bmatrix} M \\ F \end{Bmatrix}$	40 31	45 23	31 13	39 16	38 19	31 19	32 13	25 18	28	27 20	31 18
515	Nasal polyp $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	5 2	4 3	7 4	3	3 2	2 4	_ 4	4 4	3 2	_ 2	1 1
516	Chronic laryngitis $$ $\left\{ egin{array}{ll} M \\ F \end{array} \right\}$	_ 3	4 2	_ 1	1	- 2	_ 1	_ 1	_	1	- 2	_ 1
517	Other diseases of upper \{ M \\ respiratory tract \dots \dots \frac{1}{2} \cdots \dots \frac{1}{2} \cdots \dots \dots \frac{1}{2} \dots \d	21 16	22 16	18 16	16 10	14 12	18 18	10	14 10	17 14	20	22 14
518	Empyema $\left\{ egin{array}{lll} M \\ F \end{array} \right.$	116 40	105 40	81 52	82 56	104 58	110 41	87 51	86 44	72 35	83 52	73 38
519	Pleurisy $\ldots \qquad \cdots \begin{Bmatrix} M \\ F \end{Bmatrix}$	85 56	83 51	78 47	65 37	57 44	51 45	49	59 40	30 24	23	27 27
520	Spontaneous pneumothorax $$ $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	11 4	7	5	6	4 2	6	14	6	5 2	7 2	5
521	Abscess of lung $\ldots \left\{ egin{array}{ll} M \\ F \end{array} \right]$	58 28	45 24	63 28	46 24	54 28	55 25	53 29	43	58 32	46 16	39 22
522	Pulmonary congestion and M hypostasis Y	328 495	262 427	322 483	209 349	158 378	264 438	247 467	255 474	167 339	198 354	195 382
523	Pneumoconiosis due to silica M and silicates (occupational) F	526 9	559 8	594 4	557	573	647	714	666	760	713	637
524	Other spec'd: pneumoconiosis { M and pul: fibrosis of occu-{ F	_ 7	_18	_10	_ 6	11	12	23	17	16	28	25 7
525	pational origin Other chronic interstitial pneu- { M monia	171 78	201 75	188 89	180 87	174 69	163 92	199 94	204	175	190 106	169 114
526	Bronchiectasis $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	1,484 686	1,480 657	1,492 795	1,405 631	1,447	1,405	1,479	1,273 724	1,305	1,199	1,133 586
527	Other diseases of lung and M pleural cavity Y	529 127	604 130	814 211	755 207	858 233	894 205	980 232	1,004	1,056	1,064 290	1,027 292
	$ \begin{array}{cccc} \textbf{0} & \textbf{Pulmonary collapse} & & \left\{ \begin{matrix} \textbf{M} \\ \textbf{f} \end{matrix} \right. \\ \textbf{(1 year and over)} & \dots \\ \left\{ \begin{matrix} \textbf{F} \end{matrix} \right. \\ \textbf{F} \end{array} $	12	5 2	6	7 2	4 8	7	5	6	6	4	11 6
	1 Emphysema without M mention of bronchitis { M	479 96	564 96	749 171	712 158	798 179	822 159	917 186	926 234	981 182	997 216	939 223
I	2 Other $\left\{ {\stackrel{M}{F}} \right\}$	38 25	35 32	59 32	36 47	56 46	65 39	58 43	72 50	69 48	63 64	77 63
-587	IX DISEASES OF THE DIGESTIVE SYSTEM {F	9,665 7,275	9,446 7,204	9,608 7,249	9,248 7,026	8,849 6,988	8,966 7,121	8,948 7,251	8,554 7,177	8,336 7,010	8,215 6,948	7,748 7,159
-539	Diseases of buccal cavity and $\left\{ egin{array}{lll} M \\ oesophagus & \dots & \dots \end{array} \right\}$	138 138	117 171	138 134	116 134	126 121	120 152	129 134	95 138	125	110	97 150
530	Dental caries $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	3	2	_ 2		_ 2	_ 2	_	_ 1	_	_ 1	1
531	Abscesses of supporting struc- $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	2 2	3	1 2	=	1	_ 2	_ 2	2	2	3 3	_ 1
532	Other inflammatory diseases of \{ M \\ supporting structures of teeth \{ F \}	17 4	9	14	6	8	6	8 4	6	8	- 1	3
-												

ICD	Causes of death	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
No.											1938
533	Disorders of occlusion, erup- M tion, and tooth development F	5 5	24 24	15 12	23 11	18 7	11 15	10 7	6 8	8	1
536	Stomatitis $\left\{ egin{array}{lll} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	6 9	7 20	10 14	7 9	8 5	6 7	2 3	2 4	3 2	_ 2
537	Diseases of salivary glands $ \begin{cases} M \\ F \end{cases} $	36 46	18 42	17 46	18 46	21 56	19 48	31 43	13 58	25 56	22 64
538	Other diseases of buccal cavity $\begin{cases} M \\ F \end{cases}$	11 12	16 8	16 16	9	10 6	9 14	11 5	6 6	9 9	8
539	Diseases of oesophagus $\dots \begin{cases} M \\ F \end{cases}$	58 53	38 57	63 35	52 52	58 40	65 60	65 72	59 55	70 50	70 70
540-545	Diseases of stomach and duo- $\left\{ egin{array}{cccccccccccccccccccccccccccccccccccc$	3,958 1,291	4,092 1,365	4,506 1,486	4,253 1,461	3,982 1,463	4,196 1,604	4,154 1,670	3,962 1,671	3,693 1,547	3,552 1,570
540	Ulcer of stomach $\left\{ egin{array}{ll} M \\ F \end{array} \right\}$	2,019 792	2,035 843	2,086 917	1,967 904	1,818 883	1,873 913	1,864 967	1,803 998	1,665 960	1,608 944
	0 Without mention of per- \{ M \\ foration \ldots \ldots \ldots \ldots \ldots \ldots \} F	1,363 616	1,630 634	1,466 702	1,374 696	1,310 677	1,353 701	1,356 735	1,318 776	1,214 725	1,189 770
	1 With perforation $$ M	656 176	405 209	620 215	593 208	508 206	520 212	508 232	485 222	451 235	419 174
541	Ulder of duodenum $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	1,737 310	1,847 375	2,190 437	2,092 421	1,977 448	2,138 554	2,111 575	1,975 566	1,903 501	1,817 529
	0 Without mention of per-{M foration F	1,087 197	1,170 243	1,355 269	1,350 251	1,253 275	1,334 328	1,318 337	1,263 349	1,194 304	1,133 315
	1 With perforation $$ M	650 113	677 132	835 168	742 170	724 173	804 226	793 238	712 217	709 197	684 214
542	Gastrojejunal ulcer M	55 16	63 11	59 10	47	34	46 18	65 14	50 15	33	41 10
	0 Without mention of per- \{ M \\ foration \cdots \cdots \cdots \cdot \cdot \} F	38 12	43 6	42 7	34 4	27	35 14	49 10	36	24	27 7
	1 With perforation $$ M F	17 4	20 5	17	13	7 2	11	16	14 6	9 2	14
543	Gastritis and duodenitis $\left\{ \begin{array}{ll} M \\ F \end{array} \right\}$	79 128	68 93	76 85	63 98	62 85	49 75	41 81	49 51	34 38	34 54
544	Disorders of function of \{ M\\ stomach \\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	18 19	10 16	11 10	6	14 6	8 16	13 10	11	9	9
545	Other diseases of stomach and \{ M\\ duodenum \dots \dots \frac{1}{2} \text{F}	50 26	69 27	84 27	78 18	77 33	82 28	60 23	74 34	49	43 20
550-553	Appendicitis M	739 507	744 555	679 493	598 447	550 356	547 422	485 360	522 331	497 302	462 328
550	Acute appendicitis	644 451	641 469	592 418	517 367	465 304	456 347	415 301	425 250	415 252	395 272
•	0 Without mention of peri- \{ M \\ tonitis \\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	89 56	101 79	89 59	82 46	71 45	70 47	66 42	74 41	74 30	58 37
	1 With peritonitis \ M F	555 395	540 390	503 359	435 321	394 259	386 300	349 259	351 209	341 222	337 235
551	Appendicitis, unqualified \ M F	91 50	61 59	79 64	79 75	83 50	86 72	67 55	93 75	79 49	62
552	Other appendicitis $\begin{cases} M \\ F \end{cases}$	3 6	6	2 6	2 2	- 2	2	2 3	3	2	50
553	Other diseases of appendix \(\) M	_ 1	36 21	6	- 3	2	3 2	1	1 2	1	6
560-561	Hernia of abdominal cavity M	842 889	832 866	82 I 883	822 842	758 821	761 804	830 798	768 865	769 806	707
560	Hernia of abdom'l cavity with- \ M out mention of obstruction \ F	191 124	151 138	170 125	186 145	182 147	192 168	216 159	188 182	210	195
	0 Inguinal {M	69	76 19	76 12	76	66	67	78	69	158 84 9	179
	1 Femoral \{M\footnote{M}\footnote{F}	6	8	4	6	3	4	7	4	8	5
	2 Umbilical § M	33	22	13 25	12 24 29	35	17 40	30	10	31	26
	3 Ventral (incisional) \int_{E}^{M}	27 8	25	24 8	12	33	33	28	36	16	. 26
	4, 5 Other sites \(\int M \)	29 75	30 37	57	26 68	69	70	90	32 89	81	93
	\\{F	55	53	521	72	76	90	88	97	109	120

					Jissiiiuc.							
D o.	Causes of death	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959
561	Hernia of abdominal cavity \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	4 651 765	681 728	651 758	636 697	576 674	569 636	614 639	580 683	559 648	512 563	482 632
	0 Inguinal { N	332	444 91	402 90	364 87	355 60	342 68	362 58	357 72	330 71	305 66	301 74
п	1 Femoral	101 319	98 342	104 349	113 325	75 341	90 312	101 321	91 308	96 312	81 271	65 298
п	2 Umbilical $\left\{ egin{array}{ll} N \\ F \end{array} \right\}$	1 40 136	51 129	56 121	37 111	39 98	38 77	40 101	42 104	36 93	41 75	31 85
1	3 Ventral (incisional) { N	1 19 115	19 112	29 129	27 109	23 108	32 106	37 90	35 109	33 86	25 77	31 96
ı	4, 5 Other sites { N	1 159 125	69 54	60 69	95 65	84 67	67 73	74 69	55 90	64 86	60 74	54 79
<u>-578</u>	Other diseases of intestines and { N peritoneum		2,345 2,290	2,139 2,267	2,005 2,203	1,991 2,197	1,873 2,065	1,884 2,174	1,781	1,806 2,207	1,863 2,215	1,814
570	Intestinal obstruction without { N mention of hernia { F	827 813	732 663	721 704	766 714	726 685	701 634	653 707	713 720	673 658	693 722	708 731
	0 Intussusception	1 115 68	73 72	85 61	75 45	65 34	54 40	49 33	32 35	30 27	39 27	31 26
	1 Paralytic ileus { N	1 29 25	26 15	17 18	10 8	23 9	6	10 4	19	6	14 11	9 8
П	2 Mesenteric infarction { M	72 67	136 136	166 . 150	187 174	184 177	211 187	170 206	203 200	186 240	205 243	206 275
	3 Volvulus { N	170	193 143	190 . 149	227 165	188 176	188 143	184 163	221 189	201 147	178 156	215 154
ै - र :	4 Impaction of intestine { N	I 16 48	35 60	25 77	30 74	29 63	44 68	35 84	48 79	24 53	22 49	17 50
;	5 Other ${N \choose F}$	391 435	269 237	238 249	237 248	237 226	198 189	205 217	190 209	226 181	235 236	230 218
571	Gastro-enteritis and colitis, { N exc: ulcerative age 4 weeks { F and over		922 743	721 644	590 561	546 549	433 467	458 445	357 366	355 397	380 344	359 365
572	Chronic enteritis and ulcer-{N ative colitis	431 595	467 679	449 690	426 689	465 712	501 739	529 767	493 829	542 887	582 947	561 969
	0 Regional enteritis $\left\{ egin{array}{ll} M \\ F \end{array} \right\}$	24 24	19 24	20 19	22 20	28 29	24 31	34 34	29 31	39 32	26 46	34 54
	1 Diverticulitis $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	249 295	268 348	262 364	242 345	257 391	323 409	313 450	288 484	318 562	379 617	365 672
	2 Ulcerative colitis \{ N \ F	143 251	154 273	154 . 283	149 306	162 269	138 289	173 265	162 302	176 280	173 270	157 230
	3 Other $\left\{ \begin{smallmatrix} N \\ F \end{smallmatrix} \right\}$	1 15 25	26 34	13 24	13 18	18 23	16 10	9	14 12	9	4 14	5 13
5 73	Functional disorders of in-{N testines {F	3 7	17 21	15 22	18 20	21 19	7 17	12 19	15 19	10 15	11 18	10 22
574	Anal fissure and fistula $ \begin{cases} N \\ F \end{cases} $	2 3	6 1	4 2	1 2	_	_	1 3	1	3	_ 2	_ 2
575	Abscess of anal and rectal M regions F	27 12	21 14	26 7	26 15	17 12	16 9	12 10	8	20 11	15	15 10
576	Peritonitis $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	62 40	54 53	62 52	52 59	68 41	57 50	50 46	47 48	56 57	55 46	40 48
577	Peritoneal adhesion \{ M \ F	1 8 14	12 7	13 15	4 9	9	6 5	6 5	6 4	5 4	5 13	6 7
578	Other diseases of intestines and \{ N \\ peritoneum \dots \dots \cdot \} F		114 109	128 131	122 134	139 168	152 144	163 172	141 161	142 177	122 119	115 122
-587	Diseases of liver, gall bladder $\{M\}$ and pancreas $\{F\}$	1,224 1,774	1,316 1,957	1,325 1,986	1,454 1,939	1,442 2,030	1,469 2,074	1,466 2,115	1,426 2,015	1,446 2,019	1,521	1,470 2,047
580	Acute and subacute yellow \{ N atrophy of liver \}	54 98	52 87	59 85	47 78	56 79	63 75	49 67	37 66	45 66	31 62	40 62
581	Cirrhosis of liver $\dots \left\{ egin{array}{ll} M \\ F \end{array} \right.$	556 362	574 440	615 502	645 479	650 505	632 535	617 542	618 535	667 539	644 532	617 586
582	Suppurative hepatitis and liver { N abscess F		23 14	22 10	23 12	20 13	19 21	12 17	14 11	9 10	13 9	14 11
583	Other diseases of liver $\dots \begin{cases} N \\ F \end{cases}$	10 25	28 18	22 23	29 27	25 30	18 30	25 38	28 33	24 36	45 41	41 34
584	Cholelithiasis $\left\{ \begin{array}{lll} M \\ F \end{array} \right\}$	211 521	245 617	213 583	239 569	239 613	273 590	278 606	275 572	246 581	276 526	274 543

ICD No.	Causes of death	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
585	Cholecystitis and cholangitis, { M without mention of calculi { F	169 472	178 461	161 454	191 443	206 426	192 452	188 431		183 386	187 382
586	Other diseases of gallbladder M and biliary ducts F	28 53	29 57	33 67	30 61	43 57	33 62	26 50		29 59	31 59
587	Diseases of pancreas $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	172 233	187 263	200 262	250 270	203 307	239 309	271 364	236 337	243 342	294 336
	0 Acute pancreatitis { M F	115 169	122 198	133 191	158 191	134 218	162 224	172 245	142 235	136 238	176 220
	1 Chronic pancreatitis $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	15 24	28 21	27 27	32 31	21 30	24 36	22 41	22 28	33 31	26 33
	2 Other diseases of SM pancreas F	42 40	37 44	40 44	60 48	48 59	53 49	77 78	. 72 74	74 73	92 83
590-637	X DISEASES OF THE {M GENITO-URINARY {F	9,514 4,425	9,548 4,713	9,157 4,488	8,561 4,083	8,234 3,926	8,370 3,911	7,906 3,893	7,761 3,775	7,336 3,664	7,106 3,677
590-594	SYSTEM Nephritis and nephrosis	3,312 3,234	3,352 3,368	3,155 3,193	2,898 2,795	2,706 2,549	2,645 2,453	2,448 2,294	2,554 2,125	2,250 1,945	2,158 1,920
590	Acute nephritis { M	178 147	194 157	162 142	128 95	139	116 95	97 54	121 67	89 68	89 65
591	Nephritis with oedema, in- \(M \) cluding nephrosis \(F \)	129 117	236 231	208 192	199 148	193 136	179 147	186 180	207 154	196 143	188
592	Chronic nephritis \ M F	2,825 2,763	2,759 2,843	2,569 2,691	2,355 2,344	2,168 2,151	2,144 2,035	1,929 1,894	2,004 1,738	1,736 1,572	1,663
593	Nephritis not specified as acute \(M \) or chronic \(\)	180 178	136 117	197 156	199	192 157	195 162	218 150	208 148	218 151	204 148
594	Other renal sclerosis		27 20	19 12	17 24	14 12	11	18 16	14 18	11	14
600-609	Other diseases of urinary system { M F	1,117	1,181 1,052	1,222	1,159	1,243	1,286	1,261	1,264	1,335	1,274 1,542
600	Infections of kidney M	421 514	464 590	501 573	498 582	550 637	578 738	608 873	651	716 995	722 1,013
	0 Pyelitis, pyelocystitis, and $\begin{cases} M \\ pyelonephritis \end{cases}$	397 485	433 556	473 535	470 551	520 610	547 707	572 838	622 884	685 968	704 981
	1 Abscess of kidney and { M perirenal tissue { F	15 23	21 28	22 32	23 26	23	25 25	29 29	18 19	27 20	15
	2 Other	9	10	6	5 5	7 3	6	7 6	11 6	4 7	3 5
601	Hydronephrosis $\begin{cases} M \\ F \end{cases}$	62 51	80 62	91 78	79 70	73 61	79 69	80 76	64 86	71 80	75 61
602	Calculi of kidney and ureter { M F	135 119	140 129	167 126	149 138	151 140	161 146	147 154	136 152	139 154	122
603	Other diseases of kidney and M ureter F	29 18	27 31	23	36 40	40 35	42 27	46 36	42 41	44 38	33 38
604	Calculi of other parts of urinary M system	30	49	38	36	45	42	29	33	36 14	32
605	Cystitis $\binom{M}{F}$	217 177	194 188	179 167	168 154	179 161	168 190	142 183	147 186	119 179	148
606	Other diseases of bladder $\dots \begin{cases} M \\ F \end{cases}$	54 19	63 24	83 24	54 15	85 23	67 25	70 23	61 18	78 27	67 22
607	Urethritis (non-venereal) { M F	- 1	2	1	_ 2	_	_ 2	1	2	3	2
608	Stricture of urethra $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	161	131	117	114	93	118	101	103	94	42
609	Other diseases of urethra $\int M$	8	31 12	22	23 12	27 17	29 23	37 16	25 29	35 30	31 41
610-617	Diseases of male genital organs M	5,085	5,015	4,780	4,504	4,285	4,439	4,197	3,943	3,751	3,674
610	Hyperplasia of prostate M	4,932	4,762	4,553	4,351	4,173	4,334	4,090	3,852	3,645	3,577
611	Prostatitis M	110	124	120	99	82	68	75	50	72	69
612	Other diseases of prostate M	13	94	89	22	.9	14	11	16	14	13
613	Hydrocele M	3	9	3	6	3	3	3	3	2	3
614	Orchitis and epididymitis M	2	1	5	2	1	2	2	1	4	4
615 1	Redundant prepuce and phimosis M	17	9	2	11	4	31	7	8	3	4

			TABL	E 7—c	ontinue	d						
D lo.	Causes of death	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959
617 -626	Other diseases of male genital organs		16	8	13	13	15	9	13	11	4	16
-020	Diseases of breast, ovary, Fallo- pian tube, and parametrium	F 81	64	60	58	58	56	61	54	41		1 44
621		M F 4	_	_ 2	4	- 3	- 3	- 3	- 3	- 3	2	1
622	Acute salpingitis and oophoritis	F 7	8	3	3	1	2	1	1	5		3
623	Chronic salpingitis and oophoritis	F 4	-	3	4	1	5	4	2	3	2	
624	Salpingitis and oophoritis, un-	F 47	36	32	34	29	24	36	28	18	13	25
625	Fallopian tube	F 3	8	6	4	7	7	5	4	2	1	3
626	pelvic peritoneum (female)	15	12	14	8	17	15	12	16	10	10	6
630	Diseases of uterus and other lemale genital organs Infective disease of uterus, lemans		229	218	212	238	173	163	166	159	187	148
631	Intective disease of uterus, l vagina, and vulva Uterovaginal prolapse !		13	15	15	20	15	15	12	8	17	14
632	Malposition of uterus		4	3	129	134	101	96	108	106	119	89
633	Other diseases of uterus		33	32	28	41	24	26	18	30	25	15
634	Disorders of menstruation I	16	26	22	24	25	24	19	17	12	17	19
635	Menopausal symptoms I	7	4	5	4	5	3	1		1	1	
637	Other diseases of female genital I organs	5	11	13	9	12	5	3	9	2	4	8
689	XI DELIVERIES AND COM-PLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	727	620	*526	*463	*495	*446	*405	*374	*333	*328	*290
648	Complications of pregnancy F	198	225	179	154	186	140	135	144	114	105	96
640	Pyelitis and pyelonephritis of F pregnancy		5	4	3	3	2	2	5	-	4	2
642	Toxaemias of pregnancy F		149	126	107	132	90	82	82	72	58	50
644	Placenta praevia F	1	9	3	1		2	1	-	-	-	-
645	Other haemorrhage of pregnancy F Ectopic pregnancy F		11	5	4	6	1	2	10	7	9	3
646	Anaemia of pregnancy F		36	21	19	35	24	20	21	21	13	12
648	Other complications arising F		12	5	13	4	3	23	3	3	2	1
652	from pregnancy Abortion F	118	103	107	90	76	76	66	23 72	61	63	27 47
650	Abortion without mention of F	32	32	37	31	30	33	27	24	24	25	16
651	sepsis or toxaemia Abortion with sepsis F	78	64	67	47	39	32	36	40	33	35	29
652	Abortion with toxaemia, with- F	8	7	3	12	7	11	3	8	4	3	2
660	out mention of sepsis Delivery without mention of F	1	5	2	5	3	5	1	1	7	6	4
678	complication Delivery with specified compli- cation	241	158	155	128	149	146	116	96	92	90	85
670	Placenta praevia or antepartum F haemorrhage	22	24	27	14	33	29	21	23	20	16	18
671	Retained placenta F	43	11	23	15	27	19	16	10	5	8	3
672	Other postpartum haemorrhage F	47	27	30	24	24	25	25	14	17	25	20
673	Abnormality of bony pelvis F		2	6	4	3	2	3	1	1	-	1
674	Disproportion or malposition F of foetus	1 1	17	9	8	6	9	10	15	10	11	7
675	Prolonged labour of other origin F	26	23	23	20	22	21	18	18	16	10	10
678	With other trauma F With other complications of F	26	18	12	17	13	15	12	10	14	10	7
689	childbirth Complications of the puerperium F	33 169	35 129	24 83	26 86	21	26 79	87	61	59	10	19
	Sepsis of childbirth and the F	25	21	11	4	14	11	13	8	16	9	58
682	puerperium Puerperal phlebitis and throm- F	31	36	30	27	27	38	32	27	24	23	19
684	bosis Puerperal pulmonary embolism F	25	26	19	25	22	13	23	5	8	17	11

xcluding the following cases in which it was stated that death followed the maternal condition after an interval of more than 12 months: 1951—40; 1952—35; 1953—32; 1954—34; 1955—34; 1956—25; 1957—16; 1958—22; 1959—21.

			IADL	E /	mimue	4					
ICD No.	: Causes of death	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
685	Puerperal eclampsia F	60	31	13	12	7	10	8	8	5	. 6
686	Other forms of puerperal tox- F	19	5	2	3	4	4	1	3	-	2
687	aemia Cerebral haemorrhage in the F	3	6	3	8	4	- 2	6	5	4	5
688	puerperium Other and unspecified compli- F	3	3	3	2	. 2	1	. 3	1	2	2
689	cations of the puerperium Mastitis and other disorders of F lactation	1		_	5		. 2	1	4	-	-
690716	XII DISEASES OF THE M SKIN AND CELLULAR F TISSUE	288 303	287 326	288 360	247 356	279 356	230 322	187 321	183 292	194 247	204 283
690-698	Infections of skin and subcut- M aneous tissue F	137 116	124 102	110 135	93 113	96 116	92 102	94 95	72 91	74 · 74	89 90
690	Boil and carbuncle $\cdots = {M \choose F}$	58 42	27 22	29 28	24 25	26 21	18 19	22 12	26 26	25 20	28 16
691	Cellulitis of finger and toe $\cdots \begin{cases} M \\ F \end{cases}$	2 3	4	1 7	3 3	10	3	3	1	2	3 2
692	Other cellulitis and abscess M w'out men: of lymphangitis F	64 58	77 58	* 64 84	55 62	, 58 77	59 69	57 70	42 56	38 43	53 64
693	Other cellulitis and abscess $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	5 6	4	3	5	_ 2	_ 2	_	1	3	- 1
695	Impetigo $\cdots \begin{Bmatrix} M \\ F \end{Bmatrix}$	_ 2	1 2	. 1	_ 2	_ 2	1	1	_ 2	1	=
698	Other local infections of skin M and subcutaneous tissue F	6 5	8 11	10 12	9 17	6	10 7	11 9	4 5	. 6	3 7
700-716	Other diseases of skin and sub- M cutaneous tissue F	151 187	163 224	178 225	154 243	183 240	138 220	93 226	111 201	120 173	115
700	Seborrhoeic dermatitis $\dots \begin{cases} M \\ F \end{cases}$	3	2 6	3 2	1 1	3 4	1 3	1	1	******	- 2
701	Eczema $\binom{M}{F}$	20 12	27 12	21 8	12 11	15 13	11 4	6 15	7	7	11 7
703	Other dermatitis $\dots \left\{ egin{array}{ll} M \\ F \end{array} \right.$	36 37	2 5	7 10	6 4	8	4	2 3	4 2	1 4	_ 2
704	Pemphigus $\left\{ egin{array}{lll} M \\ F \end{array} \right.$	44 48	46 57	55 57	61 60	51 55	41 56	19 36	28 42	27 40	28 36
705	Erythematous conditions $\cdots \begin{Bmatrix} M \\ F \end{Bmatrix}$	11 18	46 48	34 43	31 46	43 31	28 30	27 47	23 30	29 24	17 23
706	Psoriasis and similar disorders $\begin{cases} M \\ F \end{cases}$	5 5		5 5	5 9	1 7	5 10	4 4	2 5	3 2	2 5
708	Pruritus and related conditions $\left\{egin{aligned} \mathbf{M} \\ \mathbf{F} \end{aligned}\right\}$		- ₁	1 5	1 2	2 2	1 2	1 2	1 3	1	1 3
710	Other hypertrophic and atro- { M phic conditions of skin { F	. 8	7 23	13 28	13 33	22 36	9 30	11 38	18 47	22 38	24 51
714	Diseases of sweat and se- $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	2	_ 1		1	1	1	_ 2		_ 2	_ 1
715	Chronic ulcer of skin $\cdots \begin{Bmatrix} M \\ F \end{Bmatrix}$	21 56	24 66	34 63	21 71	34 81	34 75	17 77	24 58	23 58	22 64
716	Other diseases of skin $\cdots \begin{Bmatrix} M \\ F \end{Bmatrix}$		2 2		2	_ 2	1 2	2	2 4	_ 1	_ 3
720-749	XIII DISEASES OF THE SM BONES AND ORGANS F OF MOVEMENT	685 1,367								584 1,225	
720-727	Arthritis and rheumatism, except rheumatic fever \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	456 1,169							351 951	309 941	353 1,019
720	Acute arthritis due to pyogenic \{ M \\ organisms \cdot \cdot \cdot \cdot \} \} \frac{M}{F}	19				11 18		9 13			16 12
722	Rheumatoid arthritis and allied \{ M \\ conditions \dots \dots \dots \dots \dots \\ F						683	814	729	705	757
	0 Rheumatoid arthritis $\begin{cases} M \\ F \end{cases}$	271 901	157 559	568	545	556	680	809	727	700	753
	1 Spondylitis ankylopo- ietica		1 2	6	1	2	3	5	17 2	14	16 4
723	Osteo-arthritis (arthrosis) and $\{M\}$	119						107 237	122 212	107 208	103

D o.	Causes of death	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959
724	Other specified forms of arthritis { M	5	2 3	4	3 5		1 3	1		1 3	4 3	3 6
725	Arthritis, unspecified { M	7 8	9 14	7 10	4 12	7 15	3 10	1 3	2	_ 3	2	- 5
726	Muscular rheumatism \ M F	4	5	1 3	3	4	4	6	3	6	4	5
727	Rheumatism, unspecified \ M \ F	26 48	1 5	3	- 4	4	2	5	3	2	2	_2
-738	Osteomyelitis and other diseases { M of bone and joint } F	151 144	155 130	164 175	170 148	180	162 178	167 178	156	157 187	137	143
730	Osteomyelitis and periostitis { M F	70 37	73 31	52 41	52 30	59 33	51 36	48 27	37 42	43 35	45 28	36 31
731	Osteitis deformans { M	63 72	61 60	81 83	87 79	80 59	87 80	88 102	93 83	76 87	68 93	68
733	Other diseases of bone $\left\{ \begin{array}{ll} M \\ F \end{array} \right\}$	10 22	11 24	15 31	15 27	24 31	11 52	10 43	19 52	18 54	16 66	28 77
735	Displacement of intervertebral M disc F	6	10	9	11 4	8 7	7 4	16	4 7	15	5	5 7
737	Ankylosis of joint $\dots \left\{ egin{array}{ll} M \\ F \end{array} \right.$	- 3	_ 2	1	1 2	- 2	_ 2	- 1	1	1	_ 1	- 4
738	Other diseases of joint $\ldots \left\{ egin{array}{ll} M \\ F \end{array} \right.$	- 4	- 4	5	3 6	9	3 6	3	2 3	4 3	1 5	6
749	Other diseases of musculoskeletal system $\left\{ egin{array}{ccc} M \\ F \end{array} \right.$	78 54	78 77	81 93	119 70	102 78	102 88	109	117	118	123	115 98
740	Bunion $\left\{ egin{array}{ll} M \\ F \end{array} \right]$	_ 2	1	- 2	1	_	1	_	- 1		- 1	
741	Synovitis, bursitis, and teno- \(M \) synovitis, w'out mention of \(F \)	3 2	3 4	4 4	1 2	1 3	1 2	2	4	- 1	3 2	3
743	occupational origin Infective myositis and other { M inflammatory diseases of ten- { F	- 1	- 1	1 3	_ 2	- 3	=	1	1	1	- 1	1 2
744	other diseases of muscle, ten- don and fascia { F	58 39	62 55	58 61	90 51	82 52	81 56	91 73	87 63	92 57	105 60	96 62
745	Curvature of spine $\ldots \begin{Bmatrix} M \\ F \end{Bmatrix}$	10 10	3	12	16 14	11 13	14 26	10 16	21 21	22	12 18	13 21
747	Hallux valgus and varus $\left\{ egin{array}{l} M \\ F \end{array} \right\}$	_ 2	- 1	- 3	1	- 2	- 1	- 2	- 2	- 2	3	_ 2
748	Clubfoot $\left\{ egin{array}{lll} M \\ F \end{array} \right]$	_ 3	1	_ 2	_ 1	1 1	2	- 1	_ 2	1 2	- 1	
749	Other deformities $\ldots \left\{ egin{array}{c} M \\ F \end{array} \right]$	_ 2	7 6	6 5	7	7 4	3 2	5	3 4	2 4	3 5	5 3
759	XIV CONGENITAL MALFORMATIONS F	2,406 2,238	2,528 2,220	2,425 2,204	2,323 2,130	2,216 2,045	2,349 2,144	2,431 2,132	2,442 2,133	2,589 2,341	2,589 2,301	2,503 2,408
750	Monstrosity $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	32 43	34 50	37 53	54 66	33 77	51 72	41 77	59 73	57 96	59 106	50 115
751	Spina bifida and meningocele {M F	276 433	266 348	290 382	294 428	279 394	328 477	343 477	348 462	328 462	340 458	301 411
752	Congenital hydrocephalus $\ldots \begin{Bmatrix} M \\ F \end{Bmatrix}$	189 228	202 236	180 178	195 217	170 198	201 222	185 235	209 221	201 223	201 243	237 275
753	Other congen: malformations \(\) M of nerv: sys'm and sense \(\) F	48 60	50 59	52 74	62 41	43 62	65 62	50 63	48 67	83 74	61 68	69 76
754	organs Congenital malformations of M circulatory system F	1,044 923	1,158 975	1,050 963	890 804	913 786	948 767	1,007 756	1,017 791	1,126 911	1,124 870	1,102 921
755	Cleft palate and harelip $\ldots \begin{Bmatrix} M \end{Bmatrix}$	25 24	21 20	20 14	24 7	13	16	11 13	16 15	12	11	11 7
56	Congenital malformations of M digestive system YF	458 245	402 218	348 207	344 197	321 201	292 179	296 164	288 172	294 173	286 179	274 194
	O Congenital hypertrophic M pyloric stenosis	152 33	96 24	63 19	67 12	52 12	46	38	25 10	27	24	20 4
	1 Imperforate anus $ \ldots \left\{ egin{array}{c} M \\ F \end{array} \right. $	24	38 16	33	28 12	28 13	31	26 9	27 6	30 11	11 4	21 6
	2 Other $\left\{ {\stackrel{M}{F}} \right\}$	282 208	268 178	252 180	249 173	241 176	215 166	232 152	236 156	237 155	251 169	233 184
'										i		

ICD	Causes of death	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
No.	Causes of death	1949	1930	1931	1932	1933	1934	1933	1930	1937	1,738
757	Congenital malformations of genito-urinary system $\left\{ egin{array}{c} M \\ F \end{array} \right\}$	197 150	247 193	255 175	265 191	265 161	260 189	279 187	267 178	274 223	261 182
	Polycystic disease of kid- M ney F	104 110	139 146	138 139	163 143	147 129	138 139	158 135	141 114	130 170	142 133
	0, 2, 3 Other $\ldots \begin{Bmatrix} M \\ F \end{Bmatrix}$	93 40	108 47	117 36	102 48	118 32	122 50	121 52	126 64	144 53	119 49
758	Congenital malformations of $\left\{ egin{array}{ll} M \\ bone \ and \ joint \end{array} \right.$	15 23	30 27	32 24	31 31	27 21	30 28	27 32	30 21	32 39	39 33
759	Other and unspec'd congenital $\left\{ egin{aligned} M \\ malformations, & not & else- \\ where classified \end{aligned} ight.$	122 109	118 94	161 134	164 148	152 136	158 140	192 128	160 133	182 130	207 156
760-776	XV CERTAIN DISEASES { M OF EARLY INFANCY { F	7,033 4,787	6,406 4,334	6,433 4,272	5,953 4,103	5,820 4,037	5,690 3,784	5,448 3,719	5,575 3,778	5,616 3,812	5,618 3,800
760–773	5 with immaturity $\ldots \left\{ egin{matrix} M \\ F \end{array} \right.$	1,469 974	1,635 1,061	1,707 1,155	1,670 1,154	1,659 1,072	1,713 1,107	1,670 1,083	1,761 1,119	1,886 1,237	1,950 1,227
760–769	Birth injuries, asphyxia, and M infections of newborn F	3,325 2,157	3,325 2,007	3,432 2,195	3,287 2,130	3,271 2,096	3,232 2,001	3,141 1,950	3,238 2,057	3,322 2,158	3,381 2,158
760	Intracranial and spinal injury $\left\{ egin{array}{llllllllllllllllllllllllllllllllllll$	927 520	887 482	1,016 509	967 521	938 539	936 535	901 506	922 539	885 542	914 536
761	Other birth injury $\ldots \left\{egin{array}{ccc} \mathbf{M} \\ \mathbf{F} \end{array}\right.$	261 177	251 166	221 176	204 149		214 145	238 151	219 176	255 159	221 134
762	Postnatal asphyxia and atelectasis M	1,355 948	1,401 844	1,395 949	1,409 945		1,478 916	1,407 901	1,460 924		1,590 1,057
763	Pneumonia of newborn $\cdots \begin{Bmatrix} M \\ F \end{Bmatrix}$	521 337	512 331	570 376	534 379	554 336	473 288	483 300	502 304		512 325
764	Diarrhoea of newborn $\ldots \begin{cases} M \\ F \end{cases}$	118 76	67 33	56 36	40 26		22 18	25 15	27 21	22 13	21 13
766	Pemphigus neonatorum $\dots \begin{Bmatrix} M \\ F \end{Bmatrix}$	3 4	6	1 3	4	5 2	2 6	2 5	4	4	2 8
767	Umbilical sepsis $\cdot \cdot \begin{cases} M \\ F \end{cases}$	19 7	8		14 7	8 7	9 15	9	12 12	17 11	9
768	Other sepsis of newborn $\dots \begin{Bmatrix} M \\ F \end{Bmatrix}$	21 15	24 19		26 17		25 20	20 14			29 19
769	Neonatal disorders arising M from certain diseases of the F	100 73	166 122		89 85		72 56	55 49	73 57	60 54	83 63
770-776	mother during pregnancy Other diseases peculiar to early M infancy F	3,708 2,630	3,081 2,327		2,666 1,973		2,458 1,783	2,307 1,769	2,337 1,721	2,294 1,654	2,237 1,642
770	Haemolytic disease of newborn $\{M\}$	321 231	286 216		239 203	225 185	282 186	196 170	182 171		182 197
771	Haemorrhagic disease of new- { M F	108 68	122 62		103 78		132 88				162 87
772	Nutritional maladjustment $\begin{cases} M \\ F \end{cases}$	14 12			14 5						
773	Ill-defined diseases peculiar to $\{M\}$	378 231	285 217	268 165				196 126			
774	Immaturity with mention of { M any other subsidiary condi-	2,887	130 109					67 64			73 72
776	Immaturity, unqualified $\left\{ \begin{array}{ll} M \\ F \end{array} \right\}$			2,159 1,539				1,724 1,316	1,763 1,292	1,729 1,252	1,639 1,177
780-795	XVI SYMPTOMS, SENI- LITY, AND ILL-	5,463 8,717	4,237 6,743	4,145 6,551				3,703 6,270	3,490 6,030		2,989 5,265
780-789	DEFINED CONDITIONS Symptoms referable to systems M or organs F	406 353									96 91
780	nerv: system and special \ F	77 68									
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	77 64									
	0, 1, 3-9 Others included under 780 { M	- 4	3		1	2	_ 1	_ 2	1	2	1
782	Symptoms referable to cardio- { M vascular & lymphatic system { F							105			
	4 Acute heart failure, un- M defined F	255 224	175 133								

CD No.	Causes of death	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959
	0-3, 5-9 Other symptoms { M referable to cardio-{ F vascular and lym-	15 11	3 6	8 5	5	4 4	2 4	- 4	3 2	5 5	1 4	3 1
783	phatic system Symptoms referable to respir- { M atory system	_ 8	4 5	6 5	6 2	- 2	4	3 2	3 4	_ 2	1 4	2
784	Symptoms referable to upper \ M gastro-intestinal tract \ \ \ F	21 11	11 12	12 9	13	5	8	15 16	7 11	5 8	26 16	18 18
785	Syms: referable to abdomen & M lower gastro-intestinal tract F	14 23	10 5	5 9	13 4	2 5	9	9 1	2 5	3 4	7 2	4 6
786	Symptoms referable to genito- { M urinary system { F	13 9	8	6	7	7 4	8	8	6 2	_ 4	9	6
788	Other general symptoms $\cdots \begin{cases} M \\ F \end{cases}$	3 6	2 2	2	1 2	1 4	1	2	2	3	4 3	3 4
789	Abnormal urinary constituents \ M \ of unspecified cause \ \ \ \ F	- ₁		_ 1	2 3	_ 2	- 1	2	2 1		- 1	_
0-795	Senility and ill-defined diseases $\left\{ egin{aligned} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	5,057 8,364	3,988 6,537	3,901 6,362	3,122 5,047	2,930 5,126	3,180 5,635	3,545 6,140	3,366 5,890	2,821 5,087	2,893 5,174	2,649 5,029
790	Nervousness and debility $\cdots \left\{ egin{matrix} M \\ F \end{array} \right.$	_ 3	1	6	3	=		1	1	etimojoso etimotos	_	_ 1
792	Uraemia $\cdot \cdot \left\{ egin{array}{ll} M \\ F \end{array} \right.$	63 38	13 23	19 13	18 12	15 13	21 10	20 10	26 15	12 15	27 16	22 19
794	Senility without mention of $\left\{ \begin{matrix} M \\ psychosis \end{matrix} \right.$	4,948 8,304	3,929 6,494	3,826 6,325	3,056 5,001	2,868 5,085	3,094 5,590	3,475 6,098	3,275 5,844	2,750 5,034	2,817 5,132	2,578 4,970
795	Ill-defined and unknown causes M of mortality $\dots M$	46 18	45 19	50 24	45 33	47 28	65 35	49 32	65 30	5 9	49 26	49 39
-E999	XVII ACCIDENTS, POISON- { M INGS, AND VIOLENCE { F	11,712 6,801	11,905 6,984	12,447 7,309	11,992 6,810	12,333 7,531	12,630 8,239	12,932 8,537	12,992 8,878	12,858 8,703	13,343 9,113	13,456 9,379
-E802	Railway accidents $\cdots = \left\{ egin{array}{ll} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	329 29	331 38	301 33	390 59	342 25	249 31	283 34	292 39	288 21	300 46	250 30
E800	Involving railroad employee $\left\{ egin{aligned} M \\ F \end{aligned} \right.$	181 4	203	166 2	184 3	193 —	148 1	166 —	164	162 1	119 2	140 2
E801	Involving passenger $\cdots \begin{Bmatrix} M \\ F \end{Bmatrix}$	27 5	33 16	53 19	107 34	40 8	19 7	35 10	44 19	19 3	97 33	20 11
E802	Involving other and unspecified M person F	121 20	95 22	82 12	99 22	109 17	82 23	82 24	84 20	107 17	84 11	90 17
-E825	Motor vehicle traffic accidents* $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	2,841 923	3,099 1,035	3,293 1,099	3,013 958	3,225 1,021	3,289 1,158	3,552 1,256	3,655 1,284	3,608 1,219	3,966 1,400	4,345 1,607
E810	Involving collision with railway $\left\{ egin{array}{ll} M \\ train \\ \end{array} \right.$	4	13 2	8 2	10 1	12 4	7	_10	11 3	13 2	15 4	_ 8
E812	To pedestrian \cdots $\binom{M}{F}$	1,205 674	1,140 726	1,302 725	1,099 663	1,182 674	1,201 807	1,210 813	1,275 844	1,219 753	1 323 900	1,299 979
E813	To pedal cyclist $\dots \left\{ egin{array}{ll} M \\ F \end{array} \right.$	490 78	475 80	473 80	443 74	461 73	457 79	437 84	458 67	428 68	446 56	524 90
E814	To rider or pass'r: of m/cycle { M in collision with non-motor { F	130 12	175 9	134 14	60 5	65 4	49 1	60 2	59 8	62 4	57 3	57 4
E815	vehicle or object To rider or pass'r: of m/cycle { M in collision with other m: v: { F	425 32	640 56	624 50	662 48	689 57	696 38	797 59	746 57	730 60	862 63	977 77
E816	Other m:v: traffic acc: involv'g { M two or more motor vehicles { F	190 53	216 75	245 116	191 70	286 91	302 107	389 153	437 165	370 171	533 204	626 253
E817	To occupant of m: v: in coll: { M with pedestrian or pedal cycle { F	1	=	_	_ 2	=	_ 2	_ 1	1	=	- 1	_ 1
E818	Involving collision with animal M or animal-drawn vehicle F	_ 7	6 1	4 2	_ 7	_ 3	_ 3	_ 6	_ 2	1 1	- 1	3 3
E819	Involving collision with fixed \{ M \\ or unspecified object \{ F	62 13	72 21	33 4	4 3	3	4	2	3 2	_10	10	9
E820	While boarding and alighting $\begin{cases} M \\ F \end{cases}$	20 10	22 11	21 15	15 14	20 19	6	12 18	21 8	24 10	11	22 13
E821	To rider of motor cycle without \{ M \\ antecedent collision \dots \{ F	133 12	164 14	261 30	280 25	286 34	304 31	322 28	327 23	387 32	332 38	396 51
E822	Involving overturning in road- $\left\{ egin{array}{lll} M \\ way & \dots & \dots \end{array} \right\}$	48 8	64 7	54 14	57 11	49 12	47 15	72 14	48 10	53 16	54 16	55 20

^{*} E810-E835. Motor vehicle accidents. An analysis of these deaths for years 1950 and on according to the types of vehicle involved (as provided for in the 1955 International Statistical Classification) is not included in this table, but details are available at the General Register Office.

			IADL	E /—cc	mimuec	4						
ICD No.	Causes of death	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	
E823	Involving running off roadway M	21 4	14 3	52 19	96 20	107 32	130 40	165 49	190 61	231 57	238 61	
E824	Other non-collision motor veh- { M icle traffic accident { F	104 26	93 28	78 27	78 22	54 19	75 28	62 34	63 31	62 32	64 23	
E825	Of unspecified nature $ \dots \begin{cases} M \\ F \end{cases} $	1	4 2	_ 4	9	8	6	7	13	17 13	21 20	
E830-E835	Motor vehicle non-traffic ac- { M cidents*	69 3	88 8	103 15	134 12	117	134	104	84 13	65 6	68 5	
E830	To pedestrian $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	13	32 6	43 10	54 8	32 10	55 8	52 9	47	40	37 4	
E832	To rider or passenger of M motor-cycle { M	6	_ 7	_ 3	10	10	8	_18	_ 5	_ 5	7	
E833	Other m:v: non-traffic acc: in- \{ M \\ volving two or more m: veh- \{ F		_ 2	_ 1	_ 1	_ 1	_ 1	3	_ 1	_ 1	_ 3	
E834	icles While boarding and alighting $\begin{cases} M \\ F \end{cases}$	_ 1	_ 1	_ 2	- 1	_ 1	-	- 1	_ 1	1	_ 1	
E835	Of other and unspecified nature $\begin{cases} M \\ F \end{cases}$	49 1	45 2	54 5	69 2	73 1	_70	30 1	30 3	_16	20 1	
E840-E845	Other road vehicle accidents $\dots \left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	25 I 88	294 95	238 68	229 76	181	198 60	191 56	157 43	170 50	152 66	
E840	Street car accident to ped-{M estrian{F	11 13	18 8	8 10	5	6	5	3 2	6	- 1	- 1	
E841	Other street car accident, exc: \(\) M collision with motor vehicle \(\) F	7 3	_ 3	4	3	_ 3	1	_	_ 2	_	_ 1	
E842	Accident to pedestrian caused \ M by pedal cycle \ F	43 34	47 39	40 29	56 23	32 20	46 24	38 27	35 25	38 21	24 32	
E843	Acc: to rider of p: cycle not in- \(\) M volving collision with m: v: \(\) F	152 30	168 31	160 18	125	113 30	126 23	131 19	101 9	126 21	119 17	
E844	Accident to pedestrian caused \(M \) by other non-motor road v: \(F \)	13 4	11 4	11 4	12	10 5	6	2 2	4	_	_ 1	
E845	Other non-motor road vehicle M accidents F	25 4	47 13	15 7	28 13	17 10	14 9	17 6	11 3	6 7	7 16	
E850-E858	Water transport accidents $\ldots \left\{ egin{matrix} M \\ F \end{array} \right.$	142	186	145	137	147 6	127 5	135	140	156	134 4	
E850	Submersion of occupant of M small boat F	48 4	57 1	39	54	56 3	38	43	52 4	62 4	66 3	
E851	Other water transport injury by $\{M\}$ submersion $\{F\}$	33 2	59 1	_44	28	36 3	42 1	32	_44	41	33	
E852	Fall on stairs and ladders in M water transport F	_ 7	10	_ 6	_ 5	_ 6	_ 7	_ 4	_ 9	_ 3	_ 3	
E853	Other falls from one level to M another in water transport	28 1	25	_19	23	_22	_13	20	_12	_15		
E854	Falls on same level in water \{ M \\ transport \\ \dots \\ \frac{1}{2} \\ \dots \dots \\ \dot	1	_ 1	_	_ 4	_ 2	_ 2	_ 1	- 1	_ 3	_ 2	
E855	Unspecified falls in water trans- { M F	_ 1	_	=	_	_ 1	_ 2	_ 2	_ 1	_ 1	2	
E856	Machinery accident in water \{ M \\ transport \dots \dots \dots \dots \frac{1}{2} \}	_ 8	_ 6	_ 7	_ 2	_ 9	_ 3	_ 2	_ 3	_ 7	_ 6	
E857	Other specified accidents in $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	16 2	28 1	30	_20	15	20	30	19 1	23	_ 9	
E860-E866	Aircraft accidents $\ldots \left\{ egin{array}{ll} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	76 19	230 10	273 23	291 20	190 2	222 3	139	130	145	170 27	
E860	Accident to personnel in military aircraft M	11	128	198	222	175	194	106	100	81	63	
E861	Inj: to occupant to acc: to M comm: "transport" aircraft F	34 14	76 10	45 20	22	3	2 2	_ 1	7 1	49 7	82 22	
E863	Injury to occupant by accident \ M to other specified aircraft \ F	_18	_21	15 1	13	_ 4	_13	- 8	5	6	11 1	
E864	Aircraft accident at airfield to M person not in aircraft F	_ 3	_ 4	_ 5	28	_ 3	_ 4	7	3	_ 1	_ 5	
E865	Aircraft accident elsewhere to \{ M \\ person not in aircraft \\ \cdot \{ F \\ \}	1 5	=	2 2	3	- 1	_ 1	7 4	5	2 3	2 3	

			I ADL	1-0	ontinue	и						
CD No.	Causes of death	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959
E866	Other and unspecified aircraft \{ M \\ accidents \tau \tau \\ \tau \tau \\ \tau \tau \\ \tau \tau \tau \tau \tau \tau \tau \tau \tau \q	8	_ 1	8	_ 3	_ 5	8 1	_10	_10	6	7	7
-E888	Accidental poisoning by solid M and liquid substances	93 101	113 142	121 143	154 141	136 152	150 165	152 169	165 191	176 177	158 191	175
E870	Morphine and other opium de- { M rivatives	2	3	_ 4	8	1 4	2	_ 3	- 1	1	_ 1	_ 3
E871	Barbituric acid and derivatives \(M \)	27 50	47 80	40 77	61 79	84 85	67 117	77 115	91 132	96 112	88 117	96 136
E872	Aspirin and salicylates $\left\{ \begin{array}{ll} M \\ F \end{array} \right\}$	10 17	14 17	18 19	24 26	9 23	18 14	16 15	18 21	18 26	13 29	18 25
E874	Other analgesic and soporific M drugs F	. 8	5	6	11 5	3 9	11 8	. 7	5 6	10 14	10 14	17 10
E876	Strychnine $\left\{ egin{array}{cccccccccccccccccccccccccccccccccccc$, 3	_ 2	2 7	2 3	2 2	_ 1	2 1	3	2		_ 1
E877	Belladonna, hyocine, and atro- { M pine F	_ 5	1		- 3	_ 1	_	1		-	-	
E878	Other and unspecified drugs $\left\{ egin{aligned} M \\ F \end{aligned} \right.$	- 4	5	9	4	5 9	11 10	7 12	14 11	16 7	16 9	16 12
E880	Alcohol $\left\{ egin{array}{lll} M \\ F \end{array} \right.$	_ 5	4 2	4 2	_ 8	10	11	11 6	13 4	15 5	5 4	5 3
E881	Petroleum products $\left\{ egin{array}{ll} M \\ F \end{array} \right.$		_ 1		_ 2	1	_ 1	5	******	- 1	_	
E882	Industrial solvents $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	_ 3	_ 5	4	. 1	1	_ 4	2	3 2	_ 4	2	3
E883	Corrosive aromatics, acids, and \(M \) caustic alkalis \(F \)	10 4	15 9	8 9	9	6	6	8 2	4	4	8	9 7
E884	Mercury and its compounds $\begin{cases} M \\ F \end{cases}$	1	- 1	1	_ 1	3		1 2	1	_	1	_ 1
E885	Lead and its compounds $\left\{ \begin{array}{ll} M \\ F \end{array} \right\}$	2	- 2	_ 4	3 1	1	4	_ 2	_ 3	_	5	1 1
E886	Arsenic and antimony, and \{ M \\ their compounds \dots \cdot \frac{1}{2} \}	_ 1	3	_	_ 1	_	1	1	_	_	- 1	- 1
E888	Other and unspecified solid and \{ M \\ liquid substances \\ \ldots \\ \frac{1}{2} \\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	15 12	10 16	18 13	18 12	8	11	8 5	12	10	10	4
-E895	Accidental poisoning by gases $\left\{ \begin{matrix} M \\ and vapours \end{matrix} \right.$	229 235	208 255	252 304	246 302	322 322	326 391	376 476	360 452	369 464	430 525	433 553
E890	Utility (illuminating gas) $\dots \begin{Bmatrix} M \\ F \end{Bmatrix}$	195 226	158 248	215 300	203 295	279 312	280 380	320 464	301 440	309 448	368 502	377 538
E891	Motor vehicle exhaust gas $\ldots \begin{cases} M \\ F \end{cases}$	7	7	_11	8	17	8 2	15	15	9	_13	10 1
E892	Other carbon monoxide gas $\left\{ egin{array}{c} M \\ F \end{array} \right\}$	13 2	27	16 3	24 7	18 9	23	23 10	29 11	27 14	33 21	30 12
E894	Other specified gases and M vapours F	9	16 4	9	_ 9	8	15	17 1	14 1	22	14 2	16 2
-E904	Accidental falls $\dots \left\{ egin{array}{ll} M \\ F \end{array} \right.$	1,661 2,365	1,577 2,551	1,816 2,657	1,676 2,402	1,787 2,812	2,118 3,235	2,019 3,310	2,124 3,459	1,991 3,305	2,010 3,474	2,105 3,538
E900	Fall on stairs $\dots \left\{ egin{array}{ll} M \\ F \end{array} \right]$	290 463	260 458	320 502	321 488	326 495	381 555	405 565	412 536	371 545	373 557	385 544
E901	Fall from ladders $\dots \left\{ egin{array}{ll} M \\ F \end{array} \right]$	81 10	83	95 5	88 13	87 5	95 7	81 7	82 11	74 9	78 6	82 11
E902	Other falls from one level to $\left\{ egin{array}{ll} M \\ another \end{array} \right.$ $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	614 355	555 365	607 423	507 267	512 222	503 261	498 214	457 254	450 246	458 236	497 279
E903	Fall on same level $\ldots {M \choose F}$	509 1,131	448 1,115	516 1,111	485 1,004	562 1,183	566 1,021	461 991	482 1,024	498 1,100	585 1,307	627 1,521
E904	Unspecified falls $\ldots \left\{ egin{array}{ll} M \\ F \end{array} \right.$	167 406	231 607	278 616	275 630	300 907	573 1,391	574 1,533	691 1,634	598 1,405	516 1,368	514 1,183
-E936	Other accidents $\ldots \left\{ egin{array}{ll} M \\ F \end{array} \right.$	2,801 1,199	2,596 1,112	2,766 1,206	2,635 1,151	2,569 1,221	2,347 1,151	2,600 1,143	2,413 1,153	2,414 1,100	2,504 1,113	2,360 1,118
E910	Blow from falling or projected $\left\{ egin{array}{ll} M \\ object or missile & \dots & \Pi \end{array} \right\}$	437 17	387 10	392 17	365 13	349 16	295 13	297 18	285 20	299 7	319 18	266 14
E911	Caused by vehicle $\dots \left\{ egin{array}{ll} M \\ F \end{array} \right.$	98 	90 1	101	105	83		_98 _	67	_83	86	59
					1							

			TABL		miinue	4					
ICD No.	Causes of death	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
E912	Caused by machinery $\ldots \left\{ egin{matrix} M \\ F \end{array} \right.$	198 7	176 5	181 4	186	167 . 5	173 7	243 4	233 10	245	254
E913	Caused by cutting and piercing \{ M \\ instruments \\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	16 2	15 11	17 6	15 7	17 8	19 14	21 3	15	13 6	21
E914	Caused by electric current $\dots \begin{cases} M \\ F \end{cases}$	68 21	69 20	85 17	94 18	86 25	82 20	92 18	109 14	106 19	101 21
E915	Caused by explosion of pres- { M sure vessel { F	19 2	8	12	9	9	8	14 1	7	8	5
E916	Caused by fire and explosion of \(\) M combustible material \(\) . \(\) F	191 367	*180 366	311 440	*266 439	220 359	221 437	257 435	233 439	232 398	226 404
E917	Caused by hot substance, cor- \{ M \\ rosive liquid and steam \dagger \dots \{ F	80 89	78 74	73 64	55 71	71 53	54 69	65 60	70 80	52 54	76 63
E919	Caused by firearm $\dots M$	84 7	93	87 5	104	87 5	83	66	74 3	74 7	82
E921	Inhalat'n and ingest'n of food, \(\) M causing obstr: or suffocation \(\) F	241 169	226 181	228 163	242 159	205 163	256 173	259 165	249 185	230 157	228 141
E922	Inhalat'n and ingest'n of other \{ M \\ obj: causing obstr: or suff'n \{ F \\	21 15	23	14 14	10 6	11	16	21 14	16 11	18 12	35
E923	Foreign body entering other M orifice F	17 22	17 14	14 13	20 21	22 22	14 23	7	9	7 5	15
E924	Acc: mechanical suffocation in { M bed and cradle† { F	210 138	180 106	165 130	154 93	125 99	132 90	118 70	118 95	93 74	103
E925	Acc: mechanical suffocation in \(\) M other and unspecified circs: \(\) F	30 10	49	56	48	46	71	65 4	56	39	31
E926	Lack of care of infants under M 1 year of age F	65 65	51 41	63 41	50 46	53 30	28 28	31 30	28 16	26 34	19
E927	Acc: caused by bites and stings \(\) M of ven: animals and insects \(\) F	2 8	_ 2	1 3	2 3	2 4	1 2	3 2	1 4	3	4
E928	Other accidents caused by {M animals	28 5	36 6	24 4	17 5	13	13 5	20	12	14	12
E929	Accidental drowning and sub- \ M mersion F	822 185	763 200	754 214	713 182	719 194	646 189	759 225	637 188	703 227	695 220
E930	High and low air pressure $$ M	_ 1	_ 2	_ 2	1		_ 1	1	_	_	_
E931	Excessive heat and insolation $\begin{cases} M \\ F \end{cases}$	10	9	1 4	4	3	4	3 2	- 1	1 4	_
E932	Excessive cold $\left\{ \begin{array}{ll} M \\ F \end{array} \right\}$	4 2	4 2	6	7 3	3 2	17	12	11	4	8 2
E933	Hunger, thirst, and exposure $\begin{cases} M \\ F \end{cases}$	16	23 14	22 12	11	14	10	18	24 10	14 12	14 18
E934	Cataclysm $\left\{ egin{array}{ll} M \\ F \end{array} \right\}$	1 3	_	_	17 12	122 175	2 3	- 1	7 2	- 1	-
E935	Lightning $\left\{ \begin{smallmatrix} M \\ F \end{smallmatrix} \right\}$	9	11 2	3 2	_11	12	5	12	7 2	7	9
E936	Other and unspecified accidents $\begin{cases} M \\ F \end{cases}$	132 49	104 36	153 43	129 42	130	121 47	118	145	143 62	161
E940-E946	Complications due to non-thera- M peutic medical and surgical F	6	4	3 5	2 4	5	5 2	3 2	4 5	6	6
E941	$\begin{array}{c} \text{procedures} \\ \text{Postvaccinal encephalitis} \\ \end{array} \dots \left\{ \begin{matrix} M \\ F \end{matrix} \right]$	_ 1	_ 1	3	_ 1	3	_ 1	_ 1	1 2	1 2	3 2
E944	Other complications of prophy-{M lactic inoculation	2	2	_		2	4	2	2 2	3	3 2
E946	Other compli'ns due to non-{M therap: med: & surg: procs: {F	_ 1	- 2	- 3	- 1	_	- 1	-	=	- 2	=
E950-E959	Therapeutic misadventure and M late complications of thera-	1 5	10 15	2	5	29 26	35 29	28 28	27 23	23	8
E950	peutic procedures Therapeutic misadventure in { M surgical treatment { F	_	1 5	_ 1	2	13 15	32 22	23 20	22 19	17 20	4 3

^{*} E916, 80 male deaths which occurred in the Creswell Colliery disaster on the 26th September 1950, were registered in 1952, and an therefore included in the 1952 deaths for this cause.

[†] E916, E917, E924. See footnotes to these causes in Table 18A.

CD No.	Causes of death	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959
E951	Therapeutic misadventure in M infusion or transfusion F		2 3			4		1	_	1	1	1
E952	Therapeutic misadventure in M local applications F	_	_			_ 1		- 1		_	_	_ ,
E953	Therapeutic misady: in admin: \{ M\} of drugs or biologicals \{ F\}	1	3		2	3		2	2	2.	1	
E954	Therapeutic misadventure in M anaethesia		1	1	_ 1	1	1	_		- 2		
E955	Other and unspecified thera- M peutic misadventure F	_	2		1 3	7	3 2	2 2	3 2	2	_ 1	3
0-E965	Late effects of injury and poisoning \{ M}	80	175	204	188	179 31	154 32	184	153	159 37	154 25	155
E960	Late effect of motor vehicle M accident	1	7	8	6 2	8	11	_11	9	10	12	13
E961	Late effect of accidental poisoning	1	_ 1	_ 3		_ 1	- ₂	1_	=	_ 1	1	1
E962	Late effect of other accidental M injury	3	47 19	62 25	79 21	76 29	64 28	66 18	44 23	48 32	70 22	63
E965	Late effects of injury due to \{ M\\ war operations \dots \{ F\}	74 2	120	131	103	94	79	106	100		71	78 1
0-E979	Suicide and self-inflicted injury $\begin{cases} \mathbf{M} \\ \mathbf{F} \end{cases}$	3,023 1,697	2,885 1,586	2,831 1,638	2,788 1,550	3,020 1,734	3,178 1,865	3,060 1,940	3,198 2,084	3,170 2,145	3,175 2,123	3,116
E970	Poisoning by analgesic and M soporific substances F	148 207	176 245	152 221	241 295	193 254	222 312	241 354	314 388	294 401	330 445	327 451
E971	Poisoning by other solid and \{ M \\ liquid substances \\ \dots \\ \frac{1}{2} \\ \delta \\ \frac{1}{2} \\ \delta \\ \delo \\ \delta \\ \delta \\ \delta \\ \delta \\ \delta \\ \delta \\	119 99	110 83	111 64	113 62	101 79	82 51	90 42	104 54	85 55	69 33	75 46
E972	Poisoning by gases in domestic $\begin{cases} M \\ F \end{cases}$	1,081 852	1,034 757	1,080 876	1,092 780	1,271 942	1,356 1,072	1,261 1,073	1,347 1,183	1,399 1,202	1,448 1,189	1,417 1,177
E973	Poisoning by other gases $\left\{ \begin{array}{ll} M \\ F \end{array} \right\}$	_21	24 5	33	24 3	43 3	39 5	41	45 8	67 5	67 7	58 6
E974	Injury by hanging and strang- \{ M \\ ulation \cdots \cdots \text{F}	632 143	569 128	536 133	531 119	531 126	612 128	573 124	562 117	553 132	485 128	438 120
E975	Injury by submersion { M (drowning)	357 235	330 221	326 218	270 189	258 216	290 178	282 206	271 213	264 211	251 205	249 197
E976	Injury by firearms and ex- \{ M \\ plosives \cdots \cdots \cdot \} F	220 10	198	189 13	170 4	208 11	19 7 6	218 10	210 9	189 14	187 8	212
E977	Injury by cutting and piercing \{ M \\ instruments \dots \dots \dots \dots \frac{1}{2} \}	232 38	198 40	162 25	155 29	195 25	160 27	162 22	138 35	130 30	131	119 17
E978	Injury by jumping from high M place F	80 66	84 51	90 41	54 38	74 47	76 51	59 57	63 43	70 58	68 38	74 41
E979	Injury by other and unspecified \{ M \\ means \qquad \cdots \qquad \cdots \qquad \frac{1}{4} F	133 47	162 47	152 39	138 31	146 31	144 35	133 50	144 34	119 37	139 39	147 28
0-E985	Homicide and injury purposely $\int M$ inflicted by other persons (not $\int F$	86 114	107 107	99 83	102 93	83 98	97 104	101 84	90 91	116 127	108 102	103 142
E980	in war) Non-accidental poisoning by \{ M \\ another person \ldots \ldots \{ F \\	5 18	7 8	5 10	17 12	10 14	14 23	13 11	21 14	24 29	11 15	9 26
E981	Assault by firearm and ex- \{ M \\ plosive \cdots \cdots \cdots \cdot \frac{1}{F} \end{array}	8 7	13 11	3 13	10 9	9 10	15 8	6	10 10	14 13	4 11	7 13
E982	Assault by cutting and piercing M instruments F	8 11	7 17	3 8	12 18	9 18	10 16	12 17	10 15	17 19	19 14	17 22
E983	Assault by other means $\ldots \begin{cases} M \\ F \end{cases}$	51 77	62 71	73 52	40 54	43 55	44 56	59 51	49 52	59 66	70 62	64 81
E985	Execution $\left\{ egin{array}{lll} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	14 1	_18	14	23	12 1	14 1	1 1 1	_	_ 2	_ 4	6
0-E999	Injury resulting from operations $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	24 1	_ 2	=	_ 2	1	_ 1	_ 5	_	_ 2	Ξ	_
E999	Inj: due to war ops: but occur- M ring after cess'n: of hostilities F	_24	_ 2	_	_ 2	=	_ 1	_ 5	_	_ 2	=	_

TABLE 7—continued

				-								4
ISC No.	Causes of death	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	19
N800-N999	XVII ALTERNATIVE { M CLASSIFICATION OF { F ACCIDENTS, POISON- INGS, AND VIOLENCE (NATURE OF INJURY)	11,712 6,801	11,905 6,984									
N800-N804	Fracture of skull	2,974 890		3,477 965	3,189 847			3,169 910				
N805-N809	Fracture of spine and trunk $\dots \begin{cases} M \\ F \end{cases}$	759 210	703 245	674 251	677 271	716 294		766 389	.793 408	782 406	855 449	
N810-N829	Fracture of limbs $\dots \left\{ egin{array}{ll} M \\ F \end{array} \right.$	836 1,798	837 1,995	960 2,069	808 1,786	957 2,169	1,191 2,511	1,127 2,599	1,243 2,787	1,205 2,594	1,166 2,825	
N830-N839	Dislocation without fracture $\begin{cases} M \\ F \end{cases}$	6 5	24 9	49 24	43 19	43 13	40 24	58 30	42 23	43 25	50 27	
N840-N848	Sprains and strains of joints M and adjacent muscles F	7	4	2 4	1 2	2	2	2 2	_ 4	3 3	6	
N850-N856	Head injury (excluding skull M fracture)	817 373	902 387	973 405	839 361	862 360	932 429	962 446	916 432	896 446	957 400	1
N860-N869	Internal injury of chest, ab- M domen, and pelvis Y	580 125	746 151	839 166	955 173	854 200	885 173	934 175	933 186	937 186	1,057 242	1
N870-N908	Laceration and open wounds $\left\{ egin{array}{l} M \\ F \end{array} \right\}$	490 89	402 94	362 77	468 109	502 89	429 107	458 108	398 94	395 96	425 104	
N910-N929	Superficial injury, contusion & M crushing with intact skin F surface	55 57	38 61	52 63	34 58	40 73	42 90	59 92	54 56	48 58	46 53	
N930-N936	Effects of foreign body entering { M through orifice { F	280 213	271 206	265 196	275 189	247 191	289 201	291 193	281 213	265 176	278 156	
N940-N949	Burns $\left\{ egin{array}{lll} M \\ F \end{array} \right.$	272 449	257 426	306 485	245 492	288 393	251 480	297 475	265 464	272 406	278 437	
N960-N979	Effects of poisons $\dots \begin{Bmatrix} M \\ F \end{Bmatrix}$	1,759 1,542	1,752 1,522	1,893 1,664	2,042 1,624	2,155 1,800	2,271 2,057	2,287 2,159	2,458 2,356	2,509 2,391	2,603 2,450	2 2
N950-N959 N980-N999	All other & unspecified effects { M of external causes	2,877 1,049	2,721 926	2,595 940	2,416 879	2,524 1,093	2,482 917	2,522 959	2,480 887	2,439 1,013	2,412 1,014	2,

- 006 Radiological evidence suggestive of active respiratory tuberculosis not classifiable elsewhere, —.
- Latent syphilis, -028
- 031 Chronic gonococcal infection of genito-urinary system, 1949, 1F; 1951, 2M; 1952, 1M; 1954, 1M; 1958, 1M.
- 032 Gonococcal infection of joint, 1950, 1M.
- 033 Gonococcal infection of eye, -
- 036 Chancroid, -
- Lymphogranuloma venereum, 1952, 1M; 1955, 1F; 1957, 1F; 1958, 1F; 1959, 1M. 037
- Granuloma inguinale, venereal, 1954, 1M.
- 039 Other and unspecified venereal diseases, 1955, 1M, 1F;
- 043 Cholera, -
- 047 Other protozoal dysentery, 1958, 1F.
- 058 Plague, -
- 059 Tularaemia, ---
- 060 Leprosy, 1951, 1M, 1F.
- 071 Relapsing fever, -..
- 073 Yaws, -
- Other spirochaetal and leptospirochaetal infections, 1950, 4M, 1F; 1952, 1M; 1953, 1F; 1955, 1M; 1957, 1F; 1958, 1M. 074
- 080.2 Acute poliomyelitis specified as non-paralytic, 1952, 2M.
- 090 Dengue, 1953, 1F.
- Yellow fever, -. 091
- 094 Rabies, 1955, 1M; 1956, 1M.
- 095 Trachoma, 1952, 1M.
- 100 Louse-borne epidemic typhus, ---.
- 101 Flea-borne endemic typhus (murine), --.
 - Brill's disease, not specified as louse—or flea-borne typhus, 1959, 1M.
- Tabardillo (Mexican typhus), not specified as louse- or 103 flea-borne. -.
- 104 Tick-borne typhus, --
- 105 Mite-borne typhus, 1953, 1F.
- 106 Wolhynian fever (trench fever), -..
 - Typhus, unspecified, -.
- 108 Other rickettsial diseases, -
- Vivax malaria (benign tertian), 1951, 1M; 1952, 1F; 1957, 1M.
- 111 Malariae malaria (quartan), ---
- Ovale malaria, -
- 114 Mixed malarial infections, -.
- 115 Blackwater fever, 1949, 4M; 1951, 1M; 1952, 1M.
- 117 Recurrent induced malaria, -
- 120 Leishmaniasis, 1949, 3M; 1951, 2M; 1953, 1M; 1958, 1M.
- 121 Trypanosomiasis, 1954, 1M; 1957, 2M.
- 124 Other trematode infestation, 1954, 1M.
- 127 Filariasis, 1950, 1F.
- 128 Trichiniasis, 1953, 1M.
- 129 Ankylostomiasis, -..
- Infestation with worms of other, mixed and unspecified type, 1951, 1F; 1953, 1M; 1954, 1M; 1955, 2M. 130
- 133 Coccidioidomycosis, -..
- 135 Scabies, 1950, 1F: 1951, 1F: 1952, 1M.
- 136 Pediculosis, 1950, 1F; 1955, 1F.
- 137 Other arthropod infestation, -.
- 240 Hay fever, 1951, 2M; 1952, 1M; 1955, 2F; 1956, 1M, 1F; 1958, 1F.
- 243 Urticaria, 1949, 1F; 1953, 1F; 1954, 1F; 1958, 1M.
- 244 Allergic eczema, 1950, 1M; 1954, 2M.
- 275 Ovarian dysfunction, 1956, 1F.
- 276 Testicular dysfunction, 1950, 1M.
- 312 Phobic reaction, 1957, 1M.
- Obsessive-compulsive reaction, 1949, 1M, 3F; 1950, 2M, 1F; 1952, 3F; 1954, 2M; 1957, 1M; 1958, 1M; 1959, 2M. 313
- Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system, 1950, 1M, 2F; 1952, 1F; 1953, 1M, 1F; 1956, 1F; 1958, 1M, 1F. 315
 - Pathological personality, 1950, 1M; 1952, 1F; 1953, 1F; 1956, 4M, 1F; 1958, 1M, 2F.
- 321 Immature personality, ---.

- 324 Primary childhood behaviour disorders, ---.
- 326 Other and unspecified character, behaviour and intelligence disorders, 1956, 1F.
- Migraine, 1949, 2M; 1950, 1M; 1952, 1M; 1953, 1M; 1956, 1F; 1957, 1F; 1959, 3F. 354
- 360 Facial paralysis, 1949, 4F; 1953, 1F; 1954, 1F; 1955, 1F; 1959, 1M.
- 362 Brachial neuritis, 1955, 2F.
- 369 Diseases of peripheral automatic nervous system, 1949, 1M, 1F; 1956, 1F; 1957, 1M; 1958, 1M.
- Conjunctivitis and ophthalmia, 1949, 2M, 2F; 1951, 1M, 2F; 1952, 2M; 1953, 4F; 1959, 1M.
- Blepharitis, 1949, 1F; 1951, 1F; 1954, 1F; 1955, 1M. 371
- Iritis, 1949, 1F; 1950, 1M; 1951, 1M; 1956, 1M; 1958, 373
- 374 Keratitis, 1949, 1F; 1950, 1F; 1951, 1F; 1955, 1F.
- Choroiditis, 1951, 2M.
- 380 Refractive errors, 1953, 1M.
- 382 Corneal opacity, ---.
- 383 Pterygium, -..
- 390 Otitis externa, 1950, 1F; 1952, 1M; 1953, 1M; 1959, 1M.
- Deaf mutism, 1957, 1F. 397
- Other deafness, 1953, 1F; 1954, 1F; 1957, 1F; 1959, 1F. 398
- 413 Diseases of pulmonary valve specified as rheumatic, 1950, 2M; 1951, 2F.
- Deflected nasal septum, 1949, 1M; 1950, 2M; 1952, 1M; 1953, 1F; 1956, 2M, 1F; 1957, 1F; 1958, 1M; 1959, 1M. 514
- 534 Toothache from unspecified cause, -..
- Other diseases of teeth and supporting structures, 1949, 1F; 1951, 1F; 1952, 1M; 1958, 3M, 6F; 1959, 6M,
- 616 Sterility, male, -..
- Chronic cystic disease of breast, 1949, 1F; 1952, 1F.
- 636 Sterility, female, 1952, 1F; 1955, 2F; 1956, 1F; 1958, 1F.
- Other infections of genito-urinary tract during pregnancy, 1949, 2F; 1951, 1F; 1952, 3F; 1955, 2F; 1957, 2F; 1959, 1F. 641
- Pregnancy with malposition of foetus in uterus, 1949, 647
- Delivery with laceration of perineum, without mention of other laceration, 1949, 1F; 1950, 1F; 1951, 1F. 676
- Puerperal urinary infection without other sepsis, 1949, 680 2F; 1950, 1F.
- 683 Pyrexia of unknown origin during the puerperium, 1951, 2F; 1953, 1F.
- Acute lymphadenitis, 1949, 2F; 1950, 2M, 3F; 1951, 1M; 1954, 1M, 1F; 1959, 1F. 694
- Infectious warts, 1950, 1M, 1F; 1952, 1F; 1953, 1F 696 1958, 2M.
- 697 Molluscum contagiosum, ---.
- Occupational dermatitis, 1949, 1M; 1950, 4M; 1951, 702 2M; 1954, 1M.
- Lichen planus, 1951, 1M, 1F; 1952, 1F; 1954, 1F 1958, 2M.
- Corns and callosities, 1951, 1M; 1952, 1M; 1953, 1M; 1954, 1M; 1955, 1M, 1F; 1957, 1M; 1958, 1M. 709
- Other dermatoses, 1952, 1F; 1955, 1F; 1957, 2M; 1959, 1M 711
- Diseases of nail, 1951, 1F; 1952, 1F; 1953, 1M; 1954, 1M; 1956, 1M; 1957, 1M; 1958, 1F. 712
- 713 Diseases of hair and hair follicles, 1952, 1F; 1953, 1M; 1957, 1M; 1958, 1M, 1F.
- 721 Acute nonpyogenic arthritis, -
- 722.2 Chronic rheumatoid nodular fibrositis, 1950, 1F.
- 732 Osteochondrosis, 1950, 1F; 1951, 1F; 1955, 1M; 1956, 1F; 1958, 1M.
- Internal derangement of knee joint, 1949, 1M; 1951, 1M, 1F; 1952, 1M; 1957, 1F. 734
- Affection of sacro-iliac joint, 1949, 1M, 1F; 1954, 1M; 736 1955, 1M.
- 742 Synovitis, bursitis and tenosynovitis, without mention of occupational origin, 1950, 1M.
- 746 Flat foot, -
- Ophthalmia neonatorum, 1950, 3M; 1951, 1M; 1954, 1M, 2F; 1955, 1M, 1F; 1956, 3F; 1959, 2M.

- 781 Other symptoms referable to nervous system and special senses, 1950, 3M; 1953, 1M; 1954, 1F; 1955, 1F; 1958, 1M.
- 787 Symptoms referable to limbs and back, -..
- 791 Headache, 1949, 1F.
- 793 Observation, without need for further medical care, -
- E811 Motor vehicle traffic accident involving collision with streetcar, 1949, 1M; 1950, 1M; 1951, 1F; 1956, 1M; 1957, 1M.
- E831 Motor vehicle nontraffic accident to pedal cyclist, 1950, 1M; 1955, 1M; 1956, 1M; 1957, 2M; 1959, 1M.
- E858 Water transport accident of unspecified cause, 1952, 1M; 1954, 1F; 1955, 1M; 1957, 1M; 1958, 2M.
- E862 Other injury in commercial "transport" aircraft, 1949, 1M.
- E873 Accidental poisoning by bromides, 1951, 1M, 1F; 1952, 1M; 1954, 2M; 1956, 1F; 1957, 1F; 1959, 1M.
- E875 Accidental poisoning by sulfonamides, 1949, 1M, 2F; 1951, 1F; 1953, 1M.
- E879 Accidental poisoning by noxious foodstuffs, 1950, 1M, 1F; 1951, 1F; 1955, 1M; 1956, 1M; 1957, 1F.
- E887 Accidental poisoning by fluorides, 1951, 1M; 1955, 1F; 1956, 1F.
- E893 Accidental poisoning by cyanide gas, 1949, 1M, 1F; 1955, 1F; 1956, 1M; 1957, 1M.
- E895 Accidental poisoning by unspecified gases and vapours, 1949, 4M, 1F; 1951, 1M; 1952, 2M; 1955, 1M; 1957, 1M; 1958, 2M.
- E918 Accident caused by radiation, 1957, 1M.
- E920 Foreign body entering the eye and adnexa, 1949, 1M; 1951, 1M; 1957, 1F.

- E940 Generalized vaccinia following vaccination, 1951, 1F; 1952, 1M, 2F; 1956, 1M; 1957, 1M; 1958, 1F; 1959, 1F.
- E942 Other complications of smallpox vaccination, 1950, 1M, 1F; 1953, 1F; 1957, 1M, 1F; 1958, 1F.
- E943 Post-immunization jandice and hepatitis, 1949, 2M, 1F; 1957, 1F.
- E945 Complications of anaesthesia for nontherapeutic purpose, 1949, 4F; 1955, 1F; 1956, 1F; 1958, 1F.
- E956 Late complication of surgical operation, 1950, 1M; 1955, 3F; 1957, 1F.
- E957 Late complication of amputation stump, -..
- E958 Late complication of irradiation, 1958, 1M.
- E959 Late complications of other forms of treatment, 1955, 1F; 1957, 1M; 1959, 1M.
- E963 Late effect of self-inflicted injury, 1949, 1M; 1957, 1F.
- E964 Late effect of injury purposely inflicted by another person (not in war), —.
- E984 Injury by intervention of police, 1951, 1M.
- E990 War injury by gas and chemicals, --.
- E991 War injury by gunshot, —.
- E992 War injury by grenade and land mine, —.
- E993 War injury by bomb, 1949, 1F.
- E994 War injury by marine bomb, depth charge and torpedo,—.
- E995 War injury by explosion of artillery shell, 1953, 1M.
- E996 War injury by explosion of undetermined origin, —. E997 War injury by aircraft destruction, —.
- E998 War injury by other and unspecified means, -.

TABLE 8. Crude death rates per million living from certain causes, by sex at all ages, 1949 to 1959

England and Wales

- Note. 1 Rates for 1949 are based on civilian deaths and civilian populations. Rates from 1950 are based on total deaths and home populations. See explanatory notes.
 - 2 Footnotes to individual causes in Table 7 apply also to those causes in this table.
 - The symbols M, F and P in the second column indicate "Males", "Females", and all "Persons" respectively.

ICD No.	Causes of death	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959
	Estimated mid-year population (in $\left\{ \begin{matrix} I \\ I \end{matrix} \right\}$	20,58 22,52 43,10	21,169 22,661 43,830	21,044 22,771 43,815	21,110 22,84 5 43,955	21,206 22,903 44,109	21,288 22,986 44,274	21,389 23,052 44,441	21,517 23,150 44,667	21,648 23,259 44,907	21,744 23,365 45,109	21,885 23,501 45,386
	ALL CAUSES $\left\{ \begin{smallmatrix} 1 \\ 1 \end{smallmatrix} \right\}$	1 12,63 11,10 11,83	1 12,337 3 10,995 2 11,643	13,387 11,754 12,539	12,210 10,493 11,318	12,237 10,655 11,416	12,204 10,532 11,336	12,482 10,927 11,675	12,451 10,947 11,672	10,682	10,965	12,332 10,969 11,626
001-138	I INFECTIVE AND PARASITIC INFECTIVE AND PARASITIC IN INFECTIVE AND PARASITI	71 43 56	7 351	534 292 408	215	379 192 282		292 138 212		230 108 166	209 99 152	189 85 135
001-019	Tuberculosis (all forms) $\left\{ \begin{bmatrix} 1 \\ 1 \end{bmatrix} \right\}$	M 57	0 267	219	152	281 128 202	253 109 178	212 85 146		158 59 107	147 54 99	128 44 85
001-008	Respiratory system	M 51 30 40	3 227	181	128	257 108 179			57	146 47 95	136 45 89	120 36 77
010-019	Other forms	M 6		37	24	24 21 22	21 17 19	17 13 15	13 11 12	12 12 12	12 10 11	9 8 8
010	Meninges and central nervous system	3 2	7 20 4 20 5 20	19		8 7 8	4	3 3 3	2 2 2	2 3 2	2 2 2	2 2 2
011	Intestines, peritoneum and mesen- teric glands	M F P	7 4	4	3 3	3 3 3	2 3 2	2 2 2	2 2 2	1 1 1	1 1 1	1 1 1
012, 013	Bones and joints	M F P	7 5 6	5 4	5 3	3 3 3	4 3 3	3 2 3	2 2 2	2 2 2	2 2 2	2 2 2
016	Genito-urinary system {	-1	0 8	8 4	3 5	5 3 4	6 3	4 2 3	3 3	4 2 3	3 2 2	2 2 2
019	Disseminated tuberculosis	M F P	8 5 6	3	3 3	3 2 3	3 3	3 2 3	2 2 2 2	2 2 2	2 1 2	1 1
020-029	Syphilis and its sequelae {	F 1	9 20 6 34	19	19	16	17	16	16	15	30 17 23	29 14 21
022	Aneurysm of aorta {	F	20 16 7 3 13 12	3	7 8	7	7	8	7	17 8 12	14 9 12	13 8 11
023	Other cardiovascular syphilis	M F P	4 13 5 9 1	5 6	6	6	5	5	5	11 4 7	10 4 7	8 3 5
024	Tabes dorsalis {	M F P	1	3	1	3	3 1 2	2 1 2	3 <i>I</i> 2	2 1 2	2 1 1	2 1 2
025	General paralysis of insane	M F P	8 3 5	2 2	5 4 2 2 4 3	3	3	3	3 1 2	2 1 2	3 1 2	3 1 2
026	Other syphilis of central nervous system	M F P	1 7 1		2 2 2 2 2 2 2	1	2 1 2	1 1	2 I 1	1 1 1	1 1 1	1 ! 1
040-049	Infectious diseases commonly arising in intestinal tract	M F P	4 3 3 3	4 4 3	4 3 3 2 3 2	2 2 2	2 1 2	3 2 2	2 2 2	2 2 2	2 2 2	2 2 2
050-064	Other bacterial diseases {	M F P	32 28 30 20 21	7 26 3 22 5 24	18 2 16 4 17	20 17 18	15 13 14	11 9 10	9	10 9 9	8 7 7	8 6 7
053	Septicaemia and pyaemia	M F P	4 2 3	4	3 3 2 2	3 2 3	3 3 3	2 2 2	3 2 2	2 2 2	2 2 2	2 1 2
056	Whooping cough {	M F P	12 13 12	B 10 11 10	0 4 1 4 0 4	5 6	3	2 2 2	2 2 2	1 2 2	1 1 1	1 1

		IADL	JE 0	contin	иеи							
ICD No.	Causes of death	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959
057	$ \qquad \qquad Meningococcal infections \qquad \dots \left\{ \begin{matrix} M \\ F \\ P \end{matrix} \right. $	7 6 7	7 6 6		8 6 7	8 5 7	6 5 6	5 4 5	5 3 4	4 4 4	3	
080-096	Diseases attributable to viruses $\ldots \left\{ egin{array}{l} M \\ F \\ P \end{array} \right.$	41 36 38		27	25 24 25	32 27 29	19 17 18	25 23 24	18 17 18	23 21 22	17 17 17	1 1 1
080, 081	Acute poliomyelitis including late $\left\{ egin{array}{ll} M \\ F \\ P \end{array} \right\}$	17 13 15	20 15 17	6 4 5	8 5 7	10 6 8	4 2 3	8 5 6	4 3 3	8 4 6	3	
082, 083	Acute infectious encephalitis including late effects $\dots \dots $ $\left\{ egin{array}{l} M \\ F \\ P \end{array} \right\}$	9 8 9	9 8 8	7 8 8	6 6 6	8 6 7	6 6 6	6 5 6	7 5 6	5 4 5	4	
085	Measles $$ $\left\{egin{array}{ll} M\\ F\\ P\end{array}\right.$	7 7 7	6 4 5	8 6 7	3 3 3	7 4 5	1 1	4 4 4	<i>I I</i> 1	2 2 2	1 1 1	
092	Infectious hepatitis $\left\{ egin{array}{ll} M \\ F \\ P \end{array} \right.$	6 5 5	7 6 6	6 5 6	5 6 6	6 7 7	5 7 6	5 7 6	5 7 6	5 7 7	5 6 5	
140-239	II NEOPLASMS $ {F \choose P}$	2,095 1,867 1,976	2,099 1,890 1,991	2,164 1,864 2,008	2,189 1,888 2,033	2,206 1,873 2,033	2,260 1,902 2,074	2,287 1,913 2,093	2,309 1,930 2,112	2,346 1,928 2,130	2,358 1,957 2,150	2,391 1,960 2,168
140–205	Cancer, including Hodgkin's disease, M F P	2,050 1,821 1,930	2,058 1,840 1,945	2,121 1,820 1,965	2,152 1,848 1,994	2,166 1,833 1,993	2,223 1,861 2,035	2,252 1,873 2,055	2,274 1,891 2,076	2,312 1,890 2,094	2,333 1,929 2,124	2,366 1,929 2,140
140–200, 202, 203, 205	Cancer, excluding Hodgkin's disease, $\left\{ egin{array}{ll} M \\ F \\ P \end{array} \right.$	1,984 1,775 1,875	1,992 1,792 1,889	2,052 1,767 1,904	2,077 1,794 1,930	2,090 1,777 1,928	2,146 1,804 1,969	2,171 1,817 1,988	2,194 1,831 2,005	2,225 1,831 2,021	2,252 1,869 2,054	2,281 1,863 2,065
140–148	$\begin{array}{ccccc} & \text{Malignant neoplasm of buccal cavity} & M \\ & \text{and pharynx} & \dots & \dots & \prod_{r=1}^{M} F_r \\ \end{array}$	76 26 50	75 27 50	74 28 50	70 28 48	66 25 45	71 28 49	66 28 47	57 28 42	58 29 43	58 28 43	57 26 41
140	Lip $$ $\left\{egin{array}{ccccc} M \\ F \\ P \end{array}\right\}$	8 1 4	7 1 4	6 1 3	5 1 3	5 0 3	5 1 3	5 1 3	4 <i>I</i> 2	4 0 2	4 0 2	3 0 2
141	Tongue $ \left\{egin{array}{l} M \\ F \\ P \end{array}\right.$	24 7 15	25 6 15	23 7 15	21 6 13	20 6 13	21 6 13	18 7 12	17 7 12	16 7 11	17 6 11	17 6 11
142	Salivary gland $\ldots \ldots \left\{egin{array}{cccc} M & F & P \end{array}\right.$	4 2 3	4 2 3	4 3 3	5 3 4	4 2 3	4 3 3	4 3 3	4 2 3	4 3 3	4 3 4	3 3 3
143–148	Other or unspecified parts of buccal $\left\{ egin{array}{ll} M \\ cavity and pharynx & \dots & \left\{ egin{array}{ll} F \\ P \end{array} \right. \end{array} \right.$	40 15 27	39 18 28	41 18 29	39 19 28	37 16 26	42 18 30	39 18 28	33 18 25	35 19 27	34 19 26	34 16 25
150–159	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	998 819 905	962 823 890	967 797 878	953 802 875	931 788 857	918 793 853	906 791 846	887 780 831	894 769 829	880 786 831	875 791 832
150	Oesophagus $\left\{egin{array}{cccc} M \\ F \\ P \end{array}\right\}$	70 35 51	71 37 53	70 37 53	70 37 53	63 38 50	61 40 50	63 41 52	64 41 52	60 41 50	60 42 51	63 41 51
151	Stomach $$ $\left\{egin{array}{cccc} M \\ F \\ P \end{array}\right\}$	391 271 328	377 283 328	386 284 333	381 276 327	378 270 322	367 271 317	371 267 317	358 266 311	367 257 310	365 264 313	362 262 310
152	Small intestine, including duodenum $\left\{egin{align*} M \\ F \\ P \end{array}\right\}$	5 5 5	5 4 4	4 5 5	5 4 5	5 4 5	5 4 4	5 4 5	5 4 5	4 3 4	5 5 5	5 4 5
153	Large intestine, except rectum $\left \right. \left. \left\{ egin{array}{c} M \\ F \\ P \end{array} \right. \right.$	218 262 241	203 256 231	201 238 220	197 247 223	196 241 219	189 237 214	183 239 212	176 235 207	175 232 204	170 232 202	165 236 202
154	Rectum $$ $\left\{egin{array}{c} M \\ F \\ P \end{array}\right\}$	182 115 147	174 111 142	171 106 137	161 104 132	153 105 128	156 107 131	148 103 125	146 102 124	143 98 120	144 107 125	140 111 125
155	Biliary passages and of liver (stated $\left\{ egin{array}{ll} M \\ to be primary site) & . & . & . \\ P \end{array} \right\}$	21 30 26	21 34 28	21 32 27	24 33 28	22 32 27	24 33 29	22 33 27	23 35 29	25 34 29	27 39 33	28 37 32
156	Liver (secondary and unspecified) $\begin{cases} M \\ F \\ P \end{cases}$	30 31 30	29 27 28	28 26 27	28 23 25	26 23 24	24 24 24	22 22 22	21 21 21	23 20 22	13 13 13	13 13 13
157	Pancreas $$ ${M \atop F}$	73 60 66	74 63 68	77 60 68	81 68 74	81 65 73	83 66 74	85 70 77	85 67 76	87 74 80	91 75 83	95 79 87
					1							

1												
ICD No.	Causes of death	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959
158	Peritoneum $\cdots \left\{ egin{array}{l} M \\ F \\ P \end{array} \right.$	7 9 8	7 8 7	7 8 8	6 10 8	7 10 8	8 9 9	6 10 8	6 8 . 7	8 10 9	4 7 6	4 7 5
60–165	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	494 98 287	534 103 311	580 106 334	613 112 353		697 116 395	733 121 415	765 124 433	795 128 450	823 132 465	869 136 490
160	Nose, nasal cavities, middle ear and $\left\{ \begin{array}{ll} M \\ F \end{array} \right\}$	6 4 5	6 5 - 5	6 4 5	6 4 5		6 5 5	6 4 5	. 4	5 4 4	6 4 5	6 4 5
161	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	38 9 23	38 8 · 23	38 9 23	36 8 21	35 7 21	31 8 19	32 9 20	. 7	31 7 - 19	30 7 18	29 8 18
162	Bronchus and trachea, and of lung $\left\{ egin{array}{ll} M \\ F \\ P \end{array} \right.$							445 67 249	72	496 75 278	526 79 294	559 80 311
163	Lung, unspecified as to whether $\left\{ egin{array}{ll} M & F \\ F & P \end{array} \right.$?	.?	?	?	?	?	245 38 138	38	260 40 146	258 40 145	272 43 153
164	Mediastinum ., $\cdots egin{cases} M \\ F \\ P \end{cases}$	6 3 5	6 3 4	2	; 5 2 4		4 2 3	4 2 3		3 2 2	3 1 2	3 1 2
70–181	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	270 707 498	711	709	281 719 50 9	712	719	298 729 522	736	737	313 764 546	306 749 535
170	Breast $\binom{M}{F}$	348 184		350	3 361 189	354			368			3 371 193
71-174	Uterus F	188	182	178	175	171	166	167	169	168	176	170
171	Cervix uteri F	95	117	113	111	109	104	107	108	106	116	109
172	Corpus uteri F	23	51	52	54	52	51	49	51	52	51	52
73, 174	Other and unspecified parts of uterus F	71	14	13	11	11	11	10	11	11	10	10
175	Ovary, Fallopian tube and broad ligament F	104	110	:111	109	111	113	120	121	123	124	125
176	Other and unspecified female genital organs F	19	21	19	21	21	21	21	21	22	22	23
177	Prostate M	1 144	146	143	142	149	156	155	164	160	166	164
178	Testis N	1 . 9	10	9	10	9	10	8	9	8	9	9
179	Other and unspecified male genital organs	_										}
180	Kidney $\left\{ \begin{array}{lll} M \\ P \\ \end{array} \right\}$	17	16 22	19 2 2 23	21 25	19	20 26	18 25	20	19 25	22 28	32 20 26
181	Bladder and other urinary organs $\begin{cases} M \\ F \\ P \end{cases}$	78 31 54	1 34	32 57	32 60	35 59	61	63	37 64	37 65	37 64	41 65
190–199	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	103	7 110	104	110	117	121	118	131	134	124 129	126 128
190, 191 ·	Skin $\cdot \cdot \cdot \begin{cases} \frac{M}{F} \end{cases}$	20 20 20					20	21	1 19	22 21	19	19 19
192	Eye $\left\{ \begin{smallmatrix} h \\ F \end{smallmatrix} \right\}$		1	3			2 3		2 2 2	3 2		1
193	Brain and other parts of nervous $\left\{ egin{array}{lll} \mathbf{F} & \mathbf{F} & \mathbf{F} \\ \mathbf{F} & \mathbf{F} \end{array} \right.$	3: 2: 2:	2 32 1 2: 6 2:	3: 3: 7: 2: 7:	39 23 31	9 38 3 26 1 32	39 5 2 2 33	4: 7 2: 3 3:		35 35	34	
194	Thyroid gland $\left\{ egin{array}{l} rac{N}{H} \end{array} ight.$	1	1 1	3 1 7	1 1	8	8 8	1 1	8 9	1 1	10	8
195	Other endocrine glands $\left\{ egin{array}{l} I \\ I \\ I \end{array} \right\}$		3		2		2 2 2		3 3 2 2 3		3 . 2	2 2
196	Bone $\left\{ egin{array}{lll} rac{1}{2} & \cdots & \cdots & \cdots \\ rac{1}{2} & \cdots & \cdots \\ \end{array} \right.$	M 2 1 2 2	4 2 8 1 1 1	1 2 4 1 8 1	1 19	4 1	13 14 15	1 1:	6 18 2 13 4 13	3 12	2 13	11

ICD No.	Causes of death	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	195
197	Connective tissue $\ldots \ldots \begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	3 2 2	4 4 4	5 4 4	6 4 5	4 4 4	6 5 5	5 4 5	6 5 5	6 4 5	5 5 5	
198, 199	Other and unspecified sites $\left\{ egin{array}{l} M \\ F \\ P \end{array} \right\}$	28 30 29	29 33 31	29 31 30	29 31 30	30 38 35	34 40 37	37 40 38	40 50 45	40 51 46	35 39 37	ı
200-205	Neoplasms of lymphatic and haemato- $ \begin{cases} M \\ F \\ P \end{cases} $	92 64 77	92 66 79	101 76 88	109 76 92	110 79 94	114 84 98	116 86 101	118 91 104	126 93 109	124 95 109	1: 1:
200	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	19 11 15	18 11 14	20 13 16	21 13 17	21 13 17	22 15 18	22 17 19	21 16 19	22 16 19	24 18 21	
201	Hodgkin's disease $\left\{ egin{array}{ll} M \\ F \\ P \end{array} \right\}$	22 11 16	20 11 15	22 12 17	23 12 17	23 13 18	23 13 18	23 12 18	24 13 18	27 12 19	22 13 17	
202	Other forms of lymphoma (reticu- MFP)	2 2 2	2 2 2	4 2 3	4 2 3	4 3 3	4 3 3	4 2 3	4 3 3	4 3 3	5 4 4	
203		4 5 5	5 5 5	7 7 7	8 8 8	9 7 8	10 9 10	10 11 11	12 12 12	12 14 13	14 12 13	1
204	Leukaemia and aleukaemia $\left\{egin{array}{l} M\\ F\\ P\end{array}\right.$	44 35 40	47 37 42	47 41 44	52 41 46	53 44 48	54 44 49	57 43 50	57 47 52	60 47 53	60 46 53	9
	0 Lymphatic leukaemia $\dots \left\{ egin{array}{l} M \\ F \\ P \end{array} \right.$	10 6 8	13 9 11	13 9 11	13 8 11	13 9 11	14 10 12	14 9 12	13 9 11	16 10 12	12 8 10	1 1
	I Myeloid leukaemia $\begin{cases} M \\ F \\ P \end{cases}$	8 8 8	11 10 10	10 12 11	12 11 11	12 12 12	12 12 12	13 12 13	14 13 13	14 13 13	11 11 11	1 1
	2–4 Other and unspecified leukaemia $M = \begin{bmatrix} M \\ F \\ P \end{bmatrix}$	26 21 23	24 18 21	23 21 22	27 22 24	27 23 25	28 23 25	29 22 26	30 25 27	31 24 27	37 28 32	3333
210–229	Benign neoplasm $\ldots \ldots \begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	18 28 23	18 30 24	18 25 22	16 26 21	17 24 21	15 26 21	15 25 20	14 24 19	15 24 20	15 21 18	1 2 1
214	Uterine fibromyoma F	8	8	6	6	5	5	4	4	4	3	
216	Ovary F	6	7	5	5	5	5	4	5	5	4	
219	Kidney and other urinary organs $\left\{ egin{aligned} M \\ F \\ P \end{array} \right.$	6 1 3	6 2 4	6 2 4	5 1 3	5 1 3	5 1 3	4 1 3	3 1 2	4 2 3	3 1 2	
223	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	6 7 6	6 7 7	6 7 7	5 7 6	7 7 7	6 8 7	6 8 7	6 7 6	6 8 7	6 7 7	
230–239	Neoplasm of unspecified nature $\left\{ egin{array}{l} M \\ F \\ P \end{array} \right\}$	27 19 23	23 20 21	24 18 21	21 15 18	22 16 19	22 15 18	20 15 17	20 15 18	19 14 17	10 7 8	1
237	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	22 15 18	18 15 17	19 14 16	18 11 14	18 13 16	18 12 15	17 12 14	17 13 15	16 12 14	7 4 6	
240289	III ALLERGIC, ENDOCRINE SYS- M TEM, METABOLIC AND NUTRI- F TIONAL DISEASES	128 195 163	130 205 169	141 214 179	120 185 154	113 176 146	111 172 142	111 178 145	109 174 142	99 169 135	102 170 137	9. 16. 12
240–245	Allergic disorders $\left\{egin{array}{l} M \\ F \\ P \end{array}\right\}$	58 45 51	55 46 50	63 54 58	48 39 43	46 42 44	42 38 40	42 36 39	38 39 38	33 34 34	29 36 32	2:
241	Asthma $\left\{egin{array}{ccccc} M & F \\ P & \end{array}\right.$	58 45 51	54 46 50	62 54 58	47 38 43	46 42 44	42 38 40	41 36 39	37 39 38	33 34 34	28 36 32	2: 2: 2:
250-254	Diseases of thyroid gland $\dots \begin{cases} M \\ F \\ P \end{cases}$	6 34 20	6 35 21	6 34 21	5 30 18	5 23 14	5 27 16	4 28 17	5 26 16	4 25 15	4 25 15	20
252	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	4 23 14	3 22 13	4 21 13	3 17 10	3 14 9	2 15 9	2 14 8	2 13 8	3 14 8	2 12 7	13
253	Myxoedema and cretinism $\left\{ egin{array}{l} M \\ F \\ P \end{array} \right\}$	1 7 4	1 9 5	1 10 6	1 9 5	1 6 4	1 10 6	1116	2 10 6	1 10 5	2 11 6	12

ICD No.	Causes of death	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959
260	Diabetes mellitus $\left\{ egin{array}{ll} M \\ F \\ P \end{array} \right.$	53 104 80	58 109 84	58 109 85	52 98 76	50 93 72	49 86 68	51 96 74	51 92 73	47 91 70	53 93 73	50 89 70
0-277	Diseases of other endocrine glands $\begin{cases} M \\ F \\ P \end{cases}$	6 8 7	7 8 7	8 10 9	7 9 8	. 6 8 7	6 9 8	5 7 6	6 6 6	5 7 6	6 6 6	4 6 5
272	Diseases of pituitary gland $\ldots \begin{cases} M \\ F \\ P \end{cases}$	1 2 2	2 2 2	2 3 3	2 3 2	1 3 2	1 3 3	2 3 2	2 3 2	2 3 2	2 2 2	2 2 2
274	Diseases of adrenal glands $\ldots \left\{ egin{array}{l} M \\ F \\ P \end{array} \right.$. 3 5 4	3 4 4	3 5 4	2 5 4	3 3	3 3 3	2 2 2	2 2 2 2	2 2 2	3 2 2	2 2 2
80–289	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	4 5 5	6 6 6	7 7 7	9 9 9	6 10 8	9 11 10	9 11 10	9 10 10	9 11 10	10 11 10	8 12 10
70-299	IV DISEASES OF THE BLOOD MAND BLOOD-FORMING OR- FORMING OR- FORMIN	44 68 56	39 69 55	41 66 54	40 61 51	36 55 46	38 60 50	37 58 48	33 60 47	34 58 47	34 56 45	35 56 46
290	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	21 37 30	19 37 28	18 34 27	15 29 22	13 26 20	13 28 21	13 27 20	12 28 20	12 27 20	11 25 18	10 25 18
	0 Pernicious anaemia $\ldots \left\{egin{array}{c} M \\ F \\ P \end{array}\right.$	20 35 28	16 33 25	16 31 24	13 26 20	12 23 17	12 25 18	11 24 18	10 24 18	10 24 17	10 21 16	9 21 15
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1 2 2	2 3 2	2 2 2	2 2 2	1 2 1	1 2 1	1 1 1	1 2 1	1 1 1	1 1 1	1 1 1
' 291	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	2 4 3	2 6 4	2 7 5	3 6 5	3 7 5	3 8 6	3 7 5	3 8 6	3 8 6	3 8 6	5 9 7
292	Other anaemias of specified type $$ $\begin{cases} \mathbf{M} \\ \mathbf{F} \\ \mathbf{P} \end{cases}$	7 8 8	6 9 8	7 8 8	9 10 9	9	10 11 10	10 10 10	9 9 9	8 10 9	9 10 9	9 9
	4 Aplastic anaemia $\dots \begin{cases} M \\ F \\ P \end{cases}$	5 5 5	5 6 5	5 6 5	6 8 7	7 6 7	7 8 7	7 6 6	6 6 6	5 6 6	6 6 6	5 5 5
	0–3, 5–7 Other $\begin{cases} \mathbf{M} \\ \mathbf{F} \\ \mathbf{P} \end{cases}$	2 3 2	1 3 2	2 2 2	2 2 2	2 2 2 2	3 3 3	3 4 3	3 3 3	3 4 4	3 4 4	4 4 4
293	Anaemia of unspecified type $\left\{ egin{array}{l} \mathbf{M} \\ \mathbf{F} \\ \mathbf{P} \end{array} \right\}$	3 5 4	2 5 3	3 .3 3	5 3	2 3 3	2 4 3	2 5 3	2 5 3	2 5 4	2 5 4	2 4 3
00-326	V MENTAL, PSYCHONEUROTIC, MAND PERSONALITY F P	22 32 27	23 35 29	25 36 30	23 30 26	20 31 25	22 31 26	20 31 26	17 33 25	16 30 23	16 24 20	17 27 22
00-309	Psychoses $\left\{ egin{array}{ll} \mathbf{M} \\ \mathbf{F} \\ \mathbf{P} \end{array} \right.$	16 25 20	15 28 22	18 28 23	16 23 20	14 25 20	16 27 22	15 25 20	13 28 21	12 25 19	11 20 16	12 22 17
304	Senile psychosis $\left\{ \begin{array}{l} \mathbf{M} \\ \mathbf{F} \\ \mathbf{P} \end{array} \right\}$	10 17 14	10 20 15	12 20 16	10 17 14	10 18 14	10 20 15	9 18 14	8 22 15	7 19 13	7 15	7 16 12
20-326	Disorders of character, behaviour, and intelligence $\left\{ egin{array}{l} M \\ F \\ P \end{array} \right\}$	5 5 5	7		6 5 5	5 4 4	4 3 4	5 4 5	4 4 4	3 3 3	4 3 3	4 3 3
325	Mental deficiency $\begin{cases} M \\ F \\ P \end{cases}$	4 4	5 4 5	5 4 4	4 4 4	3 3 3	3 2 3	4 4 4	3 3 3	3 3	3 2 2	2 2 2
30-398	VI DISEASES OF THE NERVOUS M SYSTEM AND SENSE ORGANS F	1,378 1,684 1,538	1,436 1,796 1,622	1,521 1,872 1,703	1,514 1,885 1,707	1,485 1,844 1,671	1,554 1,931 1,750	1,588 1,996 1,800	2,001	1,536 1,976 1,764	2,044	1,535 2,008 1,780
30-334	Vascular lesions affecting central M F P	1,228 1,544 1,393	1,284 1,656 1,476	1,378 1,732 1,562	1,381 1,761 1,579	1,356 1,716 1,543		1,454 1,868 1,669	1,442 1,877	1,411 1,854 1,640	1,439 1,921 1,689	1,412 1,883 1,656
330	Subarachnoid haemorrhage $$ $\begin{cases} M \\ P \\ P \end{cases}$	26 35 31	32 44 38	39 54 47	48 71 60	50 71 61	57 76 67	51 81 66	58 82 70	55 82 69	56 87 72	56 82 70
331	Cerebral haemorrhage $\dots \begin{cases} M \\ P \end{cases}$	646 843 749	644 864 758	653 857 759	622 822 726	605 798 705	626 819 726	601 808 709	584 786 689	553 748 654	548 761 659	525 714 623

ICD No.	Causes of death	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959
332	Cerebral embolism and thrombosis { M F	489	544 677	603 725	619 762	609 743	648 796	693 852	687 880	689 895	711 927	70
333, 334	Spasm of cerebral arteries and other (M	544	612 64 71	666 83 96	694 92 105	679 92 104	725 103 120	775 109 127		795 114 130	823 125 145	93 82 12 15 14
340-345	and ill-defined vascular lesions F Affecting central nervous system . P Inflammatory diseases of central ner- M F	70	67 36 34	90 35 38	99 31 32	99 31	112		122	122 34 34	135 32 35	14.
340	vous system $\left\{ egin{array}{ll} F \\ P \end{array} \right\}$ Meningitis, except meningococcal $\left\{ egin{array}{ll} M \\ \end{array} \right\}$	36 12	35	36 10	31	35 33 10	32 31 9	34 10	32	34 11	33	3.
343	and tuberculous $\left\{ egin{array}{ll} F \\ P \end{array} \right\}$ Encephalitis, myelitis, and encepha- $\left\{ egin{array}{ll} M \\ \end{array} \right\}$	10 5	5	7 8 4	3	3	6 7 3	8	7 8 2	8	6 8 3	
	lomyelitis (except acute infectious) { F	5 5	3 4	3 3	3	3	3 2 2	3	3	3	2	
345	Multiple sclerosis $\left\{ egin{array}{ll} M \\ F \\ P \end{array} \right\}$	1 1	15 20 18	25 21	15 20 18	13 22 18	15 21 18	16 22 19	21 18	14 22 18	15 23 19	2:
350–357	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	92 93 92	98 95 96	92 92 92	88 84 86	83 84 84	78 80 79	90 87 88	84 83 84	83 82 82	81 83 82	8: 8:
350	Paralysis agitans $\left\{egin{array}{ll} M\\ F\\ P\end{array}\right.$	30 36 33	30 36 33	34 39 37	32 38 35	31 36 34	28 35 32	36 40 38	31 38 35	32 36 34	32 37 34	3: 4 3:
351	Cerebral spastic infantile paralysis $\left\{egin{array}{c} M \\ F \\ P \end{array}\right.$	3 2 2	3 2 3	4 3 3	3 2 3	3 2 2	3 3	3 3 3		3 2 3	3 2 2	
352	Other cerebral paralysis $\dots \left\{egin{array}{c} M \\ F \\ P \end{array}\right\}$	14 19 16	21 21 21	11 17 14	12 11 11	9 12 11	10 11 11	11- 13 12	11 13 12	10 13 11	10 13 12	1: 1: 1:
353	Epilepsy $\left\{egin{array}{lll} \mathbf{M} \\ \mathbf{F} \\ \mathbf{P} \end{array}\right.$	23 20 21	22 20 21	22 19 21	22 18 20	19 18 19	16 15 15	19 16 17	18 15 16	17 14 15	16 15 16	10
355	Other diseases of brain $\dots \begin{cases} M \\ P \end{cases}$	4 5 4	4 5 4	4 4	3 4	4 5 4	5 4 5	5 4	5	5 5	5 5 5	
356			15 10 12	14 8 11	15 9 12	14 9 12	14 10 12	14 9 12	14	15 10 12	14 10 12	14
	0 Progressive muscular atrophy $\begin{cases} M \\ P \end{cases}$	12 8	10	10 6	10	11	10	9. 7	.: 8	9	8	
360–369	Diseases of nerves and peripheral M F P P	10 4 4	8 4 3	8 4 2	3 2 2	8 3 2 2	3 2 3	2 2 2 2		2	2	
390-398	Diseases of ear and mastoid process FP	15	3 14 7	3 12	10	11 5	8	2 8 4	7	6 3	5 2	
391 .	Otitis media without mention of $\begin{cases} M \\ F \end{cases}$	11	10 10 5	9	5 8 7 4	8 8	5 6 7 4	6 3	5	4 2	4	
400-468	VII DISEASES OF THE CIRCULA- M LATORY SYSTEM		8	5 7 4,645	6	6	4,446	4,521	4,558	4,425	4,595	4,40
	(P (M	4,167	4,121 4,241	4,344 4,489 8	3,946 4,156	4,124	3,973 4,200 7	4,131 4,319	4,124 4,333	3,980 4,194 4	4,183 4,381	4,065 4,223
400-402	Rheumatic fever \ldots $\left\{ \begin{array}{ll} F \\ P \end{array} \right\}$	17 16	14 13	9	8 7	7 7 7	6	5	5 5	4	3 3 3	11
410-416	Chronic rheumatic heart disease $\dots \begin{Bmatrix} F \\ P \end{Bmatrix}$	181 270 228	201 306 255	194 298 248	164 247 207	157 240 200	148 237 194	140 232 188	142 223 184	138 225 183	208 165	113 193 150
410	Diseases of mitral valve $\dots \begin{cases} M \\ F \\ P \end{cases}$	132 214 175	134 224 181	130 218 176	113 191 154	108 186 149	100 185 144	95 176 137	92 170 132	89 169 131	75 155 117	7 14 10
411	Diseases of aortic valve specified as $\left\{ egin{array}{ll} M \\ F \\ P \end{array} \right.$	10 5 7	13 5 9	14 6 10	14 6 10	14 6 10	14 7 11	13 7 10	. 15 8 11	16 7 11	16 8 12	14
412–414	Dis: of tricuspid v: pulm: v: M specified as rh: and other endo- F P	21 28 25	31 47 39	27 40 34	15 22 19	13 18 16	12 16 14	12 18 15	13 15 14	11 15 13	9 12 11	12 10

ICD No.	Causes of death	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959
415	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	8 11 10	9 12 11	7 11 9	6 8 7	6 7 6	5 7 6	4 7 5	4 6 5	4 6 5	3 5 4	3 4 3
416	Other heart disease specified as $\left\{ egin{array}{ll} M \\ F \\ P \end{array} \right.$	10 11 11	14 18 16	16 23 20	16 20 18	16 23 20	16 23 20	17 25 21	17 25 21	18 27 23	15 28 22	18 28 23
0-422	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	3,220 2,820 3,011	3,210 2,806 3,001	3,405 2,962 3,175	3,251 2,691 2,960	3,161 2,675 2,908	3,273 2,676 2,963	3,351 2,773 3,051	3,393 2,772 3,071	3,287 2,648 2,956	3,460 2,815 3,126	3,322 2,733 3,017
420	$ \begin{array}{c} \textbf{Arteriosclerotic heart disease, in-} \\ \textbf{cluding coronary disease .} & \dots \\ \left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \\ \mathbf{P} \end{matrix} \right. \\ \end{array} $	1,480 779 1,114	1,671 903 1,274	1,789 956 1,356	1,874 999 1,420	1,860 1,012 1,420	2,016 1,084 1,532	2,097 1,163 1,613	2,206 1,222 1,696	2,230 1,243 1,719	2,395 1,368	2,385 1,393 1,871
	0 Arteriosclerotic heart disease so MF F P	5 3 4	4 5 4	8 7 7	8 7 7	9 8 9	12 11 11	14 11 13	13 12 13	16 16 16	21 23 22	19 21 20
	1 Heart disease specified as in- \{ M \\ volving coronary arteries \cdot \} \\ \ \ P \\ P	1,418 746 1,067	1,621 874 1,235	928	1,836 976 1,389	991	1,062	2,066 1,139 1,585	1,200	2,201 1,218 1,692	2,363 1,336 1,831	1,364
	2 Angina pectoris without mention F F P		46 24 35	39 21 30	30 16 23	23	20 12 16	17 13 15	14 10 12	12 9 11	11 8 10	10 7 8
421	Chronic endocarditis not specified F P		74 56 65	64 47	74 63 68	71	81 64 72	75 60 67	75 59 67	81 70 75	77	69 65 67
	0 Of mitral valve, specified as non- { M F P		2 1	<i>1</i> 1 1 1	4 4	3 4	3 3	2 3 3	3 5 4	4 8 6	5 8 7	5 9 7
b	1 Of aortic valve, not specified as \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		47 27 37	45 25 35	44 24 33	45 25	55 32 43	54 31 42	53 33	61 39 50		52 39 45
	2-4 Of tricesp: v: specified as non-rh: pulm: v: not specified as rh: and other and ill-def: F not specified as rh:	66 74 70	25 28 27	18 21 19	26 36 31		23 29 26	19 25 22		23	19	12 17 15
422	Other myocartial degeneration $$ $\begin{cases} M \\ F \\ P \end{cases}$	1,623 1,941 1,789	1,464 1,847 1,662	1,959	1,303 1,629 1,472	1,603	1,528	1,179 1,550 1,371	1,490	1,335	1,382	1,275
	0 Fatty degeneration $\dots \left\{ egin{array}{l} M \\ F \\ P \end{array} \right.$	10 20 15	10 16 13	13	5 10 8			5 8 6	7	4 6 5	5	3 5 4
	1 With arteriosclerosis $\begin{cases} M \\ F \\ P \end{cases}$	576 636 607	571 657 615	722	632	638	614	634	621	578	606	572
	2 Other $\dots $ $\dots $ $\begin{cases} M \\ F \\ P \end{cases}$	1,037 1,286 1,167	884 1,174 1,034	1,225	987	956		907	862	751	771	698
30–434	Other diseases of heart $\dots \begin{cases} M \\ F \\ P \end{cases}$	179 218 199	172 215 194	255	244	254	256	266	278	291	306	303
430	Acute and subacute endocarditis $$ $\left\{egin{array}{l} M\\ F\\ P\end{array}\right.$			7	6		5	10 5 7	9 5 7	9 6 7	1	9 5 7
431	Acute myocarditis not specified as $\left\{ egin{array}{lll} Acute & myocarditis & not specified as \\ rheumatic & . & . & . & . \\ \end{array} \right\}$	5 6 5	4	5	3	4 4	3 3	3 2 3	3 3	3 3	3 3	3 3 3
433	Functional disease of heart $$ $\begin{cases} N \\ F \\ P \end{cases}$	1 117 164 142	154	176	164	162	155	149	149	144	146	139
434	Other and unspecified diseases of $\{P\}$ heart $\{P\}$ $\{P\}$	1 44 37 40	49	68	71	82	92	108	121	138	150	156
140–443	Hypertensive heart disease $\ldots \begin{cases} M \\ F \end{cases}$	1 209	376	405	267	273	290	318	313	305	304	286
440	Essential benign hypertensive heart { F }	1 0	6	5 5	4		5 5	5 5		6	6	5
441	Essential malignant hypertensive MF F	1 2 2 2 2	8		3 4	3	5 4 4		2	3	. 3	4 3 4

	TABLE 8—continued											
ICD No.	Causes of death	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	195
442	$\begin{array}{cccc} & & & & \\ & & & \\ & & & \\ & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & $	13 13 13	12 13 12	15 16 15	7 8 8	8 8 8	6 7 6	6 8 7	7 6 6	6 6	5 6 5	
443	Other and unspecified hypertensive $\left\{\begin{matrix} M \\ F \\ \end{matrix}\right.$	193 198 196	335 350 343	363 377 370	231 251 242	235 258 247	252 275 264	256 302 280	252 298 276	238 290 265	223 290 258	20 2' 2:
444-447	Other hypertensive disease $\dots \left\{ egin{array}{l} M \\ F \\ P \end{array} \right.$	194 186 189	101 90 95	99 89 94	193 178 185	199 179 189	190 182 186	185 180 183	175 173 174	165 158 162	162 164 163	14 15 15
444	Essential benign hypertension $\ldots \left\{ egin{array}{l} M \\ F \\ P \end{array} \right.$	133 137 135	44 50 47	46 49 48	134 136 135	132 139 136	132 140 136	127 144 136	122 136 129	115 126 121	111 130 121	11
445	Essential malignant hypertension $\begin{cases} M \\ F \\ P \end{cases}$	31 20 25	28 16 21	26 17 21	34 19 26	40 18 29	34 20 26	35 14 24	34 16 25	33 16 24	32 17 24	1
446	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	30 28 29	29 25 27	27 23 25	25 22 23	27 22 24	24 22 23	23 21 22	20 20 20	18 17 17	18 17 18	1
447	Other hypertensive disease without $ \begin{array}{cccc} M \\ F \\ P \end{array} $	0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0	000	0 0 0	ı
450-456	Diseases of arteries $\ldots \ldots \begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	278 267 272	275 263 269	290 278 284	273 261 267	272 266 269	277 267 272	281 293 287	279 289 284	265 278 271	295 307 301	28 31 29
450	General arteriosclerosis $ \begin{cases} M \\ F \\ P \end{cases}$	236 227 231	246 237 241	262 255 258	229 227 228	224 233 228	225 228 227	225 251 238	220 242 231	198 231 215	221 253 238	20 26 23
	0 Without mention of gangrene $\begin{cases} M \\ F \\ P \end{cases}$	210 209 209	216 214 215	229 230 230	200 205 203	197 211 204	197 207 202	198 229 214	193 221 207	177 210 194	197 232 215	18 23 21
	1 With mention of gangrene as a $\left\{ egin{array}{ll} M \\ F \\ P \end{array} \right.$	26 18 22	30 24 27	33 25 29	29 22 25	27 22 24	27 21 24	27 22 25	27 21 24	22 21 21	24 21 23	222
451	Aortic aneurysm, non-syphilitic, $\left\{ egin{array}{l} M \\ F \\ P \end{array} \right.$	10 10 10	12 11 12	14 13 13	32 25 28	34 23 28	40 29 34	43 31 37	47 36 41	52 36 44	60 43 51	4 5
452-456	Other diseases of arteries $\left\{ egin{array}{l} M \\ F \\ P \end{array} \right.$	31 30 31	16 15 15	14 10 12	12 9 10	13 10 12	13 10 11	13 11 12	13 11 12	14 11 12	14 11 12	1 1
460-468	Diseases of veins and other diseases of $\left\{\begin{matrix} M \\ F \\ P \end{matrix}\right\}$	34 47 41	38 52 45	37 48 43	36 51 44	38 55 47	43 59 51	47 64 56	50 72 61	51 70 61	50 76 63	5 8 7
460	Varicose veins of lower extremities $\begin{cases} M \\ F \\ P \end{cases}$	4 9 7	4 10 7	4 10 7	4 10 7	2 7 5	2 9 6	2 9 6	3 9 6	2 7 5	2 7 5	۰
463	Phlebitis and thrombo-phlebitis of $\left\{\begin{matrix} M \\ F \\ P \end{matrix}\right.$	4 7 6	7 13 10	6 10 8	7 10 8	6 10 8	5 10 7	7 10 8	7 11 9	6 11 9	6 11 8	1
465	Pulmonary embolism and infarction $\left\{egin{array}{c} M \\ F \\ P \end{array}\right\}$	14 14 14	15 15 15	16 14 15	15 16 15	18 19 18	19 19 19	22 21 21	21 25 23	22 24 23	22 29 26	2 3 3
466	Other venous embolism and throm-	7 9 8	8 10 9	7 10 9	7 12 10	9 15 12	12 17 15	12 20 16	15 23 19	17 23 20	15 25 20	1 2 2
470-527	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	1,668 1,156 1,400	1,524 1,021 1,264	2,176 1,573 1,863	1,514 921 1,206	1,735 1,151 1,432	1,460 873 1,155	1,654 1,013 1,321	1,677 1,055 1,355	1,753 1,035 1,381	1,703 1,018 1,348	1,86 1,18 1,51
470-475	Acute upper respiratory infections $\hdots \left\{ egin{align*} M \\ F \\ P \end{array} \right.$	5 3 4	6 6 6	6 6 6	4 4	4 4 4	4 4 4	3 3 3	3 3	3 3 3	3 3 3	
480–483	Influenza $\left\{egin{array}{ll} M\\ F\\ P \end{array}\right.$	128 132 130	88 90 89	351 370 361	42 38 40	137 155 147	41 41 41	68 66 67	59 58 59	164 136 150	56 51 53	17 16 17
480	Influenza with pneumonia $\ldots \left\{ egin{array}{l} M \\ F \\ P \end{array} \right.$	59 57 58	44 41 43	176 178 177	21 19 20	68 77 73	22 19 20	36 34 35	31 28 29	116 96 106	35 30 33	11 10 11
481	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	67 73 70	42 47 45	173 189 181	19 18 19	67 77 72	19 20 20	31 31 31	28 30 29	47 38 42	20 20 20	5 6 5
490–493, 763	Pneumonia $$ $\left\{ egin{array}{ll} M \\ F \\ P \end{array} \right.$	536 444 488	454 390 421	579 496 536	490 404 445	532 455 492	458 397 426	519 465 491	542 499 520	558 494 525	566 525 545	62 58 60

	_										
Causes of death	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	117 79 97	106 70 87	113 75 93	103 63 82	103 67 84	88 64 76	93 64 78	92 63 77	87 58 72	80 58 69	81 60 70
Bronchopneumonia (age 4 weeks $\left\{ egin{array}{ll} \mathbf{M} \\ \mathbf{F} \\ \mathbf{p} \end{array} \right\}$	353 317 335	291 280 285	396 372 384	327 295 310	367 346 356	316 296 305	369 361 365	392 396 394	411 394 402	429 428 428	486 477 481
Primary atypical pneumonia (age M F P P P P P P P P P P P P P P P P P P	1 0	3 2	4 3	4 2	3 2	4 3 4	3	4 3 4	7 5 6	5 4 4	6 5 6
Pneumonia, other and unspecified. $\begin{cases} M \\ F \end{cases}$	32	31 23	38 30	31 27	33 25	28 21 24	31	31 24 28	33 25 29	29 22 25	30 27 29
Pneumonia of the newborn* $$ $\left\{ egin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	1·39 0·95	1·43 0·98	1·64 1·14	1·54 1·16	1·57 1·01	1·37 0·88	1·41 0·93	1·40 0·89	1·15 0·81	1·34 0·90	1·15 1·84 1·00
Bronchitis $\cdot \cdot \cdot \left\{ \frac{M}{F} \right\}$	858 521	836 484	1,089 640	842 428	923 486	806 375	903 420	924 433	876 350	935 388	923 377
Acute bronchitis $\left\{ \begin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	128 138	93 113	135 159	90 92	102 110	70 75	79 82	78 87	65 62	69 68	68 67 68
Bronchitis, unqualified $\ldots \qquad \left\{ egin{array}{l} M \\ F \end{array} \right.$	85 77	66 59	80 77	53 49	59 52	50 45	50 46	49 49	41 36	45 43	42 40
Chronic bronchitis $\begin{cases} M \\ F \end{cases}$	646 305	678 312	873 404	699 288	762 324	686 255	773 292	797 297	770 251	822 277	270
$egin{pmatrix} \mathbf{P} \\ 0 & \mathbf{Bronchitis} & \mathbf{with} & \mathbf{emphysema} & \dots \end{pmatrix} egin{pmatrix} \mathbf{M} \\ \mathbf{F} \\ \end{pmatrix}$	205 42	233 45	311 66	287 57	320 63	307 56	372 70	389 79	394 67	428 78	532 421 79
P	441	445	563	413 230	442 261	379 199	401 222	408 219	376 184	393 199	391 192
Other diseases of respiratory system M F	166	164	178	318 161 64	166 65	174 69	183 72	171	172 64	167 66	
(P	116	113	4	111	114	119	4	4	3		109 3 2
(P	4	3	3	3	3	3			1	3	1
Pleurisy $\left\{ \begin{array}{cccccccccccccccccccccccccccccccccccc$					2	2				1	1
stasis MF	22	19	21	15	17	19	20	20	15	15	16
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	(0	0	0	0	0	0	1	0	1	1
Other chronic interstitial pneumonia $\left\{egin{array}{c} M\\ F\\ P\end{array}\right.$	3	3	4	4	3	4	4	3	4	1	8 5 6
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	30	29	35	28	27	29	31	31	29	26	25
Other diseases of lung and pleural F Cavity F		5 6	9	i 9	10) 9	10	13	10	12	12
1 Emphysema without mention of \(\begin{array}{cccccccccccccccccccccccccccccccccccc	4	1 4	1 8	7	8	7	8	10	8	9	9
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	323	3 314	318	308	305	310	315	310	301	297	305
Diseases of buccal cavity and oeso- phagus F	1	7	5 . 7	5	5	7	6	6	6	6	
Diseases of stomach and duodenum $\begin{cases} M \\ F \end{cases}$	192	193	214	201 64	188	197	194 72	184	67	7! 67	67
	Lobar pneumonia (age 4 weeks and over)	Lobar pneumonia (age 4 weeks and { M 777 78 79 79 79 79 79 7	Lobar pneumonia (age 4 weeks and	Lobar pneumonia (age 4 weeks and M F 79 70 75 79 70 75 79 70 75 79 70 75 79 70 75 75 70 75 75 77 75 77 75 77 75 77 75 77 75 77 75 77 75 77 75 77 75 77 75 77 75 77 7	Lobar pneumonia (age 4 weeks and	Lobar pneumonia (age 4 weeks and M 117 106 113 103 103 103 103 104 107 107 108 1	Lobar pneumonia (age 4 weeks and M M 117 106 113 103 103 684 684 76	Lobar pneumonia (age 4 weeks and M	Lobar pneumonia (age 4 weeks and M 117 106 113 103 103 88 93 92 92 93 82 84 76 78 77 78 79 79	Lobar pneumonia (age 4 weeks and 6 M prover)	Lobur pneumonia (age 4 weeks and M 117

^{* 763.} Rates per 1,000 live births (related live births prior to 1957; live birth occurrences from 1957).

ICD No.	Causes of death	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	1
540	Ulcer of stomach $\left\{egin{array}{ccccc} M \\ F \\ P \end{array}\right.$	98 35 65	96 37 66	99 40 69	93 40 65	86 39 61	88 40 63	87 42 64	84 43 63	77 41 58	74 40 57	
	0 Without mention of perforation $\left\{egin{aligned} M \\ F \\ P \end{aligned}\right.$	66 27 46	77 28 52	70 31 49	65 30 47	62 30 45	64 30 46	63 32 47	61 34 47	56 31 43	. 55 33 43	
	1 With perforation $\ldots \begin{cases} M \\ F \\ P \end{cases}$	32 8 19	19 9 14	29 9 19	28 9 18	24 9 16	24 9 17	24 10 17	23 10 16	21 10 15	19 7 13	
541	Ulcer of duodenum $\ldots \begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	84 14 47	87 17 51	104 19 60	99 18 57	93 20 55	100 24 61	99 25 60	92 24 57	88 22 54	84 23 52	
	0 Without mention of perforation $\left\{egin{array}{c} M \\ F \\ P \end{array}\right\}$	53 9 30	55 11 32	64 12 37	64 11 36	59 12 35	63 14 38	62 15 37	59 15 36	55 13 33	52 13 32	
	1 With perforation $\ldots \left\{ egin{array}{l} M \\ F \\ P \end{array} \right.$	32 5 18	32 6 18	40 7 23	35 7 21	34 8 20	38 10 23	37 10 23	33 9 21	33 8 20	31 9 20	
550-553	Appendicitis $$ $\left\{egin{array}{ll} M \\ F \\ P \end{array}\right\}$	36 23 29	35 24 30	32 22 27	28 20 24	26 16 21	26 18 22	23 16 19	24 14 19	23 13 18	21 14 18	
550	Acute appendicitis $\left\{ egin{array}{ll} M \\ F \\ P \end{array} \right.$	31 20 25	30 21 25	28 18 23	24 16 20	22 13 17	21 15 18	19 13 16	20 11 15	19 11 15	18 12 15	
	0 Without mention of peritonitis $\left\{egin{array}{c} M \\ F \\ P \end{array}\right\}$	4 2 3	5 3 4	: 4 3 3	2 3	3 2 3	3 2 3	3 2 2	3 2 3	. 3 1 2	3 2 2	
	1 With peritonitis $\left\{egin{array}{cccc} M & F \\ P & P \end{array}\right.$	27 18 22	26 17 21	24 16 20	21 14 17	19 11 15	18 13 15	16 11 14	16 9 13	16 10 13	15 10 13	
551-553	Other and unqualified appendicitis $\left\{egin{aligned} M\\ F\\ P \end{array}\right.$	5 2 4	5 4 4	4 3 4	4 4	4 2 3	4 3 4	3 3 3	5 3 4	4 2 3	3 2 3	
560, 561	Hernia of abdominal cavity $\dots \left\{egin{array}{c} M \\ F \\ P \end{array}\right]$	41 39 40	39 38 39	39 39 39	39 37 38	36 36 36	36 35 35	39 35 37	36 37 37	36 35 35	33 32 32	
560	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	9 6 7	7 6 7	8 5 7	9 6 8	9 6 7	9 7 8	10 7 8	9 8 8	10 7 8	9 8 8	
561	Hernia of abdominal cavity with $\left\{egin{array}{cccccccccccccccccccccccccccccccccccc$	32 34 33	32 32 32	31 33 32	30 31 30	27 29 28	27 28 27	29 28 28	27 30 28	26 28 27	24 24 24	
570-578	Other diseases of intestines and peritoneum $\dots \dots \dots M_F$	134 119 126	111 101 106	102 100 101	95 96 96	94 96 95	88 90 89	88 94 91	83 93 88	83 95 89	86 95 90	
570	Intestinal obstruction without men- $\left\{egin{array}{ccc} M & F \\ F \\ P \end{array}\right\}$	40 36 38	35 29 32	34 31 33	36 31 34	34 30 32	33 28 30	31 31 31	33 31 32	31 28 30	32 31 31	
	2 Mesenteric infarction $\left\{egin{array}{l} M\\ F\\ P\end{array}\right\}$	3 3 3	6 6 6	8 7 7	9 8 8	.9 .8 8	10 8 9	8 9 8	9 9 9	9 10 9	9 10 10	
	3 Volvulus $\left\{egin{array}{cccc} M \\ F \\ P \end{array}\right\}$	10 8 9	9 6 8	9 7 8	11 7 9	9 8 8	9 6 7	9 7 8	10 8 9	9 6 8	, 8 7 7	
	4 Impaction of intestine $ \begin{cases} M \\ F \\ P \end{cases}$	1 2 1	2 3 2	1 3 2	1 3 2	1 3 2	2 3 3	2 4 3	2 3 3	1 2 2	1 2 2	
	5 Other $$ $\left\{egin{array}{ll} M\\ F\\ P\end{array}\right\}$	19 19 19	13 10 12	11 11 11	11 11 11	11 10 10	9 8 9	10 9 9	9 9 9	10 8 9	11 10 10	
571	Gastro-enteritis and colitis except $\left\{ egin{array}{ll} M \\ F \\ P \end{array} \right\}$	65 48 56	44 33 38	34 28 31	28 25 26	26 24 25	20 20 20	21 19 20	17 16 16	16 17 17	17 15 16	
	0 Ages between 4 weeks and $2\begin{cases} M \\ F \\ P \end{cases}$	1,434 1,039 1,242		690 489 592	593 444 519	574 411 494	406 313 361	409 287 350	266 195 231	278 197 239	243 163 204	
	1 Ages 2 years and over $\begin{cases} M \\ P \end{cases}$	11 15 13	10 14 12	11 14 13	9 12 11	8 12 10	7 11 9	9 12 10	8 11 10	7 11 9	9 10 10	

^{* 571.0} R tes per million population aged under 2 years.

ICD No.	Causes of death	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959
572	$\begin{array}{ccccc} & \text{Chronic} & \text{enteritis} & \text{and} & \text{ulcerative} & \underset{F}{M} \\ & \text{colitis} & \dots & \dots & \dots & \underset{F}{M} \end{array}$	21 26 24	22 30 26	21 30 26	20 30 25	22 31 27	24 32 28	25 33 29	23 36 30	25 38 32	27 41 34	26 41 34
	1 Diverticulitis $\left\{egin{array}{ll} M\\ F\\ P\end{array}\right.$	12 13 13	13 15 14	12 16 14	11 15 13	12 17 15	15 18 17	15 20 17	13 21 17	15 24 20	17 26 22	17 29 23
	2 Ulcerative colitis $\begin{cases} M \\ F \\ P \end{cases}$	7 11 9	7 12 10	7 12 10	7 13 10	8 12 10	6 13 10	8 11 10	13 10	8 12 10	12 10	
3–578	Other diseases of intestines and peritoneum $\left\{ egin{array}{ll} M\\ F\\ P \end{array} \right.$	9 8 8	11 9 10	12 10 11	11 10 11	12 11 11	11 10 10	11 11 11	10 10 10	11 11 11	10 9 9	9
0-587	Diseases of liver, gallbladder and $\left\{ egin{array}{lll} M & F & F \\ P & & \end{array} \right.$	59 79 70	62 86 75	63 87 76	69 85 77	68 89 79	69 90 80	69 92 81	66 87 77	67 87 77	70 83 77	67 87 77
581	Cirrhosis of liver $\left\{egin{array}{ll} M\\ F\\ P\end{array}\right.$	27 16 21	27 19 23		31 21 26	31 22 26	30 23 26	29 24 26	29 23 26	31 23 27	30 23 26	25
584	Cholelithiasis $\left\{egin{array}{ll} M\\ F\\ P\end{array}\right.$	10 23 17	12 27 20	26	11 25 18	11 27 19	13 26 19	13 26 20	13 25 19	11 25 18	13 23 18	13 23 18
585	Cholecystitis and cholangitis, without mention of calculi $ \begin{cases} M \\ F \\ P \end{cases} $	8 21 15	8 20 15	20		10 19 14	9 20 15	9 19 14	9 18 13	8 17 13	9 16 13	8 16 12
587	Diseases of pancreas $\dots \begin{cases} M \\ F \\ P \end{cases}$	8 10 9	9 12 10	12		10 13 12	11 13 12	13 16 14	11 15 13	11 15 13	14 14 14	13 16 14
•	0 Acute pancreatitis $\begin{cases} M \\ F \\ P \end{cases}$	6 8 7	6 9 7					8 11 9	7 10 8	6 10 8		
90-637	$ \begin{array}{c} \textbf{X} \textbf{DISEASES} \textbf{OF THE GENITO-} \\ \textbf{URINARY SYSTEM} \qquad \dots \qquad \begin{pmatrix} \textbf{M} \\ \textbf{F} \\ \textbf{P} \end{pmatrix} $	462 196 323		197		171	170	370 169 265	361 163 258	339 158 245		315 156 233
90-594	Nephritis and nephrosis $$ $\left\{ egin{array}{l} M \\ F \\ P \end{array} \right\}$	161 144 152	158 149 153	140	122		107	114 100 107	119 92 105	104 84 93	99 82 90	75
590	Acute nephritis $\left\{egin{array}{cccc} M & F \\ P & \end{array}\right\}$	9 7 8	9 7 8	6		4	5 4 5	5 2 3	6 3 4	4 3 3		3 2 3
591	Nephritis with oedema $\ldots \left\{ egin{array}{l} M \\ F \\ P \end{array} \right\}$	6 5 6	10	8	6	6	6	9 8 8	10 7 8	6	5	5 6
592	Chronic nephritis $\binom{M}{F}_{P}$	137 123 130	125	118	103		89	90 82 86	75	80 68 74	67	60
593	Nephritis not specified as acute or $\left\{ egin{array}{lll} M & F \\ F & P \end{array} \right\}$	9 8 8	5	7	8	7	9 7 8	10 7 8	6	6	6	8
00–609	Other diseases of urinary system $\dots \begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	54 40 47		45	45	47	53	59 60 59	59 62 60	62 65 64		73
600	Infections of kidney $ \begin{cases} M \\ F \\ P \end{cases}$	20 23 22	26	25	25	28	32	28 38 33		43	43	52
	0 Pyelitis, pyelocystitis and pyelonephritis $\left\{ egin{array}{cccccccccccccccccccccccccccccccccccc$	19 22 20	25	22 23 23	22 24 23	25 27 26	26 31 28	27 36 32	29 38 34	32 42 37	32 42 37	50
602	Calculi of kidney and ureter $\ldots \left\{ egin{matrix} M \\ F \\ P \end{array} \right.$	1 7 5 6	6	6	6	6		7 7 7	6 7 6	7	6	6
605	Cystitis $\binom{M}{F}$	11 8 9	8	9 7 8	7	8 7 8	8	7 8 7	7 8 7	5 8 7		
608	Stricture of urethra $$ $\left\{egin{array}{l} M\\ F\\ P\end{array}\right.$	8 0 4	0	0	0	- 4	6 0 3	5 0 2	5 0 2	4 0 2		3 0 1
10-617	Diseases of male genital organs M	247	237	227	213	202	209	196	183	173	169	164
610	Hyperplasia of prostate M	240	225	216	206	197		191	179			
611	Prostatitis M	5	6	6	5	4	3	4	2	3	-3	3

	110000											
ICD No.	Causes of death	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	1
620–626	Diseases of breast, ovary, Fallopian $\left\{ egin{array}{ll} \mathbf{M} \\ \mathbf{f} \\ \mathbf{p} \end{array} \right\}$	_ _ 4	3	_ 3	_ 3	_ 3	_ 2	3	_ 2	_ 2	_ 1	
630–637	Diseases of uterus and other female genital organs F	9	10	10	9	10	8	7	7	7	8	
631	Uterovaginal prolapse F	5	6	6	6	6	4	4	5	5	5	
640–689 640–649	CATIONS OF PREGNANCY, CHILDBIRTH AND THE PUER- PERIUM F	0.97	0.87	0.76	0.67	0.71	0.65	0.59	0.52	0.45	0.43	
* 660–689 640–648 642	nancy, childbirth and the puer- perium, excl. abortion F	0·81 0·26 0·16	0.21	0·60 0·26 0·18	0·54 0·22 0·16	0·60 0·27 0·19	0·54 0·20 0·13	0·50 0·20 0·12	0·42 0·20 0·11	0-37 0-15 0-10	0·35 0·14 0·08	
(650-652	Abortion F	0.05		0.03	0.03	0.05	0.03	0.03	0.03	0.03	0.02	-
650 651 652	Without mention of sepsis or toxaemia F With sepsis	3	3 7	4 7	3 5	3 4	4 3	3 4	3 4	3 4	3 4	
032	sepsis F	1	1	0	1	1	. 1	0	1	0	0	
670–678 670	Delivery with specified complication F Placenta praevia or antepartum	0.32	0.22	0.22	0.19	0.21	0.21	0-17	0.13	0-12	0.12	(
671, 672	haemorrhage F Retained placenta, and other post-	0.03	0.03	0.04	0.02	0.05	0.04	0.03	0.03	0.03	0.02	6
673–675	proportion or malposition of foctus, and prolonged labour of	0.12	0.05	0.08	0.06	0.07	0.06	0.06	0.03	0.03	0.04	ľ
680689 681	other origin F	0.09 0.23	0.06 0.18	0·05 0·12	0.05 0.12	0.04 0.12	0·05 0·11	0·05 0·13	0·05 0·09	0·04 0·08	0·03 0·08	0
682 684 685	perium F Puerperal phlebitis and thrombosis F Puerperal pulmonary embolism F Puerperal eclampsia F	0·03 0·04 0·03 0·08	0·03 0·05 0·04 0·04	0·02 0·04 0·03 0·02	0·01 0·04 0·04 0·02	0·02 0·04 0·03 0·01	0·02 0·06 0·02 0·01	0·02 0·05 0·03 0·01	0·01 0·04 0·01 0·01	0·02 0·03 0·01 0·01	0·01 0·03 0·02 0·01	000
690-716	XII DISEASES OF THE SKIN AND CELLULAR TISSUE $\left\{ egin{array}{ll} \mathbf{F} \\ \mathbf{P} \end{array} \right.$	14 13 14	14 14 14	14 16 15	12 16 14	13 16 14	11 14 12	9 14 11	9 13 11	9 11 10	9 12 11	Ī
690–698	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	7 5 6	6 5 5	5 6 6	4 5 5	5 5 5	4 4 4	4 4 4	3 4 4	3 3 3	4 4 4	
700–716	Other diseases of skin and subcutan-	7 8 8	8 10 9	8 10 9	7 11 9	9 10 10	6 10 8	4 10 7	5 9 7	6 7 7	5 8 7	
720-749	XIII DISEASES OF THE BONES $\left\{ egin{array}{l} M \\ F \\ P \end{array} \right\}$	33 61 48	25 42 34	26 46 36	25 42 34	27 43 35	29 50 40	29 59 44	29 53 42	27 53 40	28 56 43	
720–727	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	22 52 38	14 33 24	14 34 25	12 32 22	14 34 24	17 39 28	16 47 32	16 41 29	14 40 28	16 44 30	
722	Rheumatoid arthritis and allied $\left\{\begin{matrix} M \\ F \\ P \end{matrix}\right\}$	13 40 27	8 25 17	9 25 17	7 24 16	9 24 17	10 30 20	10 35 23	10 31 21	8 30 20	10 32 22	
	0 Rheumatoid arthritis $ \left\{egin{array}{l} M \\ F \\ P \end{array}\right.$	13 40 27	7 25 16	8 25 17	6 24 15	8 24 17	9 30 20	9 35 23	9 31 21	8 30 19	9 32 21	
723	Osteo-arthritis (arthrosis) and allied $\left\{\begin{matrix} M \\ F \\ P \end{matrix}\right\}$	6 8 7	4 7 5	4 8 6	3 7 5	4 7 6	5 8 7	5 10 8	6 9 7	5 9 7	5 10 7	
	0 Osteo-arthritis (arthrosis) $\ldots \begin{Bmatrix} M \\ F \\ P \end{Bmatrix}$	5 8 6	4 6 5	3 7 5	2 6 4	3 7 5	4 7 5	4 9 7	4 8 6	4 8 6	4 8 6	
730738	Osteomyelitis and other diseases of $\left\{\begin{matrix} M \\ F \\ P \end{matrix}\right\}$	7 6 7	7 6 7	8 8 8	8 6 7	8 6 7	8 8 8	8 8 8	7 8 8	7 8 8	6 8 7	
730	Osteomyelitis and periostitis $\ldots \left\{ egin{array}{l} M \\ F \\ P \end{array} \right.$	3 2 2	3 1 2	2 2 2	2 1 2	3 1 2	2 2 2	2 1 2	2 2 2	2 2 2	2 1 2	
731	Osteitis deformans $\ldots \left\{egin{array}{cccc} M & F & P \end{array}\right.$	3 3	3 3 3	4 4 4	4 3 4	4 3 3	4 3 4	4 4 4	4 4 4	4 4 4	3 4 4	

^{*} Rates per 1,000 total (live and still) births. † Rates per million women aged 15-44 years

TABLE 8—continued												
CD No.	Causes of death	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959
-749	Other diseases of musculoskeletal $\left\{ egin{array}{ll} M \\ F \\ P \end{array} \right.$	4 2 3	4 3 4	4 4	6 3 4	5 3 4	5 4 4	5 4 5	5 4 5	5 4 5		4
-759	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	117 99 108	119 98 108	115 97 106	110 93 101	104 89 97	110 93 101	114 92 103	92	120 101 110	98	102
750	Monstrosity $ \begin{cases} M \\ F \\ P \end{cases}$	2 2 2	2 2 2	2 2 2	3 3 3	2 3 2	2 3 3	2 3 3	3 3 3	3 4 3		2 5 4
751	Spina bifida and meningocele $\ldots \left\{\begin{matrix} M \\ F \\ P \end{matrix}\right.$	13 19 16	13 15 14	14 17 15	14 19 16	13 17 15	15 21 18	16 21 18	16 20 18	15 20 18	20	17
752	Congenital hydrocephalus $ \begin{cases} M \\ F \\ P \end{cases}$	9 10 10		9 8 8	9 9 9	8 9 8	9 10 10	9 10 9	10 10 10	9 10 9	9 10 10	
753	Other congenital malformations of $\left\{\begin{matrix} M\\ F\\ P\end{matrix}\right\}$ nervous system and sense organs $\left\{\begin{matrix} M\\ F\\ P\end{matrix}\right\}$	2 3 3	2 3 2	2 3 3	3 2 2	2 3 2	3 3 3	2 3 3	2 3 3	4 3 3	3 3 3	
754	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	51 41 46	55 43 49	50 42 46	42 35 39	43 34 39	45 33 39	47 33 40	47 34 40	52 39 45	52 37 44	50 39 45
756	$ \begin{array}{cccc} \textbf{Congenital malformations of digestive} & \textbf{M} \\ \textbf{system} & \dots & \dots & \dots \\ \textbf{F} \\ \textbf{P} \end{array} $	22 11 16	19 10 14	17 9 13	16 9 12	15 9 12	14 8 11	14 7 10	13 7 10	14 7 10	13 8 10	13 8 10
757	Congenital malformations of genito- $ \begin{cases} M \\ F \\ P \end{cases} $	10 7 8	12 9 10	12 8 10	13 8 10	12 7 10	12 8 10	13 8 10	12 8 10	13 10 11	12 8 10	11 10 10
-776*	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		17·73 12·69 15·29	18·34 12·91 15·71	17·24 12·54 14·96	16·56 12·19 14·43	16·39 11·54 14·03	15·87 11·48 13·74	15·55 11·16 13·43	15·08 10·86 13·03	14·75 10·56	14·28 10·49 12·44
-795	XVI SYMPTOMS, SENILITY AND MILL-DEFINED CONDITIONS F	265 387 329	200 298 251	197 288 244	155 227 192	145 231 190	156 250 205	173 272 224	162 260 213	136 224 181	137 225	124 217 172
-789	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	20 16 18	12 9 10	12 8 10	7 6 7	7 7 7	7 5 6	7 6	6	5 5	4	3 3 3
-795	Senility and ill-defined diseases $\dots \begin{cases} M \\ P \end{cases}$	246 371 311	188 288 240	185 279 234	148 221 186	138 224 183	149 245 199	166 266 218	156 254 207	130 219 176	133 221 179	121 214 169
794	Senility without mention of psy- Chosis	240 369 307	186 287 238	182 278 232	145 219 183	135 222 180	145 243 196	162 265 215	152 252 204	127 216 173	130 220 176	118 211 166
-E999	XVII ACCIDENTS, POISONINGS M AND VIOLENCE (EXTERNAL F P P	569 302 430	562 308 431	591 321 451	568 298 428	582 329 450	593 358 471	605 370 483	604 383 490	594 374 480	614 390 498	615 399 503
)-E802	(M	16 1 8	16 2 8	14 1 8	18 3 10	16 1 8	12 1 6	13 1 7	14 2 7	13 1 7	14 2 8	11 1 6
)-E835	Motor vehicle accidents $\dots \begin{cases} M \\ F \\ P \end{cases}$	141 41 89	151 46 97	161 49 103	149 42 94	158 45 99	161 51 104	171 55 111	174 56 113	170 53 109	186 60 121	202 69 132
E812	To pedestrian $\ldots \ldots \left\{egin{matrix} M \\ F \\ P \end{array}\right.$	59 30 44	54 32 43	62 32 46	52 29 40	56 29 42	56 35 45	57 35 46	59 36 47	56 32 44	61 39 49	59 42 50
E813	To pedal cyclist $\dots \left\{egin{array}{ll} M \\ F \\ P \end{array}\right.$	24 3 13	22 4 13	22 4 13	21 3 12	22 3 12	21 3 12	20 4 12	21 3 12	20 3 11	21 2 11	24 4 14
E815	To rider or pass'r of m/cycle in $\begin{bmatrix} M \\ F \end{bmatrix}$	21 1 11	30 2 16	30 2 15	31 2 16	32 2 17	33 2 17	37 3 19	35 2 18	34 3 18	40 3 21	45 3 23
E816	Other m: v: traffic acc. involv'g two { M or more motor vehicles	9 2 6	10 3 7	12 5 8	9 3	13 4 9	14 5 9	18 7 12	20 7 13	17 7 12	25 9 16	29 11 19
E821	To rider of motor cycle without [M	6	8	12	13	13	14	15	15	18	15	18 2

For details of causes 760-776, see Table 12. Rates per 1,000 live births (related live births prior to 1957; live birth occurrences from 1957).

	TABLE 6—continued											
ICD No.	Causes of death	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	
E823	Involving running off roadway $$ $\begin{cases} M \\ F \\ P \end{cases}$	1 0	000	2 1 2	5 1 3	5 1 3	6 2 4	8 2 5	9 3 6	11 2 6	11 3 7	
E840-E845	Other road vehicle accidents $\left\{egin{array}{l} M \\ F \\ P \end{array}\right.$	12 4 8	14 4 9	11 3 7	11 3 7	9 3 6	9 3 6	9 2 6	7 2 4	8 2 5	7 3 5	
E843	Acc. to rider of p: cycle not involving collision with motor vehicle $\left\{\begin{matrix} M \\ F \\ P \end{matrix}\right.$	7 1 4	8 1 5	8 <i>I</i> 4	6 1 4	5 1 3	6 1 3	6 1 3	5 0 2	6 1 3	5 1 3	
E850-E858	Water transport accidents $\dots \begin{cases} M \\ F \\ P \end{cases}$	7 0 4	9 0 4	7 0 3		7 0 3	6 0 3	6 0	7 0 3	7 0 4	6 0 3	
E860-E866	Aircraft accidents $ \left\{ egin{array}{ll} M \\ F \\ P \end{array} \right.$	4 1 2	11 0 5	13 1 7	14 1 7	9 0 4	10 0 5	0	6 0 3	7 1 3	8 1 4	
E870-E888	Accidental poisoning by solid and $\begin{bmatrix} M \\ F \\ P \end{bmatrix}$	5 4 5	5 6 6	6	6	6 7 7	7 7 7	7 7 7	8 8 8	8 8	7 8 8	
E871	Barbituric acid and derivatives $\hdots egin{dark} M & F \\ P & \end{pmatrix}$	1 2 2	2 4 3	3	3	4	3 5 4	4 5 4	4 6 5	5 5		
E870, E872–E888	Remainder, accidental poisoning by $\begin{cases} M \\ F \\ P \end{cases}$	3 2 3	3 3 3	3 3			4 2 3	4 2 3	3 3 3	4 3 3		
E890-E895	Accidental poisoning by gases and $\left\{ egin{array}{ll} M \\ F \\ P \end{array} \right.$	11 10 11		12 13 13	13	14	15 17 16	21	17 20 18	17 20 19		
E890	Utility (illuminating) gas $\dots egin{pmatrix} M \\ F \\ P \end{pmatrix}$	9 10 10	11	10 13 12	13	14	13 17 15	15 20 18	14 19 17	14 19 17		
E900-E904	Accidental falls $\ldots \left\{egin{array}{ccccc} M & F & F \\ P & \end{array}\right.$	81 105 93	113	117	105	123	99 141 121	144	99 149 125	92 142 118	149	
E910-E936	Other accidents $\left\{egin{array}{ccccc} M & F \\ P & \end{array}\right.$	136 53 93	49	53	125 50 86	53	110 50 79	50	112 50 80		48	
E910	Blow from falling or projected $\left\{egin{array}{ll} \mathbf{F} \\ \mathbf{F} \\ \mathbf{P} \end{array}\right\}$	21 1 11	0	1	1	1	1		13 1 7	14 0 7	1	
E912	Caused by machinery $\ldots \left\{egin{array}{c} M\\ F\\ P\end{array}\right.$	1000	0	0		0	8 0 4	11 0 6	11 0 . 5	11 0 6		
E914	Caused by electric current $\left\{egin{array}{c} M \\ F \\ P \end{array}\right\}$	3 1 2	1	1	1 3	4 1 3	4 1 2	4 1 2	. 5 1 3	5 1 3	513	
E916	Caused by fire and explosion of $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	1 9 16 13	16	19	19	16	19	19	11 19 15	11 17 14	10 17 14	
E917	Caused by hot substance, corrosive $\left\{ egin{array}{l} M \\ F \\ P \end{array} \right.$	I 4	3	3	3	2	3 3 3	3	3 3 3	2 2 2	3 3 3	
E921-E925	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	25 16 20	14	14	13	13	13		21 13 17	18 11 14	10	
E921	Inhalation and ingestion of food $\left\{ egin{array}{ll} M \\ causing obstr: or suffocation \\ \end{array} \right.$	1 12 8 10	8	117	117	7	12 8 10	7	12 8 10	11 7 9	10 6 8	
E924	Acc. mechanical suffocation in bed $\left\{ egin{array}{ll} M \\ F \\ P \end{array} \right\}$	10 6	5		. 4	4	4	3	5 4 5	4 3 4	5 3 4	
E929	Accidental drowning and submers $\left\{ egin{array}{lll} F \\ F \\ P \end{array} \right\}$		36	36	8	8	30 8 19		30 8 18	32 10 21	32 9 20	
E960-E965	Late effects of injury and poisoning $\left\{egin{aligned} \mathbf{M} \\ \mathbf{F} \\ \mathbf{P} \end{aligned}\right\}$	0 2	1	1	1	1	7 1 4	9 1 5	7 1 4	7 2 4	7 1 4	
E970-E979	Suicide and self-inflicted injury $\ldots \left\{ egin{array}{l} \mathbf{F} \\ \mathbf{F} \\ \mathbf{P} \end{array} \right.$	147 75 110	136 70	135 72	132	142	149 81 114	84	149 90 118	146 92 118	146 91 117	

[•] E916. See footnote to this cause in Table 7.

TABLE 8—continued											
Causes of death	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959
Poisoning by analgesic and soporific $\left\{ egin{array}{ll} M \\ F \\ P \end{array} \right.$	7	8	7	11	9	10	11	15	14	15	15
	9	11	10	13	11	14	15	17	17	19	19
	8	10	9	12	10	12	13	16	15	17	17
Poisoning by other solid and liquid $\left\{ egin{array}{ll} M \\ F \\ P \end{array} \right.$	6 4 5	5 4 4	5 3 4	5 3 4	5 3 4	4 2 3	4 2 3	5 2 4	4 2 3	3 1 2	3 2 3
Poisoning by gases in domestic use $\left\{egin{array}{c} M\\ F\\ P\end{array}\right.$	53 38 45	49 33 41	51 38 45	52 34 43	60 41 50	64 47 55	59 47 53	63 51 57	65 52	67 51 58	65 50 57
Hanging and strangulation $ \begin{cases} M \\ P \end{cases}$	31 6 18	27 6 16	25 6 15	25 5 15	25 6 15	29 6	27 5	26	26 6	22	20 5 12
Submersion (drowning) $\begin{cases} M \\ P \end{cases}$	17 10	16 10	15 10	13	12 9	14 8	13	13 9	12 9	12	11 8 10
Firearms and explosives $\begin{cases} M \\ F \\ P \end{cases}$	11 0 5	905	9 1 5	8 0 4	10 0 5	9 0 5	10 0 5	10 0 5	9 1 5	9 0	10 0 5
Cutting and piercing instruments $\left\{egin{aligned} M\\ F\\ P\end{aligned} ight.$	11	9	8	7	9	8	8	6	6	6	5
	2	2	1	1	1	1	1	2	1	1	1
	6	5	4	4	5	4	4	4	4	4	3
Jumping from high place $\left\{egin{align*} M \\ F \\ P \end{array}\right\}$	4 3 3	4 2 3	4 2 3	3 2 2	3 2 3	4 2 3	3 2 3	3 2 2	3 2 3	3 2 2	3 2 3
Other and unspecified means $\left\{ egin{array}{l} M \\ F \\ P \end{array} \right\}$	6	8	7	7	7	7	6	7	5	6	7
	2	2	2	1	1	2	2	1	2	2	1
	4	5	4	4	4	4	4	4	3	4	4
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	4	5	5	5	4	5	5	4	5	5	5
	5	5	4	4	4	5	4	4	5	4	6
	5	5	4	4	4	5	4	4	5	5	5
I CATION OF ACCIDENTS FEL	569	562	591	568	582	593	605	604	594	614	615
	302	308	321	298	329	358	370	383	374	390	399
	430	431	451	428	450	471	483	490	480	498	503
M	145	153	165	151	148	144	148	145	142	148	148
	40	42	42	37	37	38	39	42	39	41	43
	90	96	101	92	91	89	92	92	88	92	94
Fracture of spine and trunk $\left\{egin{array}{c} M \\ F \\ P \end{array}\right\}$	37	33	32	32	34	36	36	37	36	39	39
	9	11	11	12	13	16	17	18	17	19	20
	22	22	21	22	23	26	26	27	26	29	29
Fracture of limbs $\left\{egin{array}{ll} M\\ F\\ P\end{array}\right\}$	41	40	46	38	45	56	53	58	56	54	53
	80	88	91	78	95	109	113	120	112	121	121
	61	65	69	59	71	84	84	90	85	88	88
Dislocation without fracture $\left\{egin{array}{c} M \\ F \\ P \end{array}\right\}$	0 0	1 0 1	2 1 2	2 1 1	2 <i>I</i> 1	2 1 1	3 1 2	2 1 1	2 1 2	2 1 2	2 1 1
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	0 0	0	0 0	0 0	0 0	0	0 0	0 0	0 0	0	0 0
Head injury (excluding skull fracture) $\left\{egin{array}{c} M \\ F \\ P \end{array}\right\}$	40	43	46	40	41	44	45	43	41	44	49
	17	17	18	16	16	19	19	19	19	17	21
	28	29	31	27	28	31	32	30	30	30	34
Internal injury of chest, abdomen and $\left\{ egin{array}{ll} M \\ P \\ \end{array} \right.$	28	35	40	45	40	42	44	43	43	49	53
	6	7	7	8	9	8	8	8	8	10	13
	16	20	23	26	24	24	25	25	25	29	32
CM	24	19	17	22	24	20	21	18	18	20	18
	4	4	3	5	4	5	5	4	4	4	4
	13	11	10	13	13	12	13	11	11	12	11
Superficial injury, contusion and $\left\{ egin{array}{l} M \\ \text{crushing with intact skin surface} \end{array} \right \left\{ egin{array}{l} M \\ F \\ P \end{array} \right.$	3 3 3	2 3 2	2 3 3	2 3 2	2 3 3	2 4 3	3 4 3	3 2 2	2 2 2	2 2 2	2 2 2
Effects of foreign body entering $\left\{ egin{array}{ll} M \\ \text{through orifice} & \dots & \dots \end{array} \right\} \left\{ egin{array}{ll} M \\ F \\ P \end{array} \right\}$	14	13	13	13	12	14	14	13	12	13	11
	9	9	9	8	8	9	8	9	8	7	8
	11	11	11	11	10	11	11	11	10	10	10
Burns $$ ${}^{M}_{F}_{P}$	13	12	15	12	14	12	14	12	13	13	12
	20	19	21	22	17	21	21	20	17	19	19
	17	. 16	18	17	15	17	17	16	15	16	16
Effects of poisons $$ ${M \atop F}$	85	83	90	97	102	107	107	114	116	120	119
	68	67	73	71	79	89	94	102	103	105	107
	77	75	81	83	90	98	100	108	109	112	113
$\left.\begin{array}{c} \text{All other and unspecified effects of } \left\{ \begin{array}{c} M \\ F \\ P \end{array} \right. \end{array} \right.$	140	129	123	114	119	117	118	115	113	111	108
	47	41	41	38	48	40	42	38	44	43	40
	91	83	81	75	82	77	78	75	77	76	73
	Poisoning by analgesic and soporific substances	Causes of death Poisoning by analgesic and soporific MF FP 8 Poisoning by other solid and liquid MFFP 8 Poisoning by gases in domestic use MFP 8 Poisoning by gases in domestic use MFP 8 Hanging and strangulation \{ MFP 8 Hanging and strangulation \{ MFP 8 Submersion (drowning) \{ MFP 10 FP 10 Cutting and piercing instruments \{ MFP 10 FP 6 Jumping from high place \{ MFP 3 Other and unspecified means \{ MFP 8 Homicide and injury purposely MFP 4 Homicide and injury purposely MFP 4 Homicide and injury purposely MFP 4 inflicted by other persons (not in MFP 9 NXVII ALTERNATIVE CLASSIFI- MFP 302 POISONINGS, AND VIOLENCE PP 430 (NATURE OF INJURY) Fracture of skull \{ MFP 90 Fracture of spine and trunk \{ MFP 90 Sprains and strains of joints and MFP 90 Head injury (excluding skull fracture) \{ MFP 90 Internal injury ochtest, abdomen and MFP 90 Laceration and open wounds \{ MFP 90 Laceration and open wounds \{ MFP 90 Laceration and open wounds \{ MFP 90 Superficial injury, contusion and MFP 90 Effects of foreign body entering MFP 11 Burns \{ MFP 12 Effects of poisons \{ MFP 90 All other and unspecified effects of MFP 17 All other and unspecified effects of MFP 77 All other and unspecified effects of MFP 77	Poisoning by analgesic and soporific	Poisoning by analgesic and soporific	Poisoning by analgesic and soporific M	Poisoning by analgesic and soporific	Poisoning by analgesic and soporific M P 9 10 10 11 11 11 11 11	Causes of death	Causes of death	Causes of death	Causes of death

57

TABLE 9. Standardised Mortality Ratios (base years 1950-1952) by sex for certain causes of death, 1949 to 1959

England and Wale

- Note. 1 The S.M.R. shows the number of deaths registered in each of the years to which the table refers as a percentage of the numbers which would have been expected in those years had the sex/age mortality of a standard period (1950-1952) been experienced in those years. For years to 1957 inclusive causes of death were classified according to the sixth (1948) revision of the International Statistical Classification; for the 1958 figures the seventh (1955) revision has been used, necessary adjustments being made for the standard period to make the figures comparable with those for other years.
 - 2 Footnotes to Table 7 for individual causes apply also to this table.
 - 3 Civilian deaths and populations have been used when calculating S.M.R.s for 1949.
 - 4 See explanatory notes.

	4 See explanatory notes.											
ICD No.	Causes of death	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	15
	ALL CAUSES $\binom{M}{F}_{P}$	99 103 101	98 101 99	106 106 106	96 93 95	96 94 95	95 91 93	97 93 95	96 92 94	94 88 91	95 90 92	-
001-138	Infective and parasitic diseases $\dots \begin{cases} M \\ F \end{cases}$	135 151	114 122	103 102	83 76	73 68	64 57	56 49	48 42	44 39	40 36	
001-019	Tuberculosis, all forms $\cdots \begin{cases} M \\ F \end{cases}$	141 164	115 125	103 103	82 72	69 61	62 52	52 41	43 33	38 28	36 26	-
001-008	Tuberculosis, respiratory $\left\{ egin{array}{ll} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	140 168	115 127	102 102	83 72	70 61	63 52	53 41	44 32	39 27	36 26	
010-019	Tuberculosis, other forms $\begin{cases} M \\ F \end{cases}$	148 139	113 117	106 110	80 73	60 62	52 50	42 38	31 33	30 34	29 29	
020-029	Syphilis and its sequelae $\dots \begin{cases} M \\ F \end{cases}$	110	101 103	107 98	92 99	83 84	79 87	77 80	74 82	70 73	62 82	
053	Septicaemia and pyaemia $\dots M_F$	125 92	135 121	96 74	69 106	105 86	86 109	58 64	88 65	58 63	68 58	
057	Meningococcal infections $\begin{cases} M \\ F \end{cases}$	98	97 96	98 105	105 100	112 98	94 95	72 79	74 63	63 70	47 57	
080, 081	Acute poliomyelitis, including late M effects	154 160	175 182	50 53	74 65	87 72	35 27	68 60	32 33	69 50	34 40	
082, 083	Acute infectious encephalitis, includ- Mr ing late effects	115 113	119 105	98 107	83 88	107 89	83 79	82 68	87 68	71 58	76 60	
092	Infectious hepatitis $\binom{M}{F}$	91 85	111 104	99 90	90 106	97 116	83 107	88 111	87 108	89 119	81 92	
140–239	Neoplasms $\binom{M}{F}$	97	98 102	101	101 99	102 97	103 98	104 97	104 97	105 96	105 97	1
140-205	Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues		98	101	101	102	103 98	104 98	105 97	106 96	106 97	1
140-148	Buccal cavity and pharynx $\begin{cases} M \\ F \end{cases}$	103	103	102 100	95 101	90 87	95 97	89 97	76 96	77 97	77 94	
150–159	Digestive organs and peritoneum $\dots \begin{cases} M \\ F \end{cases}$	103	101	101	99 98	96 95	94 94	92 93	90 90	90 88	88	
150	Oesophagus $\binom{N}{F}$	98 96	101	100 101	98 99	88 99	85 104	88 106	88 104	82 103	81 104	
151	Stomach $\binom{M}{F}$	101	99	101 101	99	98 93	95 92	95 90	91 89	93 84	92 85	
153	Large intestine, except rectum \{ \begin{aligned} M \ F \end{aligned}	108	102 105	101 97	97 98	97 95	93 92	89 91	86 89	84 86	81 85	
154	Rectum $\binom{M}{F}$	107	104 106	102	95 96	90 96	91 96	86 91	84 90	82 84	82 91	
157	Pancreas	94	96 101	100 94	105 105	104 99	105 100	108 105	107 98	108 107	113 107	1
160–165	Respiratory system $\begin{cases} N \\ F \end{cases}$	85 93	93 97	101	106 104	112 102	119 105	124 108	129 111	133 113	136 115	1
162, 163	Lung, bronchus and trachea $\begin{cases} N \\ F \end{cases}$	1 83 90	92 96	101	107 105	114 104	122 107	128 111	133 115	138 118	142 121	1
170–181	Breast and genito-urinary organs \{ \bar{A} \}	1 96 101	99	100	101	102	104 98	105	109 99	106 98	108 100	1
170	Breast		105	102	94	128	125 100	119 100	105 100	105 99	109 101	
171	Cervix uteri F	85	104	100	97	94	90	92	91	89	96	
172	Corpus uteri F	44	99	99	102	98	95	91	92	93	90	
175	Ovary, Fallopian tube, and broad ligament F	96	101	101	98	100	101	106	106	107	106	1

CD No.	Causes of death	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959
10.	Prostate M	99	102	100	98	103	107	105	111	107	111	109
	Kidney $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	93 94	98 88	98 102	104 110	106 103	108 104	112 95	110 103	109 95	117	107 98
	Bladder and other urinary organs $$ M	92 97	94 105	101	105 97	101	101 107	106 106	108 105	108 104	105	104 110
.99	Other and unspecified sites $\begin{cases} M \\ F \end{cases}$	97 101	99	99 96	102 101	98 106	101	104 105	108 114	104 115	103	99
	Malignant melanoma of skin $\dots \begin{cases} M \\ F \end{cases}$	68 70	87 89	105 92	107 119	123 111	133 122	150 139	150 117	130 157	112 130	143 138
	Brain and other parts of nervous M system F	89 91	91 102	99 96	111 102	107 114	109 120	117 117	114 125	114 126	136 149	131 153
	Thyroid gland M	92 104	81 97	105 102	114 101	99	107 101	101	119	93 95	95 87	102 98
	Bone, including jaw bone $\dots M$	118 130	105 102	104 98	91 100	90	81 95	78 79	86 89	77 83	77 86	71 75
05	Neoplasms of lymphatic and haema- \ M topoietic tissues \ F	91 89	92 91	100 104	108 104	109 109	112 115	114 117	116 123	123 125	121 126	124 135
	Hodgkin's disease { M	101 93	91 94	104 103	106 103	106 106	107 105	106 104	108 112	124 104	100 113	114 118
	Leukaemia and aleukaemia M	90 90	97 93	96 104	107 103	108 109	110	117 107	116 115	122 115	121 113	121 125
29	Benign neoplasm M	102 103	102 113	105 94	93 94	98 89	87 95	87 89	80 85	85 85	82 76	81 79
39	Neoplasm of unspecified nature $\dots \begin{cases} M \\ F \end{cases}$	118 108	102 114	107 102	92 85	97 89	94 85	84 84	86 85	80 80	43 37	43 49
89	Allergic endocrine system, metabolic M and nutritional diseases F	98 99	100 103	109 107	91 90	86 86	83 82	82 84	79 82	71 78	71 79	65 75
45	Allergic disorders M	105 99	100 101	114 117	86 83	83 90	75 81	74 76	67 81	59 71	50 74	43 60
54	Diseases of thyroid gland $\ldots \int_{F}^{M}$	104 104	103 108	106 104	91 89	91 68	85 79	81 81	84 74	74 72	80 71	93 74
	Thyrotoxicosis, with or without goitre M	115 115	90 111	120 104	90 85	95 67	75 72	72 67	71 62	82 64	55 57	75 59
	Diabetes mellitus $\left\{ egin{array}{lll} M \\ F \end{array} \right.$	95 101	104 105	104 104	92 92	89 86	87 78	89 86	90 82	81 80	92 80	87 77
77	Diseases of other endocrine glands $$ $\begin{cases} M \\ F \end{cases}$	84 83	96 89	108 109	96 102	95 94	93 97	79 75	85 70	76 74	91 62	65 66
99	Diseases of the blood and blood M forming organs F	108 105	98 107	103 101	99 92	90 82	95 88	92 85	81 86	84 82	85 80	86 79
	Pernicious and other hyperchromic \ M anaemias \ \ \ \ \ \ \ \ \ \ \ \ F	121 116	111 112	103 103	86 85	75 74	73 79	73 76	67	66 72	62 66	57 65
26	Mental, psychoneurotic and person- M ality disorders F	93 96	97 106	106 107	97 87	84 90	92 89	87 87	74 92	67 83	66 66	70 74
98	Diseases of the nervous system and M sense organs F	92 94	97 99	102 101	101 100	99 96	102 99	104 101	102 99	99 96	101 99	99 96
34	Vascular lesions affecting central ner- { M vous system	90 93	96 98	103 101	102 101	99 97	104 100	105 101	104 100	100 97	102 99	100
345	Inflammatory diseases of central ner- { M vous system	110 98	106 99	103 109	91 92	94 102	94 93	101 99	92 101	103 99	92 100	90 97
	Multiple sclerosis $\left\{ egin{array}{lll} M \\ F \end{array} \right.$	98 83	98 93	107 113	94 94	84 103	94 97	102 100	92 97	90 98	95 105	98 107
357	Other diseases of central nervous M system	99 105	106 107	99 102	95 92	89 91	83 85	95 93	89 87	87 85	86 86	88 88
	Paralysis agitans {M F	93 97	95 97	107 105	99 99	96 93	87 89	112 100	96 95	96 87	96 89	101 96
	Epilepsy M	107 103	101 104	101 102	98 95	87 97	72 81	86 86	82 79	79 73	75 78	72 64
	Motor neurone disease and muscular { M atrophy	109 127	101 109	97 93	102 98	96 104	97 105	92 103	92 93	96 102	90 105	92 117
398	Diseases of ear and mastoid process ${M \atop F}$	124 124	112 114	100 105	87 81	90 77	70 75	68 68	60 55	49 47	40 39	54 38

ICD No.	Causes of death	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	1
400-468	Diseases of circulatory system $\dots \begin{cases} M \\ F \end{cases}$	96 101	98 102	104 105	97 93	95 92	97 90	98 92	99 91	95 86	98 89	
400-402	Rheumatic fever $\left\{ \begin{array}{ll} M \\ F \end{array} \right\}$	171 169	137 133	87 91	76 77	74 69	78 61	53 47	52 43	39 39	35 25	
410-416	Chronic rheumatic heart disease $\dots \begin{cases} M \\ F \end{cases}$	97 97	108 109	104 105	88 86	84 83	78 82	74 79	75 76	72 75	62 70	
420-422	Arteriosclerotic and degenerative M heart disease F	98 104	98 102	104 105	98 93	95 91	97 89	99 90	99 88	95 82	100 86	1
420	Arteriosclerotic heart disease, includ- { M ing coronary disease	82 84	94 96	101 100	105 103	104 103	112 108	116 115	121 119	122 119	129 129	12
421	Chronic endocarditis not specified as $\{M\}$ rheumatic $\{F\}$	163 184	106 103	91 85	104 112	99 105	113 112	105 102	104 100	112 116	105 107	10
422	Other myocardial degeneration $\ldots \left\{ egin{matrix} M \\ F \end{array} \right.$	113 112	102 104	108 109	90 88	84 85	80 79	79 78	75 74	65 64	65 66	3
430-434	Other diseases of heart $\ldots \left\{ egin{array}{ll} M \\ F \end{array} \right.$	81 88	85 90	110 107	106 103	115 109	128 110	131 117	133 124	145 131	143 144	13 14
440-443	Hypertension with mention of heart $\{M\}$	62 63	108 109	118 116	74 75	75 76	79 79	80 85	79 83	74 79	69 78	1
444-447	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	147 158	77 76	76 74	147 147	149 147	143 148	140 147	131 136	121 125	121 122	11
450-456	Diseases of arteries $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	98 102	99 100	105 105	96 95	95 95	95 93	96 100	95 96	88 90	99 97	0,0
460-468	Diseases of veins and other diseases M of circulatory system F	92 95	103 105	101 95	96 100	103 108	115 113	124 121	133 135	134 130	129 139	15
470–527	Diseases of the respiratory system $$ ${M \atop F}$	95 101	88	126 135	87 77	100 96	83 71	94 81	95 83	98 80	96 79	10
480-483	Influenza $\binom{M}{F}$	79 82	55 55	220 223	26 23	85 91	25 23	42 37	36 33	99 74	34 27	10
490–493, 763	Pneumonia (including newborn) $\ldots \begin{Bmatrix} M \\ F \end{Bmatrix}$	104 105	89 92	114 115	97 93	105 104	90 90	102 104	107 110	109 107	110 112	12
490	Lobar pneumonia $\left\{ egin{array}{lll} M \\ F \end{array} \right.$	108 116	99 102	106 108	96 90	95 94	81 89	86 88	84 85	79 78	73 77	3
491	Bronchopneumonia $\left\{ egin{array}{lll} M \\ F \end{array} \right.$	103 103	86 90	117 118	97 92	109 107	93 90	109 109	115 118	120 115	125 124	14
500502	Bronchitis $\binom{M}{F}$	92 104	91 95	118 124	91 81	99 91	86 68	96 76	98 77	92 61	98 68	9.6
510-527	Other diseases of respiratory system ${M \choose F}$	97 106	98 96	106 113	96 91	98 93	103 96	108 99	101 102	100 85	96 88	8
530-587	Diseases of the digestive system $\ldots \left\{ egin{matrix} M \\ F \end{array} \right.$	104 105	100 102	102 101	98 97	93 95 ·	94 96	93 96	88 94	84 90	83 88	8
540-545	Diseases of stomach and duodenum ${M \choose F}$	94 93	96 97	106 103	99 100	92 98	96 106	94 109	88 107	81 97	78 97	7 9
540	Ulcer of stomach $\binom{M}{F}$	101 93	100 97	103 103	96 100	88 96	90 97	89 101	85 103	77 97	74 94	6
541	Ulcer of duodenum $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	86 78	91 93	108 106	102 101	96 106	102 128	100 131	93 127	88 111	83 115	11
550-553	Appendicitis $\binom{M}{F}$	112 104	110 113	101 99	88 89	81 70	80 82	70 69	75 63	71 57	65 61	5
560-561	Hernia of abdominal cavity $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	104 107	101 102	100 102	99 96	91 92	90 88	98 86	90 92	88 84	81 76	8
570-578	Other diseases of intestines and $\{M\}$	129 122	108 103	99 100	93 97	93 96	87 90	88 93	82 91	82 92	84 91	8 9
580–587	Diseases of liver, gallbladder and M pancreas M	91 93	96 102	97 101	106 97	105 101	105 101	104 102	100 95	100 94	105 89	10
581	Cirrhosis of liver $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	92 78	94 94	101 106	105 100	105 104	101 109	98 110	97 107	103 106	99 104	9
584	Cholelithiasis $\left\{ egin{array}{lll} M \\ F \end{array} \right.$	92 92	106 107	92 99	102 95	101 100	114 95	115 96	113 89	99 88	111 79	10
585	Cholecystitis without mention of M calculi	97 108	101 104	92 100	107 96	115 91	106 94	102 88	103 82	97 76	99 74	9
587	Diseases of pancreas M	82	88	94	118	96	112	126	109	111	133	12

TABLE 9—continued

D o.	Causes of death	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959
37	Diseases of the genito-urinary system $\begin{cases} M \\ F \end{cases}$	107 103	105 108	101 101	94 91	89 86	90 85	84 83	82 80	76 76	72 74	70 73
4	Nephritis and nephrosis $\ldots \qquad \prod_{F} M$	108 107	106 109	101 102	92 89	86 80	83 76	76 70	79 64	69 58	66 57	58 51
9	Other diseases of urinary system $\left\{ egin{array}{ll} M \\ F \end{array} \right\}$	96 91	99 104	103 99	97 97	103 102	106 114	103 126	102 129	106 134	100 135	107 148
7	Diseases of male genital organs M	109	105	101	94	88	90	84	78	73	71	70
	Hyperplasia of prostate M	111	105	101	95	90	92	86	80	74	73	71
	Deliveries and complications of preg- nancy, childbirth and the puerperium F	128	110	101	89	96	87	80	74	67	66	59
5	Diseases of the skin and cellular tissue $\begin{cases} M \\ F \end{cases}$	107 90	105 95	105 104	90 101	101 100	83 89	67 87	65 78	68 65	71 73	59 72
	Diseases of the bones and organs of M movement	130 144	98 99	103 106	100 95	107 96	113 111	111 127	112 114	103 111	108 116	107 117
	Arthritis and rheumatism except rheu- { M matic fever	166 162	104 101	109 103	88 96	104 98	123 111	116 131	120 114	104 110	118 117	117 116
	Rheumatoid arthritis and allied con- { M ditions { F	167 167	98 102	111 102	91 95	108 96	129 115	123 134	117 118	102 111	123 118	122 116
	Osteo-arthritis (arthrosis and allied M conditions)	148 122	112 95	103 107	85 97	103 102	131 104	125 134	141 117	121 112	116 124	124 124
	Osteomyelitis and other diseases of M bone and joint F	94 99	95 88	101 116	104 96	109 87	97 112	99 111	92 115	91 112	79 116	82 120
	Congenital malformations $$ M	99 102	103 100	99 99	99 100	96 98	103 104	107 104	107 104	112 113	111 110	106 113
999	Accidents, poisonings and violence $\begin{cases} M \\ F \end{cases}$	99 100	98 101	103 104	99 96	101 104	103 112	105 115	105 118	103 113	106 117	106 119
335	Motor vehicle accidents $\begin{cases} M \\ F \end{cases}$	92 91	98 101	105 107	97 92	103 97	105 109	111 117	113 119	111 111	121 126	131 143
395	Accidental poisoning by gases and M vapours F	99 85	88 90	108 106	104 103	135 109	136 129	156 155	148 144	150 145	173 162	173 168
904	Accidental falls $\left\{ {\stackrel{M}{F}} \right\}$	101 98	93 103	108 105	99 92	104 106	122 118	115 118	120 120	111 111	112 115	116 115
936	Other accidents M	107 105	97 96	104 104	99 100	97 106	89 100	98 98	90 98	89 92	92 92	86 91
979	Suicide and self-inflicted injury $\dots \begin{cases} M \\ F \end{cases}$	109 109	102 101	100 103	98 97	106 108	110 115	105 119	109 126	107 129	106 127	104 124

A			Males					Females		
Age	1955	1956	1957	1958	1959	1955	1956	1957	1958	1959
					All c	auses				
All ages 1-4 years 5-14 15-24 25-44 45-64 65-74 75 and over Infant mortality	1,248 104 47 103 189 1,353 5,422 14,380 28.09	1,245 98 43 93 185 1,349 5,424 14,313 26.76	1,231 104 46 103 186 1,371 5,400 13,353 25.76	1,245 99 44 95 181 1,351 5,425 13,993 25·29	1,233 100 43 103 179 1,350 5,362 13,786 24.51	1,093 97 34 48 144 768 3,234 11,071 21.47	1,095 83 30 45 140 755 3,182 11,014 20·34	1,068 90 32 49 141 759 3,092 10,206 20·31	1,097 77 27 45 132 745 3,088 10,735 19.60	1,097 81 31 44 130 734 3,053 10,641 19-76
				All d	liseases (IC	D Nos. 001	The state of the s			
All ages 1-4 years 5-14 " 15-24 " 25-44 " 45-64 " 75 and over Infant mortality	1,188 80 28 47 144 1,286 5,297 14,063 27·11	1,185 74 27 42 142 1,279 5,298 13,981 25-84	1,171 81 30 48 142 1,302 5,280 13,041 25.00	1,183 75 26 39 134 1,282 5,312 13,666 24·49	1,172 75 26 40 135 1,282 5,236 13,468 23.79	1,056 78 26 39 132 738 3,157 10,758 20.75	1,056 65 23 36 128 723 3,105 10,690 19.67	1,031 72 26 41 128 727 3,015 9,907 19.65	1,058 61 21 34 119 713 3,009 10,418 19-00	1,057 64 23 33 117 701 2,975 10,325 19-19
				Tubercu	ılosis, all fo	rms (ICD)	Nos. 001-0	19)		
All ages 1-4 years 5-14 " 15-24 " 25-44 " 45-64 " 65-74 " 75 and over Infant mortality	21 2·3 0·64 3·1 14 42 73 45 0·03	1.9 0.57 1.5 10 34 66 50 0.03	16 1·3 0·56 1·4 8·3 30 63 46 0·02	1.6 7.1 28 60 45	0.62 5.9 23 55 51	8.5 2.7 0.97 4.0 12 10 13 15 0.06	6.8 1.5 0.36 2.8 8.9 7.9 13 15 0.01	1.5 8.0 6.4 12 12	1·3 5·9 7·2 12 13	4.4 1.1 0.3 0.7 4.4 5.8 10 12 0.0
			A	All maligna	nt neoplasm	s (ICD No	s. 140-205)			
All ages 1-4 years 5-14 " 15-24 " 25-44 " 45-64 " 65-74 " 75 and over Infant mortality	225 11 6·8 9·9 37 359 1,101 1,706 0·07	227 12 7·5 10 37 361 1,110 1,709 0 07	231 11 6·4 11 36 367 1,123 1,720 0·05	233 12 8·0 9·0 36 366 1,150 1,730 0·09	237 11 6·7 9·8 37 372 1,162 1,751 0·06	11 5·0 6·3 44 262 631 1,076 0·06	189 11 6-1 7-1 45 260 625 1,085 0-05	189 7.7 4.7 5.7 44 261 611 1,075 0.10	193 8·9 5·2 7·2 46 263 624 1,085 0·08	9.4 6.3 6.9 46 260 611 1,091
				Malignant r	neoplasm of	stomach (I				
All ages 1-4 years 5-14	37	36	37	36	36	27	27	26	26	26
15-24 " 25-44 " 45-64 " 65-74 " 75 and over Infant mortality	0.07 4.1 56 195 312 —	0·11 4·3 54 190 290	0·11 4·1 56 188 306	0·18 4·0 55 193 294 —	0·10 3·9 54 193 295	0·21 2·6 26 105 215 —	0·22 2·8 25 100 217	2 0·11 2·7 24 97 202	0.07 2.7 24 100 210	0.1 2.4 23 95 212
					trachea, bro					
All ages 1-4 years 5-14 " 15-24 " 25-44 " 45-64 " 75 and over Infant mortality	0.06 0.51 9.8 156 330 212	72 	76 0.00 0.00 0.44 9.5 166 364 248	0.03	3 0.06	_	2·5 19 39 44		0.18 0.18 3.0 20 40 46 —	0.0
				Malignant	neoplasm o					
All ages 1-4 years 5-14 " 15-24 " 45-64 " 65-74 " 75 and over Infant mortality	0·36 0·06 0·61 1·4 3·2	0.00	- 0.02	0.08	0.02 0.43	0.04	37 — 0·14 12 63 106 166 —	37 ————————————————————————————————————	38 — 0-07 13 65 109 165 —	37 ————————————————————————————————————

			Males					Females		
Age	1955	1956	1957	1958	1959	1955	1956	1957	1958	1959
			M	Salignant ne	onlasm of	uterus (ICI	Nos 171	174)		
All ages 1-4 years 5-14 " 15-24 " 25-44 " 45-64 " 65-74 " 75 and over Infant mortality		* CONTRACTOR OF THE PROPERTY O			opasii or	17 0·08 	17 - 0.25 6.1 30 53 58 -	17 - 0.18 6.7 28 51 64 -	0.03 0.07 7.0 31 51 63 0.00	0·15 0·06 0·28 7·0 28 51 65
All ages	5.7	5.7 1	6.0	Leukaemia	and aleuk	aemia (ICD 4·3		4.7	44.	
1-4 years 5-14 " 15-24 " 25-44 " 45-64 " 65-74 " 75 and over Infant mortality	2.6 2.5 2.8 7.6 21 23 0.01	5.7 2.9 2.9 2.8 6.8 18 28 0.01	5.5 2.8 2.7 2.7 7.4 19 31 0.01	5.1 3.5 2.2 2.9 7.6 19 25 0.03	5.5 3.4 2.4 3.1 6.9 19 30 0.02	5.8 2.3 1.6 2.2 5.1 11 13 0.02	4.7 4.5 2.9 1.9 2.1 5.5 12 14 0.02	4.7 4.2 2.1 1.2 2.5 5.6 12 16 0.03	4.6 3.9 2.0 1.1 2.1 5.2 12 19 0.03	5·2 4·5 3·0 1·9 2·4 6·0 13 18 0·02
				Diabetes	mellitus (ICD No. 26	50)			
All ages 1-4 years 5-14 ", 15-24 ", 25-44 ", 45-64 ", 75 and over Infant mortality	5·1 0·22 0·20 0·47 1·2 4·5 26 60 0·01	5·1 0·37 0·20 0·44 1·3 4·8 27 56 0·01	4.7 0.22 0.20 0.44 0.96 4.5 23 55 0.00	5·3 0·44 0·08 0·39 1·3 4·9 26 63 0·01	5.0 0.07 0.11 0.41 1.3 4.8 25 56 0.00	9.6 0.31 0.30 0.43 1.1 8.2 41 73	9·2 0·16 0·21 0·40 0·79 7·2 40 74 0·00	9·1 0·31 0·32 0·72 0·75 7·3 39 68	9·3 0·31 0·21 0·32 0·90 7·0 39 72 0·01	8.9 0.15 0.35 0.31 0.54 6.9 37 69 0.01
		v	ascular les	ions of cent	tral nervous	s system (IC	CD Nos. 33	0-334)		
All ages 1-4 years 5-14 ", 15-24 ", 25-44 ", 45-64 ", 65-74 ", 75 and over Infant mortality	145 0·15 0·52 1·6 6·7 109 717 2,296 0·04	144 0·15 0·74 2·0 7·6 109 707 2,254 0·05	0·37 0·62 1·5 7·4 108 693 2,152 0·04	0·29 0·31 1·7 8·0 106 698 2,242 0·04	0.65 0.48 1.3 7.4 108 667 2,215 0.03	187 0·16 0·27 1·6 8·2 108 640 2,115 0·01	0.31 0.71 1.4 8.1 105 613 2,136 0.03	0.47 0.47 1.3 7.6 105 600 2,042 0.02	0·39 0·50 1·1 7·9 101 599 2,153 0·01	188 0·38 0·50 1·1 8·0 97 567 2,115 0·02
			A	Arterioscler	otic heart o	lisease (ICI	No. 420)			
All ages 1-4 years 5-14 ", 15-24 ", 25-44 ", 45-64 ", 65-74 ", 75 and over Infant mortality	210 0 07 0.66 20 304 1,111 1,880	221 0·07 — 0·44 22 317 1,174 1,967 0·00	223 — 0·29 22 325 1,167 1,933	240 	238 — 0·28 25 346 1,236 2,083 0·01	116 	0.16 0.03 0.11 3.0 80 517 1,140	0.03 0.04 2.8 81 524 1,122 0.00	0.04 3.2 88 549 1,263	139
						ses (ICD N)		
All ages 1-4 years 5-14 ,, 15-24 ,, 25-44 ,, 45-64 ,, 65-74 ,, 75 and over Infant mortality	0.82 1.2 7.1 39 449 2,082 6,388 0.03	456 1·0 1·5 6·2 41 460 2,106 6,309 0·04	442 0·74 1·1 5·5 41 467 2,065 5,781 0·02	459 0.88 0.98 4.4 41 478 2,108 6,149 0.06	440 0·72 0·73 4·8 42 473 2,016 5,754 0·03	413 0·78 2·0 5·7 23 199 1,235 5,167 0·02	412 0·55 1·2 5·6 23 196 1,235 5,029 0·03	398 0·62 1·1 5·3 23 195 1,187 4,663 0·03	418 0·62 0·50 3·6 21 195 1,197 4,968 0·06	406 0·45 0·80 3·8 20 189 1,159 4,755 0·05
All	1/2	1/2				ystem (ICE				
All ages 1-4 years 5-14 " 15-24 " 25-44 " 45-64 " 65-74 " 75 and over Infant mortality	165 21 3.6 4.6 13 186 791 1,857 3.49	168 21 3·3 4·0 12 182 812 1,934 3·17	175 24 6·9 9·3 16 204 860 1,778 2·88	170 23 3·6 5·3 13 183 831 1,918 2·82	186 23 4.4 5.8 14 192 904 2,181 2.95	101 19 3.9 3.4 8.5 53 282 1,155 2.56	106 18 3·5 3·1 8·8 52 281 1,223 2·31	103 23 8·2 9·0 13 62 288 1,018 2·41	102 18 3·7 3·4 8·2 55 265 1,095 2·42	118 20 4·1 5·3 11 59 315 1,265 2·45

			Males					Females		
Age	1955	1956	1957	1958	1959	1955	1956	1957	1958	1959
				Influ	anza (ICD	Nos. 480-4	(83)	1		
All ages 1-4 years 5-14 " 15-24 " 25-44 " 45-64 " 75 and over Infant mortality	6·8 0·97 0·26 0·91 1·3 7·4 26 85 0·09	5.9 0.60 0.23 0.37 0.81 6.0 24 78 0.07	3·0 4·6 4·0 23 73 106	5.6 1.0 0.28 0.64 1.4 7.2 23 52 0.04	18 1.5 0.85 1.9 2.7 18 85 203 0.10	6.6 1.2 0.39 0.50 0.85 3.7 17 77 0.05	5·8 0·86 0·24 0·25 0·46 3·3 14 71 0·02	4·2 5·3 4·4 12 39 85	5·1 0·69 0·29 0·60 1·0 3·5 14 47 0·05	17 1·3 0·9 1·6 2·4 9·6 49 170 0·0
All ages	52	54	56	Pneumo	62 1	Nos. 490-49	3, 763) 50	49	52	. 58
1-4 years -5-14 ,, 15-24 ,, 25-44 ,, 45-64 ,, 65-74 ,, 75 and over Infant mortality	14 1·9 1·8 4·6 38 190 695 4·00	13 1·7 2·3 4·5 37 198 758 3·82	2.6 3.3 5.0 42 216 716 3.35	16 1·7 2·7 4·6 38 207 796 3·42	15 2·0 2·6 5·3 43 229 898 3·32	13 2·2 1·7 3·5 20 112 528 2·91	12 2-0 1·5 3·8 19 117 585 2·72	15 2·7 2·6 4·5 23 118 521 2·65	52 12 2·1 1·4 3·4 21 118 586 2·77	13 2·1 2·5 4·6 21 134 654 2·6(
				Brone	chitis (ICD	Nos. 500-5	502)			
All ages 1-4 years 5-14 " 15-24 " 25-44 " 45-64 " 65-74 " 75 and over Infant mortality	90 4·8 0·58 0·95 4·2 111 485 950 0·65	5·8 0·54 0·55 3·4 113 503 973 0·54	88 3.9 0.48 0.40 3.8 111 484 846 0.45	93 4·0 0·73 0·93 4·0 112 518 951 0·54	92 4·0 0·62 0·52 3·3 107 513 962 0·57	2.5 0.36 0.46 2.0 22 137 480 0.41	3·1 0·45 0·40 2·2 23 134 494 0·35	35 3·4 0·65 0·50 2·1 21 115 358 0·35	39 3·2 0·53 0·64 2·1 23 117 407 0·40	38 3.2 0.33 0.43 1.9 21 116 388 0.47
			Ulce	r of stomac	h and duo	denum (ICD	Nos. 540-	541)		
All ages 1-4 years 5-14 " 15-24 " 25-44 " 45-64 " 65-74 " 75 and over Infant mortality	0·26 3·2 27 97 158	0.03 0.29 3.2 24 87 163 0.01	0.06 0.44 2.5 22 82 155 0.01	0.08 0.28 2.2 20 78 158 0.02	0.07 0.06 0.28 2.2 19 67 143 0.01	0.07 0.90 5.3 25 61 0.01	0.03 0.71 5.0 23 66 0.01	6·3 0·08 0·03 0·18 0·65 4·5 22 60 0·00	0.03 0.07 0.89 4.5 21 59 0.01	6·3 0·03 0·10 0·54 4·7 18 62 0·01
				Appendi	citis (ICD	Nos. 550-5	53)			-
All ages 1-4 years 5-14 " 15-24 " 25-44 " 45-64 " 65-74 " 75 and over Infant mortality	2·3 1·2 1·1 1·2 1·0 2·9 6·2 14 0·01	2·4 1·0 1·2 0·59 1·1 3·1 8·0 16 0·01	2·3 1·0 0·85 0·87 0·94 2·9 9·0 13 0·00	2·1 1·7 0·73 0·61 0·77 2·6 8·0 14 0·01	2.0 0.93 0.96 0.76 0.83 2.1 7.4 13 0.01	0.70 0.70 0.43 0.53 1.7 5.0 7.5	1.4 0.86 0.57 0.36 0.35 1.4 4.4 8.6	0.55 0.47 0.36 0.40 1.3 3.8 7.3 0.00	1.4 0.62 0.53 0.43 0.39 1.3 3.6 9.2 0.01	1·2 1·2 0·53 0·14 0·24 0·95 3·5 7·0 0·01
				Nephritis aı						
All ages 1-4 years 5-14 ", 15-24 ", 25-44 ", 45-64 ", 65-74 ", 75 and over Infant mortality	11 1·4 1·3 4·6 5·9 14 40 88 0·03	12 1·3 1·5 3·7 6·0 15 41 98 0·03	0·74 1·3 4·0 5·8 13 34 80 0·02	9·9 0·44 0·93 2·7 5·1 14 32 77 0·03	8·8 0·50 0·82 2·9 4·6 12 30 63 0·04	0.94 1.4 2.4 4.0 11 28 62 0.02	9·2 0·47 1·1 2·8 3·8 9·6 28 55 0·02	8·4 0·70 0·77 2·6 3·5 9·0 24 49 0·02	8·2 0·39 0·74 2·4 3·5 7·6 25 53 0·01	7.5 0.45 0.91 1.7 3.0 7.6 23 44 0.01
				All violent	causes (IC	CD Nos. E8	00-E999)			
All ages 1-4 years 5-14 ,, 15-24 ,, 25-44 ,, 45-64 ,, 65-74 ,, 75 and over Infant mortality	60 23 20 56 45 67 124 317 0.98	60 25 16 51 44 70 126 332 0.92	59 23 16 55 44 68 120 313 0.76	61 24 18 56 48 70 113 327 0.80	61 25 17 64 44 68 126 318 0.72	37 19 7·8 8·9 12 30 77 313 0·72	38 18 7·1 8·4 12 33 76 324 0·67	37 17 6·4 8·9 12 32 76 299 0·66	39 16 6·8 10 13 32 79 317 0·60	40 17 7-4 12 13 33 78 316 0.58

Age			Males				*** * ****	Females		
Age	1955	1956	1957	1958	1959	1955	1956	1957	1958	1959
			Moto	r vehicle tr	affic accider	nts (ICD N	os. E810-E	825)		
All ages 1-4 years 5-14 " 15-24 " 25-44 " 45-64 " 65-74 " 75 and over Infant mortality	17 7·7 8·1 30 14 14 27 53 0·01	17 10 7·3 29 15 15 26 59 0·01	7.6 7.1 31 14 14 26 60 0.01	8.0 8.1 34 15 16 27 63 0.01	20 9.1 6.9 42 15 17 32 62 0.02	5.4 6.9 3.6 5.1 2.4 4.3 12 23 0.01	5·5 6·3 3·2 4·1 2·6 4·9 13 23 0·01	5·2 5·3 3·0 4·4 2·3 4·7 12 22 0·01	6·0 5·2 3·2 4·9 2·6 5·3 14 25 0·01	6·8 6·5 3·2 6·3 3·0 6·3 15 29 0·01
_	A	ccidents in	the home a	nd resident	ial institutio	ons (ICD N	los. E870·0	and 7—E9	36·0 and 7)	
All ages 1-4 years 5-14 ,, 15-24 ,, 25-44 ,, 45-64 ,, 65-74 ,, 75 and over Infant mortality	7·9 1·6 1·7 2·5 6·2 27 164 0·85	6·6 1·4 2·1 2·6 6·3 29 173 0·79	8·4 1·4 1·7 2·9 6·6 29 153 0·63	9·0 1·6 1·8 2·8 7·2 27 166 0·69	8-3 1-8 1-8 2-5 7-3 28 162 0-60	18 8·3 1·9 0·78 1·9 5·8 35 242 0·58	9·3 1·8 0·94 1·8 6·4 33 249 0·58	18 8·0 1·3 0·97 1·6 6·5 33 230 0·53	7·6 1·7 1·0 1·6 6·5 34 239 0·49	19 7-3 1-6 1-1 1-8 6-6 36 234 0-45
			Sui	icide and se	elf-inflicted	injury (ICD	Nos. E970	-E979)		
All ages 1-4 years 5-14 " 15-24 " 25-44 " 45-64 " 65-74 " 75 and over Infant mortality	0·17 4·0 11 26 42 46	0·09 4·5 11 27 43 49	0.08 4·3 11 27 40 47	0.08 4.6 13 27 37 46	14 0.08 4.1 12 25 42 41	8·4 	9·0 	9·2 	9·1 — 2·3 6·7 17 21 16	8·9

TABLE 11. Deaths of infants under 1 year from certain causes, 1949 to 1959

See explanatory notes.

		See e	xplanat	ory note	?s							
ICD No.	Causes of death	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	1
	ALL CAUSES	23,882	20,817	20,223	18,555	18,324	17,160	16,613	16,554	16,720	16,685	1
010	Tuberculosis of meninges and central	0.5	62	56	20	16	10	11	_	3	3	
001-008,	nervous system	85 81	52 74	56 43	38	16	10 26		5 8	10	9	
011-019	Other tuberculosis	62		19	20	8			3	10	3	
020	Congenital syphilis		277	273	111	167	95		63	68		
056	Whooping cough	357			115	123			71	76		
057	Meningococcal infections	25	48							4	12	
080, 081	Acute poliomyelitis	86				57	14			20	15	
085	Measles	00	/0		37	,	17	30		20	13	
Rem. of 001-138	Other infective and parasitic diseases	95	83	77	77	99	85	56	71	59	71	
140-205	Malignant neoplasms (including neoplasm of lymphatic and haematopoietic tissues)	62	51	56	60	50	. 49	46	43	55.	61	
250-277	Diseases of the endocrine glands	48	43	58	53	56	53	47	47	40	45	
295,296,771	Haemorrhagic conditions	192	198	239	190	207	233	222	234	192	256	
330-334	Vascular lesions affecting central nervous system	38	31	17	20	17	14	18	26	24	17	
340-343	Inflammatory diseases of central ner- vous system	197	203	171	141	180	142	149	149	166	175	
390-396	Diseases of ear and mastoid process	151	146	114	68	100	73	68	61	43	36	
480-483	Influenza	115	77	161	37	77	31	48	30	77	33	
490-493,763	Pneumonia	4,012	3,276	3,469	3,009	2,940	2,390	2,315	2,301	2,178	2,298	1
500-502	Bronchitis	484	477	455	375	430	335	357	311	291	348	
470-475, 510-527	Other respiratory diseases	91	119	114	91	95	99	94	90	86		
543	Gastritis and duodenitis	25	17	16	21	14	6					
571, 764	Gastro-enteritis	1,945	1,160	831	676	665	461	439	319	318	270	
690-716	Diseases of the skin and subcutaneous tissue	45	51	43	46	34	21	23	21	20	17	
751	Spina bifida and meningocele	662	571	626	671	629	759	758	758	733		
752	Congenital hydrocephalus	345	354	288	336	294	342	342	351	342	351	
754·0- 754·5	Congenital malformations of heart	1,049	1,085	981	1,009	1,045	1,069	984	848	1,151	1,117	
757	Congenital malformations of genito- urinary system	105	106	92	104	97	107	128	116	145	135	
Rem. of 750-759	Other congenital malformations	993	920	877	946	869	889	881	1,142	977	1,049	
760, 761	Injury at birth	1,875	1,782	1,912	1,830	1,797	1,818	1,786	1,845	1,830	1,805	
762	Postnatal asphyxia and atelectasis	2,303	2,244	2,341	2,351	2,388	2,392	2,306	2,381	2,694	2,645	
766-768	Pemphigus and sepsis of newborn	69	67	65	69	75	76	57	68	80	70	
770	Haemolytic disease of newborn	552	502	505	435	408	461	363	349	371	377	
774, 776	Immaturity	4,975	4,185	3,886	3,602	3,546	3,208	3,171	3,181	3,108	2,960	
E900-E904	Accidental falls	16	13	14	16	9	8	14	11	17	13	
E916, E917	Accident by fire or hot substance	34	19	18	23	14	23	17	10	9	13	
E921, E922	Obstruction by inhalation or ingestion	309	306	281	263	219	251	238	249	200		
E924, E925	Accidental mechanical suffocation	343	286	294	243	202	183	179	192	162	1	
E926	Lack of care of newborn	130	92	104	96	83	56	61	44	60	55	
Rem. of E800-E965	Other accidents	28	24	34	37	44	28	39	33	36	42	
	All other causes	1,786	1,674	1,485	1,297	1,217	1,242	1,192	1,112	1,074	1,088	
							2	1				

TABLE 12. Infant mortality rates (deaths under 1 year per 1,000 live births*) from certain causes, 1949 to 1959

England and Wales

See explanatory notes.

CD No.	Causes of death	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959
	ALL CAUSES	32-37	29-63	29-66	27.59	26.82	25-42	24-91	23.75	23-11	22-53	22-22
010	Tuberculosis of meninges and central	0.11	0.06	0.08	0.06	0.02	0.01	0.02	0.01	0.00	0.00	0.01
008, 019	nervous system Other tuberculosis	0.10	0.11	0.06	0.04	0.07	0.04	0.02	0.01	0.01	0.01	0.01
020	Congenital syphilis	0.08	0.04	0.03	0.03	0.01	0.00		0.00		0.00	0.00
056	Whooping cough	0.48	0.38	0.40	0.17	0.24	0.14	0.09	0.09	0.09	0.02	0.02
057	Meningococcal infections	0.15	0.14	0.15	0.17	0.18	0.15	0.11	0.10	0.11	0.10	0.08
081	Acute poliomyelitis	0.03	0.08	0.01	0.02	0.01	0.00	0.01	0.01	0.01		0.00
085	Measles	ó-11	0.10	0.14	0.05	0.08	0.02	0.06	0.00	0.03	0.02	0.03
ı. of 138	Other infective and parasitic diseases	0.12	0.11	0.11	0.11	0.14	0.12	0.08	0.10	0.08	0.10	0.10
205	Malignant neoplasms (including neo- plasm of lymphatic and haemat- opoietic tissues)	0.08	0.07	0.08	0.09	0.07	0.07	0.07	0.06	0.08	0.08	0.07
277	Diseases of the endocrine glands	0.06	0.06	0.08	0.08	0.08	0.08	0.07	0.06	0.06	0.06	0.05
296,771	Haemorrhagic conditions	0.27	0.29	0.35	0.28	0.30	0.34	0.33	0.33	0.27	0.35	0.30
334	Vascular lesions affecting central nervous system	0.05	0.04	0.02	0.02	0.02	0.02	0.02	0.04	0.03	0.02	0.03
343	Inflammatory diseases of central nervous system	0.26	0.28	0.25	0.21	0.26	0.21	0.22	0.21	0.23	0.24	0-18
396	Diseases of ear and mastoid process	0.21	0.20	0.17	0.10	0.14	0.10	0.10	0.09	0.06	0.05	0.07
483	Influenza	0.16	0.11	0.24	0.05	0.11	0.04	0.07	0.04	0.11	0.04	0.09
493,	Daniero de la compania	5.40	1.63	5.09	4.48	4.31	3.53	3.47	3-31	3.01	3-10	2.07
502	Proposition	5·40 0·65	4·63 0·67	0.67	0.56	0.63	0.49	0.53	0.45	0.40	0.47	2·97 0·52
	Bronchitis	0.63	0.07	0.07	0.50	0.03	0 45	0 33	0 43	0 40	047	0.32
475, 527	Other respiratory diseases	0.13	0.17	0.17	0.13	0.14	0.14	0.14	0.13	0.12	0.14	0.12
543	Gastritis and duodenitis	0.03	0.02	0.02	0.03	0.02	0.01	0.01	0.00	0.00	0.00	0.00
764	Gastro-enteritis	2.59	1.63	1.22	1.01	0.97	0.68	0.66	0.46	0.44	0.36	0.40
716	Diseases of the skin and subcutaneous tissue	0.06	0.07	0.06	0.07	0.05	0.03	0.03	0.03	0.03	0.02	0.01
751	Spina bifida and meningocele	0.90	0.81	0.92	1.00	0.92	1.12	1.13	1.09	1.01	0.99	0.89
752	Congenital hydrocephalus	0.46	0.50	0.42	0.50	0.43	0.50	0.51	0.50	0.47	0.47	0.55
0- 5	Congenital malformations of heart	1.43	1.55	1.44	1.50	1.53	1.58	1.47	1.59	1.59	1.51	1.51
757	Congenital malformations of genito- urinary system	0.14	0.16	0.13	0.15	0.14	0.16	0.19	0.16	0.20	0-18	0-15
n. of 759	Other congenital malformations	1.34	1.31	1.29	1.41	1.27	1.32	1.32	1.26	1.35	1.42	1.43
761	Injury at birth	2.56	2.55	2.82	2.72	2.62	2.70	2.68	2.64	2.53	2.44	2.47
762	Postnatal asphyxia and atelectasis	3.14	3.21	3.44	3.49	3.49	3.55	3.45	3.40	3.72	3.57	3.62
768	Pemphigus and sepsis of newborn	0.09	0.10	0.10	0.10	0.11	0.11	0.08	0.10	0.11	0.09	0.07
770	Haemolytic disease of newborn	0.75	0.71	0.74	0.65	0.59	0.68	0.54	0.50	0.51	0.51	0.48
776	Immaturity	6.79	5.99	5.70	5.35	5.18	4.76	4.75	4.55	4.30	4.00	3-85
0-E904	Accidental falls	0.02	0.01	0.02	0.02	0.01	0.01	0.02	0.01	0.02	0.02	0.03
6, E917	Accident by fire or hot substance	0.04	0.02	0.03	0.03	0.02	0.03	0.02	0.01	0.01	0.02	0.03
1, E922	Obstruction by inhalation or ingestion	0.41	0.44	0.41	0.39	0.32	0.37	0.36	0.36	0.28	0.27	0.25
4, E925	Accidental mechanical suffocation	0.47	0.40	0.43	0.36	0.29	0.27	0.27	0.27	0.22	0.24	0.19
E926	Lack of care of newborn	0.18	0.12	0.15	0.14	0.12	0.08	0.09	0.06	0.08	0.07	0-07
1. of 0- E 965	Other accidents	0.03	0.03	0.05	0.05	0.06	0.04	0.06	0.05	0.05	0.06	0.05
	All other causes	2.42	2.38	2.17	1.93	1.78	1.84	1.78	1.60	1.35	1-47	1.50
_												

England and Wales, standard regions, Wales, conurbations, counties, boroughs, urban and rural districts TABLE 13. Home population, births, deaths, infant mortality and perinatal mortality, 1959

Note. The perinatal mortality rate is the number of deaths under one week plus stillbirths per 1,000 total live and still births.

See explanatory notes. For explanation of symbols *, †, ‡ used in this table see note 9.

	Perinatal mortality rate	20	34	37	35	34	38	388	34	37	30	30.3	29
	Stillbirths	61	15,901	1,350 363 987	1,458 581	877	2,635	957 630 1,048	1,311	1,846 902 944	1,155	3,095 2,302 793	861
	Deaths under	18	10,169	885 244 641	407	563	1,670	600 437 633	786	1,135 564 571	718	2,167 1,673 494	531
	Deaths under	17	11,881	1,058 300 758	1,141	999	1,980	708 525 747	918	1,307 656 651	832	2,482 1,907 575	623
ths 1 year	Rate per 1,000 live births	91	22	25 25	25	24	25	282	22	2 428	19	2 86	19
Deaths under 1 year	Number	15	16,629	1,480 428 1,052	1,663	975	2,803	1,019 725 1,059	1,323	1,840 932 908	1,141	3,389 2,588 801	883
	Ratio of local adjusted death rate to national rate	14	1.00	1.15	1:18	1.07	1.19	1.23 1.16 1.16	<u>-</u>	1:13	0.93	0.98 0.98 0.96	0.92
	Comparability factor	13	00-1	1.17 1.13	1.09	1.12	-10	1.20	1.07	1:21	1.00	0.97 1.02 0.85	0.97
	Crude rate per 1,000 home population	12	9-11	### ###	13.2	11.1	12.6	12.7	0	10.8 10.8 10.6	10.8	11:2 13:1	11.0
Deaths	Total	п	527,651	36,433 9,724 26,709	49,758 22,359	27,399	81,898	30,837 15,509 35,552	39,006	49,833 24,833 25,000	38,675	129,094 92,027 37,067	30,097
	Ī	10	257,773	16,941 4,504 12,437	24,086	12,911	40,258	15,235 7,531 17,492	18,462	23,667 11,848 11,819	19,023	65,071 45,670 19,401	14,852
	×	0,	269,878	19,492 5,220 14,272	25,672 11,184	14,488	41,640	15,602 7,978 18,060	20,544	26,166 12,985 13,181	19,652	64,023 46,357 17,666	15,245
	Ratio of local tate burth rate to national rate		1.00	1.09	0.60	1.01	1.04	1.01 1.16 0.98	1.03	0.99	1.03	0.89 0.95 0.95	1.05
	Comparability factor	7	00.1	0.98 0.95 0.99	1.01	1.00	1.00	0.99 0.96 1.02	1.00	0.94 0.99 0.99	0.99	0.95 0.95 1.05	1.01
	Crude rate per 1,000 home population	9	16.5	18.7 18.7	16.1	16.7	17.1	16.8 19.9 15.9	17.0	17.0 17.1 16.9	17.1	15.4 14.9	17.1
Live births	Total	٠,	748,501	58,832 15,974 42,858	68,393 27,235	41,158	111,037	40,626 27,498 42,913	60,553	78,834 39,185 39,649	61,224	126,537 41,905	46.829
	<u> </u>	4	362,812	28,331 7,733 20,598	33,397 13,356	20,041	189'85	19,675 13,213 20,793	29,467	38,114 18,965 19,149	29,473	81,965 61,568 20,397	22.837
	×	2	385,689	30,501 8,241 22,260	34,996 13,879	21,117	57,356	20,951 14,285 22,120	31,086	40,720 20,220 20,500	31,751	86,477 64,969 21,508	23.992
	Estimated home population as at 30th June 1959		45,386,000	3,222,000 852,210 2,369,790	4,150,000 1,692,640	2,457,360	6,507,000	2,419,150 1,383,500 2,704,350	3,559,500	4,640,000 2,291,890 2,348,110	3,576,000	8,204,800 2,819,200	2,741,500
	Area	I	ENGLAND AND WALES	Regions and conurbations: Northern Tyneside Conurbation Remainder of Northern	East and West Ridings West Yorkshire Conurbation	Remainder of East and West Ridings	North Western	South East Lancashire Con- urbation Merseyside Comrbation Remainder of North Western	North Midland	Midland West Midlands Conurbation Remainder of Midland	Eastern	London and South Eastern Greater London Remainder of South Eastern	(1) Southern

38	34	35	34	32		32	31 950 84	48 29 19	4 2828	27	32	26	20 20 20 21 21	10 26 26
275	5,735	2,157	1,223	3,742		137	2 000 850	24	24 11 18 18	160	42	=	M 0000	-44
691	3,925	1,362	775	2,258		83	5 − ∞ 0 0 0	30	% 64700	16	22	69	2 00000	121
206	4,572	1,580	968	2,660 2,173		97	65	37	2 4 9 7 7 0 1 0 1 0 1	107	25	82	<u>F</u> 0000	181
24	23	23	22	202		20	100000000000000000000000000000000000000	193	22008	8	19	0	133	30
276	086,3	2,255	1,262	3,747		134	4 -0000	55	6 9 8 4 5 1	164	38	126	15.00	160
1.07	1.08	1.08	1.04	1.04 0.94		0.93	0.97 1.00 0.84 0.98 1.12 0.93	0.78 1.01 1.02	0.97 0.86 0.83 0.83	0.89	96.0	0.84	0.90 0.95 0.95 0.95 0.95	0.64
0.94	1.08	1.06	66.0	1.01		1.07	1.02 0.78 0.78 1.29 1.06	1.16 1.19 0.99	0.98 0.94 0.91 1.22	86.0	0.94	0.98	0.86 1.24 0.83 0.82 1.08	0.40 0.80 0.57
13.2	11.6	11.8	12.2	12.0		10.1	0.44 0.04 0.05 0.05 0.05 0.05 0.05 0.05	7.8 9.8 11.9	10.5 11.0 11.0 10.7 8.1	10.5	11.8	10.0	8.9 13.1 10.2	18.5 11.0 14.6
9,766	195,289	69,222	42,390	122,387 98,363		3,547	236 50 579 1117 226 94	1,179	1, 170 296 363 293 218	5,070	1,400	3,670	1,388 121 427 275 275	79 63 152
4,777	95,963	33,907	21,181	59,917 46,805		1,656	1,108 278 278 52 100 141	34 556 26	548 147 146 86	2,566	705	1,861	74 2223 144 150	38 86 86
4,989	99,326	35,315	21,209	62,470		1,891	1,269 301 301 126 53	623	622 149 194 147 132	2,504	695	1,809	647 204 131 121	39 25 66
1.01	0.95	1.00	0.99	1.01		- B	1.09 1.11 0.888 1.18 1.09	1.24	1.38 0.98 0.90 1.41	1.10	1.03	1.12	1.13 1.19 0.94	1.38 0.98 0.88
1.08	96.0	66.0	1.00	1.00		1.00	0.98 0.96 0.96 0.92 1.07	0.93 1.00 1.02	1.01 1.19 0.96 0.93	16.0	1.01	96.0	0.94 0.93 0.99 0.90	0.94 0.92 1.03
16.4	16.4	16.6	16.3	16.6		19.4	18.0 19.1 15.1 21.1 16.8	22.0 20.1 13.4	18.9 16.0 19.1 15.5 25.0	18.7	16.8	19.3	20.4 20.4 19.6 19.8 17.3	24.3 17.6 14.1
30,880	277,055	97,140	56,762	169,538 148,006		6,802	4,682 64 1,151 122 472 156	2,422	2,120 394 630 425 671	9,042	1,982	7,060	2,13 278 639 402 463	104
14,894	134,510	46,749	27,427	82,490		3,227	2,222 28 533 61 223 80	1,148	1,005 172 301 214 318	4,345	905	3,440	1,040 144 299 197 224	52 50 74
15,986	142,545	50,391	29,335	87,048 76,370		3,575	2,460 36 618 618 61 249 76	1,274 1,274 21	1,115 222 329 329 211 353	4,697	1,077	3,620	1,094 134 340 205 239	52 51 73
1,882,000	16,844,190	5,857,600	3,485,970	10,192,240		350,700	238,800 3,560 60,190 8,060 22,320 9,260	11,030 120,500 3.880	24,680 22,680 32,950 27,470 26,800	484,100	118,200	365,900	13,600 13,630 32,540 20,330 26,690	4,280 5,740 10,390
::	bations:	ppulations	opulations 100,000	opulations	thshire)	:	and urban	:::	:::::	:	:	:	and urban	:::
Wales I (South East) Wales II (remainder)	Urban/Rural aggregates: Conurbations Areas outside conurbations:	Urban areas with populations of 100,000 and over	 Urban areas with populations of 50,000 and under 100,000 	*Urban areas with populations under 50,000	ENGLAND (excluding Monmouthshire)	BEDFORDSHIRE	Municipal boroughs and districts	Leighton Buzzard Luton M.B Sandy	Rural districts Ampthill Bedford Biggleswade Luton	BERKSHIRE	Reading C.B	Administrative county	Municipal boroughs and districts Abingdon M.B. Madtenhead M.B. Newbury M.B. New Windsor M.B	Wallingford M.B. Wantage Wokingham M.B.

(1) Constitution changed. See explanatory note 12 and Appendix C.

mortality rate

	Perinatal	20						_
	Stillbirths	19	81 121 4 4 4 1 19	407841	162	4 Cee 2	116	88 18 15 8 24
	Deaths under I week	18	30 8 E 4 E 10	NW4WQ	87	m ∞ v w	11 11	94 14 14 14 14 14 14 14 14 14 14 14 14 14
	Deaths under 4 weeks	17	20 1044440		108	111 5 5	L 4 4 6	15
Deaths under 1 year	Rate per 1,000 live births	16	18 18 18 18 31	22022	8	292 29	122 153 19 18 218	26 22 22 7
Deg	Number	15	80 20 471 8	238EV 45	147	67 112 18 8	101-101	80 23 12 20
	Ratio of local adjusted death rate to national rate	14	0.81 0.81 0.83 0.90 0.90	0.75 0.79 0.79 0.73 0.80 0.73	0.90	0.95 0.91 0.87 0.85 0.90	0.89 0.91 0.87 0.97 1.07 0.91	0.84 0.84 0.84 0.84
	Comparability factor	13	1.28 0.99 1.08 1.21 1.14	0.86 0.99 0.81 1.08 0.73	1.08	1.16 1.11 1.40 0.98 1.04	1.42 1.142 0.97 1.06 0.52 1.36 0.81	1.01 0.95 0.89
	Crude rate per 1,000 home population	12	* 7. 8. 8. 8. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9.	10.1 9.6 11.3 8.6 8.6 8.6	9.7	9.6 10.1 10.1 10.0 10.0	7.3 99.6 21.6 99.1 13.1	9.7
Deaths	Total	111	2,282 220 222 222 141 342 125	102 195 204 204 139 178 178	4,397	2,12 215 96 1111 42 138	35 36 36 36 36 36 36 37 37 37 37 37 37 37 37 37 37 37 37 37	2,270 501 333 105
	ĬĽ,	10	1,120 105 105 86 68 164	986 116 66 102 205 205	2,112	86 96 85 80 80 80 80 80 80 80 80 80 80 80 80 80	187 187 137 314 90	1,124 275 161 42
	¥	6	1,162 115 126 73 178 65	97 88 73 76 209	2,285	119 621 724 787	233 233 375 375 833	1,146 226 172 172 63
	Ratio of local adjusted birth rate to national rate	00	1:27 1:15 1:15 1:17 1:17	1.05 1.01 1.12 0.98 1.12	1.02	1.01 0.92 0.84 1.14 0.91	1.04 1.03 1.19 0.94 0.94	1.03 1.17 1.04
	Comparability for total	7	0.98 0.98 0.98 0.90 1.03	1.12 1.01 1.00 1.00 1.00	0.97	0.95 0.95 0.92 1.06 0.96	1.14 0.97 0.98 0.94 1.05 0.91 1.13	0.99 0.98 1.13 1.11
18	Crude rate per 1,000 home population	9	20.4 20.4 19.3 18.8	15.5 18.8 18.8 18.0 18.0	17.4	20.44.54.54.54.54.54.54.54.54.54.54.54.54.	15.1 17.8 20.9 14.7 14.1	17.4 17.1 17.1 15.4
Live births	Total	2	4,926 642 642 511 305 928 928	156 336 332 304 276 881	7,947	3,867 411 138 315 59 299	806 65 161 1,283 1,283	4,080 894 556 149
	Ī	*	2,400 326 259 143 450	81 147 172 139 132 431	3,913	1,898 215 215 58 152 150 150	400 400 77 72 72 82 82 82	2,015 456 270 76
	×	67	2,526 316 252 162 478	75 189 160 165 144 450	4,034	1969 1960 163 163 149	727 288 288 288 288 60 100	2,065 438 286 73
	Estimated home population as at 30th June 1959	2	252,300 30,150 25,010 15,810 39,880 13,530	10,070 20,330 18,060 16,190 15,350 47,920	455,500	23,580 23,580 9,540 15,440 4,150	5,090 3,760 3,760 7,700 75,500 13,250	233,900 51,490 32,460 9,660
			:::::	:::::	:	urban	::::::	::::
			<i>p</i> ::::::	:::::	(r)		: _m :::::	::::
	8		ntinu:	:::::	HIR	ughs .B.	be M. : : neli	::::
	Area	1	icts icts in in n pstea	ord	AMS	boro ry M. field ham	ycom r Pag M.B.	icts am ry ham
			KSHIRE—con ural districts . Abingdon . Bradfield . Cookham . Easthampstead	Hungerford Newbury Wallingford Wantage Windsor	NGH	Aunicipal boroughs districts Aylesbury M.B. Beaconsfield Bletchley Buckingham M.B. Chesham	Eton High Wycombe M.B. Linslade Marlow Newport Pagnell Slough M.B	Rural districts Amersham Aylesbury Buckingham
			BERKSHIRE—continued Rural districts Abingon Bradield Cookham Easthampstead Faringdon	W W W W W W W W W W W W W W W W W W W	BUCKINGHAMSHIRE	Municipal boroughs and districts	Eton High Linsla Marlo Newpo Slough	Rural Am Ayi Buc
1			l m		B			

40	28	30	32 34 34 13	37	3 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	36	4 3333 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	22224	16 41 26 32 35 35	452 48 48 48	14 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
3 14	20	22	88 18 6 4	201	6 23 8613 8613	309	33	1471	2173	102222	947277
00	33	19	4 ∠ 4 €	325	23 23 23 23 26 26 27	209	42-1794-	01 m 00 00	-2408	10	w 400
1 9	36	20	2 04€	386	38 23 23 37 37	244	12727	240-11	20400	27-78	6 20
10	11	21	13 18 10	24	22.0 2.7 2.7 2.7 2.7 2.7 3.0	23	22 23 23 13 13 13	33 17 17 18	2247	223025	22 121 13 46 37
101	49	29	100000	526	196 56 31 61 48	330	250 2 3 3 9 18 1	227451	203	52225	2227111
0.77	0.87	0.91	0.84 0.86 0.86 0.83	01.1		1.09	1.16 1.31 1.04 0.78	1.31 1.05 1.11 1.26 1.15	1.29 1.13 0.91 1.05 1.04	1.13	1.23 1.02 0.93 1.12 1.05
0.63	0.92	1.00	0.86 0.91 0.80	90.1	1.12 1.12 1.10 1.05 1.02	1.05	1.09 1.11 0.98	0.82 1.13 1.17 0.99 1.14	1.15 1.51 0.81 1.17 0.87	0.97 0.60 0.83 0.98 0.98	0.98 1.19 0.89 1.01 1.03
14.2	0:	10.6	11.3 10.9 12.0	12.0	11.5 11.5 12.3 12.5 12.5	12.0	15.3 11.4 10.9 9.2 9.2	18.6 10.8 11.0 14.8 11.7	13.0 13.1 10.4 13.9	14.6 21.9 13.2 13.2 13.4	14.6 113.3 12.6 9.6
111 429	2,026	984	1,042 484 216 342	15,915	5,369 1,654 683 1,737 1,295	10,546	8,154 58 83 505 505 534 505	75 210 439 238 599	233 345 170 273 422	459 194 68 91 494	218 95 134 120 243 251
205	1,011	519	492 242 108 142	7,925	2,713 811 328 908 666	5,212	4,019 30 258 276 276 23	220 220 121 249	127 169 97 132 217	227 1115 36 47 264	112 422 622 511 1111
40 224	1,015	465	550 242 108 200	7,990	2,656 843 355 829 629	5,334	4,135 28 247 278	24 111 219 117 350	106 176 73 141 205	232 4 3 2 2 4 3 3 4 3 4 3 4 3 4 3 4 3 4	106 53 77 133 140
0.84	1.02	0.91	1.16 0.94 1.23	00.1	1.08 1.08 1.08 1.08	0.99	0.95 0.95 0.94 1.01 0.94	0.81 0.96 1.16 0.86 0.99	0.83 1.23 1.05 1.08 0.98	1.00 0.93 1.09 1.10 0.86	0.88 0.884 0.90 1.07 1.00
1.13	1.06	1.03	1.08 1.09 1.12	10.1	0.97 0.97 0.94 1.03 1.00	1.02	1.03 1.08 1.08 1.08	0.90 0.99 0.99 1.00	1.00 0.95 1.15 1.00 1.04	1.07 0.95 1.12 0.98 1.07	1.01 0.99 0.99 1.01 1.01 0.98
12.3	15.9	14.5	18.0 18.0 14.3 18.1	16.4	18.4 17.5 17.5 17.9	16.0	16.1 18.0 18.0 15.1 16.1 14.3	14.9 19.4 19.4 16.4 16.4	13.7 21.4 15.0 17.8 15.5	15.4 16.0 16.0 18.6 13.2	14.4 14.0 15.0 17.4 11.7 16.8
96	2,927	1,353	1,574 774 285 515	21,827	7,753 2,638 1,044 2,226 1,845	14,074	10,978 38 131 617 821 78	291 776 232 838	244 848 195 468 470	485 1444 107 129 487	215 97 151 195 226 436
42	1,428	675	753 375 136 242	10,532	3,680 1,227 500 1,043 910	6,852	5,344 24 304 379 379	32 135 384 118 435	110 415 88 218 212	229 75 33 61 240	116 47 72 94 110 218
54	1,499	829	821 399 149 273	11,295	4,073 1,411 544 1,183	7,222	5,634 14 313 442 442 443	28 156 392 114 403	134 433 107 250 258	256 69 37 68 247	99 50 79 101 1116 218
7,820	184,500	93,140	91,360 42,980 19,880 28,500	1,330,000	447,800 143,400 59,700 141,500 103,200	882,200	680,000 3,790 7,290 40,970 51,050 5,460	4,040 19,490 39,920 16,080 51,200	17,870 39,590 13,000 26,250 30,360	31,500 8,870 4,380 6,920 36,830	14,980 6,910 10,070 11,190 26,020
::	:	:	::::	:	:::::	:	urban ::	:::::	:: la	:::::	::::::
::	:	:	::	:	:::::	:	Municipal boroughs and urban districts. Adderley Edge Alsager Altrincham M.B. Bebington M.B. Bollington	miley ley	Dukinfield M.B	:::::	::::::
::	HIRE	M.B.	· · · · · · · · · · · · · · · · · · ·	:	shg: · · · ·	count	dge M.B.	nd Ro d Gatl M.B.	M.B. Port M		::::::
Winslow	DGES	Cambridge M.B.	ral districts Chesterton Newmarket South Cambridgeshire	RE	unty boroug Birkenhead Chester Stockport Wallasey	strativ	Municipal borough districts	Bowdon Cheadle and Romiley Cheadle and Gatley Congleton M.B Crewe M.B	Dukinfield M.B	Hyde M.B Knutsford Longdendale Lymm Macclesfield M.B.	Marple Middlewich Nantwich Neston Northwich
Winslow	CAMBRIDGESHIRE	Caml	Rural districts Chesterton Newmarket South Camb	CHESHIRE	County boroughs Birkenhead Chester Stockport Wallasey	Administrative county	Municipal districts . Alderley Alsager Altrinch Bebingt Bollingt	Bow Ches Con	Duki Ellesi Hale Haze Haze	Hyd Knu Lon Lym Mac	Marple Middley Nantwi Neston Northw
1	C			C							

	Perinatal mortality rate	20	43	4442	6 4 6 4 8 6	948234	£.	# 2224 4524	26
	Stillbirths	19	27	100 %	3 20000	50004	126	2007-0	4
	Deaths under	18	12	www	10 4 L W 4	∞4∞r	47	0 40=	100
	Deaths under	17	16	momo	340m 4	92000	80	300	1
ths	Rate per 1,000 live births	91	23	12 27 14 17	24 20 20 10 10 10 10 10 10 10 10 10 10 10 10 10	27 24 7 60 1	17	14 1 8 1 5 2 1 5 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	11
Deaths under 1 year	Number	15	20	4000	8 00 00 00 00 00 00 00 00 00 00 00 00 00	1040	8	36	22
	Ratio of local adjusted death rate to national rate	14	1.02	1.22	0.85 0.85 0.85 1.01 1.11 0.95	0.97 1.06 0.98 1.08 0.93	0.98	1.00 1.00 1.00 1.06 1.24	0.87
	Comparability factor	13	1.13	1.08 1.18 1.16 1.03	0.97 1.15 0.75 0.68 0.94	1.02 1.18 0.98 0.99 0.99	0.85	0.38 0.38 0.71 0.91 0.88 0.86	0.71
	Crude rate per 1,000 home population	12	10.5	12.9 10.0 12.1 12.3	8.6 8.6 13.1 17.3 14.6	11.0 10.4 11.6 12.7 11.9	13.4	16.3 16.3 113.6 114.0	14.2
Deaths	Total	11	513 104	290 218 158 250	2,392 107 366 240 244 44 248	315 424 1888 1888	4,547	2,701 138 85 479 232 38	96
	IL,	10	241 52	135 107 60 134	1,193 56 202 202 117 117 26	150 209 217 81 81	2,339	90 261 123 193	52
	X	6	272	155 111 98 116	1,199 51 164 123 181 121	165 215 225 107 107	2,208	1,260 48 48 36 109 109	44
	Ratio of local adjusted birth rate to national rate	90	1.10	0.87 0.93 0.87 1.11	0.97 1.11 1.11 0.85 0.99 0.94	0.89 0.98 0.97 0.97	16.0	0.89 0.86 0.87 0.94 0.53	1.54
	Comparability factor	7	1.01	1.01 1.00 0.95 1.02	1.01 1.05 1.05 1.05 1.19	1.06 1.04 1.04 1.06	1.07	1.37 1.11 1.00 1.08 1.06	0.92
co's	Crude rate per 1,000 home population	. 9	17.9	14.2 15.3 15.1 17.9	18:1 15:3 13:3 14:4	13.9 17.0 15.4 15.1 11.3	14.0	8.2.2.1.4.4.8.8.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2	27.6
Live births	Total	2	877	320 334 197 363	3,096 226 426 184 37 305	400 692 586 223 17	4,760	2,584 74 67 501 237 19	186
	14	4	446	151 163 94 176	1,508 100 201 89 144 144	186 349 301 117	2,267	1,229 35 30 245 107	85
	×	m	431	169 171 103 187	1,588 1,288 225 95 23 23 161	214 343 285 106 106	2,493	1,355 39 37 256 130 12	101
	Estimated home population as at 30th June 1959	2	49,090	22,490 21,870 13,010 20,280	202,200 12,490 27,840 13,840 13,840 3,010 21,140	28,720 40,740 38,140 14,770 1,510	339,400	187,000 6,080 5,220 35,140 16,630 2,280	6,750
			nd urban	::::	::::::	:::::	:	nd urban	:
	Area	I	CHESHIRE—continued Municipal boroughs and districts—continued Sale M.B. Sandbach	Stalybridge M.B	Bucklow Chester Congleton Disley Macclosifed Macclosifed	Nantwich Northwich Runcorn Tarvin Tintwistle		Municipal boroughs and districts	Helston M.B
			CHEST Mun dist Sa Sa Sa	****	Rura Barana MOOOM	ZZZÄÄ	CORN	N SEE WELL	H

40	20 51 80 32	4011184	35 35 51 51	29 71 19 19 15	36	39	35	84 14	35 42	# 2% % % % % % % % % % % % % % % % % % %	30 08
7	ee-4∞	w - w	101	4 4 -	Ξ	28	83	80 0	122	\$ 0044	000
11	11140	m	74	- N4-0	-8	27	54	2010	070		2 5
11	11-04	11 16	2 40000	w N4-4	94	32	62	2 2	1119	8 -∞ - v	ماو
1 1	188 88	20 12	25 29 15 25 25	8 5445	23	30	71	23 17 13	37	22.28	22
TI	<u>u- u4</u>	4	ก ุกผลก	0 00-0	123	41	82	317	242	1001	111
0.77	0.96 0.86 1.29 1.05	0.93 1.31 0.92 0.95 0.85	0.95 1.08 0.87 0.85 0.887	1.08 0.98 0.94 0.99 0.99	=	1.22	1.10	1:17 1:17 1:48 1:30	0.99 1.21 1.16	1.01 1.01 1.13	1.06 0.95 1.09
0.77	0.75 0.84 1.14 0.85 0.85	0.66 0.87 0.85 1.39 0.92	0.90 0.90 0.90 0.88 0.99 0.99	0.90 1.08 0.81 0.86 0.88	1.08	1.11	1.07	1.00 0.86 1.16	0.86 1.14 1.19	0.94 0.95 0.95 1.08 1.21	1:11
17.5	14.9 11.9 14.3 14.7	16.3 17.4 12.5 7.9 10.7	13.9 10.2 111.2 10.3	13.9 10.4 11.9 13.4 12.3	12:1	12.7	11.9	13.6 19.9 13.0	13:3	12:51	11.1
25	153 35 279 350	137 70 93 47 144	1,846 100 230 72 164 226	214 19 64 355 189 213	3,495	884	2,611	1,123 74 92 163	141 323 330	1,488 28 370 215 316	159 126 274
33	885 211 441 185	38 33 71 71	898 55 1111 35 83 104	96 7 30 1777 911	1,661	444	1,217	37 822 822	70 147 149	690 13 166 87 145	74 65 140
33	68 14 16 135 165	31 26 26 73	948 45 1119 37 37 122	118 178 178 104	1,834	440	1,394	8 37 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	71 176 181	798 15 204 128 171	85 61 134
0.89	0.91 1.12 0.88 0.84 0.94	0.63 0.79 0.79 0.67	0.97 1.08 0.97 0.93	0.77 0.81 1.22 0.92 1.04	0 :	1.13	1.09	1.03 0.99 0.77 1.03	0.93 1.24 0.99	1.06 1.10 0.91 1.23	1.18 1.20 1.11
1.15	1.04 0.95 1.08 1.09	1.07 1.13 1.03 1.12 0.99	1.13	1.17 0.94 1.30 1.12 0.94 1.05	00-1	0.95	1.02	0.98 1.00 0.95	1.01 0.96 0.97	1.09 1.15 0.99 1.01	1.03
12.7	14.4 19.0 15.2 12.9 14.2	12:2 12:2 12:6 12:4 13:4	12.6 13.5 15.9 14.1 14.6	0.01 1.4.3 1.6.3 1	18.2	19.7	17:7	17.9 16.1 12.7 17.9	15.2 21.3 16.9	17.6 16.1 15.8 15.1 20.1	19.3
48	148 56 66 252 337	82 49 94 59 168	2,176 91 305 102 196 320	166 26 83 357 257 273	5,258	1,374	3,884	1,586 88 59 224	161 560 494	2,298 36 484 298 589	268 221 402
25	87 27 30 121 157	824 828 808 808	1,038 35 155 47 88 148	88 13 157 132 135	2,456	640	1,816	757 44 34 111	69 253 246	1,059 20 206 145 275	131
23	29 36 131 180	26 31 31 88 88	1,138 56 150 108 172	78 138 125 138	2,802	734	2,068	829 44 25 113	92 307 248	1,239 16 278 153 314	137
3,780	10,280 2,950 4,350 19,470 23,760	8,430 4,020 7,450 5,950 13,510	152,400 7,220 22,520 6,430 13,870 21,890	15,410 1,820 5,370 26,540 14,070 17,260	288,700	008'69	218,900	88,700 5,450 4,630 12,520	10,590 26,250 29,260	130,200 2,240 30,660 19,720 29,320	14,310 11,480 22,470
::	:::::	:::::	::::::	::::::	:	:	:	urban 	:::	:::::	:::
::	:::::	:::::	::::::	::::::	:	:	:	and	:::	: Ilig	:::
M.B.	B		::::::	of	:	:	count	roughs	M.B.	rral districts Alston with Garrigill Border Cockermouth Ennerdale	:::
Lostwithiel M.B.	Newquay Padstow Penryn M.B. Penzance M.B. St. Austell	St. Ives M.B Saltash M.B Torpoint Truro M.B	ral districts Camelford Kerrier Launceston Liskeard St. Austell	St. Germans Scilly, Isles of Stratton Truro	REANI	Carlisle C.B.	strative	unicipal borough istricts Cockermouth Keswick	Penrith Whitehaven M.B. Workington M.B.	Alston with Gar Border Cockermouth	or the
Lood	Newquay Padstow Penryn M Penzance St. Austell	St. Ives N St. Just Saltash N Torpoint Turo M.	Rural districts Camelford Kerrier Launceston Liskeard St. Austell	St. Germs Scilly, Isla Stratton Truro Wadebrid West Pen	CUMBERLAND	Carli	Administrative county	Municipal boroughs districts Cockermouth Keswick Maryport	Penrith Whiteh Workin	Rural districts Alston with Border Cockermout Ennerdale	Millom Penrith Wigton

	Perinatal mortality rate	20	2	4	m	w an 24	dead-a	MW44V	4141114	<i>13 → 4 m</i> €.
	Stillbirths	61	335	52	283	92 28	10222	13	10	11 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	Deaths under I week	18	202	39	166	9 1 1 7 7	248-1-	w40NW	4 NW -	8 - 4 2 Q
	Deaths under	17	239	45	194	100 100 100 100 100 100 100 100 100 100	E7.E-1	noon	400	101
hs	Rate per 1,000 live births	91	24	31	23	42.8 82.4	27 23 23 18 18	23.377	447,00	27.74 LB.
Deaths under 1 year	Number	15	340	63	772	122 120 100	270	10 E 8 W	91177	100 100 110
	Ratio of local adjusted death rate to national rate	14	90.1	1.16	1.05	1.09 0.93 0.98 1.00 0.96	1.04 1.13 0.90 1.21 1.05	1.03 0.99 1.02 0.94 1.25	1.10 1.07 1.08 1.08 1.03	0.99 0.99 0.98 1.06
	Comparability factor	13	1.12	1.04	1.14	1.18 0.93 0.51 0.76 1.31	0.92 1.04 1.23 0.85	1.24 1.28 1.15 0.99 0.99	1.15 1.34 1.17 1.04 1.03	0.51 1.02 1.02 1.02
	Crude rate per 1,000 home population	12	0 =	12.9	10.7	10.7 11.6 22.2 15.3 8.5	13:1 12:6 8:5 10:6 14:3	9.6 9.0 10.3 11.0 14.6	11.1 9.3 12.0 11.6	10.0 113.1 11.2 11.2
Deaths	Total	п	9,548	1,692	7,856	4,182 252 64 79 242 100	253 853 108 108 249	231 317 322 203 124	199 162 218 63 63 88	3,674 123 245 337 429
	<u> </u>	Io	4,476	839	3,637	1,977 1112 377 114 117	126 403 29 51 137	107 146 163 98 59	88 75 75 76 78 78	1,660 56 1114 1152 184
	X.	0	5,072	853	4,219	2,205 140 140 35 125 60	127 450 56 57 112	124 171 159 105 65	111 88 122 37 34	2,014 67 131 185 245
	Ratio of local adjusted birth rate to national rate	90	76.0	0.93	96.0	0.89 0.78 0.75 1.22	1.08 0.85 0.72 1.07	0.93 0.88 0.94 0.98 0.98	0.85 0.97 0.79 0.82 1.14	0.87 0.88 0.97 1.11
	Comparability factor	7	0.99	1.00	96.0	0.99 1.03 1.05 0.99 1.00	1.04 0.96 0.93 0.88 1.03	0.98 0.99 1.02 1.06	1.00 0.98 0.99 1.03	0.98 1.11 1.10 1.05 0.97
-	Crude rate per 1,000 home population	9	1.91	15.3	16.2	15:1 12:5 11:8 13:6 20:2	17.2 14.6 12.8 20.0 16.3	15.6 14.7 15.6 13.3 15.3	14.1 16.4 13.1 18.3	13.5 13.5 18.5 18.5 18.5 18.5 18.5 18.5 18.5 18
Live births	Total	5	13,895	2,017	11,878	5,555 354 69 422 215	332 985 128 203 284	374 516 484 2484 130	254 286 257 69 69	6,323 152 247 456 820
	Ĩ4	4	192'9	952	5,809	2,747 182 182 23 109 1109	146 485 64 111 144	204 251 223 122 67	121 121 34 40	3,062 74 126 226 386
	×	, m	7,134	1,065	690'9	2,808 172 172 18	186 500 64 140	170 265 261 261 123 63	125 144 136 35 35	3,261 78 121 230 434
	Estimated home population as at 30th June 1959	2	864,300	131,500	732,800	366,900 23,480 5,510 3,560 11,720	19,350 67,530 10,010 10,170 17,400	23,990 35,060 31,120 18,420 8,490	17,980 17,420 19,640 5,270 4,980	365,900 11,720 18,670 30,000 43,600
			:	:	:	urban	:::::	:::::	:::::	:::::
			:	:	: A	and	:::::	:::::	:::::	:::::
	Area	I	DERBYSHIRE	Derby C.B	Administrative county	Municipal boroughs and districts	Buxton M.B Chesterfield M.B. Clay Cross Dronfield Glossop M.B.	Heanor Ilkeston M.B. Long Eaton Matlock	Ripley Staveley Swadlincote Whaley Bridge Wirksworth	Rural districts Ashbourne Blakewell Belper Blackwell
			DE		_					

W04 | 24 74827 924482 248411

39	33	38 411 36	30	8 %\$	27.7 44.2 43.4 43.4 43.4 43.4 43.4 43.4 43.4	24872	12448	24 11	39 15 26 28 81 81	12 12 30 74
8 113 46	243	35 80	128	2 9 8	000	2 1 4	144WW	0	7110/6	107
14 22	159	68 113 55	16	4 44		F-1-6	1981	w- -	nm∞n	37
6 17 24	170	27 144 88	86	25 24	11-60	F-1-6	126	4-11-	0000	4 0-
29 37 18	6	20 16 22	80	2 22 2	1 1888	28 17 28 17 88	172,331	888	20 72 22	11 11 16
10 22 31	227	18 18 79	130	75	1 mmr1	31 2	1 007=	8-1 1	- mn m cl	.v4 -1
1.08 1.01 0.99	96.0	1:03 0:96 1:04	96.0	0.98 0.98 1.02 1.10	0.97 1.05 0.98 0.97	0.94 1.03 1.06 0.94	1.18 1.12 1.10 1.24 0.98	1.25 0.92 0.81 1.02 0.83	1.01 0.85 0.81 1.13 0.99 0.96	0.81 0.88 0.92
1.18 1.05 1.27	0.84	0.84 1.09	0.78	0.70 0.77 0.79 0.79 0.82	0.77 0.55 0.81 0.86 0.75	0.63 0.68 0.57 0.73	0.87 0.76 0.73 0.76 0.70	0.80 0.63 0.71 0.52 0.57	0.70 0.66 0.82 0.71 0.71	0.80 0.80 0.86 0.91
10.6 11.2 9.0	13:3	13.3	14.3	16.3 17.0 13.8 15.0 14.9	14.6 19.7 15.1 13.2 15.0	17.3 17.5 17.8 21.6 15.0	15.8 17.1 17.5 19.0 16.2	18.1 16.9 13.2 22.7 16.8	16.7 15.0 16.0 16.1 16.1	12:1 11:8 11:9 11:7
206 420 816	10,861	3,425 1,029 2,396	7,436	4,340 46 214 157 1143	36 75 64 82 108	321 50 29 85 130	302 302 125 63	76 462 32 68 165	52 93 178 190 826 90	3,096 166 294 61
91 194 371	5,540	1,721 560 1,161	3,819	2,308 23 108 90 71	18 30 35 52	178 28 12 53 76	25 159 65 32	243 18 32 84	23 102 102 467 557	1, 511 75 147 31
115 226 445	5,321	1,704 469 1,235	3,617	2,032 23 106 67	34 47 47 56	143 222 171 843 843	143 160 31 31	219 219 14 14 81	359 359 359 359 359	1,585 91 147 30
1.07 0.98 1.04	96.0	0.90 1.02	0.93	0.86 1.09 1.11 0.94 0.90	0.78 0.79 0.87 1.12 0.67	1.02 1.01 0.97 1.09 0.87	0.72 0.88 0.81 0.96	0.85 0.77 0.78 0.79 0.76	1.04 0.75 0.76 0.69 0.69	0.83 0.99 0.83
1.01 1.02 0.93	1.09	2 000	=	1.08 1.08 1.04 1.04	1.17 1.37 0.96 1.09 1.19	1.20 1.13 0.96 1.20 1.14	1.02	1:26	1.09 1.15 1.19 1.01 1.00 1.06	1.15 1.15 1.11
17.5 15.9 18.5	14.6	16.2 14.7 16.7	13.6	16.7 16.7 17.8 14.2 14.2	11.0 9.5 14.9 16.9 9.3	14.0 14.7 16.6 15.0 12.6	17.0 11.8 14.2 12.2 14.9	13.5 10.2 10.3 9.5	15.8 10.7 10.5 17.3 10.4	14.6 11.9 14.4 12.3
340 594 1,685	11,861	4,757 1,135 3,622	7,104	3,372 45 45 276 155 136	27 36 63 105 67	260 272 273 109	245 20 20 80 80 58 58	278 26 26 31 94	49 66 113 205 531 531	3,732 168 356 356 64
164 290 818	5,655	2,265 556 1,709	3,390	1,681 21 1135 855 677	13 16 35 35 31	128 18 15 25 54	115 115 27	30 132 12 16 16 45	16 38 64 1111 262 41	1,709 66 174 24
176 304 867	6,206	2,492 579 1,913	3,714	1,691 24 141 70 69	20 20 28 36 36		32 130 130 37 31	146 146 115 64	269 49 18 18	2,023 102 182 40
19,390 37,460 90,950	814,900	293,700 77,400 216,300	521,200	265,700 2,700 15,520 10,460	2,460 3,800 4,240 6,220 7,180	18,540 2,850 1,630 3,930 8,650	3,110 1,700 17,250 6,580 3,900	27,210 2,420 3,000 9,850	3,110 6,190 10,760 11,870 51,160 5,530	255,500 14,080 24,730 5,210
:::	:	:::	:	urban	:::::	:::::	:::::	:::::	::::::	::::
shire	:	:::	:	and : : : :	:::::	M.B.	:::::	:::::	::::::	::::
Clowne Repton South East Derbyshire	:	sh:	county	oughs M.B.	Buckfastleigh Budleigh Salterton Crediton	ngton I	oot M.B.	[ary	n M.B	::::
ne nn East	:	oroug	rative	al bor irton aple I rd M.	astleig gh Sa on outh	Torrii orthy on M.J	n Abt	St. M on on on on on on on on on on on on on	Moltc ock nouth on M.J wy M.J	ster ster aple
Clowne Repton South E	DEVON	County boroughs Exeter Plymouth .	Administrative county	Municipal boroughs districts Ashburton Barnstaple M.B. Bideford M.B. Brixham	Buckfastleigh Budleigh Saltert Crediton Dartmouth M.B. Dawlish	Exmouth Great Torrington M.B. Holsworthy Honiton M.B.	Kingsbridge Lynton Newton Abbot Northam Okehampton M.B	Ottery St. Mary Paignton Salcombe Seaton Sidmouth	South Molton M.B. Tavistock Teignmouth Tiverton M.B. Torquay M.B. Tortnes M.B.	Rural districts Axminster Barnstaple Bideford
	-									

	Perinatal mortality rate	20		24004	18 28 19 19 19 19 19 19 19 19 19 19 19 19 19	77481	28	8 277232	8 1 2 2 8	20
	Stillbirths	67		00	100 7	40	8	Nawa Se	- 0	1 0
	Deaths under I week	18		HHH 60	พผพพพ	wr-1	4	1 1 12	7	10
	Deaths under	17		=== 6	410mm	wr-w	52	35	Name	12
hs	Rate per 1,000 live births	16		100 81	12 12 13 13 13 13 13 13 13 13 13 13 13 13 13	30	17	200 200	02.44	36
Deaths under 1 year	Number	15			971700	mom	79	207	w-w4	17
	Ratio of local adjusted death rate to national rate	14		1.06 0.95 0.82 0.91	0.96 0.89 0.85 1.03	1.02 0.87 0.76 0.74	96.0	0.98 1.16 1.06 0.95 1.19 0.96	0.92 1.13 0.89 1.12 0.92	0.05
	Comparability factor	13		1.18 0.92 0.94 0.94	0.83 0.98 0.75 0.93	0.87 0.90 0.62	0.89	0.87 0.77 0.70 0.86 0.76	1.38 0.77 0.98 0.73 0.48	0.91
	Crude rate per 1,000 home population	12		10.4 11.2 10.1 12.7	13.4 12.8 10.5 13.1 12.8	13.6 11.1 9.8 13.9	12.5	17.5 17.5 18.2 13.0	7.7 17.0 10.5 17.8 22.2	12.1
Deaths	Total	11		21 118 66 70 70	347 154 381 446 113	213 227 70 200	3,840	2,488 57 116 149 58 1,158	97 58 76 128 63	460
	Ī	10		10 55 22 36 81	168 72 192 233 60	100 103 101 101	1,96,1	1,271 30 72 78 30 578	348 377 272 272 272	235
	×	0		11.04.88	179 82 189 213 53	113 124 45 99	1,879	1,217 27 44 71 28 580	85.82 85.82 86.82	225
	Ratio of local adjusted birth rate to national rate	00		0.76 1.22 1.22 1.10 0.99	0.93 1.08 0.94 0.94	1.19 0.97 1.18 0.89	0.99	0.93 1.32 0.78 0.95 0.70	1.03 0.79 0.72 0.84 1.13	1.07
	Comparability factor	7		11.12.2	1.16 1.07 1.20 1.15	1.22	Ξ	1.03 1.07 1.07 1.07 1.07	44-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	1.03
	Crude rate per 1,000 home population	9		11.9 17.6 18.0 16.2 14.2	13.2 15.8 14.9 13.5	16.1 14.7 16.5 12.3	14.7	14.0 12.0 14.7 10.1 13.4	11.8 12.6 9.4 12.1 16.9	17.2
Live births	Total	٠,		24 174 106 113 167	344 166 574 508 119	252 302 118 177	4,518	2,647 69 79 171 171 32 1,198	149 688 87 884	653
I	Ħ	*		818 818 818 818	159 75 249 248 52	120 137 54 80	2,162	1,275 26 326 35 76 12 585	77 34 40 18	329
	M	m		16 93 68 86 86	185 91 325 260 67	132 165 97	2,356	20 20 20 20 613	522,448	324
	Estimated home population as at 30th June 1959	2		2,020 9,860 5,890 6,960 11,720	25,980 12,070 36,300 34,160 8,800	15,690 20,540 7,130 14,360	307,500	189,600 3,250 6,610 11,660 3,180 89,400	12,600 3,410 7,220 7,180 2,840	37,960
				:::::	:::::	::::	:	urban	:::::	Melcombe
				r ::	:::::	::::	:	M.B.		
	Area	I	panu	widger	obot t. Mar	::::	:	Forum B. M.B.	M.B.	and
			DEVON-continued	Rural districts—continued Broadwoodwidger Credition Holsworthy Honiton Kingsbridge	Newton Abbot Okehampton Plympton St. Mary St. Thomas South Molton	Tavistock Tiverton Torrington Totnes	:	Municipal boroughs and districts. Blandford Forum M.B. Bridport M.B. Lyme Regis M.B. Lyme Regis M.B.	Portland Shaftesbury M.B. Sherborne Swanage	Weymouth and Regis M.B.
			EVON	Rural Brog Crec Hols Hon King	New Oke Plyn St. 7 Sout	Tavi Tive Torr Totr	DORSET	Munici district Blan Brid Dore Lym	Port Shaf Sher Swar	Rei
			A				Ä			

18 18 33 14	933333	37	33 37 37 37 37 37	39	\$ 0000 84 \$ 0000 84	24444	\$45£4	\$52 \$51 \$8	38838
400-50-	-440	646	28 28 37 37	402	252 253 254 11	96908	12.8.7. 17.8.7.1	13	101
1621	9	418	22 22 28 28 28 16	271	12 12 77 10 6	4.0000	50000	L & C 4 4	37 24
-07-	∞	504	₹ 888842	325	22 2 13 19 10	8 410 8	000000	04044	13
3220	100	26	2 722222	27	22 20 31 22 22	31 28 31 31 31	100 400	22.33.8	22/ 23
192-1	101	715	36 27 27 39 39 39 39	453	305 20 20 112 113 8	87.87.0	25	27 11 6 7	17 477 10 8
1.04 0.66 0.91 0.90 0.85	0.79 0.84 0.96 0.94	1.1	1:13 1:13 1:18 1:18	1.15	0.95 1.10 1.17 1.02	1.15	1.30 1.06 1.36 1.01 1.01	112223	1:23 1:106 1:20 1:13
0.85 0.75 0.75 0.70	1.00 0.79 1.21 0.90	1.20	1:20 1:20 1:25 1:25	1.22	0.64 1.72 1.15 1.15 1.11	1.19 1.09 1.27 1.07 0.91	1.40 1.38 1.36 1.31 1.21	1.21 1.11 1.37 1.17 1.25	1.20 1.23 1.12 1.12 1.36 1.25
6.2 14.5 14.1 14.9 11.4	9.2 12.3 9.2 12.1	0.11	11:3 10:9 10:2 11:3	6.01	10.9 17.3 7.4 111.1 10.7	11:2 10:9 12:2 12:9	0.8 0.9 1.6 0.3 0.3	12.9 10.1 11.1 10.3	10.5
117 117 79 107 259 112	53 120 195 310	16,520	6,196 1,018 1,230 1,190 1,905 853	10,324	7,016 204 214 392 339 216	227 214 423 326 275	339 154 281 163 323	378 173 268 154 203	\$66 823 34 185 256
44 44 60 147 58	28 67 92 153	7,512	2,882 469 580 518 906 409	4,630	3,175 3,82 82 166 165 105	94 189 161 134	177 68 1119 79 133	180 85 109 67 91	255 366 16 82 120
73 38 47 112 54	25 53 103 157	9,008	3,3.4 5,49 6,50 6,72 9,99 4,44	5,694	3,841 52 132 226 177	133 117 234 165 141	162 86 162 190	198 88 159 179 87	311 457 103 136
0.97 0.90 0.88 1.21 1.03	1.16 0.92 1.20 1.13	1.08	1.10 1.06 1.13 1.16 1.25	1.04	1.07 1.32 1.01 0.93 1.05	1.28 0.94 0.99 0.87 0.81	1.12 1.19 1.26 1.06	1.05 0.81 1.19 0.96 0.88	0.95 1.20 0.75 1.14 0.94
1:15 1:25 1:25 1:15	1007	96.0	0.99 0.99 0.93 0.94 0.97	96.0	0.95 0.95 0.96 0.96 0.96 0.96	0.99 1.00 0.99 1.01 0.97	0.90 0.91 0.89 1.02 0.93	0.91 1.00 0.99 0.97 0.92	1.00 0.95 1.00 0.93 0.98
14.20 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1	18.4 14.2 17.2 17.2	18.5	19.3 18.2 20.1 20.3 21.3	17.9	18.5 17.3 18.4 18.4 18.4	21.4 15.5 16.5 14.2 13.7	20.6 21.6 23.4 17.1 17.7	19.1 13.3 19.9 16.4	15.7 20.9 12.3 20.2 15.9
114 114 165 91 278 146	106 138 390 443	27,818	10,887 1,325 1,990 2,183 3,786 1,603	16,931	11,758 97 703 612 490 372	434 290 642 378 293	650 373 566 316 557	561 181 527 228 310	1,636 38 366 389
136 136 62 136	46 58 182 211	13,378	5,129 638 900 1,083 1,729	8,249	5,763 48 348 305 248 182	224 133 334 180 147	312 176 309 154 274	273 81 255 102 161	355 780 21 157 204
86 39 142 84 84		14,440	5,758 687 1,090 1,100 2,057 824	8,682	5,995 49 355 307 242 190	210 157 308 198 146	338 197 257 162 283	288 100 272 126 149	394 856 17 209 185
8,080 12,750 7,580 - 17,330 9,840	5,760 9,740 21,100 25,720	1,506,800	563,100 83,300 109,100 108,700 186,600 75,400	943,700	644,000 5,210 28,770 35,390 30,770 20,230	20,260 18,680 38,940 26,680 21,360	31,500 17,280 24,170 18,510 31,480	29,340 13,660 26,440 13,910 19,770	47,680 78,420 3,080 18,080 24,390
::::::	:::: g	:	::::::	:	urban	:::::	:::::	:::::	:::::
::::::	:- rbeck anborr	:	::::::	· .		oottles ston	: : : : :	:::::	M.B.
:::::	nd Fur	:	chs::	count	stle stle kland	d Bysk treet Willing	M.B. .: Sprin	:::::	-Tees]
Rural ustricus Beaminster Blandford Bridport Dorchester Shaftesbury	Sherborne Sturminster Wareham and Purbeck	DURHAM	County boroughs Darlington Gateshead South Shields Sunderland West Hartlepool	Administrative county	Municipal boroughs and districts. Barnard Castle Billingham Bishop Auckland Bisydon Boldon	Brandon and Byshottles Chester-le-Street Consett Crook and Willington Durham M.B.	Felling Hartlepool M.B. Hebburn Hetton Houghton-le-Spring	Jarrow M.B. Ryton Seaham Shiidon Spennymoor	Stanley Stockton-on-Tees M.B. Tow Law Washington
		Ď							

	Perinatal mortality rate	20		2 400044	9441W	4	446454	4 4124	ĕ	m m c
	Stillbirths	61		222	-17426	37	28 3 7 8 7 10	3 00	643	255
	Desths under	18		22886	22221	77	=-8080	=40	445	76 22 18
	Desths under	17		178 8 8 33	94080	25	<u>n</u> -m0/mm	<u> </u>	512	24
ths	Rate per 1,000 live births	91		27. 33. 27. 28. 28. 28.	7477 2000 2000 2000 2000 2000 2000 2000	25	22.28	2027	70	2002
Deaths under 1 year	Number	15		11 12 12 12 14 16	04mom	35	∞ −8044	9 9⊣-∞	701	30
	Ratio of local adjusted death rate to national rate	14		4.00 1.10 1.12 1.12 1.13	1.14 1.14 0.95 1.08 1.11	0.99	0.86 0.86 0.89 0.89 0.99	0.90 0.92 0.93 0.96	0.99	3 00
	Comparability factor	13		1:26 1:26 1:26 1:36 1:36	0.95 0.99 1.11 0.97	0.95	0.88 0.98 0.68 1.10 0.77	1.08 1.08 1.08	1.08	1.08
	Crude rate per 1,000 home population	12		10.9 10.7 10.3 10.1	13.9 13.9 12.9 12.9 14.2	12.1	10:2 19:5 19:5 19:4 10:4 10:4	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	9.01	10.7
Deaths	Total	11		3,308 205 205 179 356 863	211 485 90 349 126	1,080	72 72 190 145 145 84 248	356 154 51 21 130	23,850	5,123
	Ħ	10		1,455 92 178 78 150 356	223 223 56 160 70	512	357 27 27 95 69 69 40 126	155 71 27 6 6	11,595	2,568
	×	6		1,853 113 266 101 206 507	262 262 34 189 56	268	367 30 95 76 444 442	201 83 24 115 79	12,255	2,555 629 1 043
	Ratio of local adjusted birth rate to national rate	90		1.15 0.95 0.95 0.95 1.15	0.88 1.00 0.93 1.16 0.87	96.0	0.86 0.86 0.10 0.10 0.10 0.10 0.10 0.10 0.10 0.1	0.96 0.95 0.85 0.95 0.95	16.0	0.83
	Comparability factor	7		0.98 1.08 0.97 0.98 0.99	1.03 1.04 0.98 0.97 1.17	<u>-</u> 0-	1.00 0.99 0.99 0.99	1.03 1.03 1.00 1.00	96.0	0.99
vs.	Crude rate per 1,000 home population	9		13.8 16.1 20.2 16.7 19.1	14:1 15:9 15:7 19:7	15.7	13.3 16.2 16.2 16.7 16.7	15.2 13.6 20.0 15.6	15.6	13.9
Live births	Total	٠,		5,173 261 667 667 450 578 1,643	213 577 143 533 108	1,401	868 79 79 130 214 285	533 221 65 65 50 197	35,034	6,320
	[I.	4		2,486 1118 329 226 274 776	1112 268 68 68 275 40	687	423 377 664 1100 880 132	264 105 29 26 104	16,892	3,122
	×	63		2,687 143 338 224 304 867	101 309 75 258 68	714	445 422 666 104 153	269 116 36 24 93	18,142	3,198 809 1007
	Estimated home home population as at as at 1959	2		299,700 18,880 41,550 22,300 34,630 85,840	15,160 36,290 9,080 27,120 8,850	89,000	54.6 6. 6. 6. 6. 6. 6. 6. 	34,400 14,510 4,790 2,500 12,600	2,241,000	433,000 109,900 158,800
				:::::	:::::	:	urban	: : : : :	:	:::
			1	::::::	:::::	:	and : : : : : :	:::::	:	:::
	Area	I	DURHAM—continued	Barnard Castle Chester-le-Street Darlington Durham Easington	Lanchester Sedgefield Stockton Sunderland Weardale	ELY, ISLE OF	Municipal borough districts Chatteris Ely March Whittlesey Wisbech M.B.	Rural districts Ely North Witchford Thorney Wisbech	: : x	County boroughs East Ham
			DURH	A BODDOM	TXXXX XXXXX	ELY,	disign of the second of the se	E E E E	ESSEX	Con

30	388 462 477 477	310	30 26 30 28 16	19 10 30 32 32 32 32	30 18 25 26 26	250 200 200 200 200 200 200 200 200 200	28 52 30 37 14	27 136 137 137 137
216	31 34 120 7	1 8 8 71	84877	21 21 49	3222	31 18 18 18 18 18	69 111 00 00 04	0049m
369	3.5 3.3 3.3 7.7 1.1	m / w	06471	272233	0 402	940	E 0 1 ∞ 4	7000m
425	367 255 40 7 7	1000	102020	23,27	8 212	74 41 e	m ∞ 0 ∞ 0 4 U	16673
20	184 25 28 184 184 184 184 184 184 184 184 184 18	127	18 22 20 20 118	20 20 10 10 10 10 10	117	22,23	2005081 1005081	15 40 17 32 33
929	28 28 48 89 90 41	1 2 2 6 1	10 6 27 27	26 33 33 34 35	13 35 4	276	88 00 10 10 4	20000
66.0	1.18 0.94 0.95 0.82 0.82	1.08 1.19 0.93 1.00	0.99 0.99 0.90 0.90	1.21 0.76 0.93 1.03 0.94 0.97	0.98 0.92 0.99 0.91 0.74	1.07 0.81 0.99 0.94 1.12 0.93	0.86 0.88 0.78 0.79 0.79	1.00 0.88 1.05 0.87 0.94
01.1	1.41 1.23 0.99 0.83	0.70 0.79 0.98 1.15 1.50	1.28 0.71 0.87 1.75 1.00	0.77 0.80 2.63 1.05 1.19 0.99	0.80 0.59 1.18 1.56 0.56	1.44 1.30 1.06 0.97 0.70 0.83	0.88 0.98 0.93 0.93 0.82	0.76 0.82 0.82 0.88 0.73
10.4	9.7 8.9 111.2 111.4 111.5	17.5 15.8 14.1 9.4 7.7	9.0 16.2 12.5 8.0 10.4	18:2 11:0 14:1 14:2 4:1	14:2 18:0 9:7 6:8 15:4	8 7 7 8 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	20.0 10.4 11.5 9.7 8.9 11.2	15:3 12:5 14:9 11:5
18,727	15,787 666 315 223 530	82 62 186 414 477	414 412 799 910 96	168 73 185 157 1,128 2,037	1,388 181 172 776 116	916 83 1,220 692 58 97	2,940 224 504 201 302 189	343 198 402 206 371
7,027	7,626 315 298 298 143 107 276	32 32 97 198 233	192 214 412 378 378	89 36 90 69 554 1,032	736 103 87 363 54	390 26 267 367 367 16	1,401 107 249 86 139 95	155 204 204 171
9,700	8,161 409 368 368 172 116 254	216 216 244	222 198 387 532 45	79 37 95 88 574 1,005	652 78 85 85 413 62	526 57 653 325 325 611	1,539 117 255 115 1163 94	188 99 110 200
0.92	0.90 0.73 1.31 0.99 1.14 0.93	0.93 1.18 1.16 0.96 0.71	0.76 0.78 1.02 0.76 1.13	0.79 0.95 1.14 1.04 1.09 0.75	0.74 1.03 1.01 0.90 0.97	0.93 1.06 0.77 0.71 0.89 1.16	1.06 1.06 1.01 1.25 0.95	1.01 0.97 1.17 1.07 0.82
96.0	6 000 7 4600 7 4600 7 600	1.18 1.04 0.93 0.92	1.04 1.23 1.01 0.93 0.90	1.15 0.64 0.98 0.94 1.00	0.99 1.06 0.88 0.84 1.05	0.88 0.87 1.00 1.24 1.12 1.12	1.00222	1.15 1.14 0.96 1.12 1.13
15.9	15.8 12.9 25.7 16.8 19.2	13.0 16.5 18.4 17.1 12.8	12.0 10.5 16.6 13.4 20.7	11.4 14.1 17.5 19.2 12.4	12.3 16.1 17.7 15.2	17.4 20.1 12.7 11.7 11.9 17.1	14.8 17.2 16.5 13.5	14.5 14.1 20.1 15.8 12.0
28,714	24,699 966 1,934 176 376 758	61 65 242 752 795	554 268 1,061 1,531 190	105 1,333 2,241 2,353 2,223	1,204 162 334 2,029 115	1,859 1,430 1,430 721 153 153	4,015 318 755 702 228	325 223 240 282 299
13,770	11,864 906 229 186 361	32 119 368 404	253 127 505 739 95	64 669 11,082 1,082 1,099	566 87 176 932 56	880 977 365 365 21 22	1,906 150 364 150 335 113	156 92 260 140 146
14,944	12,835 1,028 1,028 190 190	37 123 384 391	301 141 556 792 95	53 664 1,271 1,124	638 75 158 1,097 59	979 134 727 356 16 86 24	2,109 168 391 193 367 115	169 131 280 142 153
1,808,000	1,563,000 74,980 75,210 28,250 19,580 46,270	4,690 3,930 13,170 44,080 62,070	46,030 25,480 63,980 114,200 9,190	9,210 6,660 45,250 13,760 122,600 178,600	97,830 10,040 17,700 114,800 7,550	107,100 11,470 113,000 61,620 3,120 8,970 2,610	245,000 21,550 43,840 20,820 33,870 16,860	22,440 15,870 26,930 17,870 24,950
:	urban	:::::	:::::	:: ::	:::::	1 M.B.	:::::	:::::
Administrative county	Municipal boroughs and districts. Barking M.B Basildon Basildon Braintree and Bocking Braintree and Brentwood	Brightlingsea Burnham-on-Crouch Canvey Island	Chingford M.B Clacton Colchester M.B Dagenham M.B Epping	Frinton and Walton Halstead Harlow Harwich M.B.	Leyton M.B	Thurrock Waithbarn Holy Cross Waithbarn Holy Cross Waithbarnstow M.B. Wanstead and Woodford M.B. West Mersea Witham	Rural districts Braintree Chelmsford Dunnow Epping and Ongar Halstead	Lexden and Winstree Maldon Rochford Saffron Walden
A	Z.						ž	

mortality rate

	Perinatal	30								
	Stillbirths	19	316	158 131 27	158	2 82397	0 00	96 72 71 11 12 12 12	1 57 1	0.00
	Desths under	18	190	825 15	93	15.00	4 00	3 ∞4-40	9 412	0.40
	Deaths under	17	221	93	=	6 84 %	0 40	L04520	0 011	w44
ths 1 year	Rate per 1,000 live births	91	19	250 20	-	€ 8 0 V 4	16 43	18 15 20 20 19	33	33
Deaths under 1 year	Number	15	304	150 130 30	144	5 2 4 5 0 0	0 44	00 10 10 10 10 10	1020	440
	Ratio of local adjusted death rate to national rate	14	96.0	1.06	0.92	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.98 0.71 0.99 0.74	0.93 0.95 0.95 1.01 0.93	1.02 0.85 0.84 0.76 0.93	0.96
	Comparability factor	13	0.99	0.99 0.97 1.07	1.00	0.90 0.90 0.72 1.25	1.17 0.83 0.89 0.83	1.05 1.05 1.08 0.96	0.94 0.96 0.77 1.17	0.90
	Crude rate per 1,000 home population	12	1.3	11:5	10.7		9.9 12.9 10.3	6.01 4.09 4.09 6.01 6.09 6.01	10.6 10.5 10.1 11.4	12.4
Deaths	Total	11	11,013	5,958 5,174 784	5,055	1,793 85 835 162 192	215 37 210 57	3,262 287 132 189 226 493	131 90 206 93 93 385	337
	Ħ	10	5,519	2,979 2,601 378	2,540	952 4488 828 10	102 15 104 26	1,588 167 102 103 103 257	32 106 106 51	167 42 148
	M	6	5,494	2,979 2,573 406	2,515	84 411 347 80 101	113 222 106 31	120 120 78 78 123 123	76 58 100 42 213	170
	Ratio of local adjusted birth rate to national rate	90	00·I	0.95 0.92 1.09	1.07	1.15 1.06 0.93 1.11	1.11 0.80 0.95 0.95	1.05 1.05 1.05 1.09	1.25 1.25 1.11 0.94 1.04	0.96 1.21 1.18
	Comparability factor	7	10.1	1-00 1-00 0-99	1.02	0.98 1.04 0.97 1.02 0.97	0.96 1.02 0.93	0.99 1.00 1.00 1.00 1.00 1.00	1.11 1.15 1.08 1.05 1.00	1.10
S	Crude rate per 1,000 home population	9	16.4	15.2 18.2	17.3	18:2 18:2 18:1 18:9	19.0 12.1 15.4 16.7	17.2 19.2 16.3 16.9 18.0	14.9 17.9 16.9 14.7 17.2	14.8
Live births	Total	5	16,075	7,892 6,647 1,245	8,183	2,815 127 1,256 182 441	421 45 250 93	5,368 2,75 2,75 2,82 3,54 7,89	183 153 345 120 718	402 123 474
	Ħ	*	7,838	3,183 609	4,046	1,378 54 625 80 220	209 21 132 37	2,668 270 144 135 172 399	83 74 177 65 373	192 63 235
	M	m	8,237	4,100 3,464 636	4,137	1,437 73 631 102 221	212 24 118 56	2,700 299 131 147 182 390	100 79 168 55 345	210
	Estimated home home as at 30th June 1959	2	977,400	504,900 436,600 68,300	472,500	159.500 6,960 69,490 12,070 23,330	22,120 3,720 16,250 5,560	313,000 29,700 15,640 17,270 20,920 43,920	12,310 8,540 20,390 8,180 41,670	27,240 6,770 27,260
			:	:::	:	and urban	::::	::::::	:::::	:::
			(2)	:::	:		::::	::::::	:::::	:::
	Area	1	HIR	<u>s</u> : :	county	oughs M.B.	M.B.	:::::	:: : : : : : : : : : : : : : : : : : :	:::
	4		TERS	rough	ative	bore ham ster	sfield orth oury	ricts ham ster an ter	Cotsw	·
			CEST	County boroughs Bristol Gloucester	Administrative county	Municipal boroughs districts	Mangotsfield Nailsworth Stroud Tewkesbury M.B.	Rural districts Cheltenham Cirencester Dursley East Dean Gloucester	Lydney Newent North Cotswold Northleach Sodbury	Stroud Tetbury Thornbury
			GLOUCESTERSHIRE	Coun	Admi	# # # # # # # # # # # # # # # # # # #	Str	a do da	SZZZZ	Str

1315,000 11,301 10,837 12,158 169 164 167 7,537 7,411 14,066 114 096 094 177 21 120 105 17	30	2 888	29	2 2 4 4 2 5 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	32222	31.82.18	32.2 27.2 27.2 27.2 27.2	227 227 34 34 34	37	8 8 8 8
1315,000 1,301 10,887 22,183 169 140 140 7,557 7,411 14,966 114 0.96 0.99 137 21 120 120 120 135 130 1	416	13	239	99 0111	1012	27.27	60 11 80 411	188	49	91 1 1 4 6
1315,000 11,301 10,857 22,158 1659 1641 1677 7,557 7,411 14,966 114 0.96 0.94 127 128 14,500 1,041 1,050 1,041 1,050 1,041 1,050 1,041 1,050 1,041 1,050 1,041 1,050 1,041 1,050 1,041 1,050 1,041	265	25 39 41	160	2 000044	852-01	12337	6 0001-4	25,000,04	28	0 0 -22
1315,000 11,301 10,887 22,158 16.9 16.4 1407 7,5557 7,411 14,964 114 0.96 0.94 472 472 476 1.05 1.0	307	26 26 47 47	187	400044	18 15 12 22	22 10	E ∞04-14	27.64.20	37	0 0
1,315,000 1,301 1,0857 2,118 1,69 1,04 1,07 7,557 7,411 1,496 1,14 0,96 0,94 1,201 1,201 1,202 1,202 1,203	61	8555 5	6	222 277 277 178 178 178 178 178 178 178 178 178 1	17 13 8 13 8	18 20 11 28 28 28	18 23 23 19 13 13	222	25	20 20 20 42 18 18
1,315,000 11,301 10,857 22,158 669 104 107 7557 7,411 14,066 114 0.96 15,500 1,764 1,765 1,569	429	177 35 74 68	252	157 15 15 7 7	10 21 7 31	30	\$11.4 kg	02224181	51	5
1,315,000 11,301 10,887 22,158 169 104 107 7,557 7,411 14,968 114 14,001 1,301 10,887 22,158 169 159 1,301	0.94	0.94 0.94 1.05 0.96	16.0	0.96 1.08 1.08 0.79 0.92 1.12	0.87 1.04 0.96 0.89 0.89	0.90 1.03 1.00 0.68 0.93	0.83 0.90 0.76 0.79 0.79	0.89 0.93 0.82 0.88 0.81	0.89	1:25 0:97 1:16 1:00 1:09
1.315,000 11,301 10,857 22,158 6.9 1-04 1-07 7,1557 7,411 14,068 1-05	96.0	0.90 0.94 1.10	1.01	1.63 0.96 0.80 1.18 0.81	1.13 1.16 1.51 0.94 1.33	1.30 0.75 0.75 0.68 0.79	0.88 1.03 1.43 0.53 0.64 0.89	0.99 1.09 0.95 0.69 1.07 0.80	16:0	0.91 0.91 0.71 0.75 0.75 0.72
1,315,000 11,301 10,857 2,1158 16,9 1-04 1-07 7,557 7,411 144 1,202 2,00,000 1,764 1,705 3,469 1,733 0,99 1,041 1,294	11.4	12.9 10.1	10.4	10.1 7.7 13.0 11.5 9.0 16.1	8.9 10.4 7.4 11.0 7.8	8.0 15.9 15.4 11.6 13.6	10.1 10.1 15.4 14.3 9.8	10.4 10.0 14.8 8.8 11.3	= 4	13.5.9 11.3 19.0 17.8 17.8
1,315,000 1,301 10,857 22,158 169 1-04 1-07 7,557	14,968	7,175 2,332 2,833 2,010	7,793	4,508 304 114 1184 209	323 593 225 129 515	542 411 111 75 372	3,285 256 126 271 312 258	224 526 236 378 191 507	1,476	888 666 988 988
1,315,000 1,301 10,857 22,156 169 1-04 1-07	7,411	3,639 1,291 1,436 912	3,772	2,140 152 152 64 82 93 208	150 261 101 59 236	262 207 52 34 179	1,632 121 52 146 146 166 145	104 248 1114 194 88 88 254	728	350 196 196 17 19 45 88
1,315,000 11,301 10,857 22,158 16.9 1.04	7,557	3,536 1,041 1,397 1,098	4,021	2,368 152 50 102 116 116	173 332 124 70 279	280 204 59 41 193	135 135 146 146 113	2778 2778 1222 184 103 253	748	349 193 193 188 47 47 43 36
1,315,000 11,301 10,857 22,158 16.9 144,700 1,764 1,705 1,693 3,469 115.3 1,200,000 1,764 1,705 3,469 115.3 1,693 3,469 115.3 1,693 3,469 115.3 1,693 3,469 115.3 1,693 3,469 115.3 1,693 3,469 1,755 1,693 3,469 1,755 1,693 3,469 1,755 1,693 3,469 1,755 1,595 1,495 1,205 1,495 1,405	1.07	0.80 0.80 1.03 1.04	Ξ	1.15 1.02 1.05 1.12 0.85	0.95 1.11 1.17 1.27 1.21	1.31 0.88 0.88 0.89 0.86	1:24 1:24 1:21 1:14 1:04	1.20 1.26 0.97 0.96 1.09 1.25	1.02	1.05 0.76 0.85 0.92 1.13 1.05
1,315,000 11,301 10,857 22,158 144,700 1,764 1,763 3,462 1,763 3,462 1,763 3,462 1,763 3,462 1,763 3,462 1,763 3,462 1,763 3,462 1,763 3,462 1,763 3,462 1,763 3,462 1,763 3,462 1,763 3,462 1,763 3,462 1,763 3,462 1,763 3,462 1,763 3,462 1,763 1,7	1.04	1.15 1.07 0.99	1.02	0.98 1.01 1.01 1.00 1.00 1.00	0.94 0.97 1.02 0.98	0.86 1.08 1.05 1.01	1:21 1:20 1:20 1:16 1:16	1:04	1.06	0.95 0.95 0.99 0.99 0.98 0.98
ity i,315,000 11,301 10,857 1.05 1.05 1.00 1.00 1.00 1.00 1.00 1.00	16.9	11.5 11.5 17.3	18.0	18.6 17.5 16.6 17.2 20.1 14.0	16.6 18.8 18.4 20.6 20.4	25.1 12.2 13.8 13.6 14.1	17.6 17.6 16.6 16.2 15.2	19.0 20.2 15.5 14.1 17.0 18.7	6:51	7. 13.0 13.0 15.4 16.9
ity	22,158	8,621 1,660 3,492 3,469	13,537	8,337 688 146 274 466 349	1,066 558 241 1,344	1,711 314 100 88 386	5,20 2,29 2,29 3,352 3,99	1,073 364 360 360 369 837	2,048	947 200 639 244 1177
1,315,000 1,44,700 1,44,700 1,44,700 1,44,700 1,44,700 1,44,700 1,44,700 1,44,700 1,44,700 1,44,700 1,44,700 1,44,700 1,44,700 1,44,700 1,44,700 1,44,700 1,44,830	10,857	4,196 798 1,693 1,705	199'9	4,110 342 66 128 128 227 162	289 519 264 106 695	877 158 47 37 193	2,551 215 176 142 166 192	189 511 187 163 197 413	978	457 13 290 10 28 28 61 61
its and urban its and urban its and urban Whitchurch Ordingbridge ckeridge ckeridge its and urban its and urban	11,301	4,425 862 1,799 1,764	6,876	4,227 346 80 146 239	317 547 294 135 649	834 156 53 51 193	2,649 231 123 150 186 207	220 562 177 197 172 424	1,070	490 349 144 229 356 356
is and urb Cordingbridge Cordingbridge Is and urb Is and urb	1,315,000	565,000 144,700 220,300 200,000	750,000	448,500 39,400 8,810 15,950 23,130 24,890	36,480 56,840 30,290 11,680 66,040	68,120 25,780 7,230 6,490 27,370	301,5u0 25,360 20,240 17,600 21,790 26,270	21,490 53,130 23,520 25,530 21,740 44,830	129,000	53,100 1,700 34,340 1,840 1,840 6,170 6,170 5,330
HAMPSHIRE County boroughs Bournemouth. Southamptouth Southamptouth Southamptouth Southamptouth Municipal boroughs and districts. Alton Aldershot M.B. Basingstoke M.B. Basingstoke M.B. Christchurch M.B. Eastleigh M.B. Fareham Farehorough Fareham Farehorough Fareham Farehorough Fareham Farehorough Feetsfield Cosport M.B. Havant and Waterloo Dynamigton M.B. Romsey M.B. Winchester and Whitchu New Forest Basingstoke Droxford Hartley Winthey Kingscher and Whitchu New Forest Basingstoke Droxford Hartley Winthey Kingscher and Whitchu New Forest Basingstok Hereford M.B. Hartley Winthey Hereford M.B. Lechnist M.B. Lech	:	::::	:	urban	:::::	:::::		rch	:	urban ::::::::::::::::::::::::::::::::::::
HAMPSHIRE Country boroughs Bournemouth. Southampton. Southampton. Southampton. Addresho, M.B. Aldon. Andover M.B. Basingstoke M.B. Eastleigh M.B. Faretham	:	::::	ity		:::::	erloo	::::::	Vhitchu ordingl	:	and :::::::
	HAMPSHIRE	County boroughs Bournemouth Portsmouth Southampton	Administrative coun	Municipal borough districts	Eastleigh M.B. Fareham Farnborough Fleet Gosport M.B.	Havant and Wath Lymington M.B. Petersfield Romsey M.B. Winchester M.B.	Rural districts Alton Andover Basingstoke Droxford Hartley Wintney	Kingsclere and W New Forest Petersfield Ringwood and Fi Romsey and Stoc Winchester	HEREFORDSHIRE	Municipal boroughs districts Hermyard Hereford M.B. Kington Ledbury Leominster M.B. Ross-on-Wye

		Perinatal mortality rate	20		34 4 4 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	534 534 53	29	245 247 247 247 257	232241	33.8	30
ı		Stillbirths	61		84404	m9019	257	1139	2 114 61	2114118	16
		Desths under	18		≅ 000€	-ms0	150	= 2148	4 5145	01 m m	10
		Desths under	17		2 044	ผพพผ	170	0 2 1 0 0	4-14051	0140×N	11
i	ths 1 year	Rate per 1,000 live births	91		22 33 27 27	26 37 30 16	11	12 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	529751	300 30	18
ı	Deaths under 1 year	Number	15		<u>≅</u> ~~~	2000	231	167	20028	mn0010	14
ı		Ratio of local adjusted death rate to national rate	14		0.88 0.88 0.64 0.73	0.80 0.80 0.80 0.85	06.0	0.92 1.19 0.93 0.78 0.78	0.87 0.83 0.95 0.95 0.97	0.91 0.76 0.94 0.79 0.86	0.99
ı		Comparability factor	13		0.86 1.00 0.85 0.85	0.92 0.85 0.88 0.96	1.09	1:34 1:34 1:00 1:02 0:87 1:14	1.38 1.05 1.06 1.60	1.04 0.86 1.15 1.15	0.96
ı		Crude rate per 1,000 home population	12		11:9 11:9 10:2 10:2 10:2	10.9 10.5 10.3	9.6	9.4 10.3 10.8 10.4 8.0	7.3 10.1 7.0 7.0	10-1 10-2 9-5 8-0 8-0	12.0
I	Deaths	Total	11		777 84 61 190 46	2011 2012 2013	7,503	5,136 74 286 129 180	226 60 417 159 343	154 231 159 185 222	557
I		Ĭ,	10		378 37 28 28 23	44 65 31	3,793	2,577 145 622 844 747	102 35 227 94 168	129	43
		M	6		36 3 4 4 7 6 6 7 6 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	38 38 38	3,710	2,559 411 141 67 96 85	124 25 190 65 175	65 102 106 123	295
I		Ratio of local adjusted birth rate to national rate	∞		0.94 0.94 1.01 0.89 0.91	0.90 1.16 0.99 1.21	86.0	0.86 0.85 0.85 0.85 0.88	0.31 0.77 1.22 1.00	0.85 1.08 1.02 0.88	1.17
		Comparability factor	7		1:12 1:07 1:15 1:15	1.12 1.17 1.14 1.05	0.92	0.92 0.89 1.00 0.94 0.91	0.89 0.96 1.05 1.00 0.75	0.99 0.98 0.98 1.00	0.98
	SI	Crude rate per 1,000 home population	9		4.5.5.5.5. 2.6.6.6.0 5.6.6.0 5.6.6.0 5.6.6.0 5.6.6.0 5.6.6.0 5.6.6.0 5.0.0 5.0	13.2 16.4 14.3 19.0	17.5	18.0 17.9 17.9 17.9 15.9	20.2 14.0 12.1 20.1 22.0	14.2 18.9 18.1 17.2 14.5	19.3
	Live births	Total	2		1,101 97 129 239 62	114 164 169 127	13,753	9,850 114 114 373 174 350 316	628 92 500 343 1,078	216 429 303 395 404	854
		Ī	4		52 44 64 116 32	74 74 74 65	6,618	4,742 58 166 844 152	302 41 246 166 503	110 222 147 204 209	397
		M	ري		580 53 65 123 30	67 88 95 62	7,135	5,108 56 207 207 90 185	326 51 254 177 575	106 207 156 191 195	64 457 37
		Estimated home population as at 30th June 1959	2		75,900 7,050 8,280 18,700 4,760	8,620 10,000 11,820 6,670	784,000	547,300 7,170 26,410 12,440 17,240 19,900	31,110 6,550 41,360 17,100 49,000	15,210 22,720 16,770 22,990 27,860	5,750 48,630
				pan	:::::	::::	:	urban	:::::	:::::	::
		Area	. 1	RE-contin	edwardine	ind Wigmore hitchurch	RE	and	l	.	[.B. ::
		¥		HEREFORDSHIRE—continued	Rural districts Dore and Bredwardine Hereford Kington	Ledbury Leominster and Wigmore Ross and Whitchurch Weobley	HERTFORDSHIRE	Municipal boroughs districts Baldock Barnet Berkhamsted Bishop's Stortford Bushey	Cheshunt Chorleywood East Barnet Harpenden Hemel Hempstead	Hertford M.B. Hitchin Hoddesdon Letchworth Rickmansworth	Royston St. Albans M.B.

44 30 32 32	20 20 20 37 31 31	30 33 33 27	31	37.70 37.70 37.70 37.70 37.70 37.70	25 47 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	31	26	31	30 30 30 30 30 30 30	23 31 28
1 2 25 16	5 -4×514	ww8471	32	<u> </u>	<u>∞</u> ∞∞∾∾	201	9	495	392 15 20 5	23
6497	2 -0490	1326	2	r 44-1	9 00=	312	9	306	237 4 111 122 2	13
W4000	4-4004	×44	21	<u> </u>	9 44-	360	9	354	77 4 11 2 2 2 2 2	13
31 8	16 10 25 17 17 18	22.23	22	20 20 20 38 10 10	19 38 33	-	13	-8	18 13 13	15 20 20
8 9 11	4-4804	1222	32	≅ -∞04	4000	472	9	466	359 17 17	147
0.88 1.03 0.99 0.94	0.87 0.93 0.93 0.91 0.92	0.74 0.69 0.93 0.93 0.73	0.87	0.00 0.00 0.79 0.79 0.84 0.79	0.81 0.67 1.07 0.85 0.71	96.0	0.93	96.0	0.97 0.90 0.92 0.93 1.01	0.93 0.89 0.97
0.83 0.60 0.97 1.88	0.98 0.97 0.95 1.20 1.12	1.01 0.96 0.66 0.86 1.16 1.14	1.05	0.93 0.93 1.28 1.11 0.92 0.89	1.29 1.21 1.21 1.14 0.89	0.95	0.92	0.95	0.94 0.94 0.92 1.23 0.75	0.94 1.06 1.31
12.3 19.9 11.8 5.8	0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01	8.5 112.1 12.6 4.7 4.4	9.6	21:3 21:3 9:1 10:0 10:6	8.0 10.3 9.2 9.2	11.7	11.7	11.7	11:0 8:8 15:6	9.7
67 188 870 870	2,367 67 124 296 310 129	246 246 434 148 487 47	766	395 21 127 103 52 36 36 56	371 77 94 131 69	19,444	352	19,092	14,864 296 876 793 264	757 505 762
33 106 433 89	1,216 72 167 1155 60	34 108 246 67 251 22	380	11 11 62 23 23 28 28	37 47 72 33 8	9,656	175	9,481	7,425 133 448 372 135	417 239 373
34 82 437 93	1,151 33 52 129 155 69	1388 1888 236 236	386	200 100 100 100 100 100 100 100 100 100	182 40 47 36 36	9,788	177	119,6	7,439 163 428 421 129	340 266 389
1.05 1.05 0.94 1.05	0.93 0.93 0.92 1.03 0.98	0.87 0.99 1.13 0.80 0.83 0.91	1.18	1.16 1.10 1.24 1.33 1.18	1.56 0.93 1.10 1.08	0.97	0.95	0.97	0.90 0.90 0.88 0.71	0.84 1.15 0.83
1.05 1.01 1.00 0.77	0.98 1.03 0.90 0.87 1.00	1.03 1.03 1.06 0.89 0.89	1.08	1.02 0.98 0.99 1.04	1.29 1.06 1.11 1.11	1.03	1.02	1.03	1.02 1.02 1.02 1.02 1.02	1.00 0.97 0.97
16.5 17.2 15.5 22.5	15.7 15.0 16.8 19.6 16.2	14.2 17.6 13.0 15.4 17.4	<u>~</u>	18.5 17.7 17.7 18.8 18.8 18.8	16.9 20.0 14.4 16.4 15.7	15.6	15.3	15.6	15.3 12.6 10.4	13.8 19.6 14.2
90 163 1,143 704	3,903 101 157 480 689 689 219	132 359 633 153 870 110	1,434	678 50 111 233 105 80 80 99	756 257 132 249 118	25,958	460	25,498	19,672 388 947 1,295 176	906 1,015 1,267
45 83 534 362	1,876 55 76 251 313 103	314 314 425 411	869	336 266 122 122 55 399 48	362 1117 63 123 59	12,666	240	12,426	9,546 170 465 646 90	448 505 597
	2,027 46 81 2229 376 116		736	342 242 241 1111 500 411 511 511	394 140 69 126 59	13,292	220	13,072	10,126 218 482 649 86	458 510 670
5,450 9,460 73,780 31,270	236,700 6,440 10,460 28,520 35,110 13,550	9,300 22,680 35,930 11,760 56,630 6,320	79,400	34,740 2,680 5,5960 11,590 5,920 3,610 5,280	44,660 12,820 9,150 15,180 7,510	1,666,000	30,000	1,636,000	1,283,000 26,550 75,220 90,500 16,950	65,860 51,820 89,020
Tring	Rural districts Berkhamsted Braughin Eistree Hadfield Hemel Hempstead	Hertford	HUNTINGDONSHIRE	Municipal boroughs and urban districts. Godmanchester M.B. Huningdon M.B. Old Fletton Ramsey St. Nes M.B. St. Neots	Rural districts Hutingdon Norman Cross St. Ives St. Noots	KENT	Canterbury C.B	Administrative county	Municipal boroughs and urban districts Ashford Ashford Beckenham MB. Berkey M.B. Broadstairs and St. Peter's	Bromley M.B Chatham M.B Chislehurst and Sideup

	Perinatal mortality rate	20	w.0.4	NW40W	~~!~~	W. 20 20 50 50 50 50 50 50 50 50 50 50 50 50 50	4444	24 2 2 2	17
	Stillbirths	19	9	312	16	12 16 21 17 11 11 11 11 11 11 11 11 11 11 11 11	10117	41/101	1
	Deaths under I week	18	07.9	23 65	121	2-29	122	-0v-m	1
	Deaths under	17	000	27 8 8 9	13	6 17 17 11	4900	U0N-4	1
ths	Rate per 1,000 live births	16	30 16 34	100 11001	27 27	750 70 70 70 70 70 70 70	3022	1337	34
Deaths under I year	Number	15	111	00004	02 1201	2007	17 20 13 20	w01-00	2
	Ratio of local adjusted death rate to national rate	14	0.85 1.00 0.96	0.89 0.84 0.96 1.02	0.97 1.16 1.06 0.73 0.93	1.05 0.74 0.98 0.93	1.08 1.00 1.03 0.97 0.89	0.92 0.82 0.65 0.98	0.94
	Comparability factor	13	1.32	0.99 1.15 0.59 0.87 1.13	1.09 0.66 0.77 1.21 0.91	0.78 0.88 1.16 1.12 0.97	1.12 0.85 1.08 0.62 0.79	0.84 1.06 0.77 0.75 1.23	0.53
	Crude rate per 1,000 home population	12	7.5 13.7 11.3	10.4 10.3 16.6 10.5 10.5	10.3 20.4 16.0 7.0 11.8	15.6 9.8 10.0 10.1 11.1	13.7	12.7 11.8 12.4 10.1 9.2	20.5
Deaths	Total	11	229 603 291	360 469 206 568 811	497 402 161 22 671	680 24 208 751 285	36 493 705 56	215 182 282 92 82	66
	Ľ4	10	103	195 203 203 303 376	224 217 99 13	340 100 351 141	16 226 229 439 30	118 85 136 52 35	50
	Σ	0	126 299 139	165 266 111 265 435	273 185 62 9 338	340 108 108 141	20 267 271 266 266	97 146 146 74	49
	Ratio of local adjusted birth rate to national rate	90	0.94 0.95 0.97	0.9001001001001	1.12 0.68 0.67 1.19 1.01	0.75 0.72 0.99 1.10 1.19	0.88 1.02 0.99 0.89 1.07	0.91 1.13 1.05 0.93 0.65	0.78
	Comparability factor	7	0.95 0.98 1.06	1000	0.97 1.14 1.23 1.04	1.09 1.03 0.97 0.98 0.91	1.02 1.06 0.98 1.09 1.15	1.02 1.08 1.02 1.16 0.93	1.05
62	Crude rate per 1,000 home population	9	16.4 16.0 15.1	16.5 14.9 16.0 16.0	19.0 10.0 15.9 16.0	11.3 11.5 16.8 18.6 21.6	14.3 15.8 16.7 13.4 15.4	14.7 17.2 17.0 13.2 11.5	12.2
Live births	Total	2	502 701 388	573 681 198 635 1,243	918 194 101 50 906	494 28 349 1,388 555	46 570 799 519 66	250 265 386 120 103	59
	T.	4	250 330 198	289 100 292 608	437 430 430	223 10 185 667 262	280 280 405 260 290	124 127 195 56 50	26
	×	رن	252 371 190	284 345 98 343 635	481 98 55 27 476	271 18 164 721 293	250 394 259 37	126 138 191 64 63	33
	Estimated home home population as at 30th June 1959	2	30,600 43,940 25,750	34,680 45,700 12,420 44,370 77,590	48,370 19,700 10,080 3,140 56,680	43,660 20,720 74,620 25,670	3,220 36,100 47,910 38,810 4,280	16,950 15,400 22,700 9,100 8,940	21,820
			urban 	:::::	:::::	:::::	 M.B.	:::::	:
			s and	:::::	:::::	: : : : : #	r.B	Miltor	:
	Area		KENT—continued Municipal boroughs and districts—continued Crayford Dartford M.B.	Dover M.B Erith M.B Faversham M.B. Folkestone M.B. Gillingham M.B.	Gravesend M.B. Herne Bay Hythe M.B Lydd M.B Maidstone M.B.	Margate M.B. New Romney M.B. Northfleet Orpington Penge	Queenborough M.B Ramsgate M.B Rochester M.B Royal Tunbridge Wells M.B. Sandwich M.B.	Sevenoaks Sheerness Sittingbourne and Milton Southborough Swanscombe	Tenterden M.B.
			KE						

1.5	24008	#64 %	221	2222	38	4 £64664	£44 66 66 66 66 66 66 66 66 66 66 66 66 6	845 145 145 145 145 145 145 145 145 145 1	36	38 33 15 15 61
1,000,000 1,00	20050	41-110	2000m	นี้ผนผน	2,108	1,297 30 37 44 44	24 20 20 44	30 30 30 30 30 30	118	212211151
Colored Colo	2 74	04mm	ro-0-	F & - 00	1,334	83 28 33 39 39	27 17 256 192 29 35	18 27 39 22 22 22	503	426
Column C	00-175	V44N	130	∞m-∞	15,79	88 900 900 44 400 400 400 400 400 400 400	31 19 306 223 31 47	23 46 15 30 25	296	802
Color Colo	111	220	27.400	100	79	223 233 35 35 35	33 33 33 33 33 34 35 35 35 35 35 35 35 35 35 35 35 35 35	232222	24	36 26
1,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0	2 3 11 7	4000	171	1073	2,254	1,410 15 36 443 71 68	428 428 325 63 63	35 35 35 35	844	732 3 16 11
1,000	0.88 0.86 0.89 0.89	0.88 0.69 0.69 0.84	0.83 0.97 0.91 0.85 1.14	0.78 0.86 1.04 0.92 0.87	1.22	1.27 1.27 1.23 1.23 1.31	1:27 1:23 1:19 1:26 1:35	1.23 1.33 1.21 1.21 1.23	1.19	1.29 1.29 1.15 1.28
19,240 1,10,240 1,10 1,10,240 1,10	0.61 0.77 1.07 0.88	0.83 0.83 0.44 0.93	0.68 1.02 0.92 0.98 0.98	1.13 0.99 0.83 0.83	Ξ	1.08 0.96 0.85 1.09 1.53	0.95 1:22 1:17 1:09 1:14	1.05 1.32 1.19 0.74 1.25 1.25	1.09	1.35 0.99 1.11 1.20
18,2400 147 158	16.8 12.9 9.6 11.6	12.3 15.3 18.1 10.5	14.1 11.0 11.5 10.5 13.5	8.0 10.1 13.6 12.9 16.8	12.7	12.1 15.4 16.7 13.1 9.9	15.5 11.3 11.3 12.5 12.3	15:7 10:8 13:0 16:9 11:2	12.7	12.8 9.2 15.1 12.0 12.4
1,000,000 1,00	4, 2.28 323 194 483 147	130 337 175 177	271 410 52 391 131	213 205 100 314 175	65,047	37,762 782 1,634 2,396 2,113 813	1,253 835 8,579 8,397 1,693 1,409	1,330 1,192 2,111 1,376 1,376 890	27,285	23,588 57 593 52 52 240
19,2400 1,74	237 72	173 173 76	142 180 27 186 59	95 102 50 155 84	31,875	18,365 368 844 1,212 1,030	4,092 4,092 4,040 836 697	635 506 1,026 777 393 448	13,510	281 281 241 1144
rd 19240 147 147 148	246 75	67 164 91 101	129 230 25 205 72	118 103 50 159 91	33,172	19,397 414 790 1,184 1,083 432	589 4,487 4,357 712	695 686 1,085 603 497 511	13,775	11,810 29 312 28 126
rd 193,700	1.11 0.85 1.16 1.07	0.87 1.17 0.82 1.08	1.08 1.08 1.12 1.12	1.12 0.92 1.07 0.98 0.89	1.04	1.32 0.95 0.95 0.92 1.32	0.98 1.16 1.06 0.98 1.05	0.96 0.97 1.04 0.92 0.93	1.02	1.02 0.77 1.01 0.96 0.95
rd	1.25 1.04 0.98 1.16	1.11 1.18 1.06 1.05	1.05 1.05 1.15 1.13	0.97 1.03 1.08 0.99 1.05	0.99	0.98 1.01 1.06 1.00 0.93	1.04 1.03 0.93 0.99 1.00	1.00 0.94 0.96 1.13 0.95 0.98	1.01	1.01 1.05 1.07 0.97
rd	14.6 13.5 19.6 15.2	12.9 16.3 16.9	16.7 15.5 16.7 16.7	19.1 16.4 16.4 16.4	17.3	15.9 12.1 15.1 23.4	15.6 16.5 20.5 18.3 17.4	15.8 17.1 17.9 12.7 16.0 15.7	9.91	13.4 15.9 16.1 16.1
rd	2046 280 204 983 192	137 358 124 284	317 623 70 622 159	300 300 121 399 146	88,131	52,365 1,026 1,575 1,733 2,429 1,917	1,265 961 15,534 12,303 1,922 1,988	1,341 1,889 2,903 1,035 1,268 1,276	35,766	30,786 83 623 64 311
rd 19,240 15,600 15,600 15,600 15,600 15,600 15,600 15,600 15,600 15,600 16,850 16,850 16,420	4,000 133 99 497 95	66 175 59 134	279 279 320 75	268 160 71 198 73	42,621	25,434 472 744 871 1,165	632 7,559 5,917 962 968	670 926 1,421 502 587 655	17,187	14,812 45 304 35 156
rd arsh 2,5 graphs arcounty 2,1 county 2,1 county 2,1 county 2,1 county 1,5 c	105 105 105 486 97	71 183 65 150	344 344 302 84	239 140 50 201 73	45,510	26,931 554 831 862 1,264 1,004	633 491 7,975 6,386 960 1,020	671 963 1,482 533 681 621	18,579	38 319 29 155
rd	19,240 15,070 50,090 12,660	10,580 22,030 9,690 16,850			5,108,000	5 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5		84,690 110,700 162,000 81,370 79,230 81,160		1,843,000 6,190 39,160 4,330 19,360
rd	:::::	::::	:::::	:::::	:	:::::	:::::		:	ırban
Bridge-Blean Cranbrook Dover East Ashford Easty Easty Easty Hollingbourn Maidstone Maidstone Maidstone Maidstone Maidstone Maidstone Maidstone Maidstone Romney Marsh Skenoaks Skrood Strood Markburn Blackburn Ashirorington Abram Accrington Abram Astron-in-Makerl	:::::	::::	:::::	:::::	;		:1:::::	::::::	: A:	and
Mania usur Bridge-Ber Crathbrob Dover	_ =	brd	ar	ord		ghs Furnes			e count	orough M.B.
	Bridge-Blee Cranbrook Dartford Dover	Eastry Elham Hollingbou	Maidstone Malling Romney M Sevenoaks Sheppey	Strood Swale Tenterden Tonbridge West Ashfo	LANCASHIRE	County borou Barrow-in-Blackburn Blackpool Bolton Bootle	Burnley Bury Liverpool Manchester Oldham Preston	Rochdale St. Helens Salford Southport Warrington Wigan	Administrative	Municipal be districts Abram Accrington Adlington Ashton-in-l

23223 322537 8632 3655

	Perinatal mortality rate	20		28,83,83	3778	24888	253	33258	23
	Stillbirths	61		vonwnv	1-10	E 2 4 4 2	29177	100	777
	Deaths under	18		721821		7 - 6	4-14 % %	wow 200 w	713
	Deaths under	17		100	1 1 1 1 1 1 1 1 1 1	w	411011	L7480	en == 4
ths year	Rate per 1,000 live births	16		30 16 21 21 21 21 21	378	27,000	22 12 37 28 37 28 6	786.0887	18
Deaths under 1 year	Number	15		23222	1-1-65	r w4w	4 61 6 6 6 6	289 113 129 120	400
	Ratio of local adjusted death rate to national rate	14		1.23 1.30 1.30 1.31 1.31	1.06 0.83 1.25 0.76	1:34	1:27 1:22 1:35 1:13	1:19 1:22 1:12 1:25	1.01
	Comparability factor	13		1.03 0.98 0.98 1.11 1.10 0.91	0.84 1.10 0.97 1.11 1.11	1.07 1.06 1.09 0.83 0.98	1.08 0.98 1.04 0.98	1.41 0.86 1.23 0.91 1.13	1.06
	Crude rate per 1,000 home population	12		13.9 10.6 115.4 113.8 17.4	14.7 8.8 14.9 7.9 13.0	14.5 11.1 12.5 17.5	13.6 10.4 10.4	9.8 11.5 12.2 12.8	11.0
Deaths	Total	11		703 71 305 146 247 82	96 101 31 420	457 64 85 210 296	172 789 139 472 299	256 697 223 389 368	304
	ц	10		354 33 159 69 113 46	43 17 61 217	230 30 38 38 97	67 400 66 66 215 159	131 351 100 202 176	63 167 110
	M	0,		349 146 177 134	53 13 140 203	227 34 47 113	105 389 73 257 140	125 346 123 187 192	55 137 106
	Ratio of local adjusted birth rate to national rate	00		0.93 0.95 0.96 0.94	0.93 1.22 1.17 1.27 0.95	0.99 0.93 0.95 0.82	0.88 1.10 0.98 1.02 1.11	0.95 1.02 0.95 1.00	1.10
	Comparability factor	7		0.98 0.98 1.00 1.01 1.12	1.02 0.98 1.10 1.00 1.04	1.00	1000000	1.01 1.00 0.98 0.99 1.02	1.15 1.05 0.91
. sı	Crude rate per 1,000 home population	9		15.4 18.9 13.3 13.3 13.3	15.1 20.6 17.5 21.0 15.0	16.2 16.9 14.6 13.8 12.6	14.0 18.2 18.2 18.2 18.2	15.5 16.8 16.0 16.7 18.4	15.8 18.1 19.6
Live births	Total	5		777 127 308 191 328 65	99 70 1119 82 488	508 97 99 165 248	1,061 1,061 162 460 524	406 731 312 458 526	170 279 408
	ſĽι	4		362 64 140 99 158 33	46 31 60 33 232	266 43 45 82 123	490 490 79 224 268	196 351 135 229 254	85 141 177
	×	62		415 63 168 170 32	53 259 256	242 542 54 54 123	95 83 236 256	210 380 177 229 272	85 138 231
	Estimated home home population as at 30th June 1959	2		\$0,410 6,720 19,750 12,440 17,960 4,710	6,540 3,390 6,790 3,900 32,430	31,440 5,750 6,800 11,970 19,680	12,690 58,290 10,240 29,450 28,870	26,230 43,550 19,450 27,400 28,650	10,770 15,420 20,820
	Area	1	LANCASHIRE—continued Municipal boroughs and urban	districts—continued Ashtor-under-Lyne M.B. Aspull. Arherton Audenshaw Bacup M.B.	Billinge-and-Winstanley Blackrod Brieffeld Carnforth	Chorley M.B	Crompton	Droylsden	Formby Golborne

5.W.W.4.W.	444424	w.4.w.4.4	Q44WW1	22444	W , W 4 W	2022	78882	48224
30040	£2041	20 10 10 10	22123	114988	N-4N	6021	41-114-	£25.42
11 19	4204 W	90711	4-045	L40L0	- -4-	2-4	-600-	1233
4288	33790	12-8rE	77E987	00 W L L 00		9-4	-w010m	64 61
33 39 23	32222	30,877,373	25 25 17 17 17	273.98	328	802	23,288	1327
32	www.w	17 13 17 17	L440L4	0.0000	w0w0=	173	would	£7.00.01
1.35 1.19 1.12 1.07	1:36	1.11 1.48 1.32 1.29	1.36 1.33 1.09 1.16 1.34	1.32	1.11 1.30 1.25 1.23	1.24 1.16 1.33 0.99	1.19 1.44 1.05 1.34 1.36	1.20 1.19 1.25 1.37 1.20
1.11 1.22 1.11 1.11 1.77	1.41 1.27 1.17 2.69 1.09	0.76 1.24 1.34 1.45	1.10 1.17 1.14 0.71 1.48 1.04	0.77 1.09 0.96 1.15 0.96	1.24 0.99 1.02 1.18 0.67	1:21 0.82 1:09 1:24	0.96 0.96 1.01 1.12 1.27	1.10 1.20 1.20 0.88 0.85
14.1 11.3 11.7 7.0	11:2 10:1 12:2 12:2 12:2	17.0 16.5 13.2 11.4 10.3	14.3 15.1 17.8 17.8 9.1	16.9 14.0 16.6 10.3 12.7	10.4 15.2 15.7 12.3 21.3	11.9 16.4 14.2 9.3	14.4 17.4 112.1 113.9 12.4	12.7 111.5 12.1 18.0 16.4
349 217 185 434	223 153 127 206 57	834 65 624 207 254	150 72 62 572 495 126	638 140 526 226 273	108 181 155 145 48	151 551 386 44	198 418 66 200 79	708 708 488 314 93
179 104 75 209	102 57 71 1111 23	30 309 110 125	300 309 634 634	335 75 261 109 129	848 800 800 800 800 800 800 800 800 800	76 293 193 24	1113 190 36 1113 34	366 245 152 55
170 1113 1110 2225	121 96 56 95 34	390 35 315 97 129	35 35 36 36 36 26 31	303 65 265 117 144	987288	75 258 193 20	228 228 30 87 45	342 243 243 162 38
0.96 0.94 0.88 1.33	0.86 1.03 0.81 1.34 0.83	0.73 0.95 0.95 1.13 1.01	1.02 1.07 1.15 0.91 0.88	0.96 0.99 0.93 0.86	0.85 0.98 0.88 0.87 1.06	1.01 0.95 0.88 1.26	0.96 0.87 0.97 1.00	0.93 1.02 1.01 0.98 0.97
1.00 1.00 1.00 0.99	0.96 1.03 1.00 0.73 0.92	1.08 1.10 0.99 0.96 0.96	1.05 1.05 1.15 0.88 1.01	1.22 1.03 1.08 0.98 1.03	0.97 1.06 1.03 0.95 1.27	0.91 1.13 1.05 0.95	1.08	1.06 0.95 1.05 1.08 1.24
15.7 15.5 14.5 22.1	14.8 16.5 13.3 30.3	15.6 10.9 15.8 19.5	16.8 17.4 13.1 14.3	13.0 16.3 15.1 13.8	14.4 15.2 115.1 13.8	18.3 13.8 13.9 21.9	14.7 13.6 13.0 15.4 16.5	14.5 17.7 15.8 14.9 12.9
387 299 230 1,370	295 249 138 1,440 69	768 43 745 356 436	176 80 80 419 1,097 120	491 163 479 345 295	150 181 139 178 31	231 463 379 103	202 326 71 222 105	1,092 634 259 73
185 132 113 642	147 105 77 712 32	376 18 371 157 196	88 44 209 526 526 526	234 83 209 164 154	77 86 65 85 19	110 215 200 41	96 154 39 105 49	512 328 133 42
202 167 117 728	148 144 10 728 37	392 25 374 199 240	88 37 210 210 571 68	257 80 270 181 141	73 74 10 10 10 10 10 10 10 10 10 10 10 10 10	121 248 179 62	106 172 32 117 56	580 306 126 31
24,720 19,250 15,840 61,960	19,950 15,090 10,400 47,450 4,660	49,090 3,930 47,300 18,220 24,610	10,490 4,770 4,600 32,060 54,690 8,380	37,690 10,000 31,720 21,990 21,450	10,420 11,920 9,860 11,760 2,250	12,640 33,510 27,240 4,710	13,710 24,030 5,470 14,370 6,370	9,320 61,550 40,220 17,430 5,680
:::::	:::::	:::::	::::::	ria : : : : :	:::::	::::	:::::	.: f.B.
:::::	:::::	:::::		Heysham	::::::	::::	:::::	ebury N
M.B.	kerfield	A. : : : :	gh Anne's M.B.	and	ile Fylde	. B. B.	M.B.	th-Langer B. I Pendly leveley
Heywood M.B. Hindley Horwich Huyton-with-Roby	Ince-in-Makerfield Irlam Kearsley Kirkby	Lancaster M.B. Lees Leigh M.B. Leyland Litherland	Littleborough Little Lever Longridge Lytham St. Anne's M.B. Middleton M.B	Morecambe and M.B. Mossley M.B. Nelson M.B. Newton-le-Willows Ormskirk	Orrell Oswaldtwistle Padiham Poulton-le-Fylde Preesall	Prescot Prestwich M.B. Radcliffe M.B. Rainford	Ramsbottom Rawtenstall M.B. Rishton Royton Skelmersdale	Standish-with-Langtree Stretford M.B. Swinton and Pendlebury M.B. Thornton Cleveleys

mortality rate

Perinatal Perinatal	20		3, 3, 1		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
Stillbirths	61		3-65-	£0€4€	6773	% 6.44	w440	225 225
Desths under	18		-1/4 -	04 0	152	L ww∞-u	1400	18 10 6
d weeks	17		1 6	104	1000	8400-0	103	3 6 21 10 7
Rate per 1,000 live births	16		360	272 23	13 23 87 16	100 100 100 100 100	36 33	20 14 26 19 43
Number	15		101	10107	227	<u> </u>	EL 42	25 14 8
Ratio of local adjusted death rate to national rate	14		1.05 1.28 1.10 0.94	1:13 0:80 1:13 1:24	1.31 1.12 1.54 1.11	1.03 1.23 0.79 0.98	1.03 1.12 1.23 0.98	1.10 0.91 1.12 0.90 1.02
Comparability factor	13		0.94 1.00 1.19 0.84 1.28	1.20 1.22 0.70 1.14 1.15	1.411	1.00 0.94 0.92 1.12 0.87	1.01 0.90 0.96 0.78	0.89 1.05 1.21 1.10 1.24
Crude rate per 1,000 home notisting	12		17.3 12.2 12.5 15.2 8.5	10.9 113.2 11.5 12.5	13.7 9.2 17.9 9.8	12.7 12.7 13.8 10.5 13.0	11.8 14.5 14.9 14.5	14.4 10.1 10.7 9.5 9.5
Total	11		34 151 218 158 158	447 182 59 178 167	101 470 50 370	3,697 181 222 352 352 99 218	161 193 114 590	230 324 542 381 90
ц	10		13 66 97 32	230 922 332 885 885	203 27 175	1,732 104 157 157 174 122	80 72 53 272	122 154 257 177 42
M	6		21 121 121 25 66 25	217 90 27 82 82	267 23 23 195	1,965 108 118 195 52 52 96	81 61 318	108 170 285 204 48
Ratio of local adjusted birth rate to national rate	∞		0.71 0.96 0.83 0.83	1:21 0:80 0:88 0.96	1:27 1:23 1:11 0:97	1.05 0.77 0.93 0.78 0.78	1.05 0.93 0.98 1.13	0.84 0.92 1.14 1.15 1.15
Comparability factor	7		1.15 1.02 0.99 1.01	0.91 0.91 1.04 1.04	1.01 0.95 1.11 0.95	1.17 1.15 1.07 1.23 1.18	1.08	1.13 0.97 0.97 1.03 0.97
Crude rate per 1,000 home population	9		10.2 13.3 13.9 13.9	17.1 19.9 14.5 15.3	20.8 21.3 16.5 16.8	16.2 10.9 13.3 10.4 18.0	16.0 14.8 15.8 15.6	12.3 15.7 19.4 18.5
Total	٠,		20 192 233 142 142	702 335 65 216 204	153 1,092 46 633	4,980 155 214 434 98 302	218 197 121 634	196 506 980 741 184
ī.	4		12 83 109 65 35	344 166 34 116 90	63 508 25 319	2,375 711 98 196 142 142	110 96 56 312	89 230 469 365 92
M	رن		109 124 77 58	358 169 31 100 114	90 584 21 314	2,605 84 116 238 56 153	108 101 65 322	107 276 511 376 92
Estimated home home population as at 30th June 1959	2		1,960 12,420 17,460 10,420 6,700	41,050 16,800 4,480 15,460 13,330	7,370 51,200 2,790 37,620	308,000 14,280 16,140 27,650 9,390 16,820	13,650 13,280 7,660 40,770	15,950 32,130 50,630 40,150 9,500
		ırban	:::::	:::::	::::	:::::	::::	:::::
		inued and u	:::::	:::::	::::	:::::	::::	:::::
Area		roughs		Dale	: : : : g	::::::	::::	ashire
- V		ANCASHIRE Municipal bo	Trawden Turton Tyldesley Ulverston Up Holland	Urmston Walton-le-I Wardle Westhought	Whitworth Widnes M.I Withnell Worsley	Rural districts Blackburn Burnley Chorley Clitheroe Fylde	Garstang Lancaster Lunesdale Preston	Ulverston Warrington West Lancashire Whiston Wigan
	The many of the property of th	20 Do	Primated Desting under the property of the propulation Total T	Desiring the population Desiring trate Desiring tra	Primated Primated Primated Primated Primated Primated Propagation Propagation Propagation Primated Propagation P	Perimated bound Perimated Perimated	Polimeted Poli	Perimeted Peri

804 4 48488 5888 8888450 4648 884448

31. 24. 24. 28. 28.	3422	33 33 43 43	20 20 45 45	36	43 31 65	33 33 31 31	30	333	30
75 222 10	44400	8 4 5 1 1 3 4 8 7 7	22	34	400	2000	52	113	32
# 1 NON	Luna	36 € € € € € € € € € € € € € € € € € € €		23	<u>7</u> 99	=400	17	4 1	<u></u>
54 NON	rw4w	1134	UL4U	31	7 2	80 7 80	21	9 -00	6
24 24 21 188 138 138	32 13 13 16	18 16 16 17 17	20 20 33 14	27	38	30 27 27 27	17	13	24.
52 3 12 77	00 m 4 L	54 51 22 5 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1	40.04	42	2 0000	4 0.87	38	0 404	28 8
1.28 1.08 1.04 0.99	0.83 0.99 0.98 1.02	0.95 0.95 0.95 0.92 0.99	0.78 1.11 0.77 0.92	0.97	1.00 1.00 1.04	0.91 0.91 0.97	0.89	0.88 0.94 0.96 0.76	1.03
1.07 1.23 1.17 1.25 1.05	0.79 1.01 1.39 1.32 1.32	1.08 1.17 1.58 0.98 1.08	0.92 1.01 0.91 0.99	<u>-</u>	0.93 1.03 0.76	1.00	0.91	0.95 0.95 0.66 0.63	1.28
13.9.2 10.2 10.3 10.3 10.3	12.2 111.4 10.2 9.0	10.9 10.9 10.9 10.6	9.8 8.8 8.8 8.8 8.8	Ξ	13.1 11.3 15.9	0.00 10.20 10.20 10.20	=	10.7 1.09 1.09 1.09 1.09 1.09 1.09 1.09 1.09	9.3
1,808 98 34 272 373 373 394	133 169 92 70 173	2,166 154 508 508 104 515 108	126 353 96 202	1,147	507 275 232	640 206 240 194	1,505	632 292 126 160	873 195
885 488 1126 1126 172 200	71 86 47 88 88	1,023 73 257 53 244 45	168 168 39 90	216	237 124 113	279 99 86 94	718	30 30 146 65 81	396 888
923 50 146 201 194	2684 2684 2684 2684 2684 2684 2684 2684	1,143 81 251 251 271 63	72 185 57 112	631	270 151 119	361 107 154 100	787	310 24 146 61 79	107
1.02 0.71 0.86 0.96 0.91	1.04 1.06 1.28 1.37	1.08 0.89 1.07 1.19 1.28 1.11	1.02 0.97 0.92 0.94	16.0	0.94 0.94 0.87	0.90 0.92 0.99	1.05	0.79 0.93 1.00 0.99	1.08
0.98 0.98 0.98 0.97 0.98 1.01	1.07 0.98 0.98 0.98 0.96	1.00 1.00 1.00 1.02 1.02	1.05 0.99 1.05 1.06	1.00	0.98 0.98 1.00	0.90 0.90 0.98 0.98	1.04	0.99 1.02 1.02 1.02	1.13
17.6 17.6 12.0 14.7 16.1	16.0 16.8 20.3 21.6 23.5	17.7 17.7 17.7 23.3 20.7 17.4	16.0 16.1 14.5 14.7	15.0	15.8 14.3	13.5 14.7 16.7	16.7	13.1 15.3 16.1 16.0	17.4
2,995 124 124 389 655 655	174 250 233 148 451	3,817 206 956 431 979	206 444 142 276	1,544	591 383 208	953 301 334 318	2,226	743 666 374 120 183	1,483
1,500 67 26 193 316 265	89 110 116 85 233	1,882 100 477 209 486 93	100 211 80 126	734	280 174 106	454 134 173 147	1,074	372 35 193 63 81	702 154
1,495 57 14 196 339 266	85 140 117 63 63	106 106 479 4893 84	106 233 62 150	810	311 209 102	499 167 161 171	1,152	371 31 181 57 102	781 176
176,600 7,060 3,320 26,490 40,630 35,880	10,860 14,870 11,450 6,840 19,200	212,900 14,030 53,940 18,470 47,290 10,190	12,910 27,530 9,820 18,720	102,900	38,800 24,230 14,570	64,100 22,370 22,690 19,040	133,420	48,400 5,030 24,480 7,440 11,450	85,020 21,060
urban	:::::	:::::	::::	: <u>ê</u>	and urban	::::	EN):	urban	::
th and uch	Market Harborough Melton Mowbray Dadby hepshed	uch	th ough voir	COLNSHIRE (PARTS OF HOLLAND)		::::	NCOLNSHIRE (PARTS OF KESTEVEN)	bs and	::
boroug la Zoù oulds	Harbor	cts :: la Zou pon So	trth sosword larbord nd Bely	IIRE OF HO	borougl	::::	HIRE OF KE	n M.B.	cts
Municipal borough and districts Ashby Woulds Calville Calville Hinckley Loughborough M.B.	Market Harboron Melton Mowbray Oadby Shepshed	Ashby de la Zouch Barrow upon Soar Billesdon Blaby Castle Donington	Lutterworth Market Bosworth Market Harborough Melton and Belvoir	LINCOLNSHIRE (PARTS OF 1	Municipal borough district Boston M.B Spalding	Rural districts Boston East Elloe Spalding	*LINCOLNSHIRE (PARTS OF KI	Municipal boroughs and districts	*Rural districts East Kesteven
Merican Agrandation Agrandatio	*XOZ*	N N N N N N N N N N N N N N N N N N N	ZZZZ	LINCO	Mun dist BC Sp	Rura Be Ea Sp	*LINC	Mun dist GO SE SE	*Rura

	Perinatal mortality rate	20		222	8	2 4 3	36	2 2 2 2 2 2 2 2 2	7.4%	1881	6
	Stillbirths	19		13	961	2 42	133	27	www	1861	111
	Desths under	18		ω=4	=	37 24 13	8	# w=44	132	138	89 m m
	Desths under	17		4-4	133	4 227	16	21 00 0	NW-	184	404
hs	Rate per 1,000 live births	16		13	22	228	22	25 80 11 17 19	37 30 30	26	16
Deaths under 1 year	Mumber	15		0,100	193	65 24 24	128	25 00 00 00 00 00 00 00	04m	32	£ 4 4
	Ratio of local adjusted death rate to national rate	14		0.83	0.99	1.01 0.97	0.97	1.10 1.10 1.15 1.08 0.92	0.97 0.92 0.82	1.15 1.08 1.07 1.27	0.95
	Comparability Factor	13		0.82 0.98 1.09	1.03	1.13 0.97	1.01	1.05 0.68 0.95 0.72 1.03 0.83	0.89 0.81 0.79	0.68 1.49 0.93 0.61	0.98
	Crude rate per 1,000 home population	12		9.7	Ξ	10.4 11.6	Ξ	17.2 13.2 12.2 12.2 12.8 12.8 12.8 12.8 12.8 12	12.6 13.2 12.1	19.6 8.4 13.4 24.1	10.8
Deaths	Total	11		368 147 163	5,458	1,864 1,012 852	3,594	1,849 36 86 83 375 225	49 151 64	517 169 52	1,745
	ĹĻ	10		185 50 73	2,541	874 458 416	1,667	859 17 18 38 38 171 171	27 75 37	203 90 32	808
	×	6		183 97 90	2,917	990 554 436	1,927	990 19 48 45 204 121	22 76 27	3087	937
	Ratio of local adjusted birth rate to national rate	00		1.20 0.97 1.13	1.12	1.16 1.00	<u>-13</u>	0.68 1.09 1.18 1.16	1.10 0.97 1.39	1.37 1.14 0.81 1.22	4 000
	Comparability factor	7		1.05	1.03	1.00	1.04	000000000000000000000000000000000000000	1.08	1.08 0.93 1.00 1.18	1.15
10	Crude rate per 1,000 home population	9		18.9 15.4 18.8	18.0	18.1 19.2 16.7	17.9	10.00 17.6 19.4 19.1 17.8	16.8	21.0 20.3 13.4 17.1	16.9
Live births	Total	2		587 233 333	8,856	3,085 1,865 1,220	5,771	2,967 21 113 87 87 588 311	65 178 100	1,253 169 37	2,804
	Ĭ.	4		272 107 169	4,231	1,486 892 594 594	2,745	1,397 9 55 45 267 151	29 74 50	28 595 75 19	1,348
	¥	63		315 126 164	4,625	1,599 973 626	3,026	1,570 12 58 58 42 321 160	36 104 50	658 94 18	1,456
	Estimated home population as at 30th June 1959	2		31,130 15,120 17,710	493,280	170,280 97,110 73,170	323,000	160,700 2,090 6,420 4,480 30,800 17,510	3,880 11,470 5,270	2,140 61,840 12,640 2,160	14,420
	Area	I	*LINCOLNSHIRE (PARTS OF KESTEVEN)—continued	*Rural districts—continued *North Kesteven South Kesteven West Kesteven	LINCOLNSHIRE (PARTS OF LINDSEY)	*County boroughs Grimsby	Administrative county	Municipal boroughs and urban districts. Alford. Batton-upon-Humber. Brigg. Cleethorpes M.B. Gainsborough	Horncastle Louth M.B Mablethorpe and Sutton	Market Rasen Scunthorpe M.B. Skegness Woodhall Spa	Rural districts

43 29 31	33	-	32783	35 26 36 37	382228 882288	28484	24 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	3329	29	36 47
01 4 %	1,085	1	8454s	333	26 26 98 55	264460	35 22 33 22 33	100	532	13 38 23 26
400	754	1	26 6 51276 6	4°83°14	33 21 52 52	79 36 34 111	10 10 28 28 15	57 12 24	458	110 17 24 20
489	998	1	28 7 114 56 9	16 29 15 17	262	94 10 10 10 10	46 10 32 32 15	282	513	18 18 26 21 21
10	22	1	773302	15 16 18 18 18 18	2226338	25 118 122 179	25 27 28 18	19 20 21	61	23,177
9	1,238	I	44 10 10 10 10 10 10	65 4 3 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	36 36 109 75	116 64 51 21 11	61 64 64 64 64	104	640	023422
0.92 0.89 1.00	10.1	0.81	1.06 0.99 0.97 0.95	1.04 0.97 1.04 0.96 1.09	1.03 0.94 1.08 0.96 0.86	0.98 1.02 0.96 1.12 0.98	0.98 1.00 1.21 1.00 1.00	0.91 0.96 0.97	0.99	1.02 1.01 1.04 0.93
0.93 0.78 1.18	0.98	1.02	0.99 0.99 0.75	1.01 0.99 1.13 1.08	1.05 1.00 1.07 0.97 1.01	1.02 1.03 0.70 0.70	1.03 0.93 0.85 1.07 1.13	0.71	80.1	1000
11.5 13.2 9.8	11.9	9.5	22.11 24.11 24.11 24.14 14.14	11.9 12.2 9.9 11.7	111.4 10.9 111.5 9.9	11:8	11.0 12.7 13.6 13.1	14.8 10.7 10.6	9.01	10.5 10.8 10.9 10.1
214 304 166	38,227	45	1,328 619 568 2,011 726	831 373 1,384 881 1,909	1,237 1,051 2,580 1,654	2,483 2,617 1,227 1,141	1,412 552 1,211 1,246 563	5,026 1,012 1,542	23,919	751 600 1,982 1,032 1,110
157	18,756	11	671 306 278 983 412	372 169 668 384 939	592 558 110 1,267	1,198 1,242 606 330 587	673 261 601 517 273	2,645 460 726	11,875	395 286 954 509 564
1147	19,471	34	657 313 290 1,028 314	459 204 716 497 970	645 493 141 1,313 737	1,285 1,375 621 417 554	739 291 610 729 290	2,381 552 816	12,044	356 314 1,028 523 546
0.89	0.94	0.31	1.09 0.92 0.96 0.96 0.67	1.04 0.99 0.93 0.85 1.08	1.04 0.75 0.43 1.22 0.79	1.15 0.90 0.97 1.03 0.46	0.95 0.76 0.92 1.02 1.14	0.92 0.50 0.81	0.87	0.08623
1.10	0.90	0.90	0.95 0.95 0.93 0.76	0.97 0.97 0.94 0.93	0.94 0.75 0.71 0.91 0.72	0.95 0.95 0.96 0.78	0.87 0.90 0.89 0.89	0.96	0.98	0.95 0.95 1.00 1.00
13.4	17.2	5.7	18.7 15.9 16.9 17.7 14.6	17.7 18.3 15.8 15.0 19.2	18.3 16.4 10.0 10.0 18.2 18.2	20.9 15.7 20.0 17.7 9.7	18.0 13.8 16.9 18.9 21.1	15.8 10.0 13.5	14.7	16.2 14.2 13.5 13.5
308	55,191	28	2,031 858 827 3,125 721	1,230 622 1,790 1,337 3,135	1,988 1,589 213 4,930 3,022	4,666 3,475 2,267 1,125 684	2,313 598 1,501 1,798 1,061	5,361 943 1,953	33,060	1,050 809 2,667 1,278 1,483
156 140	26,803	18	975 408 402 1,539 325	579 303 888 644 1,559	948 774 95 2,467 1,520		1,139 285 709 825 518	2,626 440 872	16,124	519 384 1,287 649 717
152 152 175	28,388	10	1,056 450 425 1,586 396	651 319 902 693 1,576	1,040 815 118 2,463 1,502	2,429 1,751 1,159 593 340	1,174 313 792 973 543	2,735 503 1,081	16,936	531 425 1,380 629 766
23,020 23,020 16,900	3,204,000	4,900	108,500 54,120 48,960 176,100 49,520	69,660 34,030 113,300 88,970 163,200	108,900 96,810 21,370 223,400 166,500	223,300 221,000 1113,400 63,540 70,430	128,700 43,330 88,720 94,900 50,200	338,800 94,640 144,800	2,247 000	64,800 56,970 182,700 94,420 109,700
:::	:	:	:::::		:::::	:::::	:::::	:::	·· lrban	M.B.
:::	:	:	: : : : :	:::::	:::::	:::::	:::::	:::	: and 1	iswick
:::	:	nopu	boroug een II	:::::	ith : : : :	:::	 ngton	.::	··	nd Ch M.B.
Spilsby Welton	LONDON A.C	City of London	Metropolitan boroughs: Battersea Bermondsey Bethnal Green Camberwell Chelsea	Deptford Finsbury Fulham Greenwich Hackney	Hammersmith Hampstead Holborn Islington Kensington	Lambeth Lewisham Paddington Poplar St. Marylebone	St. Pancras Shoreditch Southwark Stepney Stoke Newington	Wandsworth Westminster Woolwich	MIDDLESEX Municipal boroughs and urban	districts Acton M.B. Chiswick M.B. Ealing M.B. Ealing M.B. Ealing M.B. Ealing M.B. Ealing M.B. Enfield M.B.

	Perinatal mortality rate	20	286 527	22,32,82,82	32238	232832	32	29 57 17	33	3.7
	Stillbirths	61	16 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	37 23 16 16	10 15 17 17 30	227 227 823 84 84 84 84 84 84 84 84 84 84 84 84 84	182	39	128	1.6
	Desths under	18	13 12 32 12 12	27 16 36 12 12	110112	\$110 611 80 80 80 80 80 80 80 80 80 80 80 80 80	9.6	23	75	20
	Desths under	17	13 14 15 15	32 18 37 13	11 12 7 34	17 21 21 49 10 6	- 8	25 7 18	93	3.6
hs year	Rate per 1,000 live births	91	25 20 43 115	20 16 17 17	23 16 17 24	17 20 20 21 18 18	8	17	6	3.6
Deaths under 1 year	Number	15	0202461	38 21 7 7	71 10 10 10 10 10	23 23 8 8 8	157	3123		
	Ratio of local adjusted death rate to national rate	14	1.16 0.89 0.99 0.99	1.00 0.96 0.94 1.05 0.89	0.98 0.94 1.06 1.06	0.99 1.01 1.02 1.03 0.92	0.92	1.09	06.0	0.00
	Comparability factor	13	1.57 0.90 0.71 1.18	1.06 1.02 0.89 1.39 1.26	0.94 0.82 1.27 1.15 1.06	0.95 1.17 1.13 0.96 1.44	0.89	0.93 0.95 0.95	0.88	0 00
	Crude rate per 1,000 home population	12	8.0 8.0 8.0 8.0 8.0	10.9 10.9 8.8 8.2 8.2	12.1 13.3 9.6 10.7 11.6	12:1 9:1 10:5 12:4 7:4	12.0	12.5 114.1 11.8	6-11	
Deaths	Total	11	445 790 790 2,078 546	1,648 1,147 1,187 200 617	641 942 461 318 1,352	1,256 582 1,219 1,814 604 174	6,740	2,114 722 1,392	4,626	
	Ľ	OI	213 445 1,021 242	802 557 666 105 292	314 509 230 165 651	632 289 574 839 78	3,339	1,039 354 685	2,300	
	M	6	232 345 174 1,057 304	846 590 521 95 325	327 433 231 153 701	624 293 645 975 310	3,401	1,075 368 707	2,326	
	Ratio of local adjusted birth rate to national rate	00	0.91 0.82 0.84 0.92	0.74 0.75 1.01 0.88 0.80	0.88 0.79 1.06 0.91	0.82 0.92 0.78 1.10 0.85	1.00	0.90 0.90 0.94	1.04	
	Comparability factor	7	0.96 0.96 1.12 1.03	0.96 0.93 0.89 1.00	1.08 0.92 0.99 0.99	0.90 0.90 0.93 0.90 0.90	1.08	1.02	Ξ	
9	Crude rate per 1,000 home population	9	13.7 13.7 13.5 13.5 16.2	12.8 16.3 13.2	14.0 12.0 18.5 19.7	13.2 16.8 12.7 19.5 13.9	15.3	15.1 15.4 15.4	15.4	
Live births	Total	2	805 943 347 2,890	1,943 1,300 1,733 993	739 845 888 584 1,757	1,365 1,070 1,605 3,374 675 435	8,579	2,570 745 1,825	6,009	
	Į.	*	401 454 174 1,457 546	933 634 833 164 461	359 412 427 270 841	645 551 785 1,664 346 211	4,173	1,234 357 877	2,939	
	×	63	404 489 173 1,433	1,010 666 900 207 532	380 433 461 314 916	720 519 820 1,710 329 224	4,406	1,336 388 948	3,070	
	Estimated home population as at 30th June 1959	2	51,750 68,920 28,660 213,700 68,670		52,900 70,680 47,910 29,710 116,100	103,600 63,730 126,300 172,800 48,520 23,450	559,900	169,700 51,300 118,400	390,200	
	Area	1	MIDDLESEX—continued Municipal boroughs and urban districts—continued Feltham Friedhay M.B. Frien Barnet Harrow M.B. Harow M.B.	Hendon M B. Heston and Isleworth M.B. Hornsey M.B. Potters Bar Russip-Northwood	Southall M.B. Southgate M.B. Staines Sunburs-on-Thames Tottenham M.B.	Twickenham M.B Uxbridge M.B	NORFOLK	County boroughs Great Yarmouth Norwich	Administrative county	Municipal boroughs and urban

21 28	33 13	1288	362273	\$2.50 \$2.50 \$4.50	32 11 23 23 25	3	32	3	85 17 3	333	32 32 38 38 38 38 38 38 38 38 38 38 38 38 38
12	0 1	1	10 10 11 11 11	<u>11</u> € 4 € ∞	220104	122	28	94	57 2 16 3	2-2-	10622
77	01-1	1-16	N. w444N	7-526	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	82	25	57	40 00	1119=	
200	10	1916	2 44400	0 6 8 - 8	NUUNN	16	27	64	40 110		1196
21 21 21	23%2	12 14	20 10 10 10 10 10 10 10 10 10 10 10 10 10	30 78 30	04140	21	23	20	82182	18288	32688
35	282	14/6	8 40997	44vu∞	L 60 0 0 0	135	38	76	80 47 C	1000	100
0.63	1.01	0.75 0.93 1.00	0.84 0.84 0.87 0.87 0.83	0.92 0.93 0.81 0.89	0.95 0.89 0.81 0.93	0.95	1.06	16.0	0.83 0.83 0.88 0.88	0.98 0.63 1.00 0.94 0.47	0.96 0.94 0.97 0.96
06.0	0.93	0.78 0.74 0.84 0.91	0.66 0.66 0.79 0.84 1.17 0.82	0.69 0.86 0.91 1.13 0.72	0.90 1.00 1.11 1.11	96.0	0.92	0.98	0.99 1.04 2.52 0.58	0.94 1.00 1.05 0.89 0.35	0.84 0.91 0.95 0.86
8·3 13·1	12.6 15.9 14.0	11:1 13:6 12:8 12:8	13.6 12.4 11.6 8.6 11.8	15:5 13:1 11:9 8:3 14:3	10.3 10.3 10.3 10.5 10.5	5	13.4	8.01	10.7 12.4 17.6 17.6	7.3 7.3 11.0 12.2 15.6	13.2 12.0 11.9 13.0
57	340 76 65	35 67 75	3,630 467 223 215 222 234	388 151 152 139 262	490 188 94 203 202	4,453	1,347	3,106	1,662 39 40 134 93	59 27 457 487	62 203 387
38	193 40 28	3633	1,788 237 108 125 99	194 77 77 61 135	233 101 47 96 87	2,145	636	1,509	801 16 15 54 44	27 13 22 23 231 30	32 27 102 188
23	147 36 37	15 15 45 45	1,842 230 115 90 123 123	194 75 75 78 127	257 87 47 107 115	2,308	711	1,597	861 23 80 89 49	32 14 35 226 18	30 101 199
0.84	1.07	1.09 1.09 0.78 0.82	0.88 0.88 0.88 1.11 1.08 0.94	0.95 1.11 0.92 1.00 1.03	1.08 0.80 1.22 1.19 1.30	1.04	1.03	1.05	1.05 0.95 0.91 1.28 1.13	0.59 0.87 0.91 0.91	0.86 1:09 1:09
0.92	1.00	1.03 1.03 1.10 1.06	1.15 1.15 1.10 1.13 1.21	1.09	1.04 1.15 1.28 1.28	1.03	1.03	1.04	1.01 0.99 0.92 0.97	1.05 1.04 1.08 1.07 1.45	1.15
30.7	17.6 16.5 15.7	17.5 17.5 11.7 12.7	15.6 12.6 12.6 16.7 15.7 12.8	14.6 16.8 13.9 16.2 14.7	17.2 11.5 19.0 15.4 16.8	9.91	16.5	9.91	15.9 15.9 14.9 19.3	9.2 13.8 12.2 14.0 11.0	12.2 15.2 16.1 16.6
143	476 79 73	86 32 74	4,7 433 433 4433 4403 253	364 194 177 271 269	741 210 174 368 322	6,445	1,651	4,794	2,676 50 65 844 102	45 51 63 526 34	57 71 274 494
67	239 36 34	30 40 11 33	2,321 207 107 146 203 121	168 97 93 140 141	366 102 81 182 167	3,141	199	2,342	1,322 25 28 420 55	20 260 230 230	26 33 122 256
92	237 43 39	25 46 21 41	2,393 226 119 163 200 132	196 97 84 131 128	375 108 93 186 155	3,304	852	2,452	1,354 255 37 424 474	25 27 33 266 11	31 38 152 238
6,830 4,660	27,010 4,780 4,650	3,150 4,910 2,730 5,840	314,300 34,420 17,920 18,510 25,720 19,800	25,000 11,550 12,730 16,760 18,270	43,160 18,200 9,160 23,890 19,210	388,600	100,300	288,300	156,000 3,140 4,360 32,730 5,290	4,880 3,700 5,160 37,570 3,080	4,680 4,680 16,990 29,740
::	:::	::::	:::::	:::::	:::::	:	:	:	urban	:::::	::::
::	:::	::::	::::::	stead	/Isham	IRE	:	:	n grand u	:.::	::::
nam n	In M.E Isham	f.B.: the-Se	d Flegg	Lynn d Laur	and Ay	ONSH	on C.B	count	roughs [.B.] imer f.B.]	rrers N ough f.B.	 dguc
East Dereham Hunstanton	King's Lynn M.B. North Walsham Sheringham	Swaffham Thetford M.B. Wells-next-the-Sea Wymondham	rral districts Blofield and Flegg Depwade Docking Downham	Forehoe and Henstead Freebridge Lynn Loddon Marshland	St. Faith's and Aylsham Smallburgh Swaffham Walsingham	AMPT	Northampton C.B.	strative	districts Brackley M.B. Burton Latimer Corby Daventry M.B.	Desborough Higham Ferrers M.B. Irthlingborough Kettering M.B.	Raunds Rothwell Rushden
Eas: Hun	King Nort Sher	Swar Thet Well	Rural districts Blofield and Depwade Docking Downham Erpingham	Forehoe Freebrid Loddon Marshlar	St. Faith Smallbur Swaffhan Walsingh Wayland	NORTHAMPTONSHIRE	Nort	Administrative county	Municipal boroughs and districts	Desbore Higham Irthlingl Ketterir Oundle	Raunds Rothwell Rushden Wellingb

	Perinatal mortality rate	20		3177	2423	36	% 8 4	ž.	# 2 2 2 2 4 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ww.4.ww
	Stillbirths	61		W 6401	2000	322	150 120 31	171	1283778 1283378	132
	Deaths under	18		2 0-0	04vw	218	101 84 17	117	8 10000	90 81
	Deaths under	17		3.5	04NW	264	12001	143	4-10000	12 20 20 5
hs year	Rate per 1,000 live births	16		18 22 11 12 12	27 27 27 27 27 27 27 27 27 27 27 27 27 2	25	27 27 26	24	28 8 28 15 0 25 15 0 2	23 23 28 27 27
Deaths under 1 year	Митрет	15		2 4wwG	25 9 4	363	139	193	160 120 4	16 10 6 6 24 6
	Ratio of local adjusted death rate to national rate	14		0.94 0.94 0.90 0.90 0.89	0.85 0.82 0.88 0.87	Ξ	1.15 1.17 1.06	1.09	1.13	1.18 0.94 1.04 0.98 0.89
	Comparability factor	13		0.93 0.94 0.93 1.02	0.89 0.97 0.89 0.89	1.10	1:12 1:12 1:12	1.09	1.05 1.05 1.29 1.27 0.86	1.28 0.74 0.93 1.53 0.73
	Crude rate per 1,000 home population	12		10.1 10.1 10.1	9.8	11.7	12:1	9-11	11:2 10:2 10:2 9:9	10.7 14.8 13.0 7.4 14.2
Deaths	Total	111		1,444 132 214 185 121	290 179 163 160	9,534	4,039 3,276 763	5,495	4,125 92 55 587 287 291 191	372 383 121 121 353 167
	Ĩ,	OI		708 56 1116 822 622	146 77 79	4,418	1,878 1,529 349	2,540	1,868 43 43 29 107 1118	164 207 51 145 90
	M	0		736 76 98 103 59	144 89 86 81	5,116	2,161	2,955	2,257 49 49 113 173	208 176 70 208 77
	Ratio of local adjusted birth rate to national rate	90		1.01 0.93 0.98 0.94	1.14	90.1	1.12 0.98	1.02	1.28 0.96 0.96 1.29	1.22 1.09 0.99 0.94 1.18
	Comparability factor	7		1.04 1.08 1.11	10880	0.98	0.97	0.98	0.96 0.99 1.07 0.98 0.97	1.06 1.06 0.99 0.86 1.04
20	Crude rate per 1,000 home population	9		16.0 17.7 17.0 13.9	18.7 16.7 17.0 13.7	17.8	18.6 19.0 17.1	17.2	17.1 17.1 19.8 16.2 16.3 21.1	20.1 17.0 16.5 18.0 18.7
Live births	Total	2		2,118 183 284 248 167	490 304 248 194	14,509	6,347 5,163	8,162	6,507 124 97 458 481 266	699 442 154 858 858
	H	4		1,020 94 1123 119	251 141 116 105	966'9	3,109 2,543 566	3,887	3,098 49 35 227 130	349 225 83 402 107
	Estimated home population as at 30th June 1959			1,098 89 161 129 96	239 163 132 89	7,513	3,238 2,620 618	4,275	3,409 75 62 250 254 136	350 217 71 456 112
				13,300 11,380 19,270 16,480 12,010	26,180 18,250 14,550 14,180	815,400	340,400 271,100 69,300	475,000	369,700 7,270 4,900 28,210 29,480 12,610	34,760 25,950 9,330 47,780 11,730
	Area	I	NORTHAMPTONSHIRE —continued	Rural districts	oton od Thrapston or	NORTHUMBERLAND	County boroughs Newcastle upon Tyne Tynemouth	county	Municipal boroughs and urban districts Alnwick Amble. Ashington Bediningtonshire Berwick-upon-Tweed M.B.	Blyth M.B

30	4 8 8 8 5 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	22222	33	32	33	2274 W	33 34 34 41	33.34 33.33 39.33	337 478 30 3	25	30
21 6	E 440	100111	320	110	210	147 0 121 144 0 5	811001001	13 8 4 1	227272101	72	25
7	4 6 -4		197	75	122	88 4 4 8 1	00440	6992	% 14 w 4 0 0	64	22
12	64-1-8	71-0-7	242	76	145	200	81118	11 6	44 4 W O II W	7.1	22
27	20 24 10 18 18	23,822,24	22	24	21	122 22 138 138 1	22.23.8	37 37 27 21	221 14 16 30 20 20 13	20	20
26	£47=9	urraa	345	136	209	40 9 0 111 111	10 10 10	91 87 41	255 27 27 27 27 27 27 27 27	901	31
1.18	0.64 0.87 0.87	1.10 1.02 1.05 0.76 0.96	90.1	1.12	1.03	1.03 1.03 1.03 0.90	1.15	1.11 1.15 0.91 1.06	0.96 1.03 0.80 0.86 0.82 1.02	0.88	0.88
0.88	0.95 0.95 0.52 0.99	0.97 0.92 1.24 0.88 0.86	<u>.</u>	1.13	1.17	1.25 1.25 1.37 1.14 0.96 1.34	1.36 1.27 1.42 1.01	1.29 1.40 0.86 1.26	1.21 0.80 0.98 1.10 1.24 1.36	1.00	0.95
13.5	12.4 1.2.7 1.9.3 9.8 9.8	13.1 12.8 10.0 12.9	10.7	11.5	10.2	9.5 4.0 10.5 12.4 7.8	10.0 10.5 11.7 9.1	10.0 12.3 9.8	9.9 11.6 10.2 1.0 9.5 7.0 9.5 1.0	10.2	10.7
302 452	155 155 69 40 396 73	257 257 171 42 71	9,479	3,597	5,882	4,128 236 489 489 391 212 212 85	233 224 618 170 299	407 115 313 336	1,754 558 264 238 117 117 416	3,102	1,117
204	672 71 71 118 1192 36	126 75 73 44	4,398	1,703	2,695	1,910 115 233 180 114 46	95 270 78 142	164 51 175 149	785 235 131 106 57 184	1,473	577
222	698 202284 374 374	131 131 196 197 279	5,081	1,894	3,187	2,218 121 256 211 988 399	138 126 348 92 157	243 64 138 187	232 132 132 132 89	1,629	240
1.01	1.06 1.16 1.32 1.32 0.85	0.93 0.89 1.10 0.82 1.07	1.04	1.05	1.04	1.00 0.96 0.97 1.09	0.92 1.19 0.99 1.27 1.09	0.92 1.04 1.01 1.11	1.13 1.29 0.89 1.19 1.05	1.07	0.88
1.07	1002269 1002269	1.06 1.09 1.09 1.13	0.98	96.0	0.99	0.98 0.98 0.99 0.99	1.00 0.98 0.97 1.00	1.00 0.95 1.03 0.96	1.03 0.98 1.11 1.10 0.99 1.00	99-	0.97
15.6	16.5 16.5 19.5 12.8	14.4 17.1 12.4 15.6	17.5	18.0	17.3	16.8 16.3 16.2 16.2 18.0	15.2 20.0 16.8 21.3 18.0	15.2 18.0 16.1 19.1	17:3 17:3 17:3 17:3	17.6	15.0
524	1,655 200 83 105 338 95	105 293 298 298 52 86 86	15,583	5,638	9,945	6,791 818 899 607 277 197	354 426 888 398 432	618 217 411 653	3, E 54 1,073 1,073 309 266 763 305	5,337	1,564
465	8 0 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	133 126 23 40	1,671	2,745	4,926	3,395 204 479 293 148 101	194 227 436 204 198	298 98 197 318	1,531 532 212 1149 119 355	2,592	740
	866 102 102 50 50 155 47		7,912	2,893	5,019	3,396 2,14 420 3114 129 96	160 199 448 194 234	320 119 214 335	1,623 541 226 160 147 408 141	2,745	824
33,600	105,300 12,470 5,040 5,390 20,510 7,430	7,310 20,030 17,420 4,190 5,510	888,700	313,300	575,400	397,900 24,810 55,320 37,400 17,050 10,940	23,340 21,320 52,640 18,710 23,940	40,630 12,070 25,510 34,220	56,480 22,780 23,240 13,380 17,620	304,000	104,000
::	::::::		:	:	:	urban	:::::	::::	::::::	:	:
: :	:::::	ndshire	RE	:	:	leford	d	::::	::::::	:	:
ay M.I	:::::: g _D	or isla	MSHID	n C.B.	e coun	d Stap	Ashfiel M.B. Woodh B	shfield ford f.B.		:	:
Whitley Bay M.B.	Rural districts Alnwick Belford Bellingham Castle Ward Glendale	Haltwhistle Mexham Morpeth Norham and Islandshires Rothbury	NOTTINGHAMSHIRE	Nottingham C.B.	Administrative county	Municipal boroughs and urban districts. Arnold Beeston and Stapleford Carlior Carlor East Reford M.B.	Hucknall Kirkby in Ashfield Mansfield M.B Mansfield Woodhouse Newark M.B	Sutton in Ashfield Warsop West Bridgford Worksop M.B.	Rural districts Basford Bingham East Retford Newark Southwell	OXFORDSHIRE	Oxford C.B.
**	¥ A A A A A A A A A A A A A	HEZZZ	NOTT	Ž	Adm	Aist distance of the part of t	HZZZZ	S _B	Rura Ba Ba Ba Soo V	OXFO	ŏ

	Perinatal mortality rate	20	23	2 22482283	2722227	36	34	30		26
	Stillbirths	61	47	400-00	E 41.24	26	23	m=N		7
	Deaths under I week	18	42	= 0 00 4	<u>**</u>	22	15	0-14		4
	Desths under	17	49	<u>w</u> 4 wu 4	% 47 4 4 4 9 8	23	16	P =0		25
hs	Rate per 1,000 live births	91	70	4 0% % % ⊗ 4	37.18 1.08.14 1.08.14	24	21	38 15		12
Deaths under 1 year	Mumber	15	75	£2	2 4 % 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	3	23	00 1		15
	Ratio of local adjusted death rate to national rate	14	0.89	0.98 0.73 0.98 0.98 0.98 0.89	0.00 777 0.09 0.88 0.09 0.09 0.09 0.09 0.09	0.94	66.0	0.64 0.80		0.82
	Comparability factor	13	1.04	0.95 0.95 0.78 0.78 0.93 1.21 0.35	0.88 0.88 0.95 0.99 1.42 1.09	1.02	66.0	1.62 1.62 1.10		0.89
	Crude rate per 1,000 home population	12	6.6	29 × 5 × 5 × 5 × 5 × 5 × 5 × 5 × 5 × 5 ×	10.2 10.2 10.3 10.8 10.8	10.7	11.6	• 4. • 6.4.		10.7
Deaths	Total	11	1,985	665 247 247 52 48 48 83 83	1,320 158 158 383 169 231 209 170	740	159	88 73 66 66		252
	ĹT.	10	896	307 110 224 225 23 39 26	589 1888 172 779 779	341	307	7 % 8 0 %		109
	M	6	1,089	358 137 26 26 69 69 69 69 69 69	731 889 195 97 134 130 86	399	344	30.70		143
	Ratio of local adjusted birth rate to national rate	90	1.17	1.07 1.07 1.00 0.95 0.82 1.14 1.59	1.29 1.29 1.29	1.17	1.19	1.09		1.18
	Comparability factor	7	1.02	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.03 0.03 0.03 0.03 0.03 0.03 0.03 0.03	10.1	1.00	1.33 0.96		-
100	Crude rate per 1,000 home population	9	6:8-	17.7 20.7 15.6 15.6 13.3 20.2 25.8	15.2 15.2 15.2 17.7 20.7	1.61	19.7	13.0 13.0 18.8		17.5
Live births	Total	S	3,773	947 350 122 69 133 50 175 48	2,826 235 794 794 380 656 656	1,316	1,103	213 65 148	1	412
	II.	4	1,852	# # # # # # # # # # # # # # # # # # #	7,39 1126 126 1382 1382 1382 1385 250	8 9	516	102 36 66		199
	×	ω.	1,921	4 8888888888	1,427 121 412 134 188 321 251	869	587	23 82 82	Ī	213
	Estimated home population as at 30th June 1959	2	200,000	52,800 19,730 5,900 4,410 8,470 3,750 8,680	147,200 15,440 40,660 40,660 16,470 21,430 28,940 24,260	68,900	26,050	12,850 4,990 7,860		23,500
	Area	I	OXFORDSHIRE—continued Administrative county	Municipal boroughs and urban districts. Banbury M.B. Chipping Norton M.B. Henley-on-Thames M.B. Thame. Witney	Rural districts Banbury Bullingdon Chipping Norton Healey Ploughley Witney	PETERBOROUGH, SOKE OF	Peterborough M.B	Rural districts		DITTE AND

4-40	~	4 14404	QWA UW	W.45.49	84 41111	24248	32	36	3	388 389
-44	011	61 81 91	9004m	0 0 0 0 0 0 0 0	801 4	W/ W = 0	180	28	152	2000 1
2 -0	63	8 0 4-	4	3 3	200	momo-	105	16	89	39
33	74	4 6 4-		5 5	8 ∞- 21-	-830	121	18	103	4 ∞
39	20	23 23 25	10 22 28 12 33	23 318	23 23 20 20 20 20 20 20 20 20 20 20 20 20 20	28 28 28 28 29 29 29 29 29 29 29 29 29 29 29 29 29	- 6	23	19	13 13 19 19
3 = 1	96	8 8 8	-0000	40-5-	4 ∞0040	48511	170	27	143	7 002141
0.80 0.90 0.74	0.98	0.58 0.93 0.83 1.16 1.04	0.90 0.96 1.12 1.28 0.98	0.93 1.09 1.16 0.97 1.01	0.90 0.90 0.78 0.80 1.01 1.03	0.98 0.98 0.93 0.81	0.92	0.87	0.93	0.90 0.90 0.98 0.98 1.19
1.08 1.12 0.92	1.02	0.93 0.27 0.81 0.55 1.17 0.83	0.89 0.90 0.90 0.99	0.99 1.11 0.88 0.94 0.71	1.03 1.28 0.94 0.94 1.12	0.94 0.91 1.22 1.06	0.85	0.78	98.0	0.88 0.73 0.71 0.61
9.99	Ξ	24.8 13.3 11.5 14.6 14.6	16.5 12.5 14.5 13.6 11.5	10.9 11.4 15.3 16.5	9.8 10.1 7.1 9.9 10.5 9.3	12:1 12:5 9:1 8:9	12.6	12.9	12.6	13.6 15.4 15.4 15.4 15.4
30 88 58	3,334	1,841 31 87 49 100 33	109 72 58 58 154 129	528 155 39 181 116	1,493 227 122 91 107 78	166 250 127 214 111	7,324	1,041	6,283	3,150 299 138 74 185
13	1,568	96 100 100 100 100 100 100 100 100 100 10	94 31 31 68 68	264 74 19 83 87	103 103 48 39 51 40	114 63 82 44	3,795	575	3,220	1,679 143 143 101 101 29
17 47 36	1,766	81 82 82 82 82 82 82 82 82 82 82 82 82 82	45 38 27 89 61	26 20 20 20 20 20 20	88 74 74 86 86 38 88	90 136 64 132 67	3,529	466	3,063	1.471 156 156 34 88 32
1.16 1.37 0.95	10.1	0.77 1.12 0.74 0.99 1.15	0.95 0.98 1.11 0.89 0.97	0.97 0.88 0.98 0.95 1.01	1.00 1.00 1.12 1.16 0.95	1.03	0.97	0.91	0.99	0.099 0.099 0.099 0.85 0.85
1.08	1.06	1.13 1.00 1.00 1.00 1.00	1.02	0.98 0.97 1.06 1.01 1.05	1.23 1.23 1.15 1.29	1.15 1.17 1.12 1.05 1.05	90:1	1.02	1.07	1.00 1.00 1.00 1.00
18.4 21.0 12.2	15.7	17.2 11.2 18.5 10.4 116.4	15.6 15.7 18.0 14.7 16.2	16.3 14.3 13.7 15.6 15.8	15.8 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0	14.9 17.4 16.7 15.4	13:	14.7	15.2	13.5 13.5 13.5 13.7
201 76	4,714	2,332 141 121 29 143 43	103 90 72 167 182	793 194 35 235 111	2,382 354 230 148 195	204 290 241 425 193	8,805	1,191	7,614	3,697 435 153 135 52 52
93	2,310	1,120 4 58 100 179 188	8930 802 802 803 803	388 87 110 110 50	1.18 1.18 1.18 1.18 1.18 1.18 1.18 1.18	100 130 132 202 202 96	4,262	538	3,724	1,805 215 62 36 75 75
32 108 34	2,404	1,212 10 63 19 19 25 25	53 411 42 75 102	405 107 20 125 61	1,192 102 102 85 85 85	104 160 109 223 97	4,543	653	3,890	, 8 ,220 ,220 ,230 ,360 ,360 ,290 ,290
3,480 9,590 6,230	300,300	1,250 1,250 6,540 2,790 8,730 2,260	6,610 5,750 3,990 11,360 11,230	48,640 13,590 2,550 15,080 7,030	152,900 22,440 17,190 9,220 10,180 8,360	13,670 19,990 13,890 25,460 12,500	581,200	80,800	500,400	242,370 25,290 9,790 5,450 9,890 3,950
:::	:	urban	:::::	:::::	::::::	:::::	:	:	:	urban
:::	:	and	:::::	:::::	:::::	:::::	:	:	:	
:::	:	roughs astle M.B. M.B. etton	B ayton 	M.B.	:::::	:::::	:	:	county	M.B.
Ketton Oakham Uppingham	SHROPSHIRE	Municipal boroughs and urban districts Bishop's Castle M.B. Bridgnorth M.B. Church Stretton Dawley Ellesmere	Ludiow M.B Market Drayton Newport Oakengates Oswestry M.B.	Shrewsbury M.B Wellington Wem Wenlock M.B.	Rural districts Atcham Bridgnorth Clun Drayton Ellesmere	Ludlow Oswestry Shifnal Wellington Wen	SOMERSET	Bath C.B.	Administrative county	*Municipal boroughs and districts. Bridgwater M.B. Burnham-on-Sea Chard M.B. Clevedon Crewkerne

Perinatal mortality rate	20	36 18 23 23 23 23 23 23 23 23 23 23 23 23 23	36 21 27 27	30823	2 74844	17386	747
Stillbirths	61	4- 0-	∞w 40	152	6 NOL 40	-80088	m40
Deaths under	18	4- 4-	4-110	mmww	000040	24 UUU	21
Deaths under	17	44 0-	4 4	12%	2 00046	<u>'</u>	E = 1
Rate per 1,000	91	18 28 19 12	100 120 140 140 140 140 140 140 140 140 140 14	1327	28 7 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		48
Mumper	15	ww w-	444	1128	5 w 0 0 0 4	44 www	80 m
Ratio of local adjusted death rate to national rate	14	0.90 1.00 1.14 0.82 0.88	1.04 0.97 0.79 0.79	1.14 0.92 0.89 1.00 0.89	0.91 0.91 0.93 0.95 0.96	0.83 0.75 0.98 0.94 0.94	0.86
Comparability factor	13	0.78 0.91 0.94 1.10 0.62	1.01 0.94 0.92 0.98 0.92	0.91 0.81 0.56 0.72 0.91	0.87 0.92 0.93 0.93	0.94 0.94 0.96 0.74 0.74	0.89
Crude rate per 1,000 home population	12	13.4 12.8 14.1 8.7 16.4	11.9 12.0 13.1 10.0	14.5 13.2 18.5 16.1 11.3	1222 1110 1100 1100 1100 1100 1100 1100	9.9 8.11 10.4 7.41	11.2
Total	11	151 69 36 122 122	148 69 69 360 360	37 98 1119 662 662	m 	100 100 149 301 306	91
tr' .	10	84 71 71 82 82	37 38 38 26 194	23 72 345 142	1,541 178 88 88 105 57 57	15 65 15 15 15 15 15 15 15 15	49
N	6	67 29 14 51 40	30 31 34 34 166	14 51 47 317 129	1,592 185 129 131 88 109	28 54 147 153	83
Ratio of local adjusted birth rate to national rate	00	0.96 1.16 0.93 1.01 0.79	1.05 1.15 0.94 0.85 0.84	0.85 1.11 0.81 1.00 0.93	1.02 1.02 1.09 0.77 0.84	0.91 1.02 0.98 0.98 1.05	0.88
Comparability factor	7	1.09 0.95 0.89 1.14	1.02 1.02 0.96 0.99	1.05 1.10 1.07 1.13 1.02	1.15 1.05 1.07 1.04	1.12	1.14
Crude rate per 1,000 home population	9	14.5 20.2 15.3 18.7	16.7 18.6 15.2 14.6 14.0	13.3 16.7 12.5 14.6 15.1	15.2 15.8 16.1 16.1 11.9 13.3	13.1 17.4 15.5 15.2 15.4 16.3	12.8
Total	5	164 109 39 263 85	207 107 80 94 501	34 124 80 600 363	3,917 409 318 337 147 241	58 187 200 385 157 297	104
Ţ,	4	82 58 139 39	94 58 36 41 41	17 64 42 292 188	212 212 155 155 155 110	25 101 197 74 142	50
×	3	82 231 124 46	113 49 44 53 275	17 60 38 308 175	1,98 197 163 182 65 131	33 93 188 83 83 155	\$5 48
Estimated home population as at 30th June 1959	2	11,310 5,400 2,550 14,040 7,460	12,410 5,750 5,280 6,420 35,860	2,560 7,410 6,420 41,150 23,980	258,030 29,680 19,810 20,220 12,330 18,090	4,440 10,760 12,920 25,330 10,210 20,800	8,100
Area	I	MERSET—continued Municipal boroughs and urban districts—continued Frome. Glastonbury M.B. Ilminster Keynsham Minehead	Norton-Radstock Shepton Mallet Street Taunton M.B.	Watchet Wellington Wells M.B. Weston-super-Mare M.B.	Rural districts Axbridge Bathavon Bridgwater Chard Clutton	Dulverton	Wellington
	The state per to national rate per population of local adjusted death rate per population of local factor of local adjusted death rate per population of local adjusted births of local adjusted death rate per population of local adjusted death rate per population of local adjusted death rate of national rate of national rate of national rate of national rate of local live births of local adjusted deaths and local live births of local adjusted deaths and local live births of local live births of live b	Doestha under Stillbirths 2 3.000 home	11,310 82 82 164 145 140 140 154	Stimated Population Popul	Perimated Perimated Perimated Perima	Perimend	Definition of Decision Decision of Decision Decision of Deci

6 4864847£	38	33.54 33.89 8.33.44 33.89	43 30 17 38	3333	25 25 25 14	28888	#4 4 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
227 221 1114 530 530 541 541 541 541 541 541 541 541 541 541	409	303	2222	11 22 13 7	07.45E	24000	106 200 119 117 113 113 113
17. 17. 35. 35. 34.	222	81 7 8	7-0 × ×	10004	28-4	41 6.27	*N®WOUWUOWW
17 17 13 25 25 37 37	264	209 115 7 110	77089	2000	74-4-	11 20 8	NL048W0V\0W4
250 270 270 270 270 270 270 270 270 270 27	23	37 200 27 27 27 27 27 27 27 27 27 27 27 27 27	18 19 19 13 25	133 133 133 233	358	344 22 34 22 23	31227447
268 26 26 26 88 88 65 32 32	368	287 19 10 16 17	945	24000	C.82	25,43	100 100 100 100 100 100 100 100 100 100
1.17 1.17 1.17 1.17	90-1	0.90 0.90 0.85 1.15 1.32 1.12	1.30	1.06 0.78 1.14 1.11 1.05	0.92 0.99 1.01 1.00	1.18 0.96 1.23 1.15 1.22	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0
1.22 1.22 1.34 1.11	1.23	1.28 0.97 1.39 1.44 1.26	1.39 1.150 1.46 1.40	0.92 0.71 1.25 1.39 1.38	0.76 0.95 0.80 0.77 1.27	1.49 1.11 1.81 1.46	1:23 0.96 0.89 0.89 0.89 1:08 1:08 1:08 1:08
13.2 13.2 11.0 10.4 11.6	10.0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	10.2 10.1 7.8 10.3 8.6	13.4 10.6 9.3 8.8	14-1 12-1 14-7 11-3 9-1	9.2 10.0 10.3 7.4	8.00 10.00 1.00 1.00 1.00 1.00 1.00 1.00
8,448 654 862 2,984 1,283 971 1,694	9,459	7,108 273 30 130 354 547	250 433 229 163	256 155 793 460 104	370 534 129 152 152	363 81 358 219 312	2,35 272 273 453 450 173 173 174 175 176 176 176 176 176 176 176 176 176 176
3,989 289 422 1,446 573 451 808	4,354	3,277 107 15 65 149 240	119 199 108 108	202 202 4 4	180 280 66 80 62	148 39 157 96 135	1,077 1,273 1,205 1,057
4,459 365 365 440 1,538 710 520 886	5,105	3,831 166 156 15 65 205 307	131 234 168 121 101	132 65 405 258 60	190 254 63 72 72	215 42 201 123 177	150 150 150 150 150 130 130 130 130 130 130 130 130 130 13
0.79 0.79 0.96 1.00 0.97	96.0	0.95 0.80 1.13 0.86 0.90	1.15 1.01 1.04 0.74 1.03	0.82 1.01 1.03 0.69 1.20	0.80 0.80 0.82 0.82	0.83 0.92 0.94 1.22 0.89	1.26 0.89 0.89 0.94 0.73 0.99 0.93 0.99
0.98 0.95 0.95 0.93 0.93	0.94	0.98 0.94 0.94 0.99 0.96	0.94 0.96 0.91 0.89	1.03 0.94 0.99 0.95 0.91	0.93 1.00 0.98 0.98 0.87	0.89 1.00 0.92 0.85 0.94	0.99 0.94 0.94 1.03 0.91 0.91 0.97 1.04 1.12
19.0 19.0 13.7 16.7 16.7 16.4	6.91	21.3 21.3 14.0 19.9 16.0 15.5	20.1 17.3 18.6 13.4 19.1	13.1 17.8 17.1 12.0 21.8	15.0 13.5 14.9 15.6	15.2 16.8 16.8 23.7 15.7	22.4 22.4 22.4 2.4 2.4 2.4 2.4 2.4 3.4 3.4 3.4 3.4 3.4 3.4 3.4 3.4 3.4 3
12,109 939 983 4,214 1,917 1,665 2,391	16,018	12,053 965 41 268 535 825	493 746 689 298 361	249 217 1,282 594 259	393 793 118 200 210	606 123 584 702 502	3,965 601 826 826 814 6114 621 270 270 270 283
5,772 455 476 1,991 807 1,150	7,806	5,906 468 137 242 424	252 353 335 131 167	130 116 639 268 136	402 57 101 109	306 280 331 261	2880 2880 2880 2388 2388 302 302 1126 178
6,337 484 507 2,223 1,024 1,241	8,212	6,147 131 131 293 401	241 393 354 167 194	1119 101 643 326 123	216 3391 61 99 101	300 67 304 371 241	2,065 2,888 31,90 1,066
746,700 49,380 71,730 270,800 115,100 93,590 146,100	950,300	711,500 45,230 2,930 13,480 33,430 53,280	24,570 43,020 37,140 22,270 18,950	19,080 12,180 74,890 49,350	26,260 43,970 8,770 13,430 13,460	39,430 8,100 34,750 29,620 32,050	238,800 27,200 20,720 20,720 39,500 39,500 17,930 18,850 17,610 17,610 17,610
: ::::::	:	urban	; : : : <u>;</u>	:: _# ::		.:::::	
: ::::::	:		· : : : :	yme M	::;;:	::::::	::::: ::::::::::::::::::::::::::::::::
unty boroughs Burron upon Trent Smethwick Stoke-on-Trent Walsall West Bromwich	county	sugno	:::::	Lichfield M.B. Lichfield M.B. Newcastle-under-Lyme M.B. Rowley Regis M.B.	8 1.B.	M.B.	ral districts Chandock Cheadle Ceek Lichfield Newcastle-under-Lyme Stafford Stafford Table Tubbury Uttoxeter
punty boroughs Burton upon Tr Smethwick Stoke-on-Trent Walsall West Bromwich Wolverhampton	rative	unicipal bor istricts Aldridge Amblecote Biddulph Bilston M.B.	nhills ock sy ston rove	Leek Lichfield M.B. Newcastle-und Rowley Regis Rugeley	rd M.J orth N	Tipton M.B. Uttoxeter Wednesbury Wednesfield Willenhall	stricts ock lle isld astle-un rd rd
County boroughs Burton upon J Burton upon J Stoke-on-Tren West Bromwic Wolverhamptc	Administrative county	Municipal boroughs and districts Addrigge Amblecote	Brownhills Cannock Coseley Darlaston Kidsgrove	Leek Lichfield Newcast Rowley B	Sedgley Stafford M.B. Stone Tamworth M.B. Tettenhall	Tipton M.B, Uttoxeter Wednesbury M.B Wednesfield Willenhall	Rural districts Cannock Cheadle Lock Lock Lichfield Newastle-usst

TABLE 13—continued

Perinatal mortality rate

Live birth Estimated Deputation Area Deputation 1959 As at 341,400 2,810 2,599 5,409 1956 3,453 4 5 5								_				_		_	_	-	-					
Popularist			Stillbirths		67		41	00	21	100	11		0 1 1 4	. —	35	v 00	10	104	200		42	16
Popularied Pop				10	18	À -	200	07	2		w -	1	4 1 1 4	,	70	-6	10	1	1-		24	1
Estimated population Partition Parti			Deaths under	1.1	1/	20 00	77	2	9		w lc	1	1 9 1 1 6	, 1	19	12	77	-	-		77	80
Estimated population Partition Parti		aths 1 year	Rate per 1,000 live births	1,4	OI	2 4	CT <u>H</u>	2	100	307	212	1	0 1 1 25	II	9:	27	20	0	11		80	14
Estimated population Parity Parit		De		15	C. RR	3 %	2	3	23	- m -	4 4		0 4	-	30	24	04	7	-		37	=
Estimated population as at a state of local			adjusted death rate	14	0.86	0.01	0.84		0.92	0.95	0.57	0.62	0.93 0.80 1.09	06.0	0.79	0.70	0.75	0.87	0.77		0.87	0.87
Estimated population Pass at P	ı		Comparability	13	0.88	1.01	0.82	!					0.95 0.73 0.61 1.00	0.83	0.80	0.72	0.86	0.90	0.91		0.91	0.79
Estimated population M F Total Live births 2		5 0	l,000 home	12	1 4:11	10.5	6.		12.6	13.9	26.4	13.1			13.7	11.5	10.0	10.5	8.6	:	=	7.8
Estimated bome population as at 3 d d d d d d d d d d d d d d d d d d		Death	Total	11	3.906	1.200	2,706		1,258	97	217	19	507 19 36 97	75	1,448	375	170	176	1.9		6.4.9	109
Estimated bome bome a population and urban bome bome bome bome bome bome a population and urban soft, June bome a soft,	ı		Ħ	10	1,937	619	1,318		626	30	111	18	268 218 38 38	35	138	170	76	8 %	36	5	799	313
Estimated bonne population as at a sat a soft bonne and urban and urban and urban bonne population as at a soft bonne and urban and urban bonne population as at a soft bonne and urban and urban bonne bonne bonne bonne and urban as at a soft bonne bonne bonne and urban as at a soft bonne bonne bonne and urban as at a soft bonne bonne and urban as at a soft bonne bonne and urban and urban as at a soft bonne bonne and urban as at a soft bonne bonne and urban as at a soft bonne bonne and urban a			M	0	1,969	581	1,388		632	51	106	36	239 11 15 59	04	756	205	94	93	31	127	2	288
Estimated bome bopulation as at 30th June M F Total late per 1959			adjusted birth rate	00	1.02	1.01	1.02		0.99	0.91	0.90	1.06	0.89	0.91	1.09	1.14	0.98	1.01	0.91	00.7	-	1.02
Estimated home population as at a population and urban and urban bound and urban				7	1.06	0.97	Ξ		1.03	1.00	1.03	1.13	1.522	70.1	1.16	1.19	1.16	1.24	1.10	91.1	:	1:03
Estimated home population as at 30th June M F F 1959 The state of t		hs	Crude rate per 1,000 home population	9	15.8	17.1	15.2		15.7	14:2	20.3	15.5	19.0 19.0 19.0 14.8 14.8	0.11	15.4	15.8	13.9	13.5	13.0	16.3		16.1
Estimated home population as at an		Live birt	Total	2	5,409	1,956	3,453		1,568	99	321	4	652 28 113 113	00	294	518	235	227	2,2	2.072		351
Estimated home population as at a safe as at			Ħ	4	2,599	930	1,669		46	268	146	38	302 12 8 50 50 47	: ;	142	151	711	92	7	1,015		350
Estimat house populate as at a stand and urban as a stand urban as			M	2	2,810	1,026	1,784		32	26	175	26	350 16 9 63 63	070	152	143	118	135	2	1,057		203
a		Fstimated	home population as at 30th June 1959	2	341,400	114,600	226,800		99,600 3,010	3,610	15,800	4,120	44,730 1,470 2,370 7,640 5,950	000 401	19,100	19,150	15,960	16,790		127,400		47,070
Area I FOLK, EAST Ipswich C.B. Iministrative county Initial boroughs and Aldeburgh M.B. Beccles M.B. Elisstowerh Cowestoft M.B. Elisstowerh Leiston-cum-Sizewell Cowestoft M.B. Saxmundham Southwold M.B. Southwold M.B. Folkstowerh Taltisnie Aldeburgh A.B. Folkstowerh Aldeburgh M.B. Folkstowerh Folkstowerh Aldrisnie					:	:	:	urban	::	::	: : :	:	:::::		::	: :	::	::		:	urban	::
Are FOLK, EAST Ipswich C.B. Ipswich C.B. Ilpswich C.B. Aldeburgh M.I. Bungay Aldeburgh M.I. Bungay Aldeburgh M.I. Editstowerth Covestof M.B. Editstowerth Covestof M.B. Editstowerth Edi			a		:	:	unty	ghs and	·		: : :	zewell			: : :	: :	::	::		:	hs and	ds M.B
FOLK, Ipswich Ipswich Inninistra Inninistra Inninistra Addebu Bucges Addebu Addebu Addebu Ceiston-Cowesto Ceiston-Cowesto Caxunu Southwc Southwc Southwc Southwc Southwc Southwc Southwc Courte Addebu Towesto Cowesto			Are	1	EAST	C.B	ative con	poroug	gh M.B		we	cum-Si	oft M.B. dham old M.B. rket	icts			and			WEST	borough	Edmun
N A A A A A A A A A A A A A A A A A A A					SUFFOLK,	Ipswich	Administra	Municipal	Aldebur Beccles	Bungay Eye M.B	Felixstor Haleswo	Leiston-	Lowesto Saxmun Southwo Stowmar Woodbri	Rural distri	Blyth Deben	Gipping	Lothing	Wainford		SUFFOLK, 1	Municipal	Bury St.

II	333 34 34 34 37	78	30	27	27 30	73 33 33	23 23 23 28 28 28	31 19 16 31	29 18 39 26	32,822	3322
-1	3 w4-04L	389	19	322	100	E 001	200	46200	14 50	20222	112
.	F - ∞ m v	298	20	248	44	200	022882	11 × 2 × 1	400m	711	969
1	<u>•</u> 0 % %	343	59	284	244	2 11 11	112 12 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	15	4110	111	1080
12	222778	-	21	61	18 14 17	18 25 21	28 18 35 11	22 22 22 22 22 22 22 22 22 22 22 22 22	23	188	17 22 24 15
1	97 100 4 6	469	80	389	328	8 19 12	21 119 9	17 80 10 19	13.5	811001 10005	17 15 20 20 16
06.0	0.0924 0.0922 0.0922 0.733	0.93	86.0	0.92	0.90 0.90 0.98	0.85 1.05 0.93	0.99 0.87 1.00 0.86 0.79	0.90 0.91 0.79 0.98	0.84 0.85 0.78 0.94	1.02 1.09 0.82 0.84 0.89	0.99 0.95 1.01
0.50	0.88 0.90 0.90 0.90 0.90	0.93	0.93	0.93	0.92 0.76 0.82	0.96 1.26 1.00	1.22 0.75 0.87 0.95 0.61	0.99 0.67 1.18 0.93 0.93	0.79 0.91 1.03 1.03	1.14 1.20 0.82 0.69 1.07	0.96 0.95 0.84 0.91
20.8	2.7.7.1.1.2.7.7.7.7.7.7.7.7.7.7.7.7.7.7.	9: 1	12.2	1.5	13.7	10.3	9.4 13.3 10.5 15.0	10.6 15.7 8.1 9.8 12.2	12:3 10:8 10:6 10:6	10.5 10.5 11.6 9.6 9.6	12.0 11.0 13.1 12.9
130	818 1144 1146 1164 1109	19,618	3,037	16,581	14,837 533 535	333 582 376	365 927 279 315 1,017	606 399 212 155 632	150 416 304 480	735 676 586 601 615	952 484 752 820
11	36 44 70 77 77	10,313	1,585	8,728	7,839 296 285	165 267 203	533 139 141 534	357 220 1114 85 300	216 150 248	351 339 329 310 316	512 277 435 451
33	252 101 101 855	9,305	1,452	7,853	6,998 237 250	168 315 173	184 394 140 174 483	249 179 98 70 332	200 200 154 232	384 337 257 291 299	207 317 369
0.91	0.00 0.79 0.79 0.11 0.11 0.00 0.11 0.00	0.90	0.93	0.88	0.87 0.87 0.73	0.86 0.75 1.04	1.09 1.00 0.97 0.93 0.85	0.87 0.91 1.19 1.01 0.83	0.86 0.90 0.69	0.71 0.76 0.86 0.73 0.81	0.80
1.10	1.20 1.20 1.20 1.33 1.33 1.33 1.33 1.33 1.33 1.33 1.3	1.02	1.00	1.02	1.10 1.00 1.00	1.06 0.97 1.04	0.93 1.11 1.07 0.96 1.20	1.00	0.99 0.97 0.99 1.05	1.05 0.97 1.01 0.93 1.00	1.03 0.97 0.96 0.97
13.7	14.1 14.1 14.3 13.1 20.6 16.0 15.8	14.5	15.3	14.3	14.0 13.0 12.0	13.4 12.8 16.5	19.3 15.0 16.0 11.7	14.3 19.7 16.0 14.2	14.2 14.6 15.0 10.8	111.1 13.0 14.1 13.0	12.8 15.6 14.7 16.4
98	1,30 127 135 168 408 146 317	24,504	3,814	20,690	17,869 506 466	433 774 574	1,028 314 478 793	816 370 516 253 737	173 564 518 491	779 836 715 550 848	1,017 684 843 1,044
46	65 67 67 85 219 64 168	11,999	1,911	10,088	8,691 261 259	205 353 279	357 498 160 227 391	391 187 277 118 371	85 274 248 227	375 387 351 279 389	493 331 413 505
40	68 88 88 88 14 14 14 14 14 14 14 14 14 14 14 14 14	12,505	1,903	10,602	9,178 245 207	228 421 295	392 530 154 251 402	425 183 239 135 366	88 290 270 264	404 449 364 271 459	524 353 430 539
6,260	80,330 9,000 9,000 112,860 19,820 9,110 20,110	1,695,000	249,000	1,446,000	1,275,000 39,010 38,880	32,250 60,270 34,820	38,850 69,320 20,980 29,870 67,880	57,110 25,450 26,130 15,850 51,930	12,190 38,590 34,630 45,460	70,450 64,380 50,580 42,330 63,750	79,180 43,810 57,450 63,600
: :	::::::	:	:	:	urban	am	:::::	:::::	M.B.	:::::	::::
::	::::::	:	:	: ta	s and r	vv annigton	riley	 iberley 	hames mbe M.	den ::	m M.B.
d.B.	2 _9	:	C.B.	ve coun	orough:	and W	and Pu	 nd Can g M.B. M.B.	upon-T	M.B. M.B. M.B. M.B. 1.B.	d Chean nd Weyl n M.B.
Sudbury M.B.	Rural districts Clare Cosford Melford Mildenhall Thedwastre Thingoe	SURREY	Croydon C.B.	Administrative county	Municipal boroughs and urban districts. Banstead Barnes M.B.	Carshalton Caterham and Warlingham	Chertsey Coulsdon and Purley Dorking Egham Epsom and Ewell M.B.	Esher Farnham Frimley and Camberley Godalming M.B Guildford M.B	Haslemere Kingston-upon-Thames M.B. Leatherhead Maiden and Coombe M.B.	Merton and Morden Mitcham M.B. Reigate M.B Richmond M.B. Surbiton M.B.	Sutton and Cheam M.B. Walton and Weybridge Wimbledon M.B Woking

Stillbirths	19	\$ 001 001 001 001	147	39 27 27 27	80	21411	m0m. -	15 AC
Deaths under	18	4 ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	93	35	32	F w4-4w	1 2-6	200
Deaths under 4 weeks	17	5 2000	105	69 18 11 11	36	© ₩ ८ = ८ 4	110-0	844
Rate per 1,000	16	20 5 7 3 3 5 5 6 5 6 5 6 5 6 5 6 6 6 6 6 6 6 6	70	23888 20888	-	27.80 E O	12 38 33 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	171
Mumber	15	6. 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0	156	98 58 22 15	19	- LUUWL	ulwuw	30
Ratio of local adjusted death rate to national rate	14	0 0 89 0 0 89 0 0 84 0 0 87 0 0 81	0.99	1.05 1.05 1.08 1.08	0.94	0.0 0.99 0.98 0.098 1.00	0.82 0.86 0.96 1.06 0.97	0.89
Comparability factor	13	0.96 0.96 0.93 0.83 0.91	0.72	0.80 0.65 0.63	0.72	0.71 0.59 0.55 0.85 0.61	0.91 0.82 1.10 0.86 0.70	0.70 0.61
Crude rate per 1,000 home population	12	10.7 10.7 10.3 10.3	15.9	15.2 18.1 19.8	15.2	2.61 8.85 1.95 1.91 1.91	10.1 10.1 10.1 16.1 16.1	14.8 16.1
Total	11	1,744 170 277 277 438 504 355	10,186	4,746 2,431 1,047 1,268	5,440	3,073 519 122 265 193 1,338	142 98 154 64 178	2,367 438 343
Ī	10	889 844 134 241 247 183	5,632	2,660 1,312 595 753	2,972	27.1 292 462 100 100 100 100	88 49 66 102	1,249 239 179
M	6	855 86 143 197 257 172	4,554	2,086 1,119 452 515	2,468	1,350 225 60 103 899 873	36 88 31 76	199
Ratio of local adjusted birth rate to national rate	00	1.22 0.92 1.22 0.97 1.11 0.93	0.84	0.83 0.68 0.85 0.85	0.87	0.15 0.945 0.984 0.72	0.83 0.96 0.77 0.77	0.87 0.89 0.89
Comparability factor	7	1.02 1.02 1.03 1.05 1.05	=======================================	1:06 1:14 1:17	- 52	1.29 0.95 1.18 0.97 1.17	1.05	1.18
Crude rate per 1,000 home population	6	6.41 1.9.7 1.4.8 1.7.5 1.7.5	12.3	12:9 9:9 12:0	12.5	12.1 17.7 13.2 16.6	12.6 13.0 12.5 9.7	13.0
Total	٠,	236 236 601 548 926 510	7,899	3,402 2,063 573 766	4,497	2,3 2,3 2,44 2,43 2,38 1,14	171 104 230 56 108	2,133 360 267
tr'	4	1,397 130 289 271 467 240	3,788	1,637 974 288 375	2,151	1,133 1120 1113 1113 350	88 50 117 25 54	1,018
×	س	106 312 277 277 270 270	4,111	1,089 1,089 285 391	2,346	1,231 136 131 131 364	83 54 113 31 54	198
Estimated home population as all 30th June 1959	2	171,000 15,830 30,520 37,070 52,980 34,600	640,700	281,700 160,000 57,800 63,900	359,000	195.500 26,610 13,760 18,460 14,370 69,930	13,620 8,010 15,190 4,470 11,080	163,500 29,640 21,350
		:::::	:	::::	:	urban	:::::	:::
		· · · · · · · · · · · · · · · · · · ·	:	::::	: Y	and	::: : :	:::
Area	I	Rural districts Bagshot and Dorking and Hor Godstone Godstone Guildford Hambledon	USSEX, EAST	County boroughs Brighton Eastbourne Hastings	Administrative count	Municipal boroughs districts. Bexhill M.B. Burgess Hill Cuckfield East Grinstead Hove M.B.	Lewes M.B Newhaven Portslade-by-Sea Rye M.B Seaford	Rural districts Battle Chailey
	So bone of the population of localists of local adjusted death rate population Comparability Ratio of local adjusted birth rate population Comparability Ratio of local adjusted death rate per 1,000 home population Ratio of local adjusted death rate for national	Soft and the state of the state of the state of total state of tot	Patimated Prome Prome	Pstimated home Population Property P	Estimated blonne phones of parameted blonne population of 1959 2	Promised population F Total To	Perimented Per	Estimated Propulation Pr

30	3,25,24	12 38 13 32	34 20 20 34 34 34	34	36	29	332 332 332 332 332 332 332 332 332	20 33 45 85 85 85 85	33 31 58 41
611	2 10 28 20	4545	7. E11 0.00	716	532 419 113	184	84 100 100 100 100 100 100 100 100 100 10	20 20 10 10 10 10 10 10 10 10 10 10 10 10 10	1118
53	8 4054	31	800 WWW WW	519	301 90	128	6 7 4 5 1 1 1 0 1 5 4 4 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
64			4000 40	286	345 98	143	86 472 112 113 114 104 104 104 104 104 104 104 104 104		
11			222	24	26 26 26	20	223325 173 173 173 173 173 173 173 173 173 173		
66	88 88 21 6	w440	78 88 140	836	632 489 143	204	22 22 22 22 22 24 24 25 25 25 25 25 25 25 25 25 25 25 25 25	150110	13.11.84
70-1	1.28 1.08 0.93 0.93	1.08	0.98 0.99 0.97 0.87 0.75 0.77	1.09	1.14	0.99	1.10 0.95 0.95 0.99 0.93 1.00 1.00	0.92 0.92 0.69	0.90 0.90 0.97 0.76
0.83	0.72 0.72 0.72 0.68 0.89	0.88 1.01 0.84 0.63	0.82 0.82 0.96 0.59 0.76	- 8	1.14 1.39	9:-	1.1.1 1.2.3 1.0.8 1.0.8 1.0.9 1.0.9 1.0.9 1.0.9	1.19 0.62 0.62	1.27 1.09 1.21 0.79
14.2	14.5 20.6 17.4 14.1 5.0 11.7	14.3 14.4 21.2	10.90 10.50 10.50 10.50 10.20 10.20	10.7	= 11.6 8.8 8.8	6.6	10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0	4.5 14.5 9.9 7.0 7.0 8.5 12.9	9.0 9.6 9.3 11.1
5,537	3,436 544 459 268 2255 228	217 194 168 1,593	2,101 309 525 232 232 252 1115 668	20,940	15,222 12,699 2,523	5,718	3,78 348 116 573 573 689 689 689 689 689	1,933 205 245 245 384 188 104	144 226 165 272
2,957	1,905 282 242 160 130 124	109 88 929 929	1,052 157 157 252 252 101 101 63 378	10,132	7,405 6,313 1,092	727,2	1,817 147 147 270 270 256 333 314 97	910 1110 1183 822 532	56 114 71 143
2,580	1,531 26 217 217 108 125	108 106 73 664	1,049 152 253 231 151 151 52 290	10,808	7,817 6,386 1,431	1,991	1,968 201 201 27 332 220 220 266 366 368 328 98	1,023 95 147 201 106 51	88 1112 94 129
16.0	0.98 0.98 0.87 0.87 1.07 0.88	1.00 0.96 0.91 0.65	0.93 0.93 0.99 0.96 0.89 0.79	1.04	1.02	90.1	1.08 0.93 0.93 1.23 1.07 0.91 0.91	1.02 0.93 1.05 1.12 1.05	1.14
1.04	0.99 1.21 1.20 1.06 0.70 1.03	1.04 0.98 1.13 1.16	1.14 1.08 1.08 1.08 1.14 1.13	0.95	0.95 0.95 0.93	0.97	0.00 0.00 0.09 0.09 0.09 0.09 0.09 0.09	0.99 0.99 0.96 0.91 1.00 1.08	1.21
14.5	13.0 4.0 13.0 13.0 14.1 14.1	15.8 16.1 13.3 9.3	8.6.4.1 6.4.2.2.4.7 6.4.7.7.7.7.7.7.7.7.7.7.7.7.7.7.7.7.7.7.	18.0	17.8 17.8 19.0	18:1	2100000 18:000000 18:00000000000000000000	17.0 17.0 15.9 19.0 18.5	14.7 17.7 16.9 20.6
5,643	3,514 3,515 315 2777 275 275	239 258 155 702	2,129 8329 680 340 250 126 404	35,262	24,822 19,399 5,423	10,440	6,778 824 215 215 829 829 829 823 1,663 1,235 11,235	3,662 240 393 1,035 408 129	235 418 298 506
12,721	1,695 19 143 127 629 137	115 114 85 326	1,026 147 147 321 164 124 57 213	17,067	11,966 9,411 2,555	5,101	285 285 285 1111 4433 463 796 796 6111 98	1,8 8 108 192 208 62 62 62	112 217 153 240
2,922	1,819 16 172 131 648 138	124 144 70 376	1,103 182 182 359 176 126 69 191	18,195	12,856 9,988 2,868	5,339	309 309 104 104 104 118 120 120 131	1,844 132 201 200 200 67	123 201 145 266
390,000	236,200 2,620 26,310 19,060 50,710	15,150 15,980 11,640 75,260	153,800 22,050 48,040 22,190 17,010 9,740 34,770	1,954,000	1,377,200 1,091,500 285,700	576,800	371,400 22,930 23,930 13,430 57,090 33,450 49,390 15,270 15,870	205,400 14,140 24,770 54,590 22,090 8,040	15,970 23,590 17,660 24,550
:	urban	::::	::::::	:	:::	:	urban	::::::	::::
:	Pue : : : : :	::::	::::::	:	:::	: A:	and Spa	::::::	::::
I	Municipal boroughs districts Arundel M.B. Bognor Regis Chichester M.B. Crawley Horsham	ion yy-Sea	: . : : : :	RE	ghs	Administrative county	Municipal boroughs and districts. Bedworth Keniworth Numeaton M.B. Royal Learnington Sp Rugov M.B. Solihull M.B. Solihull M.B. Sutton-Upon-Avon Stratford-upon-Avon Stratford-Warwick M.B.	ral districts Alcester Atherstone Meriden Rugby	Southam Stratford-on-Avon Tamworth
WES	unicipal borouglistricts Arundel M.B. Bognor Regis Chichester M.B. Crawley Horsham	Littlehampton Shoreham-by-Sea Southwick Worthing M B.	ral districts Chanctonbury Chichester Horsham Midhurst Petworth Worthing	KSH	bunty borough Birmingham Coventry	trative	unicipal borough istricts Keniworth Keniworth Nuneaton M.B. Noyal Learning Rugby M.B Solihull M.B Solihull M.B Sutraford-upon-Varraford-Nutrafor	ral districts Alcester Atherstone Meriden Rugby	ford-o vorth
SUSSEX, WEST	districts Arundel M.B. Bognor Regis. Chichester M. Crawley Horsham	Little Shore South Worth	Rural districts Chanctonbu Chichester Horsham Midhurst Petworth Worthing	WARWICKSHIRE	County boroughs Birmingham Coventry	dminis	Municipal by districts Bedworth Keniworth Nuneaton Royal Lea Rugby M Solihull M Stratford-U Sutton Col. Warwick Narwick N	Rural districts Alcester Atherstone Meriden Rugby	Southam Stratford-c Tamworth Warwick
SUS	5.0		×	WA	0	Ā	2	×	

mortality rate

)
111
,
2 6
1 4-
1.05
1.09
12.6
34
30
0 284
1.26 0.98 1.19
1.14
18.2
70 154
2 22
7 8 8 8
2,690
Mariborough M.B
2000

56 25 25 45

6447	22 22 22 22 22 22 22 22 22 22 22 22 22	19 26 19	25 33 30	4	35 35	4	- 244404	33 34 45 45 45 45 45	4 % % % % % % % % % % % % % % % % % % %	22 22
4201	2 0 m∞ r 4	3 - 6	4000m	233	30	182	174 174 213 213	133.55	% ₩9000	w04
NWW	W00000	w4	-464	129	26 11 15	103	70	12800	40vw44	m=
000	*0411W	1 5.6	-040	150	3	119	88 88	21 8 9 18 7	0 ∞ ∞ 4 m 4	4-1
46	50174E0	31	07 7 7 0	23	21 18 25	24	27.582.7 5	337788	18 13 20 24 25 25	14
040	7 0 1 1 2 2 1 4	10	w400N	201	42 17 25	159	12 12 14 16	110 117 113 8	8 ∞ L N 4 N	4=11
0.75 0.68 1.04 1.08	0.86 0.78 0.97 0.97 0.97	1.03 1.04 0.85	0.83 0.83 1.03	1.02	1.18 0.99	10-1	1.08 0.90 0.90 0.86 1.11	1.05 0.97 1.20 1.01 0.96 1.40	0.97 1.04 0.91 0.88 0.85	0.75 0.85 0.87
0.93 0.80 1.01 1.15	1.69 0.82 0.82 1.43 1.19 0.65	1.11	0.86 1.14 0.93 0.96	1.08	1.30 1.30 0.96	1.07	1.31 1.31	0.97 0.88 1.42 1.20 1.08 1.21	0.99 1.21 1.00 0.96 1.15 0.97	0.93
9.4 9.9 11.9 10.9	5.9 11.0 6.8 6.8 13.0	10.8 11.8 10.0	11:1 8:4 10:0 12:4	0 =	10.5 10.5 12.0	0.11	0.01 0.01 0.01 0.04 0.01 0.04 0.04 0.04	12.8 12.8 10.3 13.4 13.4	10.9 11.0 11.0 10.2	9.3 10.3 17.5
138 87 87 65 39	145 142 142 230 163 209	277 121 103	125 147 179 179 156	6,176	1,436 671 765	4,740	3,382 53 339 101 196 431	320 320 342 330 415 153	1,358 315 166 1885 106 123	156 56 251
80 50 29 21	920 622 104 824 882	124 56 44	62388	2,896	659 298 361	2,237	1,594 22 163 163 105 199	226 197 234 142 182 75	643 1441 78 888 49 46 46	72 29 137
337 36 18	1,077 83 69 126 81 1111	153 65 59	76 85 93 76	3,280	373 404	2,503	1,788 31 176 52 91 232	276 123 308 188 233 78	715 171 88 77 77	84 27 114
1.25 1.25 1.00	1.45 0.93 0.93 1.11 1.10	1.13	0.99 1.07 1.15 1.14	0.93	0.85	0.95	0.93 1.09 1.06 0.97 0.85	0.97 0.96 0.94 0.92 1.05	1.04 0.93 0.98 0.87 1.04	1.05
1.04	1.17 1.17 1.28 1.02 1.36	1:20	1.14 1.05 1.04 1.19	0.99	0.96 0.95 0.96	10.1	0.98 1.02 1.03 1.03 0.95	1.00 0.96 0.95 0.95 0.95	1.07 1.09 1.09 1.03	1.08
20.6 19.8 15.7	20.4 13.9 14.9 18.0 13.4	18.6 19.0 15.4	14.4 16.8 18.2 15.8	70	14.8 15.8 15.8	15.6	15.5 17.6 17.1 18.4 15.5 15.0	16.0 13.9 16.4 16.4 16.4 18.3	17.9 13.8 14.2 16.7	16.5 16.1 12.2
181 108 108 56	3,522 500 179 503 311 216	475 195 159	162 296 327 199	8,683	1,961 949 1,012	6,722	4,765 888 549 132 193 658	268 768 768 554 6134 208	1,957 607 189 250 202	278 87 175
86 86 33	1,702 245 245 78 230 142 107	248 103 85	83 144 136 101	4,181	947 472 475	3,234	2,300 242 242 56 88 334	334 163 371 274 284 110	934 267 90 133 81	142 44 76
95 95 23	1,820 255 101 273 169 109	227	79 1152 1191 98	4,502	1,014	3,488	2,465 44 307 76 105 324	308 197 280 329 98	1,023 340 99 1117 101	136 43 99
14,610 8,790 5,450 3,570	210,100 24,530 12,920 33,810 17,230 16,060	25,570 10,270 10,310	11,250 17,600 17,960 12,590	559,700	128,200 64,200 64,000	431,500	306,400 5,000 32,100 7,170 12,440 43,930	40,000 24,960 55,310 33,840 40,260 11,390	125,100 33,950 13,720 16,810 11,870 12,100	16,850 5,420 14,380
Westbury	Rural districts Amesbury Bradford and Melksham Calne and Chippenham Cricklade and Wootton Bassett Devizes	Highworth Malmesbury Marlborough and Ramsbury	Mere and Tisbury Pewsey Salisbury and Wilton Warminster and Westbury	WORCESTERSHIRE	County boroughs	Administrative county	Municipal boroughs and urban districts. Beweley M.B. Bromsgrove. Droitwich M.B. Evesham M.B. Halesowen M.B.	Kidderminster M.B MAlvern Oldbury M.B. Reddition Stourbridge M.B. Stourport-on-Severn	Rural districts Bromsgrove Doctiwich Evesham Kidderminster Martley	Pershore Tenbury Upton upon Severn

TABLE 13—continued

	Perinatal mortality rate	20	37	40	32	200 7 00 00 00 00 00 00 00 00 00 00 00 00	287282	200 200 200 200 200 200 200 200 200 200	38	9	
	Stillbirths	19	203	132	71	7000	= -	\$4-1-4×	-40	260	
	Deaths under	18	132	96	36	2 -w4	10-10	Faire La	7=1	157	
	Desths under	17	164	122	42	2 - 6 4	∞n-n	2000 0	m==	185	
ths	Rate per 1,000	16	25	30	-8	36	1827	22 22 22	16	26	
Deaths under I year	Number	15	226	167	59	€ w 2 1	12-33	7-575	8=8	266	
	Ratio of local adjusted death rate to national rate	14	1.07	1.16	96.0	1.24 0.99 0.99	0.96 1.16 0.79 1.08 1.06	0.83 0.83 0.97 0.84 0.88	0.91 1.04 0.89	1.05	
	Comparability factor	13	1.07	1.22	16.0	0.97 0.75 0.53 0.93	0.72 0.72 0.84	0.93 0.93 0.96 0.90 1.02 0.96	0.92 1.02 0.96	01:	3
	Crude rate per 1,000 home population	12	9-11	11.0	12.3	13.7 10.1 17.3 27.1 12.3	1333 1274 1477	10.3 10.3 10.6 10.6	11.5 11.8 10.8	Ξ	0
Deaths	Total	11	950'9	3,334	2,722	1,528 161 432 188 59	45.30 7.00 7.00 7.00 7.00 7.00	1,194 225 97 171 103 216	139 87 156	6,020	,
	Ĺt.	10	2,852	1,594	1,258	693 224 944 266	186 10 30 25 25	565 1111 38 86 86 46 46	73 43 67	2,884	000
	M	6	3,204	1,740	1,464	835 208 208 94 33	267 20 34 34 34	629 1114 59 835 577 1115	948	3,136	000
	Ratio of local adjusted birth rate to national rate	00	1.05	1.09	0.98	9.0 0.96 0.98 0.95 0.95	1.02 0.81 0.97 0.98 1.10	0.70 0.96 1.00 1.00 1.00 1.00	0.99 1.11 0.88	1.16	00.
	Comparability factor	7	10.1	96.0	1.08	1.00 1.13 0.97 1.05	1000	1.122	1.08	1.02	200
S	Crude rate per 1,000 home population	9	17:1	18.7	14.9	15.8 12.9 16.1	15.9 13.3 14.1 16.9	16.8 10.3 15.1 14.6 15.6	15.2 17.1 13.5	18.8	200
Live births	Total	2	8,941	5,637	3,304	1,652 250 322 112 51	652 30 80 72 83	1,652 369 97 207 157 317	183 126 196	10,241	2 467
	ĹĻ	4	4,282	2,731	1,551	801 115 158 50 50 30	323 15 41 31 38	750 174 43 87 87 137	92 50 83	5,023	1 676
	M	3	4,659	2,906	1,753	851 135 164 62 21	329 15 39 41 45	90 195 120 180 180	91 76 113	5,218	1 701
	Estimated home population as at 30th June 1959	2	523,000	301,800	221,200	11,200 15,870 24,970 6,940 4,780	40,910 2,250 5,670 4,840 4,970	21,950 21,950 9,380 13,710 10,730 20,300	12,050 7,380 14,500	544,600	152 000
	Area	I	YORKSHIRE, EAST RIDING	Kingston upon Hull C.B	Administrative county	Municipal boroughs and urban districts Bewerley M.B. Bridlington M.B. Driffield Filey	Haltemprice	Rural districts	Howden	YORKSHIRE, NORTH RIDING	Middleshrough C.B.

27.7 28.7 54.	31, 31	2 23 480 12	8 5 1 5 E	28 22%	12402	#8889 700 700 700 700 700 700 700 700 700 70	34	277 277 332 332 332 332 332
277	100m 0	100	3 -4 ∞	4-11-	6000	7-29-7	1,255	70 122 122 31 24 29 169
25			% % &	2-1-1-	1-110	N-N- 4	838	470 15 23 23 23 20 20 27 27 130
7000 S	202	4.226	4-0 0	-	1-1-0	4-20m 4	77.6	538 20 22 22 23 36 149
22 22 18 36 36	22.39	330 27	388	33 27	56	22 11 15 20 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	24	7 50 455 57 8
19 19 5	452	10 20 20 5	300 4	544 4	1 1 0	7-00-1	1,437	788 322 152 38 34 49 49 214
1.18 1.26 1.06 0.95 0.95	1.36 1.12 0.80 1.01	1.04 0.96 0.94 0.94	0.92 1.19 0.81 0.78	0.94 0.92 0.82 1.09 0.75	0.90 0.88 0.90 0.76	0.98 0.98 0.98 1.02 1.02	1.12	1.1.222.83 1.1.222.83 1.1.1.222.83
1.04 1.04 1.15 0.98 1.10	0.92 1.13 1.06 1.03	0.79 1.17 1.41 0.71	1.07 1.07 1.02 1.02	1.02 1.09 0.86 0.97 0.97	0.89 0.97 0.84 0.83 1.57	0.87 1.00 1.14 1.01 1.50 0.83	1.08	1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00
9.8 14.0 10.7 111.3 9.7	2.7.1 8.8 4.11 4.12	15.3 10.2 15.4 15.4	17:2 8:8 7:7 8:9	10.7 9.8 11.0 13.0 9.0	112.4 12.4 12.6 5.6	13.3 10.0 10.1 14.7	12.0	4:144 4:145 4:145 6:175 6:175 7:175
2,541 350 144 82 82 47 61	330 52	659 124 242 177	1,815 57 74 18 106	274 52 54 82 82 80 80	108 108 61 25 146	102 220 137 164 164	43,703	24,719 837 4,168 1,003 1,400 1,636 6,123
1,215 151 66 35 20 36	1447	352 49 101 91	867 422 400 43 43	133 288 36 36 21	355	61 101 63 13 79	21,234	2,116 388 2,116 337 460 703 832 3,002
1,326 199 78 47 27 25	33 186 27 57	307 75 141 86	948 33 34 34 6	141 24 29 46 29 29	53 26 14 91	116 119 747 13	22,469	12,605 2,052 4252 843 697 3,121
1.39 1.23 1.10 0.94 0.90	0.86 1.12 1.11 1.24	0.85 1.22 1.13 1.04	1.10 1.26 0.52 0.93	1.14 1.23 0.86 0.89 0.88	0.84 1.14 0.83 0.62 1.22	0.87 1.01 1.26 1.05 1.05	66.0	0.98 1.00 1.00 1.00 0.98 0.96
0.95 0.95 1.09 1.09	1.14	1.06	1.13 1.14 0.95 1.10	1.01 1.34 1.10 1.10 1.10	1.18 1.20 1.20 1.12 1.12	1.20 1.07 0.94 1.24 1.21	1.00	0.99 0.99 0.94 0.98 0.98
28.2 24.1 21.2 18.2 14.2 14.8	12.5 17.9 20.6 21.3	13.2 19.7 16.2	16.0 18.3 9.0 14.0	18.7 12.4 13.3 12.7	11.7 118.1 11.4 9.1 16.6	12.0 20.9 19.2 14.0 13.8	16.4	18.1 17.6 17.6 17.6 16.5 16.5 16.5
3,841 218 218 139 59	51 512 122 218	568 257 471 187	2,943 53 154 21 167	481 80 61 61 70	158 158 57 18 437	458 260 260 449 159	59,452	32,54 1,365 5,075 1,487 1,508 8,318 8,318
1,899 434 1115 71 222 443	265 64 109	274 131 220 90	26 26 84 11 83	23.7 39 48 38 38	13 73 30 8 206	2222 121 20 84 84 84	29,115	16,032 668 2,477 432 737 753 1,043 4,071
1,942 429 103 68 37 50	247 58 109	294 126 251 97	1,495 27 70 10 84	244 411 328 336	85 27 27 10 231	236 139 29 75	30,337	16,509 2,598 2,598 750 750 1,082 4,247
211,100 35,750 10,280 7,650 4,150 6,280	28,580 28,580 5,920 10,220	43,160 13,030 23,810 11,510	179,700 3,320 8,400 2,340 11,930	25,680 5,310 4,930 6,310 5,530	1,620 8,720 5,010 1,980 26,250	7,670 4,190 21,910 13,570 3,500 11,530	3,627,000	1,988,000 75,400 283,100 53,390 84,610 94,980 128,500 513,300
:::::	y-the-	: ::::	:::::	:::::	:::::	:::::	DING	:::::::
::::::	arske-b	B otton	:::::	:::::	:::::	:::::	T RIE	:::::::
igh	M.B.	gh M.	::::: g	orside	ton.:	tig the state of t	WES	sdgr
districts Eston Guisborough Loftus Malton Northallerton	Pickering Redear M.B. Richmond M.B. Saltburn and Marske-by-the- Seal.	Scarborough M.B. Skarborough M.B. Skelton and Brotton. Thornaby-on-Ices M.B. Whitby	Rural districts Aysgarth Bedale Croft Easingwold	Flaxton Helmsley Kirkbymoorside Leyburn Malton	Masham Northallerton Pickering Reeth	Scarborough Startforth Stokesley Thirsk Wath	YORKSHIRE, WEST RIDING	County boroughs Barnsley Bradford Dewsbury Doncaster Halifax Huddersfield Leeds
								- 10

TABLE 13—continued

refinatal

Stillbirths			160 160 40 40	554	44 8 41 10 110	1001	16046	2 -	149
Deaths under	18		28 28 28 28	368		4014	10	4	⊷mo
Deaths under	17		22 87 15 33	439	0 0 0 0 0 0 0 0	N. W. N.	77%	4-	640
Rate per 1,000 live births	16		21 17 30 27	24	4 417408	222	3,000	32	52
Number	15		31 131 27 45	649	24 84 84 85 85 85 85 85 85 85 85 85 85 85 85 85	152	04 × × × × × × × × × × × × × × × × × × ×	4-1	404
Ratio of local adjusted death rate to national rate	14		1.16 1.08 1.04	01.1	0.937 1.233 1.1233	1.20 1.10 1.23 1.17	1:23 1:05 1:06 1:10	1.29	1.37
Comparability factor	13		1.21 1.10 1.01 1.01	01:1	2 44000044	0.99	1:37 1:24 1:34 1:49	1.00 0.97 1.41	1.06
Crude rate per 1,000 home population	12		11:1 12:4 11:9	9:11	4 2.24.1.2.2.2.2.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0	13.9 10.8 13.3	10.8 9.9 7.9 8.6 8.6	15.0	15.0
Total	11		5,860 743 1,250	18,984	208 208 392 132 132 132	303 394 451 282	185 79 64 135 234	141 35 46	273
ĽL	10		2,801 362 646	9,120	7,154 192 192 263 263 263 83	159 191 201 138	35 33 67 93	71	33 138 68
×	0		3,059 3,059 381 604	9,864	7,506 122 200 200 61 73 258	203 203 144	89 44 168 141	62 18 35	135
Ratio of local adjusted birth rate to national rate	90		1.03 0.95 0.94 0.94	9.	0.98 0.95 0.95 0.85 1.05 1.11	0.90 0.99 0.95	1.28 1.11 1.35 0.90 1.13	0.87 0.96 0.84	0.97 1.02 1.05
Comparability factor	7		0.98 1.01 1.04 0.97	10.1	0.97 1.14 1.02 1.09 1.01 0.93	1.05 1.05 0.97 1.06	0.96 0.96 0.98 0.98 0.95	1.10	1.07
Crude rate per 1,000 home population	9		17.4 15.5 14.9 16.0	16.4	16.0 17.3 13.8 13.3 17.1 19.7	14.2 15.6 16.1 14.0	22.0 19.0 22.2 15.1 19.7	13:1 14:5 14:2	15.0
Total	2		1,469 7,720 893 1,679	26,911	18,859 321 382 149 149 678 678 436	311 474 670 296	390 169 146 223 537	124 37 61	77 298 267
江	*		3,864 433 807	13,083	9,213 145 194 82 77 77 347	159 243 312 141	184 75 77 1119 261	59 19 27	40 146 121
M	رب		3,856 460 872	13,828	9,646 176 188 67 67 62 331 221	152 231 358 155	206 94 104 276	65 18 34	37 152 146
Estimated home population as at 30th June 1959	2		84,560 499,400 59,860 104,900	1,639,000	1,180,010 18,580 27,680 11,240 10,780 39,700 22,100	21,850 30,460 41,740 21,180	17,710 8,900 6,590 14,750 27,260	9,430 2,550 4,290	5,140 18,580 14,530
-			::::	:	urban	::::	:::::	:::	:::
		T	continue	th	s and	::::	:::::	:::	:::
Area	I	WES	n	e coun	Street gh ick th Ark	M.B. M.B.	:::::	:::	:::
		ORKSHIRE, RIDING—con	County boroug Rotherham Sheffield Wakefield York	Administrative	*Municipal bo districts Adwick le S Adreboroug Baildon Barnoldswi Batley M.B Bentley with	Bingley Brighouse N Castleford J Colne Valle	Conisbroug Cudworth Darfield Darfon Dearne	Denby Dal Denholme Dodworth	Earby Elland Featherstone
	Totale rate per 1,000 home population Tation of local adjusted birth rate to national rate per 1,000 home population Tation of local adjusted death rate population Tation of local adjusted death rate for national rate for	Expense of the properties of t	Example of the property of the property of the propulation of the prop	Estimated Deputation F	Estimated Depution Depution	Designation Designation	Primated Primated	Printed Point Printed Printe	Department Dep

32222	282282	44084	22.30	22 21 20 20 20	28,968,4	7.4422	13,28,38	74%%
NNOO	E004F	F440=	4 00 8	76.184	91 14 8	425 4	r=144	1020%
-	14/20	4-46	w avw	UUL4=	04-19	U=4UU	10 4 L E E	-6400
3 11	LE 44	40140	4 044	пооп	<u> </u>	N=0U4	04746	-m41-w
15 8 11 16	18 18 12 25 25	177	277	20024	37 16 16 16 16 16	121 140 34 FE	36 39 36 36	300228
V-64	4872	2412	127	82172	24-1-2	NUL400	1100	~~~~
1.09 1.17 1.14 1.08	1.01 1.04 1.16 0.94 1.18	1.00 0.99 1.10 0.90	1.08 1.16 1.06 1.33	1.31 1.05 1.06 1.17	1.12 0.85 0.86 1.12 1.23	0.99 1.17 1.25 1.17	1.31 1.18 1.26 1.10 1.01	1.61 1.26 0.95 0.98 1.24
0.86 1.06 0.99 0.73	1.00 1.06 1.19 0.73 0.91	0.63 0.71 1.65 1.00	1.29 1.04 1.14 1.21 1.15	400000 40000 40000 40000 40000 40000	1.27 0.74 1.00 0.78 1.36	0.94 0.99 1.03 1.18 0.76	1.01 1.24 1.29 1.25	1.02 0.96 1.22 1.28 1.37
14.7 12.8 13.3 17.1	7:11 11:4:9 14:0 15:1	16.2 2.3 2.3 2.3 2.3 4.0 10.4	9.7 112.6 11.8 10.2 13.4	12:2 11:2 12:9 12:9	10.2 13.4 10.0 10.0 10.5 10.5	12:2 13:7 12:3 17:8 17:8	13.5 11.8 9.9 9.4	18.3 15.2 9.0 8.9 10.5
142 110 190 322	99 174 179 259 832	332 143 97 116 54	181 152 471 190 196	164 82 290 371 114	202 1137 50 4117 88	205 140 399 66 233	269 494 201 105 120	272 272 128 169 155
83 47 100 164	55 83 76 135 415	172 64 35 31	65 70 209 83 107	73 130 182 59	236 236 386 386	98 64 216 36 131	156 258 91 42 62	148 64 69 69 69
59 63 90 158	103 124 417 417	160 73 62 63 23	116 82 262 107 107	91 160 189 55	117 64 24 181 50	107 76 183 30 102	113 236 110 63 58	124 124 100 100 86
0.92 0.99 1.08 0.90	1.01 0.88 0.93 1.00 0.96	1.06 0.75 0.77 1.16 0.84	0.97 0.92 0.97 1.01 1.06	0.90 0.97 1.23 1.05 0.97	1.07 1.03 0.83 0.91 0.86	0.93 0.84 0.94 1.07	1.04 0.91 0.89 1.06 1.01	0.85 0.82 1.01 0.96 1.09
1.11 1.05 0.93 1.08	0.0000000000000000000000000000000000000	1.29 0.93 0.89 1.04	0.97 1.01 1.03 1.03	1.04 1.02 0.97 1.01 0.96	0.99 0.97 1.08 1.04 0.97	1.10 1.00 1.03 0.92 1.06	1.01 1.04 0.98 0.98 0.96	1.00 1.00 1.00 1.00
13.7 15.5 19.2 13.7	16.7 15.7 15.3 15.8	13.6 13.3 14.2 21.5 13.3	14.8 15.1 15.5 16.6 17.0	14:2 15:7 20:9 17:2 16:6	17.8 17.6 12.7 14.7	13.9 14.3 16.8 16.8	17.0 14.4 15.0 17.8 17.4	14.0 12.9 17.1 15.8 18.0
132 133 273 257	141 219 249 265 874	243 1118 156 302 69	275 183 621 308 249	160 105 540 566 147	351 180 64 364 124	233 141 448 90 217	305 526 256 189 223	36 232 244 301 265
70 71 148 141	74 1118 1133 1115 437	106 53 85 137 31	131 86 288 146 118	258 275 73	165 97 27 167 61	126 58 223 43	159 235 128 89 99	24 113 126 154 130
62 62 125 116	67 101 116 150 437	137 65 71 165 38	144 97 333 162 131	83 282 291 74	186 83 37 197 63	107 83 225 47 120	146 291 128 100 124	119 1118 1147 135
9,630 8,600 14,250 18,790	8,440 15,280 17,860 17,350 55,160	17,900 8,840 10,950 14,020 5,190	18,600 12,080 39,950 18,590 14,630	11,260 6,700 25,810 32,970 8,870	19,730 10,200 5,020 25,100 8,410	16,810 10,220 31,380 5,370 13,110	17,940 36,480 17,060 10,630 12,790	2,570 17,940 14,250 19,080 14,740
::::	:::::	:::::	:::::	:::::	:::::	:::::	:::::	:::::
::::	:::::	:::::	:::::	 Shelf	:::::	:::::	::::: rd	
Hebden Royd Heckmondwike Hemsworth	Horbury Horsforth Hoyland Nether Ilkley Keighley M.B.	Kirkburton Knaresborough Knottingley Maltby Meltham	Mexborough Mirheld Morley M.B Normanton Ossett M.B	Otley Penistone Pontefract M.B. Pudsey M.B Queensbury and	Rawmarsh Ripon M.B Ripponden Rothwell	Saddleworth Selby Shipley Silsden	Sowerby Bridge Spenborough M.B. Stanley Stocksbridge	Tickhill Todmorden M.B. Wath upon Dearne Wombwell Worsbrough

TABLE 13—continued

mortality rate

	Area	I	YORKSHIRE, WEST RIDING—continued *Bowland districts Doncaster Goole Hemsworth Hepton	Kiveton Park	Rotherham Sedbergh Selby Settle Skipton	Tadcaster Thorne Wakefield Wetherby Wharfedale	WALES (including Monmouthshire)	ANGLESEY
	Estimated home population as at 30th June 1939	2	458,990 4,910 59,740 9,160 52,190 4,000	19,010 15,890 7,380 13,890	57,920 3,800 6,740 13,940 23,840	26,930 34,410 20,170 22,210 6,880 48,060		52,300
	×	٤,	4,182 690 78 571 22	187 1117 66 65 65	621 23 52 106 155	213 340 164 159 37 358		422
	ĬŢ.	4	3,870 612 77 527 22	167 112 57 69 80	535 31 44 105 147	364 184 127 42 327		435
Live births	Total	ۍ	8,052 71 1,302 1,098 44	354 2229 123 134 181	1,156 54 96 211 302	420 704 348 286 99 685		857
52	Crude rate per 1,000 home population		17:5 14:5 16:9 16:9 11:0		20.0 14.2 14.2 115.1 12.7	15.6 20.5 17.3 0 12.9 14.4 14.3 14.3		16.4
	Comparability factor	7	0.98 0.98 0.98 0.98 0.98	23.080.1	0.91 1.09 1.09 1.09 0.1	1.03 0.97 1.01 0.98 0.98 0.98		1-00-1
	Ratio of local adjusted birth rate to national rate	00	1.05 1.05 1.25 0.73	1.10 1.09 0.94 1.19	1.10 1.07 1.00 1.00	0.97 0.79 0.88 0.88		1.08
	×	0	2,358 20 274 64 231 20	112 78 47 48 71	234 20 37 90 134	156 124 132 132 132 132 132		373
	Ţ,	10	1,966 1,966 232 232 50 50 169	227 827 827	200 201 201 140	132 113 74 93 62 220		368
Deaths	Total	11	4,324 52 499 1114 400	188 144 80 75 153	443 411 666 176 274	288 256 198 225 108 497		741
	Crude rate per 1,000 home population	12	4.6 10.6 4.7.7 7.7 8.1	9.9.10110.110.1	7.6 10.8 9.8 11.5	10.7 7.4 9.8 10.1 15.7		14.2
	Comparability factor Ratio of local	13	1.05 1.09 1.49 1.45 1.08 1.45 1.08		, , , , , , , , , , , , , , , , , , , ,	1.10 1.36 1.11 1.11 0.99 1.05		0.89
3	rater death rate	14	0.95 0.95 0.96 0.96 0.96	0.98 0.98 0.98 1.01	0.99 0.99 0.91 1.05 0.97	1.00 1.10 0.97 1.34 0.93		1.09
Deaths under 1 year	Number Rate per 1,000	15 1	4-5-2	0.0447	. 51-400	ο Σ ∞272Ξ	 	9
ear	live births Deaths under	16 17	44908	33.00	2,470	22 23 20 16 16		19
-	A weeks	18	19 32 19	N. W. W. H. A.	2 10 m	000010	 	12
	l week Stillbirths	19	5 6 5	2000-4				10 25
	Perinatal	20	26 80	000000	V W = N O	7000mm4		

61 143 28 52 43	31 19 19 45	Ş	1	464 8	458 330 468 468 468 468 468	35	36 154 36 33 33 74	53 53
-49E-	0 4™∧	c	9	69 W M M	2 6 6 7 7 7 7 8	36	2 /- 4 m-	441-1
11 2	0 mm m 4		K	M-0	•	21	N W44-4-	4 14
4 44	6 ~~4	2	7	4-0	**************************************	31	<u>▼</u> 4∞0∞0=	4 4
62	18 29 21 29		1/	170	0800014	28	380224 380224 380224	
w w cı	8 -64	3	*	4	0-6-100	44	11 446000-	9 6
0.91 0.76 1.28 1.06 1.20	1.08 1.05 1.06 1.11		70.1	1.28 0.98 1.43 1.28 0.93 1.37	1.03 0.97 0.91 0.89 0.91 1.18	1.07	1.00 1.00 1.01 1.07 1.13 0.87	1.10 1.04 1.07 0.96 1.08
0.86 0.85 0.98 1.18 0.89	0.83 0.83 0.85	3	9	0.95 0.96 0.96 0.83 0.57 0.65	1.03 0.97 0.89 1.03 0.57 1.15	 98.0	0.98 0.98 0.98 0.93 0.78	0.83 0.83 0.83 0.69
12.3 10.4 15.1 10.4 15.6	14.7 14.4 14.5	3	6-71	14.7 11:9 17:9 24:5	1256 1256 1026 1072 1072	14.5	24.3 24.3 11.2 16.8 13.3	15.7 14.5 17.8 13.4
37 157 331 32	461 156 121 184		694	42 772 721	454 742 742 757 757	1,760	1,037 154 154 18 178 178	265 43 69 67
20 10 81 13	225 76 58 91		30/	2 444109	128 129 330 277 457	898	200 000 000 000 000 000 000 000 000 000	44 28 27 28 27 28
17 13 76 18 13	23		387	33.8	266 277 30 777	892	22 22 28 23 20 20 20 20	121 17 30 24 24 35
1.06 0.67 1.23 1.33 1.33	1.07 0.89 1.04		0.99	0.98 0.98 0.90 0.92 0.45	1.10 1.12 1.15 1.15 0.76	0.88	0.82 0.98 1.07 0.90 0.98 1.13	0.76 1.02 1.10 0.93 0.73
1.02 1.02 1.00 0.86 1.00	1.12 1.22 1.11 1.11		1.07	1.04 1.07 1.13 1.13	1.15 1.14 1.11 1.30 0.98 0.98	1.10	0.96 1.12 1.00 1.00 1.00 1.00 1.00 1.00	1.05 1.19 1.23 1.04 1.10
15.9 20.3 22.0 22.0 22.0	15.0 15.1 15.4		15.2	14.9 115.7 113.9 113.9 6.1	4.4.7.7.8.1.8.9.9.1.9.9.1.9.9.1.9.9.1.9.9.1.9.9.9.9	13.2	7.44 7.45 7.45 7.39 8.45 1.39 8.57	12.0 14.1 14.7 16.9
48 210 74 45	456 159 102 195		847	240 96 101 121 19	607 1118 124 53 1116 147	1,598	974 193 193 136 147 147	203 422 87 86 40
26 11 106 36 36 25	231 82 53 53 96	1	420	588 588 116 116	287 208 208 204 209 209 209 209 209 209 209 209 209 209	794	488 104 34 4 4 66 67 20	23110
22 104 38 38	225 77 49 99		427	00 100 100 100 100 100 100 100 100 100	32 00 00 00 00 00 00 00 00 00 00 00 00 00	804	88 27 20 60 60 60 60 60 60 60 60 60 60 60 60 60	113 19 31 255 17
3,020 2,220 10,370 - 2,970 2,050	31,670 10,610 8,400 12,660		55,800	16,300 6,460 6,420 1,510 1,420 490	39,500 7,410 3,330 9,640 6,200 11,450	121,200	71,170 13,710 4,200 7,400 9,180 10,570 1,500	16,920 2,970 3,880 3,820 3,680
:::;::	::::		:	urban		:	urban	
:::::	::::		:	and : : : : : : : : : : : : : : : : : : :	:: :: :: :: :: :: :: :: :: :: :: :: ::	三 三	and	:::::
Amlwch Beaumaris M.B. Holyhead Llangefni Menai Bridge	Rural districts Aethwy Twrcelyn Valley		BRECKNOCKSHIRE	Municipal borough districts Breeknock M.B. Brynmawr Builth Wells Hay	Rural districts Brecknock Builth Crickhowell Hay Vaynor and Penderyn Ystradgynlais.	CAERNARVONSHIRE	Municipal boroughs and districts. Bangor M.B. Bethreda Bethreda Betwey-Coed. Cdernarvon M.B. Crocett	Llandudno Llandairfechan Penmaenmawr Portmadoc Pwilheli M.B

Crude rate per 1,000 home population factor	10 11 12 13 14 15 16 17 18 19	773 4.5 0.87 1.09 19 30 12 6 15 231 13.8 0.92 0.98 8 3.9 5 2 7 7 6 6 6 6 6 6 6 6	789 14.9 0.81 1.04 18 23 16 14 16	87 16.0 0.79 1.09 4 18 4 4 9 15.9 0.65 0.72 0.65 0.72 0.65 0.72 0.65 0.72 0.65 0.72 0.65 0.72 0.65 0.72 0.65 0.72 0.65 0.72 0.72 0.72 0.72 0.72 0.72 0.73	14.3 0.83 13.3 0.84 15.2 0.77 13.5 0.84 15.9 0.85	3 12-8 1-04 1-15 56 24 41 35 5B	14.0 0.98 1.18 22 26 17 14.0 1.03 0.95 3 4.2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Crude rate per 1,000 home population population factor fac	11 12 13 14 15 16 17	723 145 0.87 1.09 19 30 12 231 13-8 0.87 1.09 18 3.39 5 8 3.39 5 84 17-5 0.69 1.04 2 2.88 3.99 5 84 17-5 0.69 1.04 2	14.9 0.81 1.04 18 23 16	16.0 0.79 1.09 4 18 4 12.9 0.65 0.72 4 18 4 12.8 0.81 1.10 3 26 3 12.7 0.97 1.01 1 34 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	14.3 0.83 1.02 14 26 12 15.3 0.84 0.96 3 21 25 15.5 0.77 1.01 5 29 2 15.9 0.85 1.17 3 37 3	12-8 1-04 1-15 56 24 41	14.0 0.98 1.18 22 26 17 1.03 0.95 3 4.2 1.17 1.2.0 1.13 1.17 1.17 1.17 1.17 1.17 1.17 1.17
Crude rate per 1,000 home population factor factor factor factor factor factor for national rate to national rate for national rate factor fac	11 12 13 14 15 16	723 145 0.87 1.09 19 30 1326 14-6 0.91 1.15 7 2.5 133 0.94 1.08 8 3.99 84 17-5 0.69 1.04 2 2.88 1.75 0.69 1.04 2 2.88 1.08 1.04 2.88 1.08 1.04 2.88 1.08 1.04 2.88 1.08 1.04 2.88 1.08 1.04 2.88 1.08 1.04 2.88 1.08 1.04 2.88 1.08 1.04 2.88 1.08 1.04 2.88 1.08 1.04 2.88 1.08 1.04 2.88 1.08 1.04 2.88 1.08 1.08 1.08 1.08 1.08 1.08 1.08 1	14.9 0.81 1.04 18 23	16.0 0.79 1.09 4 1.8 12.9 0.65 0.72 4 1.8 15.8 0.81 1.10 3 26 12.7 0.63 11.18 1 23.7 0.66 1.35	14.3 0.83 1.02 15.3 0.84 0.96 15.2 0.87 1.01 15.5 0.84 0.98 15.9 0.84 0.98 15.9 0.87 1.17 3 3.7	12.8 1.04 1.15	140 0.98 1-18 22 26 10-7 1-03 0.95 3 42 12-0 1-13 1-17 1.10 112-0 1-13 1-17 1.11 1.11
Crude rate per 1,000 home population Comparability Ratio of local adjusted death rate to national rate Rate per 1,000	11 12 13 14 15	723 14-5 0.87 1-09 19 326 14-6 0.91 1-15 7 221 13-8 0.82 0.98 8 84 17-5 0.69 1.04 2	14.9 0.81 1.04 18	16.0 0.79 1.09 4 12.9 0.65 0.72 15.8 0.81 1.10 3 12.1 0.97 1.01 3 23.7 0.66 1.35 1.18	14.3 0.83 1.02 113.3 0.84 0.96 115.2 0.84 0.96 13.5 0.84 0.98 15.9 0.85 1.17	12.8 1.04	14.0 0.98 1.18 22 10.7 1.03 0.95 3 1.17 1.17 1.17 1.17 1.17 1.17 1.17 1.
Crude rate per 1,000 home population Comparability factor factor factor adjusted death rate to national rate	11 12 13 14	723 145 0.87 1.09 1.326 14-6 0.91 1.15 231 13-8 0.82 0.98 84 17-5 0.69 1.04	14.9 0.81 1.04	16.0 0.79 1.09 172.9 0.65 0.72 15.8 0.81 1.10 12.7 0.63 1.18 23.7 0.63 1.18	14.3 0.83 1.02 13.3 0.84 0.96 15.2 0.77 1.01 13.5 0.84 0.98 15.9 0.85 1.17	12-8 1-04	14.0 0.98 1.18 12.0 1.13 1.17 1.17 1.17 1.17 1.17 1.17 1.17
Crude rate per 1,000 home population Comparability factor Ratio of local adjusted death rate	11 12 13	723 14.5 0.87 326 14.6 0.91 231 13.8 0.82 82 13.3 0.94 84 17.5 0.69	14.9 0.81	16.0 0.79 12.9 0.65 15.8 0.81 12.7 0.63 23.7 0.63	14.3 0.83 13.3 0.84 15.2 0.77 13.5 0.84 15.9 0.85	12.8	10.7 10.3 12.0 1.13
Crude rate per 1,000 home population	11 12	723 326 326 326 321 336 346 357 367 368 378 378 378 378 378 378 378 378 378 37	6.41	12:9 12:9 12:9 12:1 23:7 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	13.52 13.52 15.52 15.50 0.00 0.00 0.00	12.8	12.0 0.70 0.70
T of the control of t	11	723 326 231 82 84					
			789	23455	738375 738375		
Щ.	10			2 2 1	M mm m	2,16	944 70 17
		322 140 102 39 41	404	12 12 12	256 58 76 76 46	982	435
×	6	401 186 129 43 43	385	39 225 10 10	246 644 623 33	1,181	334
Ratio of local adjusted birth rate to national rate	00	00000 00000 00000000000000000000000000	0.99	0.98 0.93 0.93 0.99	1.00 1.10 1.04 1.17	0.87	0.75 0.67 0.91
Comparability factor	7	# E 4 4 4		1.33 1.08 1.00 1.49	1.17 1.17 1.18 8	1.02	10.0 0.96 0.96
Crude rate per 1,000 home population	9	12.3 12.3 12.3 12.7 12.7	4.4	12:1 11:2 15:4 14:6 10:8	4.5.9 4.5.9 5.9 6.3 7.9 8.9 8.9 8.9 8.9 8.9 8.9 8.9 8.9 8.9 8	14.0	12:3 11:0 15:7
Total	5	62 285 207 727 60	766	224 116 55 29 10	542 142 171 148 81	2,354	833 72 93
ĬŽ,	4	30 105 105 36 26	351	25.44.5 30.38.60 8.00 8.00 8.00 8.00 8.00 8.00 8.00	262 75 86 86 36	1,137	410 30 53 69
M	2	3.4 3.4 3.4 3.4 3.4	415	32 88 19 19	280 677 883 455	1,217	4 4 4 8 4 2 3 4 4 4 8 4 7 8 4 9 4 8 4 9 9 9 9 9 9 9 9 9 9 9 9 9 9
Estimated home population as at 30th June 1959	2	50,030 22,270 16,800 6,160 4,800	53,100	17,980 1,160 10,350 3,560 1,980 930	35,120 9,180 10,740 10,230 4,970	168,700	67,600 6,560 5,920 11,980
		ontinued	: .	urban	:::::	:	urban
		RE—co			:::::	RE	s and
Area	I	AERNARVONSHII Rural districts Gwyrfai Lleyn Nant Conway Ogwen	RDIGANSHIRE	districts Abersystynth M.B. Cardigan M.B. Lampeter M.B. New Quay	Rural districts Aberaton Aberystwyth Teifiside Tregaron	RMARTHENSHII	Municipal boroughs and urban districts
AND THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN T	Dopulation 3.3 as a series of the series of	Lestimated home population and a state per 1,000 home population 1,000 home population 2	Crude population State Per Total Per Total State Per Total State Per Per	Particulation Particulatio	Population Pop	Population	Statemated

8 8 4 4 4 6

mortality rate

50 4834 | 50

67 38 111	330 37 38 439 36 43	42	25 55 4 28 38	38	30 25 25 25 25 25 25 30	35	4 92727848	27 26 26 31 31
107	₩ 0∞24	67	87094	141	34311	52	Mwoli Lowa	3 7
1	2. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	84	1 26 2	111	26	<u>~</u>	3	-977-
10-	26 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	53	72 97	13	2021-322	4	2000	<u>m</u> rec-
26	320218	28	300 300	31	20 20 13 13 20 20 20	25	25.88.39.48 20.88.39.30	120.00
10	1001	75	₩ 01 × 4	203	86.44-40	57	1 1008798	6 0444
1.15 1.23 0.73	1.16 1.05 1.21 1.14	1.09	1.34 1.20 0.72 0.97 1.29	0.96	0.70 0.78 0.75 0.98 1.17	1.07	1.14 1.02 1.24 1.23 1.23 1.15 1.15	0.94 0.94 1.00 0.99 0.92
1.04 0.99 0.75	1.10 1.05 1.22 0.84	96.0	0.81 0.64 0.50 0.87 0.87	0.74	1.08 1.08 1.03 0.91 1.00 1.15	I-05	1.12 1.13 1.34 1.34 1.06 0.76 0.76	1.26 0.95 0.98 0.97
12.8 14.4 11.3	12:1 11:6 11:5 15:7	13.2	19.2 21.8 21.8 16.6 12.9 18.5	15.0	2.7 8.8 9.6 4.11 11.8	= 6	11.88.68 11.88.68.68 16.66.68.68	8:7 8:7 112:2 111:0
25 454 8	1,219 341 294 453 131	2,251	144 144 1473 132 480 480	353	1,006 52 65 48 107 734	1,731	985 911 1131 1131 1131 1131 1131 318	309 270 270 53 1114
204	547 152 138 195 62	1,115	656 271 272 222 222	173	450 21 21 21 27 327	832	443 27 27 28 449 344 1011 161	362 141 138 21 62
12 250 4	672 189 156 258 69	1,136	589 70 202 68 18 27	180	31 32 27 27 407	886	515 448 464 488 880 151	384 168 132 32 52
1.07 0.73 1.00	0.98 0.98 0.94 0.95	<u>10-1</u>	0.95 0.95 0.99 0.99 0.87	0.93	0.99 0.94 1.03 1.10 0.96	1.02	0.50 0.70 0.70 0.70 0.70	1.02 1.02 1.04 0.91
1.23 0.99 1.30	1.05 1.04 0.98 1.15	1.05	1.08 1.21 1.24 1.02 1.02 1.16	1.06	1.100 1.100 1.000	1.06	1:04 0:95 0:98 0:98 1:01 1:11 1:11 1:08	1.02 1.02 1.02 1.23
14.3 12.2 12.7	15.4 13.9 15.8 13.6	<u>5.</u>	15.2 13.2 13.2 14.1 15.0	14.4	15.6 17.0 17.0 17.0 15.9	5.8	22.7.7.1.1.1.1.1.7.1.1.1.7.1.1.1.7.1.1.1.7.1	16.4 16.8 16.8 12.2
385	1,521 435 352 621 113	2,693	1,256 107 266 105 44 39	53	115 79 79 79 115 986	2,317	1,198 98 180 230 160 114 114	1,119 583 334 76 126
16 188 4	727 198 169 305 55	1,301	58 28 1228 57 19	222	51 144 174 174	1,120	583 103 103 73 55 55 154	284 157 35 61
12 197 5	794 237 183 316 58	1,392	3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	31	26 27 26 27 27 27 27 27 27 27 27	1,197	250 090 090 090 090 090 090 090 090 090 0	582 299 177 41 65
1,960 31,430 710	101,100 28,190 25,330 39,260 8,320	170,200	79,540 7,490 21,730 7,970 3,110 2,600	3,670	90,660 6,940 7,350 5,010 9,380 61,980	147,000	74,550 7,690 14,300 8,320 8,320 6,68 9,720 19,810	72,450 35,520 22,090 4,520 10,320
::::	:::::	:	urban	::	::::::	:	urban	:::::
::::	:::::	:	pue : : : : :	::	:::::	:	and ::::::::	:::::
y M.B. I.B. Emlyn	 Emiyn	RE	oroughs ty M.B 1.B.	B	: : : : : :	:	orough Quay	:::::
Liandovery M.B. Lianelly M.B. Newcastle Emlyn	Rural districts Carmarthen Llandeilo Llanelly Newcastle Emlyn	DENBIGHSHIRE	Municipal boroughs districts Abergele Colwyn Bay M.B. Denbigh M.B. Llangollen Llannwst	Ruthin M.B.	Rural districts Aled Ceiriog Hiraethog Ruthin Wrexham	FLINTSHIRE	Municipal borough districts Buckley Connah's Quay Filint M.B Holywell Mold Prestatyn Rhyl Rhyl	Rural districts Hawarden Holywell (a)Maelor St. Asaph

(a) The figures for this area include 5 deaths (3M., 2F.) in a Polish General Hospital, which could not be transferred to the area of residence.

TABLE 13—continued

Perinatal mortality rate

	lotonized		1						
	Stillbirths	61	570	214 109 34 71	356	265 19 19 10 10	8 E L 27 L	12 16 16 16 16 16	144
	Deaths under I week	18	345	133 68 27 38	212	15 12 15 15	77 8 8 2 7 9	326333	57 10 3
	Deaths under	17	412	157 80 29 48	255	188 11 13 17 17	01 0 4 4 8	38 38 38	67 8 8 8
ths	Rate per 1,000	16	28	25 25 41 24	28	26 26 27 27 27 27 28 100	27,37,28	322.22	23 30 26
Deaths	Number	15	559	218 111 41 66	341	251 15 17 17 24 24	80 80 80 80 80 80 80 80 80 80 80 80 80 8	24 5 5 3 3 3 3 4 5 5 5 5 5 5 5 5 5 5 5 5	90 10 10 4
	Ratio of local adjusted death rate to national rate	14	1.15	1.03	1.19	2.1.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.	1:17 1:23 1:37 1:21 1:19	1.02	1.01 1.01 1.12 1.01
	Comparability factor	13	1.13	1.12 1.08 1.10	91-1	1.08 1.30 1.04	1.26 1.26 1.20 1.20 1.13	1.21 0.92 1.02 0.93 1.32 1.16	1.15 0.98 1.74 0.93
	Crude rate per 1,000 home population	12	8.	10.7 10.7 13.2 12.1	6:11	12.0 10.4 111.2 10.7	10.8 12.2 12.5 12.5 12.5 12.5	11:7 12:7 10:1 12:6	11.9 7.5 12.6
Deaths	Total	II	14,402	5,487 2,727 781 1,979	8,915	6,438 438 166 404	390 114 314 286 357 381	257 258 528 134 490 1,338	2,477 507 144 151
	Ď.	10	6,496	2,573 1,304 356 913	3,923	2,813 237 218 811 811 5	168 52 146 122 156 163	106 130 231 65 197 546	1,110 224 49 73
	×	6	7,906	2,914 1,423 425 1,066	4,992	3,625 338 220 220 214	222 62 168 164 201 218	151 125 297 792 792	1,367 283 95 78
	Ratio of local adjusted birth rate to national rate	∞	0.99	5 0000	0.97	0.90 0.90 1.09 0.97 0.64	1.10 1.05 0.92 1.02 0.85	1.01 0.89 0.91 0.86 1.11 0.87	1.03 1.18 0.83
	Comparability	7	0.98	0.94 1.00 1.00	0.99	0.98 0.96 0.95 0.95 1.04	1.03 0.98 1.00 0.99 0.93	0.96 0.99 0.99 0.99 0.98	1.02 1.02 1.11 1.05
1S	Crude rate per 1,000 home population	9	9.91	17.8 17.8 16.8 16.5	16.2	16.8 10.1 10.1	17.7 17.7 14.1 15.2 17.0	16.6 17.7 19.2 14.4 14.7	16.6 17.5 13.0
Live births	Total	5	20,312	8,227 4,515 997 2,715	12,085	8,692 570 790 282 634 10	040 178 364 343 519 470	365 291 589 152 935 1,560	3,393 705 335 156
	叶	4	9,853	3,946 2,164 456 1,326	5,907	4,268 276 390 142 298	292 92 182 177 2259	180 147 297 77 765 765	1,639 350 163 74
	M	3	10,459	4,281 2,351 541 1,389	6,178	4,424 294 400 140 336	348 86 182 166 260 243	185 144 292 75 75 798	1,754 355 172 82
	Estimated home population as at 30th June 1959	2	1,224,000	477,700 254,200 59,300 164,200	746,300	535,900 39,610 42,310 14,780 37,810	36,200 10,030 25,730 22,610 30,540 31,110	22,010 19,480 37,460 10,550 48,680 106,000	210,400 42,470 19,150 12,000
			:	::::	:	urban 	:::::	::::::	::::
			:	:::.	:	and	:::::	::::::	: : : :
	Area	I	SHIR	shs dfii	count	coughs	······································	I Garw	::::
			GAN	cardiff Merthyr Tydfil Swansea	trative	unicipal borough skricts Aberdare Barry M.B Bridgend Caerphilly Cowbridge M.B.	Gelligaer Glyncorrwg Llwchwr Maesteg Mountain Ash	Ogmore and Garw Penarth Pontypridd Portheawl Port Talbot M.B.	stricts f ridge
			GLAMORGANSHIRE	County boroughs Cardiff Merthyr Tydfi Swansea	Administrative county	Municipal boroughs and districts Aberdare Barry M.B Bardged Barry M.C. Caerphilly Cowbridge M.B	Gelligaer Glyncorr Llwchwr Maesteg Mountair Neath M.	Ogmore and Penarth Pontypridd Porthcawl Port Talbot Rhondda M	Rural districts Cardiff Cowbridge Gower
1			GLA	Ü	Ac	Zo			Ru

02 4 18800 4 1888890 455775 188587847 4887878

90	31	33841127	1 398 33		45	9	47	3 844488	25 34 43 51	27 41 32	56 75 13
114	2	10 = 0.0	20-12	ī	212	38	174	156 144 177 233	16032	-00	180612
OI	80		0-4-		132	36	96	000 1000	L==00	-20	E42
OT	®	7 7	0 -4-		158	40	= 8	0,00	135	-1-4	0047
67	19	128	25,000		28	31	27	30,28	388	333	138
71	and man	m m	8 000-		208	57	151	10 10 14 10 9	10 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	∞4	22 25 113
11.1	1.09	1.02 1.02 1.18 1.23 1.44 0.93	1.00 0.91 0.99 1.22 0.75		- 55	1.20		1.20 1.17 1.17 1.01 1.26	1.19 0.81 0.76 1.10 1.24	0.74 1:12 1:40	1.14 1.36 1.08 1.24 0.98
60-1	0.90	0.88 0.79 0.99 0.99	0.92 0.92 0.92 0.99		==	1.17	<u>=</u>	1.22 0.97 1.15 1.26 1.35	1.14 0.65 0.51 1.42 1.23	0.88 1.34 1.11	1.12 1.16 1.08 1.15 1.15
6.71	4	13.5 17.3 16.9 11.9	12.55 16.55 8.88		=	11.9	= - 8:	11.7 11.9 11.9 10.8	12.1 14.5 17.3 9.0 11.7	9.8	11:8 13:6 11:6 12:5 11:2
390	545	258 211 40 40 34 1111 52	287 997 24 24		5,109	1,240	3,869	3,227 212 126 316 92 304	110 58 103 183 329	56 149 160	471 120 167 252 252 19
1 /4	286	3.50 3.10 3.10 3.10 3.10 3.10 3.10 3.10 3.1	44 48 48 35 11		2,254	573	1,681	1,384 98 64 117 38 122	35 35 35 136	31 666 722	206 52 67 113 12
777	259	113 125 221 211	44 44 83 1 3 2 3 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3		2,855	199	2,188	114 114 114 199 182	288 688 102 193	883.55	265 68 100 139 7
08:0	1.05	1.02 0.88 0.94 0.78 1.11 1.08	1.09 1.03 1.25 0.93		1.02	1.04	1.02	1.08 1.03 1.19 1.19	0.83 0.72 0.88 1.13 1.08	0.94	0.91 0.97 0.82 1.02 1.33
10.1	1-17	1.08 1.09 1.02 1.11 1.11	1.17 1.17 1.12 1.12 1.10		0.99	86.0	1.00	1.00 1.03 0.95 0.95 1.01	1.05 1.08 1.00 0.81 1.05	1.00	1.03
1.61	8.	13.5 14.3 16.5 16.5 14.0	4.5.1 13.0 14.0 14.0		17.0	17.5	8:91	16.9 16.9 16.9 16.9	13.0 11.0 14.6 23.0 17.0	12.6 15.5 19.5	14.4 13.4 16.8 20.1
414	573	254 21 33 33 31 108 61	319 103 103 75 38		7,367	1,824	5,543	4,592 317 162 436 203 473	118 44 87 468 479	72 240 214	575 137 193 340 34
//.1	275	13 16 16 19 25 25	23 23 23 23		3,484	873	2,611	2,168 153 81 205 90 234	28 28 43 204 216	38 1113 107	278 57 82 167 13
237	298	360177	165 59 44 44 15		3,883	951	2,932	2,424 164 181 231 113 239	59 16 44 264 263	34 127 107	297 80 1111 173 21
31,580	38,600	17,240 1,550 1,550 2,310 6,550 6,550 4,360	21,360 6,670 7,900 4,070 2,720		433,500	104,300	329,200	276,900 18,610 9,030 26,450 9,860 28,070	9,060 4,000 5,960 20,340 28,230	5,700 15,440 10,980	40,020 8,800 14,450 20,210 1,690
:	:	::::::	:::::		:	:	:	urban	:::::	:::	:::::
:	:	::::::	:::::		:	:	: A	s and B hen	:::::	ina	:::::
:	SHIRE	:::::	: : : : : : : : : : : : : : : : : : :		SHIR	.B.	e coun	oroughs ny M.I	:::::	wyn und Bl	:::::
Pontardawe	MERIONETHSHIRE	Urban districts Bala Barmouth Dolgellau Ffestiniog Towyn	Rural districts Deudraeth Dolgellau Edeyrnion Penllyn		MONMOUTHSHIRE	Newport C.B.	Administrative county	Municipal boroughs and urban districts. Abercarn. Abergavenny M.B. Abergillery. Bedwas and Machen. Bedwellty	Blaenavon Caerleon Chepstow Cwmbran Ebbw Vale	Monmouth M.B. Mynyddislwyn Nantyglo and Blaina	Pontypool Rhymney Risca Tredegar Usk

	Perinatal mortality rate	20	2 2 2 2 2 2 2	3	8181148	4824	7	38
	Stillbirths	61	<u>≅</u> 44844	20	r 0 100	<u>m</u> m0-m	£	22
	Desths under	18	2 €84+€	7	-1111-1	• N=W	23	13
	Deaths under	17	⊘ 60000 → 60	•	- -	8 E = 4	27	15
Deaths under 1 year	Rate per 1,000 live births	16	23 29 32 12 14	17	13 52	3750	12	22
Dea	Number	15	20000-4	12	6-1114	∞ ∞ – ∞	34	20
	Ratio of local adjusted death rate to national rate	14	1.04 0.94 1.15 1.07 0.97 0.89	1.03	1.15 1.23 1.20 0.73 1.15	0.97 0.84 1.06 1.02 0.93	1.04	1.13
	Comparability factor	13	0.98 0.56 1.08 1.03 0.88 1.41	0.92	0.083 0.83 0.083 0.094 0.094	0.92 0.83 0.95 0.95	1.04	1.08
	Crude rate per 1,000 home population	12	12.0 12.0 12.8 7.3	13.0	16.2 17.2 17.2 10.2 14.2 13.1	12.9 12.9 13.4 11.3	9:11	12.1
Deaths	Total	II	642 168 134 175 75	584	255 211 24 29 29 80 80 80	329 61 125 125 103	1,102	561
	ĹĽ.	10	297 844 857 857 31 40	267	120 8 222 17 17 335 34	254 422 422	512	268
	M	ó	348 477 774 80 80	317	28. 11. 12. 14. 14.	182 31 71 19 61	290	293
	Ratio of local adjusted birth rate to national rate	00	1.07 1.07 1.04 0.94 1.10	1.02	0.95 0.87 0.87 0.98 0.99 0.99	1.10 1.10 1.00 1.00	1.07	1.18
	Comparability factor	7	0.98 1.27 1.02 1.08 0.77	1.09	1.00 1.01 1.01 1.10 0.97 0.96	1117	1.03	1.00
su	Crude rate per 1,000 home population	6	18.2 13.9 17.1 17.1 23.5	5.5	15.6 12.4 13.0 27.6 16.0 17.0	15.8 15.8 15.8 14.2	17.2	19.4
Live births	Total	٠,	951 121 208 249 84 289	693	278 16 29 24 19 86 104	415 89 150 129	1,625	898
	江	4	443 658 91 1222 40 125	342	401 012 012 212 213	198 41 22 69 69	766	430
	M	~	508 56 56 117 127 164	351	6 0 ∞ 5 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	25 48 84 84 84 60	859	468
	Estimated home population as at 30th June 1959	2	52,300 8,680 10,890 14,580 5,840 12,310	44,800	1,820 1,300 2,330 1,840 5,370 6,100	26,980 5,720 9,700 9,980 9,080	94,600	46,360
	Area	I	MONMOUTHSHIRE—continued Rural districts Abergavenny Chepstow Magor and St. Mellons Monmouth Pontypool	MONTGOMERYSHIRE	Municipal boroughs and urban districts. Llanfyllin M.B. Llanddoes M.B. Machynlleth Montgomery M.B. Newtown and Llanllwchaiarn Weishpool M.B.	Rural districts Forden Llanklilin Machynlleth Newtown and Llanidloes	PEMBROKESHIRE	Municipal boroughs and urban

1 62	4 2%%4	49	71 42 109 —	8 4 4 4 5 5 5
13	10997	9	M	4 - 6
1141	5 4444	7	4 4	w - 0
4	<u>4</u> 0000	6	4 4 1	10 10 01
23 19 16	172 233 32 332	35	8 80	34 34 34 34 34 34 34 34 34 34 34 34 34 3
1.5.	4 0040	6	4 4 1	w 4-1 4
1.30 0.80 1.23 1.00	0.97 0.97 0.92 0.87	1.04	1.31 1.31 1.01 0.99	0.98 1.17 1.07 0.78 1.09 0.93
0.98 1.03 0.85	1.00 0.88 1.12 0.93 1.01	0.88	0.65 0.80 0.88 0.88	0.98 0.98 0.90 0.90 0.91
15.4 9.3 13.8 13.7	11.5 10.0 11.5 10.0	13.7	16.8 23.4 14.6 13.0	13.8 12.0 10.1 14.0 11.9
16 21 176 61	541 132 230 115 64	263	108 443 49 16	155 222 23 252 252 252 252 252 253 253 25
10 6 87 33	24 105 45 22 22	125	252 8 8	20 111 111 20 90 211
15 89 28	297 60 125 70 42	138	22.12 8.42 8.43	22 11 11 29 29
0.77 1.19 1.28 0.88	0.91 0.95 0.95 0.95	0.94	0.77 0.81 0.80	1.39 0.95 0.96 0.89 1.06
1.03 1.03 1.01	1.16 1.10 1.12 1.12	- 15	<u>•</u> 1.00.1	1.21 1.23 1.23 1.19 1.19 1.27
12.5 19.1 20.5 14.4	13.0 16.5 14.0 14.7	13.5	12.5 13.4 13.4	13.8 13.3 13.8 13.8
13 43 262 64	727 1115 378 140 94	260	83 233 45 15	22 23 88 22 23 88 88
23 120 29	336 52 187 56 41	132	32 671 9	21 12 12 33 33
20 142 35	98 191 88 84 83	128	28 28 9	77 113 113 25 25
1,040 2,250 12,800 4,450	48,240 8,870 22,970 9,990 6,410	19,200	6,430 1,840 3,360 1,230	12,770 1,590 3,000 2,180 1,790 4,210
::::	:::::	:	::::	:::::
::::	:::::	:	::::	::::::
M.B.	.: .: .: .: .: .: .: .: .: .: .: .: .: .	:	s i Wells	::::::
and proke l y M.B	al districts emaes (averfordwes) arberth embroke	SHIR	knighton Jandrindoo	istricts yn hton Radno castle
Nart Neyl Pemb Tenb	*Rural districts Cemaes *Haverfordw Narberth Pembroke	RADNOR	Urban distri Knighton Llandrind Presteign	Rural di Colw Knigi New Painse Rhaye

Included in this Table are 707 cases (306 males and 401 females) in which the age of deceased was not definitely stated; these have been allocated to particular ages in accordance with the best available information and with due regard to the circumstances and cause of death in each case. The deaths of divorced men and women are included with the deaths of widowed.

See explanatory notes.

See explanatory notes.											
				MALES				FEN	MALES		
Age last birth- day	Persons	Total	Single	Married	Widowed	Not	Total	Single	Married	Widowed	Not
All ages	527,651	269,878	37,229	159,175	64,098	9,376	257,773	49,486	77,897	130,253	137
0-4 0 1 2 3 4	19,090 16,629 1,031 599 470 361	10,845 9,454 570 348 267 206	10,845 9,454 570 348 267 206	=			8,245 7,175 461 251 203 155	8,245 7,175 461 251 203 155			
5 - 9 5 7 8 9	311 309 283 250 198	818 171 186 189 151 121	818 171 186 189 151 121		= = = = = = = = = = = = = = = = = = = =		533 140 123 94 99 77	533 140 123 94 99 77	/		= = = = = = = = = = = = = = = = = = = =
10-14 10 11 12 13 14	1,233 217 222 297 252 245	721 123 133 177 132 156	721 123 133 177 132 156				512 94 89 120 120 89	512 94 89 120 120 89			111111
15-19 15 16 17 18 19	1,932 304 388 363 422 455	1,400 213 267 253 318 349	1,246 212 266 252 309 207	- - 3 7	1	143 1 1 1 5 135	532 91 121 110 104 106	90 120 107 92 83	35 1 1 2 11 20		- 4 - 1 1 2
20-24 20 21 22 23 24	2,344 461 504 449 469 461	1,593 333 353 297 307 303	820 187 203 162 138 130	228 15 26 37 69 81		543 131 124 98 100 90	751 128 151 152 162 158	396 89 96 75 78 58	346 35 54 75 82 100	= 1	8 4 1 2 1
25-29 25 26 27 28 29	2,398 436 445 474 489 554	1,471 281 277 290 298 325	501 105 107 95 92 102	591 87 97 119 134 154	11 2 1 2 4 2	368 87 72 74 68 67	927 155 168 184 191 229	245 46 42 51 50 56	667 108 122 128 138 171	-11 -4 4 2 1	- 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
30–34 30 31 32 33 34	3,257 536 582 688 697 754	1,860 310 332 412 394 412	467 91 83 105 98 90	1,005 147 178 217 218 245	22 2 1 4 8 7	366 70 70 86 70 70	1,397 226 250 276 303 342	296 44 66 68 65 53	1,076 179 182 204 234 277	24 3 2 3 4 12	= 1
35–39 35 36 37 38 39	5,642 895 925 1,041 1,355 1,426	3,174 499 520 620 753 782	619 114 107 107 147 144	2,084 302 338 417 496 531	59 11 6 11 18 13	412 72 69 85 92 94	2,468 396 405 421 602 644	435 77 83 66 96 113	1,923 306 309 338 471 499	104 13 10 17 32 32	- 3 - 3 - 3
40_44 40 41 42 43 44	7,523 1,166 1,190 1,443 1,742 1,982	4,309 675 696 799 993 1,146	701 120 110 120 188 163	3,090 457 485 589 705 854	114 18 22 17 17 40	404 80 79 73 83 89	3,214 491 494 644 749 836	511 78 88 105 115 125	2,494 379 373 499 591 652	205 32 32 40 43 58	= 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
45–49 45 46 47 48 49	13,948 2,221 2,431 2,780 3,031 3,485	8,258 1,279 1,407 1,632 1,819 2,121	1,076 172 185 211 243 265	6,334 973 1,079 1,242 1,392 1,648	278 32 39 53 62 92	570 102 104 126 122 116	5,690 942 1,024 1,148 1,212 1,364	870 116 150 184 203 217	4,336 736 793 866 912 1,029	479 90 80 97 97 115	- 1 1 1 - 3

TABLE 14—continued

				TAE	BLE 14-	–continu	ed				
Age	S			MALES		Į.		1	FEMALE	ES	
last birth- day	Persons	Total	Single	Married	Widowed	Not	Total	Single	Married	Widowed	Not
50-54 50 51 52 53 54	23,360 3,844 4,182 4,694 4,945 5,695	14,670 2,314 2,595 2,923 3,181 3,657	1,648 271 303 307 362 405	11,686 1,799 2,052 2,386 2,538 2,911	621 96 110 104 136 175	715 148 130 126 145 166	8,690 1,530 1,587 1,771 1,764 2,038	1,366 253 258 294 261 300	6,301 1,109 1,159 1,289 1,282 1,462	1,015 162 170 188 221 274	8 6 - 2
55–59 55 56 57 58 59	35,906 5,770 6,554 7,007 8,211 8,364	23,342 3,736 4,247 4,648 5,325 5,386	2,383 379 448 475 559 522	18,562 3,008 3,378 3,724 4,198 4,254	1,543 205 258 266 380 434	854 144 163 183 188 176	12,564 2,034 2,307 2,359 2,886 2,978	1,961 337 343 373 452 456	8,372 1,399 1,592 1,589 1,908 1,884	2,225 295 371 397 526 636	6 3 1 - 2
60-64 60 61 62 63 64	46,649 8,283 8,467 9,385 9,822 10,692	28,683 5,200 5,329 5,737 5,989 6,428	2,477 471 497 510 462 537	22,452 4,143 4,208 4,485 4,642 4,974	2,864 418 471 569 672 734	890 168 153 173 213 183	17,966 3,083 3,138 3,648 3,833 4,264	2,873 508 470 590 638 667	1,821 1,884 2,065 2,078 2,276	4,960 751 784 991 1,114 1,320	9 3 -2 3 1
65-69 65 66 67 68 69	60,627 10,960 11,429 11,937 12,643 13,658	34,771 6,427 6,668 6,901 7,162 7,613	2,711 501 529 528 560 593	25,833 4,883 5,039 5,216 5,258 5,437	5,285 831 903 991 1,160 1,400	942 212 197 166 184 183	25,856 4,533 4,761 5,036 5,481 6,045	3,982 715 713 792 857 905	11,853 2,362 2,315 2,321 2,355 2,500	10,006 1,453 1,730 1,922 2,264 2,637	15 3 3 1 5 3
70-74 70 71 72 73 74	77,156 13,954 14,095 15,718 16,281 17,108	40,357 7,660 7,495 8,295 8,323 8,584	3,199 583 638 673 655 650	26,672 5,372 5,081 5,515 5,380 5,324	9,473 1,485 1,604 1,906 2,082 2,396	1,013 220 172 201 206 214	36,799 6,294 6,600 7,423 7,958 8,524	5,638 996 1,008 1,136 1,178 1,320	12,189 2,371 2,431 2,508 2,455 2,424	18,950 2,918 3,159 3,776 4,320 4,777	22 9 2 3 5 3
75–79 75 76 77 78 79	86,131 16,643 17,349 16,853 17,841 17,445	40,132 8,171 8,207 7,897 8,167 7,690	3,265 680 673 630 665 617	21,809 4,863 4,648 4,334 4,178 3,786	14,150 2,429 2,705 2,768 3,116 3,132	908 199 181 165 208 155	45,999 8,472 9,142 8,956 9,674 9,755	6,887 1,227 1,382 1,307 1,458 1,513	10,314 2,241 2,244 2,086 1,948 1,795	28,783 4,999 5,512 5,561 6,266 6,445	15 5 4 2 2 2
80-84 80 81 82 83 84	75,932 16,344 15,665 15,496 14,596 13,831	31,871 7,185 6,756 6,437 5,959 5,534	2,400 588 523 464 414 411	13,089 3,357 2,914 2,633 2,252 1,933	15,679 -3,102 -3,184 -3,163 -3,156 -3,074	703 138 135 177 137 116	44,061 9,159 8,909 9,059 8,637 8,297	6,943 1,440 1,361 1,421 1,349 1,372	5,781 1,489 1,342 1,125 967 858	31,315 6,224 6,205 6,510 6,318 6,058	22 6 1 3 3
85–89 85 86 87 88 89	44,878 11,891 10,562 8,777 7,554 6,094	16,621 4,663 3,978 3,238 2,703 2,039	1,046 284 258 225 160 119	4,804 1,529 1,202 884 694 495	10,352 2,740 2,421 2,032 1,775 1,384	419 110 97 97 74 41	28,257 7,228 6,584 5,539 4,851 4,055	4,881 1,212 1,172 960 824 713	1,802 613 463 334 218 174	21,566 5,400 4,948 4,243 3,808 3,167	8 3 1 2 1 1
90-94 90 91 92 93 94	15,024 4,680 3,780 2,870 2,160 1,534	4,294 1,451 1,155 765 534 389	248 87 71 38 30 22	827 317 233 131 80 66	3,112 1,009 823 574 413 293	107 38 28 22 11 8	10,730 3,229 2,625 2,105 1,626 1,145	1,940 582 453 371 299 235	259 95 76 44 32 12	8,531 2,552 2,096 1,690 1,295 898	
95-99 95 96 97 98 99	3,016 1,133 844 519 321 199	653 276 182 95 70 30	37 19 8 3 5 2	93 42 26 11 12 2	505 209 141 80 50 25	18 6 7 1 3	2,363 857 662 424 251 169	440 162 118 76 50 34	25 12 1 10 2	1,898 683 543 338 199 135	=
00 and over	254	35	1	6	27	1	219	40	-	179	Working

Note. In this table the deaths of unstated marital condition in each age-group (which are shown separately in Table 14) have been distributed proportionately among those of stated condition in the age-group.

		o occir dist							
			MAI	LES			FEMA	LES	
Age- groups	Persons	Total	Single	Married	Widowed	Total	Single	Married	Widowed
All ages	527,651	269,878	38,894	165,216	65,768	257,773	49,512	77,954	130,307
0–4	19,090	10,845	10,845	-	_	8,245	8,245	-	-
5–9	1,351	818	818	_		533	533		Name of Street, or other Desiration of Street, or other Desiration
10–14	1,233	721	721	_		512	512	_	
15-19	1,932	1,400	1,388	11	1	532	496	35	1
20–24	2,344	1,593	1,244	346	3	751	400	350	1
25-29	2,398	1,471	668	788	15	927	246	670	11
30–34	3,257	1,860	581	1,252	27	1,397	296	1,077	24
35–39	5,642	3,174	711	2,395	68	2,468	436	1,928	104
40-44	7,523	4,309	773	3,410	126	3,214	512	2,497	205
45-49	13,948	8,258	1,156	6,803	299	5,690	871	4,340	479
50-54	23,360	14,670	1,732	12,285	653	8,690	1,367	6,307	1,016
55 –59	35,906	23,342	2,473	19,267	1,602	12,564	1,962	8,376	2,226
6064	46,649	28,683	2,556	23,171	2,956	17,966	2,874	10,130	4,962
6569	60,627	34,771	2,786	26,553	5,432	25,856	3,984	11,860	10,012
70–74	77,156	40,357	3,281	27,359	9,717	36,799	5,641	12,196	18,962
75–79	86,131	40,132	3,341	22,314	14,477	45,999	6,889	10,317	28,793
80–84	75,932	31,871	2,454	13,384	16,033	44,061	6,946	5,784	31,331
85-89	44,878	16,621	1,073	4,928	10,620	28,257	4,882	1,803	21,572
90–94	15,024	4,294	254	848	3,192	10,730	1,940	259	8,531
9599	3,016	653	38	96	519	2,363	440	25	1,898
100 and over	254	35	1	6	28	219	40	_	179

				See	notes a	t head o	f Table	22					
Age		Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
All ages	$\left\{egin{array}{c}\mathbf{M}\\\mathbf{F}\end{array} ight.$	29,414 27,871	32,474 31,301	28, 795 27,893	21,902 21,100	20,625 19,466	18,012 17,282	17,891 17,484	17,802 16,665	17,260 16,443	19,526 18,264	21,810 20,974	24,335 22,975
nder 4 weeks	${ M \atop F}$	650 519	577 425	600 447	566 412		533 406	599 381	536 384	499 401	527 415	539 391	596 439
weeks and inder 1 yea	$r \begin{cases} M \\ F \end{cases}$	336 256	335 241	274 206	220 161	187 169	163 135	149 140	146 126	169 117	159 159	220 166	272 226
1—	${M \atop F}$	52 48	69 5 6	60 43	55 48	45 41	40 34	32 21	40 28	40 27	38 34	57 37	42 43
2—	${ M \brace F}$	76 61	73 60	75 65	76 54	82 48	58 46	56 40	71 51	87 47	50 46	64 52	52 39
5—	${M \atop F}$	55 56	80 59	84 49	71 45	77 50	81 39	88 42	77 40	54 35	52 34	48 40	48 40
10—	${M \choose F}$	47 49	80 67	60 41	61 39	57 41	50 37	63 41	78 42	65 27	56 32	53 41	58 48
15—	${M \atop F}$	103 31	109 53	. 103 67	95 29	139 39	110 42	158 55	139 36	123 33	117 37	103 48	113 56
20—	${M \atop F}$	111 67	124 69	111 84	137 63	114 63	128 46	174 56	146 67	131 55	147 56	120 62	150 61
25—	${M \atop F}$	126 91	121 98	129 80	121 85	133 82	113 59	130 85	116 78	94 71	141 59	113	129 82
30—	${M \atop F}$	153 125	192 136	172 122	162 104	159 103	123 124	165 100	133 122	128 102	153 118	143 113	183 133
35—	${M \choose F}$	292 226	303 261	301 230	264 211	271 200	233 189	254 209	241 186	234 165	241 178	258 203	289 209
40—	${M \atop F}$	438 297	452 347	411 313	349 259	351 261	315 246	· 299 248	320 234	282 254	366 260	343 232	383 270
45—	{M F	807 562	887 57 6	784 57 3	650 476	684 457	599 412	623 419	604 409	601 431	609 431	665 430	771 518
50	${M \atop F}$	1,478 847	1,615 874	1,408 850	1,181 707	1,184 670	1,034 647	1,038 629	1,069 643	1,019 644	1,113 700	1,160 752	1,360 724
55—	${M \atop F}$	2,521 1,206	2,642 1,429	2,348 1,187	1,866 1,004	1,843 943	1,594 966	1,569 950	1,580 903	1,589 891	1,774 946	1,915 1,039	2,099 1,090
60—	${ M \brace F}$	3,120 1,922	3,337 2,085	2,984 1,881	2,283 1,485	2,199 1,383	1,987 1,189	1,956 1,273	1,925 1,225	1,855 1,174	2,135 1,352	2,358 1,443	2,549 1,536
65—	${ M \brace F}$	3,750 2,844	4,247 3,057	3,830 2,695	2,862 2,049	2,557 1,982	2,293 1,740	:2,252 1,810	2,235 1,712	2,241 1,655	2,550 1,877	2,827 2,117	3,111 2,323
70—	${ M \brace F}$	4,431 4,011	5,182 4,521	4,429 3,980	3,298 3,029	3,026 2,728	2,616 2,425	2,557 2,500	2,603 2,288	2,445 2,364	2,878 2,614	3,270 3,032	3,624 3,331
75—	${M \choose F}$	4,536 5,085	4,985 5,711	4,466 5,161	3,269 3,757	3,006 3,407	2,602 3,023	2,549 3,057	2,528 2,842	2,491 2,868	2,809 3,281	3,262 3,711	3,606 4,050
80—	${M \atop F}$	3,662 4,952	4,096 5,522	3,615 4,865	2,606 3,715	2,371 3,298	2,086 2,817	1,935 2,818	1,950 2,781	1,861 2,671	2,192 2,945	2,589 3,632	2,889 4,039
and over	${M \atop F}$	2,670 4,616	2,968 5,654	2,551 4,954	1,710 3,368	1,547 3,034	1,254 2,660	1,245 2,610	1,265 2,468	1,252 2,411	1,419 2,690	1,703 3,373	2,011 3,718

TABLE 17. Causes of death at different age periods, 1959

England and Wa

The sequence of causes of death followed in this table is that of the detailed International Statistical Classification of Diseases, Injuries and Causes of Death (Seventh Revision, 1955), including the classification by External Cause of Injury (E codes) for violent deaths. Each three digit code is separately specified, except a few which are not applicable to primary death classification, and certain 4th digit splits of general interest are also shown. Table 18 should be consulted for further details of violent deaths.

should be consulted for further details of violent deaths. Separate columns are not devoted to those causes to which, as a rule, few deaths are assigned. In order, however, to make the record complete, the classification numbers of such causes are printed as nearly as possible to the places where they would occur. The deaths, if any, from these causes are shown in footnotes in which the heavy-faced figures preceding the cause express the International Classification number, and the figures following it indicate the sex and age-group of the decedent, roman type for males and italic type for females. Thus 093, glandular fever (infectious mononucleosis), 5, 20, 75 denotes that two male deaths (one in age-group 5- and one in 20-) and one female death (in age-group 75-) are assigned to this cause. A dash (—) indicates that no deaths are assigned are assigned

(Continued on next page)

			ioni pag	-,		See o	explanai	tory noi	es.							24
Causes of death	All C	All Causes Infective and parasitic diseases M F M F				019 II ms	001- Respir	atory	Respir tuberc	ratory ulosis ention cupa- disease	Pulmo tuberc	onary	Pleu tuberc	ıral	Pleu specif tubero	fied
Ages at death	M	F	М	F	M	F	М	F	M	F	M	F	М	F	M	6
All ages	269,878	257,773	4,142	1,991	2,810	1,044	2,620	854	199	4	2,402	839	13	8	7	
0— 1— 5— 10—	9,454 1,391 818 721	7,175 1,070 533 512	111 125 45 20	81 84 50 29	9 21 4 5	6 15 5 7	4 3 —	4 3 1 2	-		2	4 3 1 2				
15 20	1,400 1,593	532 751	22 30	21 26	7 11	6 15	3 9	3 10			3 9	3 10		_	annonin market	
25 30 35 40	1,471 1,860 3,174 4,309	927 1,397 2,468 3,214		53 96 117 95	41 65 128 120	39 74 85 71	57	33 64 76 63			34 56 114 106	75	- 1 -	-	1	
45— 50— 55— 60—	8,258 14,670 -23,342 28,683	5,690 8,690 12,564 17,966	251 386 500 570	125 130 150 201	188 294 385 420	96 76 76 107	268	85 65 62 88	32	$\frac{1}{2}$	170 243 334 369	85 63 62 85	1 2 1	1	1 2	
65— 70—	34,771 40,357	25,856 36,799	580 483	178 209	421 345	101 112	406 334	88 89	42 31	_	360 303	87 85	4	4	2	
75— 80— 85 and over	40,132 31,871 21,603	44,061	323 146 66	173 105 68	211 97 38	85 48 20	92	69 32 17	20 4 1	1	175 86 34	66 32 16	1	2	1	
3461				1												
- Over	-	02.1	004-008* 010-019 Other forms		010			1	ULOS		010		010.1	0.0	013	014
Causes of death	Ple with with me	03·1 curisy effusion thout ntion of ause	010-	019 ner	Menir and centr nervo syste	nges d ral ous	TUI 01: Intesti periton and mesen glan	ines, eum, d teric	ULOS 01 Bones joints, ounspe	2 s and active	012 Activ unspec tuberc oi verte colu	e or cified ulosis f bral	012·1 Oth inclu under	ers ded	013, 01 Lymp syst	5 hat
Causes	Ple with with me	eurisy effusion thout ention of	010-	019 ner	Menir and centr	nges d ral ous	Intesti periton and mesen	ines, eum, d teric	Bones joints,	2 s and active	Activ unspec tuberco verte	e or cified ulosis f bral	Oth inclu	ers ded	O1 Lymp	5 hat
Causes of death Ages at death	Ple with with me	eurisy effusion thout ention of ause	Oth form	019 ner ms	Menin and central nervo syste	ral ous em F	Intesti periton and mesen glan	ines, leum, d teric ds	Bones joints, or unspe	and active r cified	Activ unspec tuberco verte colu	e or cified ulosis f bral mn	Oth inclu under	ers ided 012	Lymp syst	hat tem
Causes of death Ages at death All ages 0— 1— 5—	Ple with with me	eurisy effusion thout ntion of ause	010- Oth form M 190 5 18	F 190	Menin and central nervo system M 50 2 16 4	ral pus em F 37	Intesti periton and mesen glan	ines, leum, d teric ds	Bones joints, ounspe	and active r cified	Activ unspec tuberc verte colu	e or cified ulosis f bral mn	Oth incluunder	ers ded 012	Lymp syst	hat tem
Causes of death Ages at death All ages	Ple with with me	eurisy effusion thout ntion of ause	010- Oth form M 190 5	F 190 2 12 4 5	Menin and centinervo system M 50 2 16 4 4	ral pus em F 37 2 9 3 4	Intesti periton and mesen glan M	ines, leum, d teric ds	Bones joints, ounspe	and active r cified	Activ unspec tuberc verte colu	e or cified ulosis f bral mn F	Oth incluunder	ers ded 012	Lymp syst	hat tem
Causes of death Ages at death All ages 0-1-5-10-15-20-	Ple with with me	eurisy effusion thout ntion of ause	010- Oth form M 190 5 18 4 5	F 190 2 12 4 5 5 3 5	Menin and centurinervo system M 50 2 16 4 4 4 3 1	F 29 34 4 21	Intesti periton and mesen glan M	fines, leum, deteric ds F 2!	Bones joints, ounspe	s and active r cified F 48	Activunspectubercolumnus of tubercolumnus of tubercolumnu	e or cified ulosis f bral mn F 40 - 2	M II	ers ded 012	Lymp syst	hat tem
Causes of death Ages at death All ages 10— 15— 20— 25— 30— 35— 40—	Ple with with me	eurisy effusion thout ntion of ause	010- Oth form M 190 5 18 4 5	F 190 2 12 4 5	Menin and centurnervo system 50 2 16 4 4 3	ral pus em F 37 2 9 3 4	Intesti periton an mesen glan M	ines, leum, d teric ds	Bones joints, or unspe	s and active r cified F	Activunspectubercolumnus of tubercolumnus of tubercolumnu	e or cified ulosis f bral mn F 40	Oth incluunder	ers ded 012	Lymp syst	hat tem
Causes of death Ages at death All ages 1 - 15 - 20 - 25 - 30 - 35 - 35 - 35	Pie with with me	eurisy effusion thout ntion of ause	010- Oth form M 190 5 18 4 5 7 8 11	F 190 2 12 4 5 5 6 10 9	Menin ann central nerve syste M 50 20 16 4 4 4 1 1 1 1 1 4	F 37 2 9 3 4 4 2 1 1 2 3 3 1	O11 Intesti periton and mesen glan M 17 1	fines, leum, deteric ds F 2!	M 37	s and active r cified F 48	Activ unspectubercc of verte colu M 26 1 2	e or cified ulosis f bral mn F 40 2 2 1	M II	ers ded 012	Lymp syst	hat tem
Causes of death Ages at death All ages 1— 5— 10— 25— 30— 25— 30— 45— 50— 55—	Pie with win me	risy effusion thout ntion of ause	010- Oth form M 190 5 18 4 5 7 8 8 11 12 10 26 16	F 190 2 12 4 5 5 6 10 9 8 11 11 11	Menin and centurnervo system 50 2 16 4 4 1 1 1 4 3 1	F 37 2 9 3 4 4 2 1 1 1 4 2 2 3 1 1 1 4 2 2	O1 Intestiperiton and mesen glan	ines, eeum, d teric ds F 2!	01 Bones joints, ounspe M 37 1 2 3 4 5 3	s and active r cified F 48	Activunspectuberccolumnus M 26 1 1 2 2 3 4 3 2 2 2	e or ified ulosis f bral mn F 40	M II	F 8	Lymp syst	hat tem

^{* 004} Primary tuberculosis complex with symptoms—; 005 Tracheobronchial glandular tuberculosis with symptom 1,80; 006 Radiological evidence suggestive of active respiratory tuberculosis not classifiable elsewhere—; 007 Othe respiratory tuberculosis 35,60,65; 008 Tuberculosis, unspecified site 35,55,60,75; 013 Late effects of tuberculosis of bone and joints 40,60,65,70; 014 Tuberculosis of skin and subcutaneous cellular tissue 60,65,75;

3 Deaths are not assigned to any of the following categories as the underlying cause, where the interval between onset of the disease and death was stated to exceed one year:—040-043, 050, 055, 056, 058, 084-087, 100-108. For details of these categories see Table 7.

				TU	JBER	CULC	SIS								02	1*
Causes	01	6	01	17	01	18	0	19		0;1*	020-		02	20	02	22
death	urinary glands organs tu M F M F M F M F				Dissen	ninated culosis	dissen	forms of ninated culosis	Sypi and sequ	its	Cong sypl	enital hilis	Aneur of a			
death	М	F	M			F	М	F	M	F	М	F	М	,F		
ll ages	44	43	8	5	5	5	24	14	22	11	627	331	5	2	295	190
0— 1— 5— 10—				-	Wallanda Wallanda		2 1	3	2 1	3	1	1	1	_1	_	
15-		1					_	_	-	-	Process	_	-			-
20-		2		_	_	_	_1		-	_	1		1	_		_
25— 30— 35— 40—	3 3 4 5	1 4 6 2			$\frac{1}{1}$	1 1	$\frac{2}{1}$	1 1 2	2 1		1 4 11 13	1 6			1 3 4 6	
45— 50— 55— 60—	3 12 4 3	4 4 3 5	1 3 2	1 1 1	<u>-</u>		1 1 4 3	1 2	1 1 4 3		26 39 69 95	10 21 26 46		1	7 12 27 44	2 8 8 21
65— 70—	2 2	2		1	1	1	3 2	1	2 2	_1	128 113	45 63	_1		64 57	22 36
75— 80— 85 and over	3	2 3 —		1	1		2 1	1	2	1 1	89 28 9	57 37 18	_		45 19 6	45 29 18

auses of leath	Oth card vascu syph	ier lio- ular	02 Tal dors	bes	Gen para o insa	eral lysis f	Oth syph of ce nerv syst	ner nilis ntral	Other of l sypt	forms	028, 030- 030- Gono infection oth vene dise	039* 039 coccal on and ner ereal	040- Infec dise comn arisin intes tra	ases nonly ng in tinal	040, 04 Otl Salmo infect	12 ner onella
ges at leath	M	F	M	F	M	F	М	F	М	F	M	F	М	F	M	F
l ages	181	68	50	22	62	27	22	16	9	6	24		40	42	18	18
0— 1— 5— 10—	. =		,			_	-	. =	_				5 4 1	7 1 2 1	3 1 1	3
15 20		_	Mirconn Mirconn	_	_	_		_	-	_	_		_1	1		600000 100000
25— 30— 35— 40—	1 3 4	1	_		3	1 4		_	-			_	2	2 1		<u>-</u>
45— 50— 55— 60—	15 19 17 27	4 6 8 13	1 7 9	4 5	4 5 13 11	1 4 2 4	2 3 3	2 1 2 2			1 1 2 3		3 5 4 4	2 3 4	2 2 1 2	1 2 2
65— 70—	36 29	9 14	9 10	3 5	11 8	5 5	6 5	6 2	1 3		4		1 2	1 9	1	1 6
75— 80— 85 and over	21 7 2	7 6 —	12 1 1	4	6	1		1	2		5 2		3 4	3	2 3	1 1

19.0; I Acute miliary tuberculosis 15, 65, 30, 40, 50; 021 Early syphilis —; 028 Latent syphilis —; 029 Syphilis, unqualified 40, 70, 75; 030 Acute or unspecified gonorrhoea —; 031 Chronic gonococcal infection of genito-urinary system —; 032 Gonococcal infection of joint —; 033 Gonococcal infection of eye —; 034 Gonococcal infection of other sites — : 035 Late effects of gonococcal infection 45, 55, 55, 60, 60, 65, 65, 65, 70, 70, 70, 70, 70, 75, 75, 75, 75, 75, 80, 80; 036 Chancroid —; 037 Lymphogranuloma venereum 50; 038 Granuloma inguinale, venereal —; 039 Other and unspecified venereal diseases —; 040 Typhoid fever 25, 55, 75; 041 Paratyphoid fever 0, 20.

Causes of death	043, 0 04 Bacil dysen	5 lary	046-0 050- Oth bacte disea	064 ner	O5 Scar fev	rlet	O5 Strepto sor thre	coccal	05 Erysi		O5 Septica an pyae	aemia d	053 Stre	pto-	053· Stapl	hylo-
Ages at death	м	F	м	F	М	F	м	F	М	F	М	F	М	F	М	F
All ages	14	12	180	134	_	1	12	8	3	3	38	32	6	5	17	
0— 1— 5— 10—	2 2 —	2 1 2 1	56 48 12 4	44 30 10 3		1	1 1 2	2			8 4 1 2	9 1 1	$-\frac{1}{1}$		3 2 1	
15— 20—		_	4 4	2 5			1 2	1	_	_	1 1	2	, <u> </u>		1 1	
25— 30— 35— 40—	<u></u>		4 2 5	2 5 2	_			1 1			1 1 2	1 2 —	_	1	- 1	
45— 50— 55— 60—	1 2 1 1		5 4 7 6	2 3 5 4			Sales and Sales		1 	=	3 1 3 3	2 3 -3			1 1 2	
65— 70—	1		6	3 5	_	=			1	1	4	3 2	_	_1	2 1	
75— 80— 85 and	1 1	1	3 2 2	2 3 4		_	1 1	1	<u>-</u>		- 1 1	2 1	-	1	_	

							054, (155*			058, 059	9. 060*	062.063	3. 064*	070, 0	71*
	053		053	2.2	053	.4	051,		05		06		070-		07	
Causes of death	Pneu	mo-	Oth speci organ	ner ified	Organ	nism	Whoo	ping	Meni coc infect	ngo-	Teta		Spiroc dises exc sypt	haetal ases ept	Leptos	piros
Ages at death	М	F	М	F	М	F	M	F	М	F	М	F	М	F	M	F
All ages		_	1	i	14	13	11	14	97	62	17	8	11	2	10	
0 1 5 10	_			1	4 2 -	3 1	9 2 —	77	37 38 5 2	25 18 7 2	3 4	2 2 1				
15— 20—		_	_	_		_	_	_	2 1	1 2	_		' 1		_1	
25— 30— 35— 40—		_	=		1 1		_		2 1 1		$\frac{-1}{1}$		2 2 1		2 2 1	
45— 50— 55— 60—		=		_	1	1 2 -1			1 2 1 1		1 2 2		 1 2	=		
65— 70—	_	_	1	_	_1	2 1	_		2		1		1	1	-1	
75— 80— 85 and over		_	_	_	- 1 1	1 1			_	1	2			1	=	

^{* 043} Cholera —; 044 Brucellosis (undulant fever) 35; 046 Amoebiasis 50, 55 60, 70, 30, 30; 047 Other protozoal dysentery —; 048 Unspecified forms of dysentery 0; 049 Food poisoning (infection and intoxication) 1, 35, 15, 50, 55, 70, 85; 054 Bacterial toxaemia —; 055 Diphtheria —; 058 Plague —; 059 Tularaemia —; 060 Leprosy —; 062 Anthrax —; 063 Gas gangrene 0, 15; 064 Other bacterial diseases 55, 0, 0, 60, 85, 85; 070 Vincent's infection 85, 70, 85; 071 Relapsing fever —.

	073,		08	0	080)-0	080)·1	080		08	1	08	32	0:	83
Causes of death	Dise attribu to viru	utable	Act		Specifi bulba pol enceph	ar or io-	Wi oth para	ner	Unspe	ecified	Late e o acu poliom	f	Actinfection encept	tious	of a	effects cute tious halitis
ges at death	M	F	М	F	M	F	M	F	M	F	М	F	М	F	М	F
ll ages	381	380	41	25	14	15	6	I	21	9	11	10	55	53	64	44
0— 1— 5— 10—	37 52 27 11	21 38 33 17	1 3 3 3	5 2 3	 1 1	4 1 2	1 		1 2 2 2	1 1 1	1 -1 1		11 13 3 2	9 10 5 6	1 1 1	1
15—	8 14	11 5		3		2			1 2	1	2 2		2 3	2 3		_
25— 30— 35— 40—	15 13 15 26		11 7 3 1	5 2 4 1	5 3 2 —	3 1 1 1	1 1	<u> </u>	$\frac{6}{3}$	1 1 3	- 2 - 1	1 2 2	- 4 3 1	1 1 3 1		
45— 50— 55— 60—	22 30 20 31	14 23 32 33	1 1						<u>-</u>		, 1 1 —	_	2 2 4 4	1 4 4	11 12 6 10	6 6 9 7
65— 70—	15 8	19 16	_	_	_	_		=	_	_		_1	_1	2	5 2	3 3
75— 80— 85 and over	10 13 14	16					_	=	=					_	1 1	2 2

															_	
	084	*	086	5*			089,090	0,091*	093, 094	4, 095*	100-1	108*			110-1	17*
Causes of death	08 Mea		08 Chicke		Her zos	pes	Infect hepa	tious	Oth Oth disea attribu to vir	ner ases atable	100- Typhu oth ricket disea	s and er ttsial	110- Mal		120- Oth infective parasi disea	her ve and sitic
Ages at death	M	F	М	F	M	F	М	F	М	F	М	F	М	F	M	F
ll ages	49	49	10	6	16	33	119	145	13	7				2	88	58
0— 1— 5— 10—	13 22 9 2	10 17 12 2	3	1 1 3 —		=	3 8 7 2	1 4 9 4	8 1 1	1		=	_	_	3 1	2 - 1
15— 20—	_1	_2		_	=	=	2 1	3 2	_	_1			_	_		1
25— 30— 35— 40—	_ _ 1	1 1	1	1	=	_	4 -4 12	1 7 7 7		1 1	=		=	<u> </u>	1 5 4 3	2 2 4 6
45— 50— 55— 60—	=	1	<u></u>	_			8 12 10 15	8 15 17 21	$-\frac{1}{1}$		1			1	5 13 12 9	3 4 8 7
65— 70—	_1		_	=		1 2	8 4	11 7	_	_1	=	_	_	_	5 2	9 3
75— 80— 85 and over				=	3 4 7	6 8 14	6 8 5	10 4 7		1		-			2 2	3 1

^{* 073} Yaws —; 074 Other spirochaetal infections —; 080·2 Acute poliomyelitis specified as non-paralytic —; 084 Smallpox —; 086 Rubella (German measles) —; 089 Mumps 85, 5, 25, 70, 75, 80, 80, 85; 090 Dengue —; 091 Yellow fever —; 093 Glandular fever (infectious mononucleosis) 5, 20, 75; 094 Rabies —; 095 Trachoma —; 100 Louse-borne epidemic typhus —; 101 Flea-borne endemic typhus (murine) —; 102 Brill's disease, not specified as louse- or flea-borne epidemic typhus —; 105 Mite-borne typhus —; 105 Volhynian fever (trench fever) —; 107 Typhus, unspecified —; 108 Other rickettsial diseases —; 110 Vivas malaria (benign tertian) —; 111 Malariae malaria (quartan) —; 112 Falciparum malaria (malignant tertian) 40; 113 Ovale malaria —; 114 Mixed malariai infections —; 115 Blackwater fever —; 116 Other and unspecified forms of malaria 50; 117 Recurrent induced malaria —.

								_							
	120-1	24*	126-1	33*	135, 136	5, 137*				N	EOPL	ASMS			
Causes of death	Hyda dise	atid	Oth fung infect	er	Oth infection parameters of the control of the cont	ner tive d sitic	140- Neopl	239	140- Malig neopl inclu neopl of lym and had poietic	mant asms ding asms phatic emato-	Malig neopl of bu cav and ph	nant asm ccal	14 Li		Upper lip
Ages at death	М	F	М	F	М	F	М	F	M	F	М	F	M	F	М
All ages	7	8	16	7	35	39	52,324	46,069	51,783	45,334	1,249	613	74	10	10
0 1 5 10		- 1	3	1			41 162 131 133	41 132 130 98	24 153 118 121	124	3		=	_	
15— 20—		_1	_	_	1	_	143 167	103 122				2 3	_	_	
25— 30— 35— 40—	1 1 —	<u>-</u>	- 1 1	1 1	2 4 2	2 1 3 5	228 338 652 1,102	427 944	327	404 922	3	3 9 7 18	=	_	
45— 50— 55— 60—			2 1 5 1	1	3 8 3 5	3 3 6 6	6,616	3,699 4,698	6,563	3,627 4,621	· 59 78	34 42 54 83		1	
65— 70—	1	1	1	1	5	7 2	8,405 7,990		8,345 7,940			79 84	10 14	1 3	2 2
75— 80— 85 and over	<u>-</u>				2		6,478 3,881 1,625	4,629	3,852	4,578	189	87 67 39	18 11 11	4 1 —	3 1

							NI	EOPL	ASMS	3						
Causes of death	140 Lov lip	ver	140-8 Oth inclu und 14	ers ided ier	Ton:		141 Base tong	of	141 Oth speci parts tons	ner fied s of	141.8 Other inclu- und 14	ers ded ler	Saliv glar	ary	Par	otic
Ages at death	M	F	М	F	M	F	M	F	M	F	M	F	M	F	M	100
All ages	53	7	11	1	363	152	134	34	180	98	49	20	67	77	55	
0 1		_	-	=	_				_	-		_			-	
5— 10—	Granden. Grandens	_		_	. 1		_		1				, -	1	water	
15 20				_	1	_	_	_	1			_	annium.	2		
25— 30— 35—	, <u> </u>	_		_	1 -4 3	2		_	1 4 2	2		0-1-1-1-1 0-1-1-1-1	$\frac{-2}{2}$	1 2	2	
40		1			10	- 8 10	4	1		5		2	3 5 4	3	2 4 4	
50 55 60	4	=	$-\frac{2}{1}$	_	13 20 34	10 11 22	3 8 18	3 2 5	4 9 9 11	5 6 7 12	2 1 3 5	2 5	4 5	7 6	4	
65— 70—	5 12	1 2	3		53 74	18 21	15 31	4	29 38	11 17	9 5	3	10 14	8 9	13	3
75— 80— 85 and over	13 10 8	2 1	$\frac{2}{3}$		73 50 25	27 23 10	32 14 8	12 5 1	31 25 14	14 15 9	10 11 3	1 3	11 8 3	19 4 8	8 6 3	

^{* 120} Leishmaniasis —; 121 Trypanosomiasis —; 122 Other protozoal diseases 5, 0, 50; 123 Schistosomiasis 30; 124 Other trematode infestation —; 126 Other cestode infestation 50, 50, 50, 55; 127 Filariasis —; 128 Trichiniasis —; 121 Ankylostomiasis —; 130 Infestation with worms of other, mixed, and unspecified type —; 131 Dermatophytosis —; 132 Actinomycosis 50, 55, 60, 60; 133 Coccidioidomycosis —; 135 Scabies —; 136 Pediculosis —; 137 Other arthropod infestation —.

]	NEOP	LASM	18				,		
auses of eath	Oth saliv glar	er	142.8 Oth inclu under	ers ded	Floo mou	r of	Other of mo and m unspe	parts outh	Oral meso- pharynx		145.0 Tonsil (excluding pillars)		0thers included under 145		146 Naso- pharynx	
ges at eath	М	F	М	F	М	F	М	F	М	F	M	F	M	F	M	F
l ages	10	13	2	2	71	23	185	49	154	55	121	46	33	9	98	33
0— 1— 5— 10—				_	gangantan didikan distribusion distribusion				1						1 2	<u>-</u>
15— 20—				_				1		****	wholever		_	_	1 1	2
25— 30— 35— 40—		<u>-</u> 1	<u>-</u>						1 1	1 2 1	- 1 1	1 2 1		=	1 1 5	
45— 50— 55— 60—	1 1 —	$\frac{-2}{1}$			1 3 8	1 1 1	1 9 6 16		8 4 10 19	1 2 4 9	. 8	1 1 3 6	1 2 4	1 1 3	11 16 10 11	2 3 2 6
65— 70—	2 1	3 2	-		14 15	6 2	17 26	5 6	28 25	9 7	23 18	9 5	5 7		15 10	2 5
75— 80— 85 and over	3 2	3		2	16 13 1	5 5 2	44 42 19	6 12 5	27 23 7	9 7 3	18 19 6	8 7 2	9 4 1	1	7 4 2	1 1 1

							_									
							NI	EOPL	ASMS							
Causes of death	Hypo-		Pharynx, unspecified		150- Malig neopla diges organ perito	mant sm of stive s and	Oesopi		Stom		Small intestine, including duodenum		Duodenum		Others included under 152	
ges at death	М	F	М	F	М	F	М	F	М	F	М	F	M	F	М	F
ll ages	169	180	68	34	19,160	18,585	1,369	955	7,930	6,146	104	104	33	32	71	72
0— 1— 5— 10—		_		_	1 2 1 5	1 1 1 2	GLADON GLADON MARIEN	,			_		Salarata garanta		-	<u>-</u>
15— 20—	_				7 12			1	1 2	4		_			1	
25— 30— 35— 40—		2 3 4 8		$\frac{1}{1}$	29 66 160 322	60 171	1 7	3 8 9	8 25 67 135	5 24 45 74	2 1 2	1 1 1 2	- <u>1</u>		1 1 1 1	1 1 1 2
45— 50— 55— 60—	4 8 17 26	19	2 8	1 1 5 3	673 1,319 2,071 2,536	922	78 136	46 82	622 956		8 16	10 8 11 18	2 5	3 3 3 5	2 6 11 13	7 5 8 13
65— 70—	21 27	27 22	16 9	3 9	3,069 3,302	2,530 3,123	223 241	129 161	1,349 1,348	865 1,086	12 18	16 13	4 6		8 12	10 9
75— 80— 85 and over	23 24 13		4 14 1	3 5 2	2,900 1,894 791	3,401 2,651 1,565	161	146	652	1,221 887 515	13 5 2	12 8 2	4 1	4	9 4 2	8 4 2

							N	EOPL	ASM	S						
Causes of death	of Large intestine, except rectum		153·3 Sigmoid colon		153.8 Large intestine (including colon), part unspecified		153·0-2; 7; 9 Others included under 153		Rectum		Biliary passages and of liver (stated to be primary site)		155·0 Liver		Others included under 155	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	М	F
All ages	3,611	5,542	1,306	1,854	379	572	1,926	3,116	3,059	2,602	603	871	243	180	360	6
0— 1— 5— 10—					=				_		1 2 1 3		1 2 1 3	1		
15— 20—	3 2		1 1	1			2 1	1		_1	3 4	_3	3 4	_3		
25— 30— 35— 40—	13 20 34 66	9 13 58 72	3 8 11 19	3 5 17 29	2 2 8 8	2 7 2	8 10 15 39	4 8 34 41	3 11 31 39	4 13 31 44	3 6 12	2 1 9 9	1 4 6	2 1 6 3	2 2 6	
45— 50— 55— 60—	123 204 320 416	173 296 430 542	42 74 106 145	74 98 161 199	9 20 37 34	21 26 43 48	72 110 177 237	78 172 226 295	169 267		44 71	27 45 76 107	30	10 12 17 20	8 23 41 42	
65— 70—	499 642	701 893	184 250	250 303		72 96	245 325	379 494		318 437		143 145	39 30	29 17	65 60	1
75— 80— 85 and over	628 449 191	1,000 822 531	237 150 75	305 249 160	56 45 21	106 87 62	335 254 95	589 486 309	345	448 393 221	91 53 17	162 84 57		31 17 11	65 34 12	1

								NEOF	LASI	MS						
Causes of death	Liver (secondary and unspecified)		Panc		Perito:		159 Unspecified digestive organs		160-165 Malignant neoplasm of respiratory system		160 Nose, nasal cavities, middle ear and accessory sinuses		Nose (internal) and nasal cavities		160·1 Eustachiar tube and middle ear	
Ages at death	M	F	M	F	M	F	М	F	M	F	M	F	M	F	M	F
All ages	287	314	2,081	1,851	80	163	36	37	19,026	3,202	121	96	30	7	11	
0— 1— 5— 10—				=		1 1 1			- <u>2</u>	1 1 2	_ _ 2	=			_	
15— 20—	=	_	=			1	_	_	6 8	2 6		_1	=	_1	_	
25— 30— 35— 40—	1 - 4		1 10 44	3 3 13 18	1 2 4 3	1 2 4 2	1	<u>-</u>	19 57 180 407	6 26 66 99	2	1 3 3	1		<u>-</u>	E
45— 50— 55— 60—	12 15 43 34	9 13 27 35	60 166 248 319	47 91 184 214	5 11 12 14	12 10 24 24	2 2	3 2 5 4	957 2,021 3,351 3,681	324	14 19	4 10 6 11			1 3 2 1	
65— 70—	50 48	37 60	345 355	292 302	10 7	23 20	4 5	6 6				14 16	5 4	1	_2	
75— 80— 85 and over	42 28 9	50 51 28	195	313 244 127	3	20 12 5		6 4 —	1,533 547 155	190	11	11 9 7	5	1 1		

							NEOI	PLAS	MS							
Causes of death Maxi		faxillary sp		ner fied us sory)	Oth inclu und 16	ers ded ler	16 Lar		162 Bronchus and trachea, and of lung specified as primary		162·0 Trachea		Bronchus and lung		162·2 Pleura	
Ages at death	М	F	M	F	M	F	М	F	M	F	M	F	М	F	М	F
ll ages	72	71	6	4	2		643	180	12,231	1,881	27	П	12,198	1,866	3	4
0— 1— 5— 10—						27-2			<u>-</u>	- 1			<u>-</u>	<u>-</u>	ganare.	· —
15— 20—	_	_	-	_		_	Marchani Marchani	1	2 5	1 3		1	1 5	1 2	_1	
25— 30— 35— 40—	1 1 1 2	1 2 1		_		_	2 1 5 10	1 3 4	12 34 101 266	3 16 44 59			12 34 101 264	3 16 43 59	_	
45— 50— 55— 60—	2 5 13 11	3 7 5 8		1 1			22 35 84 102	10 17 21 24	1,349	127 209 250 274	3	1 2 2 1	646 1,347 2,199 2,403	125 207 248 272		$\frac{1}{\frac{1}{1}}$
65— 70—	8 9	14 11	1	_	_1	_	102 98	25 26	2,192 1,676	277 268	4 6	1 2	2,185 1,669	276 265	1 1	1
75 80 85 and over	10 6 3	8 6 5		1	1		95 60 27	24 13 11	933 323 80	200 103 46	3	1	929 322 80	200 102 46		=

							NEOP	LASI	MS					
Causes of death	of death Multiple sites		Lur unspect as to w prim or secon	ng, cified hether ary	16 Medias		Thor orga (secon	acic	170- Malig neoph of br and go urin orga	nant lasm reast enito- ary	Brea		171 Cervix uteri	Corpus uteri
Ages at death	М	F	М	F	М	F	M	F	М	F	M	F	F	F
ll ages	3		5,950	1,001	66	29	15	15	6,704	17,593	62	8,708	2,555	1,214
0— 1— 5— 10—	_		<u>-</u>	1 1					1 12 4 1	, 4 15 13 2		_	1	<u>-</u> 2
15 20	_	_	2 1	2	2 2		_	_	5 18	7 17	_			1 1
25— 30— 35— 40—			20 69 127	2 9 13 31	1 1 1 1			-	36 34 49 61	49 179 476 755		20 84 240 401	10 49 142 177	3 10 16
45— 50— 55— 60—	_	Salara de la companya del companya del companya de la companya de	281 611 1,033 1,146	61 86 132 155	10 11	2 1 6	2 2 4	1 2 2 3	148 240 454 676	1,391 1,887 2,141 2,211	3	793 1,023 1,062 1,035	257 278 271 317	31 104 170 196
65— 70—	_2		1,130 846	149 149		6 1	3	1	978 1,230	2,239 2,297	14 4	1,034 1,120		195 194
75— 80— 85 and over			484 151 44	124 61 25	2	4 2 1	1	3 2 —	1,328 963 466	1,784 1,325 801	8 6 5	810 661 423	247 140 77	140 93 58

	1							
				NEOF	LASMS			
Causes of death	173 Other parts of uterus, including chorion- epithelioma	Uterus unspecified	175 Ovary, Fallopian tube and broad ligament	175·0 Ovary	175·1 Fallopian tube and broad ligament	175.8; 9 Others included under 175	176 Other and unspecified female genital organs	176·0 Vulv
Ages at death	F	F	F	F	F	F	F	F
All ages	39	195	2,939	2,919	19	1	530	373
0— 1— 5— 10—		1 	 1 1	<u> </u>	Section Sectio		$\frac{1}{1}$	-
15— 20—			5 7	5 7				_
25— 30— 35— 40—	4 2 1 3	1 -4 6	11 38 64 118	11 38 64 116			- 1 7 9	1
45— 50— 55— 60—	4 8 4 2	9 18 18 34	251 366 473 438	249 362 469 436	2 4 4 2	<u>-</u>	12 18 36 42	8 10 24 29
65— 70—	6 3	29 25	402 323	401 320		1	74 93	57 58
75— 80— 85 and over	=	19 16 13	248 133 60	246 133 60	<u>2</u> _		102 83 50	72 65 37

	NEOPLASMS														
Causes of death	176·1 Vagina	176·7-9 Others included under 176	177 Prostate	178 Testis	179 Other and unspecified male genital organs	179·0 Penis	179·1 Scrotum	179·7 Other includ under							
Ages at death	F	F	М	М	М	M	М	М							
All ages	150	7	3,590	193	143	106	30	7							
0— 1— 5— 10—	1 - -	=	1	$\frac{1}{1}$		=	=								
15— 20—	1	=	1 —	3 15		=	=	=							
25— 30— 35— 40—	- 3 1	=		33 27 23 15	1 1 3	<u> </u>		1 1 1							
45— 50— 55— 60—	3 8 12 13	<u>1</u> —	16 34 114 253	11 16 8 4	10 7 13 15	5 3 7 11	4 5 3	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1							
65— 70—	15 35	2	492 744	14 14	15 17	11 14	4 2	1							
75— 80— 85 and over	29 17 12	1 1 1	889 699 345	5 3 —	32 16 13	26 13 12	6 3								

_																
							1	NEOP	LASN	1 S						
lauses of leath	18 Kid		Blad and c urin orga	der other ary	181·0		Oth inclu under	ers ded	190- Malig neopla other unspe	mant sm of and cified	Malig melan of s	nant	Oth malig neopl of s	ner mant lasm	19 Ey	
ges at leath	М	F	М	F	М	F	М	F	М	F	М	F	М	F	М	F
ll ages	704	459	2,012	954	1,993	932	19	22	2,853	2,952	161	220	265	228	61	70
0— 1— 5— 10—	1 8 4	3 12 10	2	1		_		1	11 48 34 44	14 41 38 38	manuscon .		1	1	4	1
15— 20—	1 3	_1				_	- eliminatur	_	44 45	35 34	1 6	1 2	2		1	
25— 30— 35— 40—	2 6 14 20	6		3 2 7	1 9 22	3 2 7			48 64 103 118	42 62 113 109	6 18	8 12 22 16	1 1 4	1 2 2 4		
45— 50— 55— 60—	58 65 113 108	32 41	115 200	40 66	48 115 198 285	15 39 63 99	2	1 3 4	343	169 258 310 314	, 17	22 27 21 10	6 12 9 21	3 4 11 13	4 8 10 12	4 6 7 14
65— 70—	97 87	69 86				117 169		5 5	337 280	351 329		19 24	31 41	19 30	5 6	8
75— 80— 85— over	79 34 4	48 47 21		170 152 99	202	169 151 98	3	1 1 1	228 158 87	325 214 156	10	23 9 4	42 51 43	50 37 51	3 5 2	11 5 1

							1	NEOP	LASN	4 S						
Causes	19		193	.0	193	:1	193	3-2	193	3.3	193	3-4	193.	8;9	19)4
of death	Brain other p nerv syst	arts of ous	Bra	in	Spir		Meni	nges	Peripi ner		Sympa nerv syst	ous	Oth inclu under	ided	Thy gla	
Ages at death	M	F	М	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	1,046	823	983	750	11	23	7	8	3	4	29	27	13	- 11	100	280
0— 1— 5— 10—	8 35 25 29	10 29 30 21	5 24 19 24	6 18 23 15	<u></u>	1 - 1				, 1	3 10 5 5	10 4 4		1 2 1	generalis generalis generalis	quantum di managan di
15— 20—	15 21	15 18	11 18	12 16	1 1	· 1	1		_	1	2 2	_2				
25— 30— 35— 40—	23 37 61 70	23 30 56 48	35 60	52	1 1	1 -2 1	-					2	1 1		1 - 2	3 2 5
45— 50 — 15 — 60 —	130 183 166 117	109 118	178 161	103 114	_	2	2 2	2 1	1 1	-	2		1 3 2 3	1 2 1	7 8 18 12	8 20 26 29
65 – 70—	82	86		79 30	1	5 2	9		_			1	1		16 16	
75— 80 – 85 and over	3	17 3	4			1								1	12 5	56 29 17

							NE	EOPL	ASMS							
Causes of death	Oth endoo glar	ner crine	Supra gla	rena1	Pitui gland cran phary du	tary and iio- ngeal	195·1 4- Oth inclu under	ers ded	19		Conne tiss	ective	Secor an unspe malig neopla lymph	ndary id cified mant ism of	Otl ar unspe sit	nd ecified
Ages at death	M	F	M	F	M	F	М	F	M	F	M	F	M	F	М	F
All ages	58	38	40	21	4	6	14	11	330	265	110	93	43	16	679	9
0— 1— 5— 10—	2 8 1 2	3 5 2	2 8 —	2 5 1	=			1		2 5 15	1 1 5	1 4 -1			1	
15— 20—	1 1	_	_	_			1 1		22 12	15 12	3 2	2 2			2	
25— 30— 35— 40—	1 3 3 3	1 2 4 1	1 1 1 1	1 2 1	1 1 1 1		1 1 1 1	2 2	7 6 3 11	5 3 6 5	1 6 5 7	1 3 4 2	<u>-</u>	=	8 5 11 13	
45— 50— 55— 60—	10 1 5 3	4 4 1 2	9 4 3			1 2 1	1 1 1	3 1 —	14 24 30 37	5 18 22 18	9 5 13 13	4 2 10 10	1 3 7 3	1 3 2	39 41 78 88	1
65— 70—	8 2	5 2	6 2	4	_	1 1	_2	1	49 37	29 24	6 11	6 12	8 7	2 4	115 107	1
75— 80— 85 and over	4	1	3	1 1		=	=		34 20 10	40 25 16	10 8 4	16 11 2	9 3 1	2 2 —	97 52 22	1

	1						N	EOPL	ASMS	S					,	
Causes of death	200- Neopl of lym an haem poie tissi	asms phatic d ato- etic	Lym sarco an retic sarco	pho- oma d ulo-	Reticu ce sarce	ılum- ll	Lymi sarce	pho-	200 Oth prin malig neopl of lym tiss	ner nary mant asms phoid	Hodg dise	kin's	Oth form lymph (reticu	ner is of noma	Gia follic lympl (Br Symr	ho ma ill-
Ages at death	М	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	2,791	2,389	552	442	203	171	322	243	27	28	543	332	70	72	17	
0— 1— 5— 10—	11 88 76 66	8 66 70 44	6 6 7	5 4 5	1	2 2 3	5 5 6	3 2 2	1		3 3 6		2 2 1	2 1 1 2		
15— 20—	66 70	43 38	13 6	5 4	3	1	9 5	5 2	_1	1	16 27	6 12	3	_	_	
25 30— 35— 40—	83 103 132 143	57 68 89 90	13 19 19 25	2 6 13 13	5 9 10 12	1 5 4	8 8 9 12	2 3 8 9	- <u>2</u>		40 47 44 33	25 28 28 21	2 4 3	2 5 1	- 1 2	÷
45— 50— 55— 60—	191 220 266 335	106 194 243 260	53 49 58 70	17 36 45 60	19 17 21 25	7 16 23 24	31 32 34 42	10 19 19 32	3 3 3	1 3 4	57 62 42 57	19 24 39 30	4 6 8 11	3 4 10 11	1 3 1 4	
65— 70—	322 271	297 281	72 68	67 61	28 27	29 20	36 38	33 38	8	5 3	. 37 35	32 25	10 7	10 13	3	
75— 80— 85 and over	218 101 29	250 131 54	46 16 6	54 35 10	15 7 2	17 14 3	29 9 4	33 17 6	2	4 4 1	21 12 1	25 9 7	5 1 1	5 1 1	<u>2</u>	2

							NEO	PLAS	MS		1					
	202	2-1	20	3	20	4	204	1.0	204	ŀ1	204	1.2	204	4-3	204	1.4
causes of death	Oth	ner	Mult myel (plas cyto	oma mo-	Leuka an aleuka	d	Lymp leuka		Myel leuka		Mono leuka		Acı leuka		Other unspe- leuka	cified
ges at death	M	F	М	F	M	F	M	F	M	F	М	F	M	F	M	F
ll ages	53	53	295	311	1,315	1,219	284	228	243	285	114	82	631	592	43	32
0— 1— 5— 10—	2 2 1	2 1 1 2			9 77 67 52	6 60 65 35	2 6	2 3 2	1 3 3	1 2 1	3 2 2	3 1	67 55 41	6 51 59 32	2 4 1 1	3
15— 20—	3		1		37 33	32 22	1	1 1	2		4		31 26	31 17	_	1
25— 30— 35— 40—	- 2 3 1	 2 4 1	 2 7 14	2 3 6	30 33 57 68	30 29 40 49	1 2 4	1 1 1	5 8 11 18	7 7 15 15	- 6 9 11	1 2 2 7	21 19 33 34	20 18 21 27	$\frac{3}{2}$	1 1 1
45— 50— 55— 60—	3 3 7 7	2 3 8 4	22 25 41 56	13 31 40 47	77	53 98 109 109	18 29	5 12 14 25	11 12 29 21	18 30 30 30	. 10 12 15	4 10 11 7	28 35 41 53	25 44 51 46	1 2 5 4	1 2 3 1
65— 70—	7	7 9	57 35	51 52	142 126	135 128		34 36		28 35	11 5	11 9	38 47	55 46	5	7 2
75— 80— 85 and over	3 1 1	5 1 1	25 7 3	44 15 7	121 64 18	120 71 28	21	47 34 9		32 18 13		5 7 2	34 15 7	29 11 3	2 7	7 1 1

				_									
							NEOI	PLAS	MS				
					210)*			213*			217, 2	218*
Causes	20.	5	210-2	229	21	1	21	2	214	215	216	21	9
of death	Myco fungo		Beni neopl		Other of dige syst	estive	Respir syst		Uterine fibromyoma	Uterus	Ovary	Kidney other u orga	rinary
ges at death	М	F	М	F	М	F	М	F	F	F	F	M	F
Il ages	16	13	316	524	24	15	15	12	84	11	86	73	36
0-	_	_	13	11	2		2	1		_	_	1	
1— 5— 10—		_	6 6 4	11 2 3 4					=	=	_		_
15— 20—	-		11 11	4					_		-1		******
25— 30—	_		9 9	6	_	_1	_	_1	4	_	2		
35— 40—	_1	_	° 9 16	18 21 21				- Accounts	1 9	1 1	2 3		Transport .
45— 50—	2	1	22 19	66 50	1			-	28 7 6	2	2 7 4	1	*****
55— 60—	1 6	3	27 20	51 48	2	1	1 ₁ 2	3	6	2	6 12	5 4	1
65— 70—	4	2 2	36 34	55 51	1 6	1 4	6 2	1	8 7	1 2	6 16	5 13	3 3
75— 80— 85 and over	- 1	1	27 25 12	43 41 16	3	2 3 3		3 1 1	5 5 1	1	13 9 5	11 21 12	11 12 5

^{* 210} Benign neoplasm of buccal cavity and pharynx 45; 213 Benign neoplasm of breast 80, 80; 217 Benign neoplasm of other female genital organs, 50, 50, 55; 218 Benign neoplasm of male genital organs 45.

							NEOF	LASI	MS				[
	220, 22	1, 222*					226	*			229	*				
Causes of death	Brain and other parts of nervous system	24 ocrine ands	Bo an carti	ne	Musc an conne tiss	ular d ctive	Hae angie and ly angie	em- oma mph-	Neop oi unspec natu	lasm f cified	Unspe natur diges orga	ecified re of stive	Unspe natur respira orga	cifie e of atory		
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	М	F	M	F
All ages	129	18	7 40	51	5	4	9	9	15	15	225	211	21	19	15	101
0— 1— 5— 10—	3 5 2 2		11 -	_			1	_	3	5 1	4 3 7 8	3 6 4 4				から からり
15 20	5 6	1	2 3	3 1		_	1	_	2	1	2	5 4	*****	=	_	ı
25— 30— 35— 40—	8 5	1		1 2	=	_	- 1 1		1 - 1		1 2 10 16	7 5 1 16	=		<u>-</u>	3.03
45— 50— 55— 60—	14 12 12 11	2: 36 29 10		5	$\frac{1}{1}$		1 1 1	2 1 1	1 1 1	<u>-</u>	16 24 26 37	18 22 26 20	1 2 1	<u></u>		
65— 70—		20	5	3 4	1	_1	1 1	3	2	3 1	24 16	16 16	4 4	1 3	3 1	6
75— 80— 85 and over	_		5 3 -	1		1 1	=	1	2 1 —	1	21 4 3	20 10 8	4 3 2	8 5 1	4	and the second
																7
1	N:	EOPL	ASM	S	H	I			24	0*	242-2	245*				į.
C	NEOPLASMS 232-236* 238* 237 Unspecified nature of brain and other parts unspecified unspecified nature of other and unspecified			240-	289	240-	245	24			245*	2:	50	25	51	
Causes of death	232-2 Unspe natur brain other of ner	236* 7 cified re of and parts yous	238 Unspe natur other unspe	3* cified re of and cified		289 gic, crine em, oolic, d	240- Alle disor	rgic		ļ1		ases oid		ple	Non- nodi goi	toxic
of	232-2 Unspenatur brain other of ner syst	236* 7 cified re of and parts ryous em	238 Unsper nature other unsper organization	3* cified re of and cified	Aller endoc syste metab an nutriti	289 gic, crine em, oolic, d	Alle disor	rgic ders	Astl M	inma	Dise of thyr gla	ases oid nd	Sim goi	rple tre	Non- nodi goi	toxic
of death Ages at	232-2 Unspenatur brain other of ner syst	77 cified re of and parts ryous em	238 Unspe natur other unspe orga	g* go cified re of and cified ans	240- Aller endoc systs metab an nutriti disea	289 gic, gir, polic, di ional ases F 3,824	Alle disor	rgic ders F	24 Astl	F 680	Dise of thyr gla	ases oid nd	Sim goi	F 15	Non- nodi goi	toxic
Ages at death All ages 0-1-5-	232-2 Unsper natural brain other of ner system M	77 cified re of and parts em	238 Unspe natur other unspe orga	g* getified re of and cified ans	Aller endoc systemetab ann nutriti disea	289 gic, rrine em, solic, d ional ises F 3,824 27 21	M 539	rgic ders	M 534	F 680	Dise of thyr gla	ases oid nd	Sim goi	rple tre	Non- nodi goi	toxic
Ages at death All ages 0 1- 5- 10- 15-	232-2 Unspe natur brain other of ner syst M 171 4 2 7 7	7 cified re of and parts ryous em F 156 4 4	238 Unspe natur other unspe orga	g* getified re of and cified ans	Aller endoc systemetab an nutriti disea M 2,032 28 18 11 9	289 gic, crine em, oblic, d ional isses F 3,824 27 21 12 14	M 539 3 112 4 5 4	F 689 2 9 2 7 15	24 Asth M 534 2 12 4 5	F 680 2 9 2 7 15	Dise of thyr gla M 114	ases oid nd	Sim goi	F 15	Non- nodi goi	toxic
Ages at death All ages 01-5-10-15-20-	232-2 Unspe natur brain other of ner syst M 171 4 2 7 7 2 1	7 ciffied re of and parts vous em F 156 4 4	238 Unspe natur other unspe orga	g* getified re of and cified ans	Aller endoc systemetab an nutriti disea M 2,032 28 18 11 9 15 22	289 gic, crine em, solic, di ional isses F 3,824 27 21 12 14 17 23	M 539 3 12 4 5 5 4 11 16	F 689 2 9 2 7 15 13	24 Asth M 534 2 12 4 5 4 11 16	F 680 2 9 2 7 15 13	Dise of thyr gla M 114 1 1 1 1	ases oid nd F 621	M 7	F 15	M 5	toxic
Ages at death All ages 0 1- 5- 10- 15-	232-2 Unspe natur brain other of ner syst M 171 4 2 7 7	7 cified re of and parts ryous em F 156 4 4	238 Unspe natur other unspe orga	g* goified re of and cified ans	Aller endoc systic metab an nutriti disea M 2,032 28 18 11 9	289 gic, crine em, oblic, d ional tses F 3,824 27 21 12 14 17 23	M 539 3 12 4 5 5 4 11	F 689 2 9 2 7 15	M 534 212 44 511	F 680 2 9 2 7 7 15 13	Dise of thyr gla M 114 1 1 1 1	ases oid nd	M 7	F 15	M 5	toxic
Ages at death All ages 0-1-5-10- 15-20- 25-30-35-	232-2 23 Unspenaturibrain other of ner syst M 171 4 22 7 7 21 11 29	7 cified re of and parts vous em	238 Unspe natur other unspe orga	g* goified re of and cified ans	240-Aller endoc systemetah ann nutriti disea M 2,032 28 18 11 9 15 22 30 26 50	289 gic, crime em, colic, d ional isses F 3,824 27 21 14 17 23 30 52 62	M 539 3 12 4 5 5 4 11 16 6 6 12	F 689 2 9 2 7 7 15 13 13 1 16 25	Asth M 534 2 12 4 5 4 11 16 6 6 12	F 680 2 9 2 7 15 13 16 24 32 31 64 62 72 63	250 Dise of thyr gla M 114 1 1	ases oid nd F 621	M 7 - 1 1 - 1 1	F 15 1	M 5	toxic
Ages at death All ages 0-1-5-10- 15-20- 25-30-35-40- 45-50-55-	232-2 Unspenatur brain other of ner syst M 171 4 22 7 21 1 29 9 14	236* 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	233 Unsper nature other unsper organization of the control of the	g* goified re of and cified ans	240-Aller endoc systst metah annutriti disea M 2,032 28 18 11 9 9 15 22 30 26 50 64 103 144 198	289 gic, rrine em, solic, dional isses F 3,824 27 21 12 14 17 23 30 52 62 57	M 539 3 12 4 4 11 16 6 6 12 15 50 50 83 8	F 689 2 9 2 7 15 13 16 25 33 3 31 64 62 74	Asth M 534 4 11 16 6 12 15 48 50 83	F 680 29 92 77 15 13 166 24 32 31 64 62 72 72	250 Dise of thyr gla M 114 1 1 1 5 7 144 144 121	3 8 8 5 7 7 8 8 29 9 48	M 7 - 1 1 - 1 1 2 2	F 15 1 3 3 - 3	M 5	toxic

^{* 220} Benign melanoma of skin —; 221 Pilonidal cyst 0; 222 Other benign neoplasm of skin 45; 226 Lipoma 70, 75, 1, 70, 70; 229 Benign neoplasm of other and unspecified organs and tissues 40, 65, 0, 0, 35, 65; 232 Neoplasm of unspecified nature of breast —; 233 Neoplasm of unspecified nature of uterus 35, 75; 234 Neoplasm of unspecified nature of ovary 70, 80; 235 Neoplasm of unspecified nature of other female genital organs —; 236 Neoplasm of unspecified nature of other genito-urinary organs 1, 65, 70, 75, 75, 75, 60, 70, 70, 75, 85; 238 Neoplasm of unspecified nature of skin and musculo-skeletal system 10, 35, 40, 50, 60, 75, 75, 0, 40, 40, 55; 240 Hay fever —; 242 Angioneurotic oedema 55, 55, 70, 70, 75, 80; 243 Urticaria —; 244 Allergic eczema —; 245 Other allergic disorders 0, 45, 45, 60, 65, 30, 35, 65.

						IAI	OLE I		unuea							
															270	
lauses of leath	Thyr toxico with withougoit	osis or out	Tox diffu goit	ric use	Tox nodu goit	ric ılar	Myxoe and cretin	dema	Oth disea of thy glar	er ses roid	Diab melli	etes	Dises of of endoor	ases her crine	Disea of parathy glar	ises yroid
ges at leath	М	F	М	F	M	F	M	F	M	F	М	F	М	F	М	F
ll ages	55	296	54	281	1	15	42	279	5	13	1,100	2,093	97	141	3	12
0— 1— 5— 10—			_				<u>-</u>	1		1	1 1 3 1	2 2 7 5	17 — 1	13 3 1		
15— 20—	1		1	_	_		_		_	_	6 6	2 7	3 2		_	-
25— 30— 35— 40—		2 4 4 6	 1 4	2 4 4 6					=	1	9 12 27 30	3 11 11 8	3 3 7 1	5 5 7 9	-	
45— 50— 55— 60—	5 13 7 5	6 17 34 50	5 13 7 5	6 15 33 50		2	2 1 6 6	1 8 9 31	1	2 2 1	35 54 77 100	30 50 107 238	5 12 3 14	8 14 13 20	1	1 1 1 1
65— 70—	7 6	54 61	7 5	51 57		3 4	5 9	47 63	1	3 2	158 197	312 450	10 7	19 13	_	3 2
75— 80— 85 and over	3 2 1	41 14 3	3 2 1	38 12 3	=	3 2	10 2	63 37 17	1 2 —	1	202 132 49	447 261 140	5 4 —	5 2 2	1	1
									1				1		1	
Causes	27	2	27	73	27	74	275, 27	7	280-	289	280-2	285* 86	280	5∙0	286	5.5
of death	Disea of pitui glas	f tary			Dise o adre glas	f enal	Polyg ula dysfur and d diseas endoo glas	other ses of crine	Avi mind and o meta dise	oses, other bolic	min and n tional	utri-		rrhoea id iue	Malnut	
Ages at death	м	F	M	F	M	F	M	F	M	F	M	F	M	F	М	F
All ages	37	55	7	2	33	48	14	21	182	280	46	64	19	21	20	28
0— 1— 5— 10—	3	1	5	_	6	2	3	1	6 5 4 2	7 7 2 2	1	1 3 1	=	1 1	_	
15— 20—	_	1		_	2	1	1		2 2	1	1	_	1	=	=	_
25 30 35 40	3	2 2 1 6	graphic distribution of the control	-	1 3 3	2 3 1 2	$\frac{2}{1}$	·	5	3 3 6 2	1 1 1	1 1 -		1		<u>1</u>

6 5

75— 80— 85 and over

 1 2 1

3 5 1

^{* 270} Disorders of pancreatic internal secretion other than diabetes mellitus 20, 50, 80, 1, 50, 85; 275 Ovarian dysfunction—; 276 Testicular dysfunction—; 280 Beriberi 40, 50; 281 Pellagra 80; 282 Scurvy 75, 80; 283 Active rickets—; 284 Late effects of rickets 40, 50; 285 Osteomalacia 50, 75.

					TAI	BLE 17	7—co	ntinued	!						
6; 7 Othe	rs led	Obesity specif as o	not lied of			Othe	er olic	Lipid (disturb	osis bance	Amyl	oid-			Disease the blood-feedorg:	299 ses of od and ormins
М	F	M	F	M	F	M	F	М	F	M	F	M	F	M	F
7 	15 1 2 	41 	146 	15		74 6 5 3 2 1 1 2 7 4 6 5 5 12 7 9 2 1	66 64 11 22 -1 1 11 55 1 4 3 8 8 8 4 8 8	7 3 2 2 - - - - 1 1 1 1 - -	7 2 1 1 	30 	27 	37 6 2 1 2 1 1 - 1 - 2 2 2 8 2 4 2	32 4 3 1 1 1 2 3 2 2 1 1 5 3 1 2 2	756 6 10 8 8 8 7 6 10 8 11 15 22 35 61 73 38 124 110 52	1,31 1 1 1 1 3 4 4 4 10 10 22 23 25 15
Perni and o	cious other hromic	Perni	cious	Suba comb degene of sp	cute ined ration inal	Otl hypercl	ner hromic	defic anae (hy	ciency emias po- omic	Oth anaer of spe	ner mias cified	Apl	astic	292-0 5- Oth inclu under	ers ded
M	F	М	F	М	F	M	F	M	F	M	F	M	F	М	F
3 4 10 15	1 1 1 1 9 6 12 25 59	1 			2	1 1 1 1 2 1 1 3 3 3 3 3 3 3 3 3 3 3 3 3		2 1 1 2 1 2 3 7		203 1 3 3 4 3 5 5 5 7 15 22 27 19 28	3 1 3 5 1 6 9 9 10 31	3 2	3 1 1 1 5	1 2 - 1 1 1 - 1 3 1	10
	6; 3 Other included and a series of the seri	7 15	Obesity specification Colorest included under 286 Colorest Colorest	Obesity not specified as of endocrine origin	6; 7 Obesity not specified as of endocrine origin Gould as of endocrine origin M F M F M 7 15 41 146 15 - 1 - - - 1 - - - - 1 - - - - 1 - - - - 1 - - - - - 1 -	286-1-4; 287 Obesity not specified as of under 286 Obesity not specified as of endocrine origin Obesity not s	286-1-4; 287 Obesity not specified as of endocrine origin	286 1-4; 287 Obesity not specified as of endocrine origin	286-1-4; 6; 7 Obesity not specified included under 286 September 286 September 286 Other specified as of endocring origin September 286 September 286 Other specified as of endocring origin September 286 Other specified anaemias September 286 Other specified anaemias Other specified anaemias	6; 7 Others included under 286 Obesity not specified as of endocrine origin Gout Other metabolic diseases (Lipidosis (disturbance of lipid metabolism) M F	286-1-4; Cobesity not of specified as of endocrine origin Gout metabolic diseases Colored tincluded under 286 Colored as of endocrine origin Gout metabolic diseases Colored tincluded under 286 Colored	286-1.4; 287 288 289 289-0 289-1 299-1	286-1.4; 287	286-1-4; 287	286-1-4; 287

22 16

55 52

22 11

21 4

12 3

10 7

8 9 1

75— 80— 85 and over

51 27

150 84

46 26

127 75

						TA	BLE 17	7co.	ntinued	<i>t</i>						
auses of eath	Anaen of unspeci type	fied	Pol cythac	y-	29 Haemo		Purpu and ot haemo hagi conditi	ra her orr-	Agran cyto	ulo-	Disea of sple	ses	29 Oth disease blood blood form orga	er es of and od- ing	300-3 Ment psych neuro and person disorc	cal, no- otic l ality
ges at leath	М	F	М	F	М	F	М	F	М	F	M	F	M	F	М	F
ages	52	85	50	42	16	_	52	79	7	13	36	56	13	14	364	644
0— 1— 5— 10—		3 1	_		1 3 1 2		3 2 3 3	2 3 1				1	1 2 1		22 I 2 4	14 8 5 1
15— 20—	1	_			1		1 1	5	_	_	1	1			6	5 3
25— 30— 35— 40—	2	1 2 1	<u>-</u>	-	1	_	 1 1 4	2 2 5 4	_ _ 1		1 2 2 2 2	2 1 2	<u>-</u>	2 2 1	1 6 10 16	4 5 17 8
45— 50— 55— 60—	1 2 4 3		2 2 10 9	1	1 1 1 3	=	5 3 7 1	4 6 6 7	1 2 —	2 3 3 1	2 4 3 5	5 5 3 7	- 1 3	1 5	13 21 29 23	15 19 33 37
65— 70—	5 10	8 18	14 7	12	1 1	_	4	7 10	2 1	4	. 7	9 9	2 1	3	27 32	45 87
75— 80— 85 and over	14 6 1	15 16 9	3 2	-	3 -		4 6 2	7 5 3	=	_	2 2	9 2 —	_1		50 66 31	109 110 119
							302,	303*			30	7*			310	
Causes of death	300-		Sc ph disc (der	hizo- renic orders mentia ecox)	M	anic- ressive ction	Ser psycl	nile	Pres	enile hosis	Other unspe psycl	r and	Psy neu	cho- rotic rders	Hyste react with ment of an	rical ion out ion xiety
Ages at death	M	F	M	F	М	F	M	F	M	F	М	F	M	F	М	F
ll ages	254	51	9 2	.1	23	8 1	8 155	38	1 48	3 71	15	22	2 23	54	6	36
0— 1— 5— 10—		-				-		-				_				
15— 20—	2	· -	1 -	1	1 -		=	_	-	=	1					1
25— 30— 35— 40—	4 4 5	_	-3 7 2	4 3 1	2 3 1	1 -	1 -	_		2 -	1 1		1 -	3 1 5 1		1 1 4
45— 50— 55— 60—	11 22 19	3	5 9 24 60 -	4 5	3 - 5 2 3	1 - 2	1 -		3 14		1 1	2	2	2 5 2 5 3 3 4		4 4 2 2
65— 70—	22 26	3	17 18 -	2	2 -	2	3 7 6 21	1 6	0 10	22		1 4	1	5 8	2	5· 5
75— 80— 85 an over		10	14 -	1	1	1	2 40 57 3 30	10	2 -	1 1	- 3 1	1	3 -	5 4	_	2 4 1
* 2	02 Invest			-landin 5	00 75	. 202 D	aranoia a	nd nor	anoid et	ates 10	80 80 3	5 65 7	75 . 307	Alcohol	ic psych	osis

^{* 302} Involutional melancholia 70, 80 75; 303 Paranoia and paranoid states 40, 80, 80, 85, 65, 75; 307 Alcoholic psychosis 50, 55; 310 Anxiety reaction without mention of somatic symptoms 50, 75, 75, 25, 55, 60, 60, 85.

	312-31	0*	320, 3	21*	322-0	*	322· 323, 3	2,	32	6*						
Causes of death	320-3 Disorde charac behavi and intellig	26 ers of eter, our	322 Alcoho	2	322 Chron	2-1	325, 5 Menideficie	tal	V 330- Disease the ne system sense of	ses of rvous n and	330- Vasc lesic affec cent nerv syst	tular ons ting tral ous	Subarac haemo	chnoid	Cere haemo	bral
Ages at death	М	F	M	F	M	F	M	F	M	F	М	F	М	F	М	P
All ages	87	71	33	15	20	11	50	55	33,593	47,184	30,897	44,253	1,231	1,934	11,493	16,7
0 1 5 10	22 1 2 4	14 8 5					22 1 2 4	14 8 5 1	172 94 52 52	110 62 24 45	13 9 4 13	9 5 6 11	2	3 2 3 6	2 1 —	
15— 20—	4	5	_1		_	_	3 4	5	77 67	39 65	17 22	12 19	15 19	10 12	2 2	
25— 30— 35— 40—	1 2 6 10	1 1 5 5	1 1 1 6	3 3	1 1 5		4 3	1 1 2 2	95 150 224 305	64 137 239 358	45 76 128 200	72	55	15 49 91 105	6 20 62 97	1
45— 50— 55— 60—	9 8 4 1	5 5 6 3	7 7 4 1	2 3 1	5 3 2 1	2 2 —	2 1	3 2 5 2	606 1,158 2,043 2,988	677 1,181 1,862 2,988	477 967 1,824 2,723	512 1,012 1,639 2,749	156 193	186 219 231 243	252 573 961 1,370	1,4
65— 70—	4 3	3	2	2	1	2	2	1 1	4,151 5,773	4,770 7,599	3,878 5,464	4,439 7,186	113 97	219 233	1,793 2,071	2,1
75— 80— 85 and over	1 1	1 1 1		1		1	1	 1 1	6,578 5,539 3,469	10,008 9,445 7,511	6,292 5,356 3,389	9,625 9,184 7,357	58 26 15	177 97 33	2,031 1,452 798	3,4 2,8 1,8
								_								
	1					-										
Causes of death	Cere embo ar throm	bral olism od	3: Othe ill-de vasc lesi affec cen nerv	34 r and fined cular ons	Inflami dise	matory ases ntral ous	Meni exc meni coccal tubero	ngitis ept ngo- and	I	0·0 H. enzae	Pneu coca	mo-	Jude oth speciorgan	to er ified	340 With organ speci as ca	no nism ified
of	Cere embo	bral olism od	3: Othe ill-de vasc lesi affec cen nerv	r and fined cular ons cting tral	Inflami dise of ce nerv	matory ases ntral ous	Meni exc meni coccal	ngitis ept ngo- and	I	Ŧ.	Pneu	mo-	Due oth speci	to er ified	With organ speci	no nism ified
of death	Cere embo ar throm	bral blism ad abosis	Othe ill-de vasc lesi affec cen nerv sys	r and fined cular ons cting tral /ous tem	Inflama dise of ce nerv syst	matory ases ntral ous em	Meni exc meni coccal tubero	ngitis ept ngo- and ulous	influ influ	f. enzae	Pneu coc	mo- cus	Due oth speciorgan	e to her ified hism	With organ speci as ca	n no nism ified nuse
Ages at death	Cere embo ar throm	bral blism and abosis F 21,863	Othe ill-de vasc lesi affec cen nerv sys:	r and fined tular ons etting tral tral toous tem	Inflammedises of cenery system. M 685	rematory ases ntral rous em	Meni exc meni coccal tubero	ngitis ept ngo-and ulous	M 23	F 10	Pneu cocc	rmo- cus	M 42 28 2 1	e to her ified hism	With organ specias ca	n no nism ified tuse
Ages at death All ages 0 5	M 15,341	bral blism and abosis F 21,863	3. Other ill-de vasce lesi affection nervices system. M.	r and fined tular ons etting tral tral toous tem	Inflami disea of ce nerv syst	rematory asses nitral rous rem	Meni exc meni coccal tubero	rigitis ept ngo-and culous	M 23	F 10	M 79 17 4 - 2	F 56	M 28 21 1	to her iffied hism	With organ specias ca	n no nism ified tuse
Ages at death All ages 0-1-5-10-15-	M I5,341	F 21,863	3: Othe ill-de vasc lesi affec cen nerv sys: M 2,831	r and fined cular consting trail (ous tem)	Inflamidisei of cenery system. M 685 94 300 8 12 12 13	rmatory asses ntral ous em F 795 566 299 612 66112	Meni exc meni coccal tuberc	ngitis ept ngo-and ulous	M 23 13 8 8 4	F 10 2 3 - 1	M 79 17 4 - 2	F 566 133 4 1 1 1 1 1 3	Due oth speciorgan M 42 28 2 1 1 1	to her iffied hism	With organ specias cases as ca	n no nismified ause
Ages at death All ages 0	M 15,341 4 3 111	F 21,863 3 1 2 2 7 7 10 20 57 170 4222 4222	3: Othe ill-de vasce lesi affec cen nerv sys: M 2,831	34 r and fined rular ons trial rous F 3,664 12 1 1 2 8 8 12 1 1 1 1 1 1 2 8 8 1 1 1 1	Inflami dise- of ce nerv syst M 685 94 30 8 8 12 12 13 15 28 477 51	ratory ases ntral rous em F 795 566 299 612 6612 173 322 533 79 107 94 88	Meni exe meni coccal tubero	ngitis ept ngo-and ulous	M 23 13 8 8 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	F 10 2 3 - 1	M 79 17 4 4 2 4 4 1 4 2 4 4 1 4 2 4 4 1	F 566 133 44 11 1 1 1 1 1 1 3 3 5 3 2 4 4 4 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	M 42 28 21 1 1 1 2	F 24 18 1 — — — — — — — — — — — — — — — — —	M 36 9 3	n no nism ffied nuse
Ages at death All ages 0	M 15,341 3 2 1 -1 1 26 80 216 6055	F 21,863 3 1 1 2 2 7 100 200 577 1700 422 9355 1,883	33 Othe ill-ded vasca vasca leisi affec cen nerri sys M 2,831 1 1 1 2 2 2 2 2 1 12 2 2 2 1 13 1 3 1	34 r and fined unlar ons trial countries from F 3,664 1 2 1 2 2 1 9 3 9 1066 0 2222	M 685 94 300 12 12 13 15 68 69 38	matory ases ntral oous em F F 7955 66 29 6 122 6 113 32 53 57 79 9 9 8 8 8 70 7 5 5 5	Meni exe meni coccal tubero	ngitis ept ngo-and and ulous	M 23 13 8 8 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	F 10 2 3 3 - 1 1 - 1 1 1 1 1 1 1 1 1 1 1 1 1 1	M 79 17 4 4 2 4 11 4 12 110 3 3	F 566 133 4 4 1 2 2 1 1 1 1 5 5 3 3 2 2 4 6 6	Due oth speciorgan	F 24 18 1 — — — — — — — — — — — — — — — — —	With organ specias case as cas case as	n no nismified ause

^{* 312} Phobic reaction —; 313 Obsessive-compulsive reaction 45, 60; 314 Neurotic-depressive reaction 50, 55, 35, 40, 45, 70, 85; 315 Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system —; 316 Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system 20, 50, 85; 317 Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system 20, 50, 85; 317 Psychoneurosis with somatic symptoms (somatization reaction) affecting other systems 40, 55, 75, 80; 318 Psychoneurosic disorders, other, mixed, and unspecified types 60, 60, 65, 70, 75, 80, 25, 70, 70, 75, 75; 320 Pathological personality —; 321 Immature personality —; 322.0 Alcoholism, acute 25, 40, 45, 50, 50, 57, 0, 35, 50, 55; 322.2 Alcoholism unspecified 15, 45, 50, 50, 50, 55, 50, 55, 60; 324 Primary childhood behaviour disorders —; 326 Other and unspecified character, behaviour, and intelligence disorders —; 333 Spasm of cerebral arteries 60, 75.

85 and

						IAB	LE 1/	con	ımuea							
Causes of death	Phleb and throm phleb of int cran veno sinus	itis l bo- itis ra- ial	Intrecrantian and intrespin absorb	a- ial i a- al	Encepitis, my and enceph myeli (exce acui infecti	hal- elitis l alo- itis ept	Late effort of interest of interest of interest of interest of interest of the control of the co	fects ra- al s or	Multi sclero	ple	Oth dises of cenery syst	ner ases ntral ous	Paral agita	ysis	Cereb spast infant paraly	ral ic ile
Ages at death	М	F	M	F	M	F	М	F	M	F	M	F	M	F	М	F
ll ages	9	12	49	16	60	48	47	34	340	551	1,809	2,005	726	952	61	53
0— 1— 5— 10—	3 1 —	3	4 1 1	1 3	8 4 4 8	5 8 2 5	12 8 2	2		1	34 47 36 24	24 24 11 20			11 14 12 5	12 7 5 6
15— 20—	1	_	1 3	2	4	1	3	1 2	3 2	3	45 26	19 30	market or	_	6 2	4
25— 30— 35— 40—			1 2 2 2 5	1 3 2	2 2 3 1	2 1 2 4	1 2 2	2 1 1 2	7 16 37 41	11 25 44 64	29 33 44 48	20 32 30 34	1 1 5		1 1	1 1 3
45— 50— 55— 60—		- <u>1</u> - 1 1	6 5 3 8		1 4 6 2	4 3 4	2 2 4 3	1 4 —	48 58 38 41	92 89 72 59	57 98 138 174	51 69 128 159	6 16 39 74	2 9 36 76	12	1 2 2 2
65— 70—	_1	_1	3 4	3	4 2	4 1	1	2	24 13	38 28	218 260	263 357	115 152	146 230	1	1 1
75— 80— 85 and	<u>-</u>	2 2 1			1	1	1		8 3 1	10 4 2	259 171 68	350 241 143	166 111 40	233 147 71	2	1 3
over								Į.								
		•														
			353 353.2 353.0			354						256				
	35 Otl cere para	52 her bral		53	353 Sta epilep	tus	353·0; Oth inclu under	ers ded	354 35 Oth disease bra	is ner ses of	neu disea mus	356 otor irone se and scular ophy	Progr	6-0 ressive cular ophy	356 Amyot: later	rophic ral
Causes	35 Otl	52 her bral	35	53	Sta	tus	Oth inclu	ers ded	35 Oth diseas	is ner ses of	neu disea mus	otor irone se and scular	Progr	essive cular	Amyot: late	rophic ral
Causes of death	35 Otl cere para	ner bral lysis	35 Epile	53 epsy	Sta epilep M	tus ticus F	Oth incluunder	ers ded 353	Oth disease bra	ner es of in F	M neu disea mus atr	otor arone se and scular ophy F	Programus atro	essive cular ophy	Amyoti later sclere	rophic ral osis
Causes of death	35 Otl cere para	ner bral lysis	35 Epile	F 280	Sta epilep M 136	F 115	Oth incluunder M 210	ers ded 353 F	35 Oth disease bra M	F 121	M neu disea mus atr	otor arone se and scular ophy F 260	Progr mus atro	ressive cular ophy	Amyota later sclere	rophic ral ossis
Causes of death Ages at death All ages	35 Otl cere para	52 her bral lysis F 301	35 Epile M 346 - 10 - 26 - 22	F 280 4 14 5 14	Sta epilep M 136 8 19 14 6	F 115	M 210 2 7 8 8 8 18	ers ded 353 F	35 Oth diseas bra M 96 5 77 11 4	F 121	M net disea mus atr	otor arone se and scular ophy F 260	Programus atro	F 147	Amyota later sclere	rophic ral ossis
Causes of death Ages at death All ages 0-1-5-10-15	35 Ottl cere para	52 her bral lysis F 301	35 Epile M 346 10 26 22 14	F 280 4 14 10 25	Star epilep M 136 8 19 14 6 14 8 9 4	## Tits F	Oth included M 210 27 7 8 8 8 16 16 5 20 19 9 20	ers ded : 353 F 165 1 1 6 1 5 1 1 1 1 1 5 1 1 3	35 Oth diseas bra M 96 57 11 22	F 121	M net disea mus atr	rone rone rone rone rone rone rone rone	M 187	F 147	M 47	rophic ral ossis
Causes of death Ages at death All ages 1— 5— 10— 25— 30— 25— 35—	M 232	F 301	35 Epile M 346 10 26 22 14	F 280 4 14 5 14 23 16 25 26 21 26 26 26 26 26 26 26 26 26 26 26 26 26	Sta epilep M 136 8 19 14 8 14 8 15 15 15	F 115 38 84 77 44 100 44 100 44 100 100 100 100 100 10	Oth inclusion of the in	ers ded 353 F 165 11 17 66 15 13 12 12 14	35 Oth diseas bra M 96 57 71 14 2 2 4 4 2	F 121 3 2 2 3 3 2 2 5 5 1 1 5 1 1 5 1	M 300 8 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	ricone se and icular opphy F 3 260 3 5 4	M 187 1 2 - 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	F 147	Amyoti late: sclere M 47	rophic ral posis F 40
Over Causes of death Ages at death All ages 1 - 5 - 10 - 25 - 30 - 35 - 40 - 45 - 55 - 55 - 55 - 55 - 55 - 5	M 232	F 301	35 Epile 346 - 26 - 22 - 14 - 24 - 24 - 24 - 24 - 24 - 25 - 25 - 25 - 25 - 25 - 25 - 25 - 25	F 280 4 14 5 14 10 25 16 26 21 15 14 15 15 16 16 16 16 16 16 16 16 16 16 16 16 16	Sta epilep M 136 8 19 144 6 144 5 5 6 15 6 15 6 7 8 8 8 8 8 8 8 8 8 8 8 8	F 115 38 44 77 74 100 100 100 100 100 100 100 100 100 10	Oth inclusion of the in	F 1655 11 155 131 12 12 14 15 15 15 15 15 15 15 15 15 15 15 15 15	35 Oth diseas bra M 96 57 11 4 2 2 2 2 2 5 12 6 13	F 121 2 2 2 3 3 2 2 5 5 15 1 14 1 15 1 15 1	M 300 300 300 300 300 300 300 300 300 30	otor urone se and cular ophy F	M 187 1 2 2 1 1 5 5 5 11 17 322 333	F 147 — 147	Amyoti later sclere M	F 40 — — — — — — — — — — — — — — — — — —

^{80— 42 68 5} 85 and 23 57 — ever * 354 Migraine 40, 40, 55.

															-
						360-3	363*	36:	5*	367-3	369*	370-3	379*	380-3	84*
Oth inclu	ers ded	Oth disea of sp	ner ases oinal	Dise of ne an periph	ases rves d heral	Po neu	ly- ritis poly-	Other unspe form neura	and cified is of algia	Inflamr disea	natory	Oth dises an condi	ner ases d tions		
M	F	M	F	M	F	M	F	M	F	M	F	М	F	M	F
74	73	40	35	36	35	22	19	10	9	2	3	26	36	15	2
7 1	5	-	1	1	1 3 1	<u></u>	1 1	_	1	1	=	1	1	=	
_1	=	_1	2 2	1	_	1	=	_	=	_	=	=	_1	_	-
1 -3 2		1 2 4 5	1 1 3 1	1 1 1 1	1 2	1 1 1 1	1	, =		1		1 1	<u>-</u>	1 =	-
1 10 18 15	2 6 12 13	2 5 4 5	1 4 5 5	2 5 2 6	1 2 2 3	2 3 2 2	1 2 2 2	$\frac{2}{3}$			1		2 1 2		-
6 7	13 10	3 5	4 2	6 4	6 4	3	4	_3	2 3	_		1 6	4 7	1 5	
	6 3	1 1	1/2	3 1	6 2 1	1	3		1		1 —	6 6	7 6 4	5 2	
	Oth inclu under M 74 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	74 73 7 5 1 — 1 — 1 — 2 2 10 6 18 12 15 13 6 13 7 10 2 6 3	Others included under 356 of sp co M F M 74 73 40 7 5	Others included under 356 Other diseases of spinal cord M F M F 74 73 40 35 7 5 — — 1 — — — 1 — — — 1 — — — 1 — — — 2 2 5 1 1 2 2 5 1 2 2 4 18 12 4 5 15 13 5 5 6 13 3 4 7 10 5 2 2 6 1 1 2 6 1 1 2 6 1 1	Others included under 356 Other diseases of spinal cord Dise of ne an periping and periping and periping and cord M F M F M 74 73 40 35 36 7 5 — — 1 — 1 — — 1 — — 1 — — 1 — — 1 —	Others included under 356 Other diseases of spinal cord Diseases of nerves and peripheral ganglia M F M F M F 74 73 40 35 36 35 7 5 — — 1 — 3 — — 1 1 — — 3 —	356·2; 3	Others included under 356 Other diseases of spinal cord Diseases of nerves and peripheral ganglia Polyneuritis and polyradiculitis M F M	356·2; 3	356·2; 3	356·2; 3	356·2; 3	356-2; 3	356·2; 3	356-2; 3

Causes of death	386-3 390- Diseas ear a mast proof	398 ses of and toid	390 Otitis with menti- masto	media out on of	39 Otitis i wii masto	media th	39 Masto with mentio otitis 1	oiditis out on of	394-3 V 400- Dise of circul syst	II 468 ases the atory		-402 matic	40 Rheu fever he involv	natic with	401 Act rheun perica	ive natic
Ages at death	M	F	М	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	138	57	109	45	11	4	17	5	96,306	95,526	63	63	57	47	21	2
0— 1— 5— 10—	29 7 3 3	20	7 3	20 	_ 	=	1		13 10 9 17	7	1 5 3	3 1 1 9	1 5 2	2 1 1 7	=	-
15— 20—	3 5	_1	1 2	_	2 1	_1		_	45 96	33 78	8 7	5 2	7 7	3		-
25— 30— 35— 40—	3 12 3 5	3 1 5	3 9 2 5	2 1 3		<u>1</u>	1 1		125 302 830 1,262	190 380	1 1 3 3	1 1 2 1	- 1 - 3 3	1 1 2 —		-
45— 50— 55— 60—	7 12 10 13	3 4 4 5	6 10 6 9	3 2 2 5	- 1 1		1 1 3 3		2,747 5,173 8,275 10,084	1,026 1,809 3,170 5,545	3 3 2 4	4 3 7	3 2 2 4	3 2 5	1 2 3	4
65— 70—	10 9	4 2	8 6	3 2		_	2	_1		9,291 14,495	8 4	9	8	7 1	5	
75— 80— 85 and over	3 1	1 1 1	3 _	1 			1		13,462	19,684 19,591 19,547	5 2 —	5 5 3	4 2 —	3 4 3	4	

^{* 360} Facial paralysis 85; 361 Trigeminal neuralgia 70, 60, 75, 80, 80; 362 Brachial neuritis—; 363 Sciatica—; 365 Erythroedema polyneuritica 0, 1; 367 Other diseases of cranial nerves 0; 368 Other diseases of peripheral nerves except autonomic 60, 35; 369 Diseases of peripheral autonomic nervous system—; 370 Conjunctivitis and ophthalmia 25; 371 Blepharitis—; 372 Hordeolum (stye) 0; 373 Iritis—; 374 Kertatitis—; 375 Choroiditis—; 376 Other inflammation of optic nerve and retina 45, 70, 75; 378 Inflammation of lachrymal glands and ducts—; 379 Other inflammatory diseases of eye—; 380 Refractive errors—; 381 Concal ulcer 60: 382 Corneal obacity—; 383 Pterygium—; 384 Strabismus 1, 15, 45; 386 Detachment of retina 60, 70, 55, 80; 337 Glaucoma 60, 75, 85, 85, 65, 70, 75, 75, 75; 388 Other diseases of eye 35, 60, 40, 45, 85; 389 Blindness 85, 85; 390 Otitis externa 55; 394 Other inflammatory diseases of ear—; 395 Mehière's disease—; 396 Other diseases of ear and mastoid process 80, 85; 397 Deaf mutism—; 398 Other deafness 10; 400 Rheumatic fever without mention of heart involvement 15, 0, 10, 15, 55.

auses of leath	Acti rheum endoca	ve atic	401 Acti rheum myoca	ve natic rditis	401 Actir rheum fever v other multi types of involve	ve latic with and ple heart	402 Chor		Without the west of her involves	out on art	402·1 410·4 Chrorrheum hear	nic atic	Disea of mi valv	ises tral	Disea of ao valv specifie rheum	ses rtic e ed as
ges at leath	м	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ll ages	19	5	4	2	13	12	5	12	2	8	2,482	4,589	1,551	3,381	313	172
0— 1— 5— 10—	1 1 2	1 - 1	=		4 	1 1 3		1		1	4					=
15— 20—	4 4	1: 1	2	_	1 2	2		1 1		1	16 30	8 38	9 12	5 23	2	1
25— 30— 35— 40—	_ _ 1 1			=	1 1 1	1 1	1	<u>-</u>	1	1	41 74 164 147	58 102 201 236	20 44 101 87	38 75 150 174	4 6 19 17	4 1 4 6
45— 50— 55— 60—	1 1 1		1		<u>1</u> 	_ _ _	1	$\frac{1}{2}$		1 1	238 275 338 307	403 497 541 564	145 178 225 201	309 372 410 422	41 42 41 34	8 13 17 19
65— 70—	1		_	_	_2		1	2		2	285 245	530 504	175 141	380 347	40 30	26 28
75— 80— 85 and		1	_	=	_		1	2 1		1	173 101 44	438 286 183	116 66 30	316 215 145	15 15 5	25 10 10
Causes of death	Dise o tricu val	ases f spid	41 Otlendocs spec a rheur	14 her arditis ified s	41 Oth myoca speci a: rheun	ner orditis ified s	41 Oth hea dise speci	er art ase fied	420- Arte scler- an degene heart d	rio- otic d rative	Arte scler heart d inclu coror dise	rio- otic isease, ding nary	420 Arte scler heart of s descr	erio- rotic disease o	420 Hea dise specifi invol coror arte	art ase ed as ving nary
Ages at death	М	F	M	F	М	F	M	F	M	F	M	F	M	F	M	F
All ages	4	11	163	277	62	93	389				52 193	20.720	406	408	51,576	32,059
0 <u>—</u> 1—							307	655	72,700	64,224	,,,,,,	32,129	700	470		,
5— 10—	=		1				- - 1	655	72,700 4 — 5	64,224 — 1 2 —	2	31,129 — —	— — —		2	
		-	1 3	_		- - 1		655 ———————————————————————————————————	4			2 2			2 - - 2 6	_ _ _ 2 2
10—			3 9	3	1		1 1 7	=	4 — 5 5 11 52 153 509	- 1 2 - 4	2 - - 2 6 39 138 476				_	same
10— 15— 20— 25— 30— 35—		_	3 9	3 3 15 16 2 2 2 2 2 2 2 2 2	1 1 3 - 3 - 3 5 5 5 7 5 5 7	1 1 2 1 1	1 1 7 13 15 35 26 34 44 43	3 10 11 16 31	4 — 5 5 11 52 153 509 908 2,110 4,148 6,534	4 8 13 32 74	2 ————————————————————————————————————	2 2 2 2 8 25 50 126 310 7066 1,509		11 3 3 5	2 6 39 138 476 851 2,015 3,915 6,058	2 2 2 2 2 8 25 50 126 309 701 1,498 2,795
10— 15— 20— 25— 30— 35— 40— 45— 50— 55—	-		3 9 1 1 3 6 9 - 13	3 2 2 2 2 2 2 2 2 3 3 5 3 3 5 3 3 5 3 3 5 3 3 5 3 3 5 5 3 3 5 5 3 5	1 1 3 3 5 5 7 5 7 5 7 7 5 7 5 7 7 5 7 7 5 7	1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 7 13 15 35 26 34 41 43 48	3 10 11 16 31 39 56 69	4 ————————————————————————————————————	1 2 4 8 13 32 74 159 368 831 1,781 3,487 6,187	2 	2 2 2 2 8 25 50 126 310 706 1,509 2,831 4,746		1 1 3 5 5 22 44	2 6 39 138 476 851 2,015 3,915 6,058 7,156	2 2 2 2 2 8 25 50 126 309 701 1,498 2,795

^{*402·1} With heart involvement 10, 50, 75, 15, 60, 75, 80; 413 Diseases of pulmonary valve specified as rheumatic —.

Causes of death	420 Ang pecte with ment	ina oris out ion	Chro endoca not spe	onic orditis ecified	of m	itral ve, fied	of activation valvanot special	rtic ve,	421·2 421 Other ill-def	and ined,	Otl myoca degene	ner ardial	422 Fai degene	ty	Wi arte scler	ith rio-
	of core		rheun		as n		rheun		rheur							
Ages at death	М	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	211	172	1,506	1,520	103	217	1,137	910	262	391	19,001	29,975	66	128	8,899	13,4
0— 1— 5— 10—		_			_		<u>-</u>	_			2 - 3	1 2			_	
15— 20—	_	_	1 3	1			1 3	1	_		2 2	2 5	_1	1	_	
25— 30— 35— 40—			10 12 20 36	2 2 11 9			6 10 15 30	1 6 5	3 2 5 4	1 1 5 3	3 3 13 19	3 5 13 24	1 2	1 3		
45— 50— 55— 60—	2 3 20 22		55 95 174 192	25 40 70 121	1 4 1 11	2 4 7	42 78 143 154	13 22 39 81	12 13 30 26	12 16 27 33	38 132 273 589	33 85 202 535	4 6 2 13	2 10 11 9	7 40 89 251	23
65— 70—	37 45	21 33	228 255	214 240	23 24	37 38	160 184	137 139	44 46	40 62	1,228 2,624	1,227 2,984	12 10	27 26	591 1,289	56 1,43
75— 80— 85 and over	43 26 13	44 30 22	214 133 76	334 264 187	14 13 10	64 40 24	161 94 55	184 164 118	39 26 11	86 60 45	4,223 5,022 4,825	5,963 8,145 10,746	10 3 2	18 12 8	2,107 2,392 2,129	2,89 3,71 4,51
	422	.2	430-	434	43	0	430	0.0	430)-1	43	1	43	2	43	3
Causes of death	Oth disea inclu under	ases ded	Oth disea o hea	ases f	Act an suba endoca	d	Acute subac bacte endoca	cute	Oth acu endoca	ite	Act myoca not spe a rheur	rditis ecified s	Act perica speci as n rheun	rditis fied on-	Funct dise of he	ase
Ages at death	м	F	M	F	М	F	M	F/	M	F	М	F	M	F	M	F
All ages	10,036	16,407	5,644	7,120	196	112	193	111	3	ı	74	70	5	11	1,927	3,20
0— 1— 5— 10—	2 - 3	1 2	· 7 5 2 1	9 4 4 8	1 1		1 1				2 1 —	1 1 3	=	1	1	1.0- To 5.
15— 20—	1 2	2	10 18	7 11	3 7	3	3 7	3		=	3 7	2	_	_	-1	1000
25— 30— 35— 40—	3 3 10 15	3 4 12 21	14 20 47 52	12 17 38 30	8 11 23 10	4 7 10 2	8 11 23 10	4 7 10 2			3 3 4 4	1 2 6 5		<u>1</u>	47	4
45— 50— 55— 60—	27 86 182 325	24 54 136 289	85 169 371 445	64 123 234 408	18 25 28 14	7 11 11 16	18 24 28 13	7 11 11 16	1	=	2 3 11 6	2 3 2 7	1 1	1 1	7 28 84 122	13
65— 70—	625 1,325	639 1,526	691 1,007	671 1,153	17 18	10 8	17 18	10 7		1	5 11	6 11		3 3	216 370	28 54
75— 80— 85 and	2,106 2,627 2,694	3,048 4,422 6,220	1,128 971 601	1,525 1,534 1,268	9 1 2	9 4 3	8 1 2	9 4 3	1	_	, 1 3	5 5 7		1	433 409 245	76 77 62
over	, , , ,		1				aatic 70				I					

^{* 421.2} Of tricuspid valve, specified as non-rheumatic 70; 421.3 Of pulmonary valve, not specified as rheumatic 25, 60, 65, 70, 25.

	434	4	434	0	434	1	434-	2	434.3	; 4	440-4	143	44	10	441	
auses of eath	Othe and unspec disea of he	d cified ses	Kyph scolic hear disea	rt e	Conge hear failu	rt	Lef ventric failu	ular	Othe inclu- under	ded	Hyperto hea disea	rt	Esser ben hypert hea dise	ign ensive art	Essent malign hyperte hear disea	ant ensive rt
ges at eath	М	F	M	F	M	F	М	F	M	F	М	F	M	F	М	F
l ages	3,442	3,659	24	48	2,379	2,912	411	373	628	326	4,656	6,719	95	122	94	67
0— 1— 5— 10—	5 2 1 1	8 2 2 4		-	4	5 2 ———————————————————————————————————		, <u> </u>	1 2 1 1	1 2			_			
15— 20—	4 3	1 3	_1			1	1	_	2 2	1 2			_	_	2	=
25— 30— 35— 40—	3 6 16 31	6 5 18 16	3	2 1 2	2 3 10	$\frac{1}{12}$	1 2 1	1 1 2 2	3 3 8 19	4 2 3 6	2 4 15 26	5 11 15		1	2 3 3 9	5
45— 50— 55— 60—	58 113 247 302	40 72 135 249	1 4 4 1	4 3 4 7	24 50 123 159	18 40 90 186	5 13 30 47	1 12 13 24	28 46 90 95	17 17 28 32	361	38 92 213 445	3 4 7 10	· 1	7 16 22 17	4 8 11 10
65— 70—	453 606	372 591	2 5	. 7 6	288 431	279 461	48 75	46 64	115 95	40 60		836 1,268	16 21	17 22	10	8
75— 80— 85 and over	681 559 351	746 755 634	2	4 3 4	526 457 302	619 647 544	84 66 37	72 71 63	69 36 12	51 34 23	926 691 357	1,635 1,293 868	15 14 5	36 23 14	. =	7 4 1
											1		1			
`	44	12	44	13	444-	447	44	4	44	15	44		44	l7 her	450-4	456
Causes of death	Hypert heart o wi arter nepl sclei	lisease th iolar hro-	Other unspe hypert hea dise	cified ensive art	Otl hypert dise	ensive	Esser beni hyperte	ign	Esse malig hypert	nant	arter nep	tension th iolar hro- rosis	hypert dise with menti	ensive ease nout ion of art	Disea of arter	f
ges at death	M	F	M	F	M	F	М	F	M	F	M	F	M	F	М	F
ll ages	98	107	4,369	6,423	3,269	3,555	2,166	2,784			377	391	2		6,208	7,368
0— 1—				_	1	_			1	_					3	
5— 10—	=	_	_	=	1			_		. =	-	_	-	-	3	4
15— 20—		_	_		13		1	1	12		2 1 7 —		-	_	8	8
25— 30— 35— 40—		1	- 12	4 6	34 57 83	24	13		27 41 68	1	9 3	3			6 11 21 27	10 13 16 18
45	2	2	55 124 328	31 83	144 232 316	117	157	113	127 140	5-	4 19) (7 -		54 118 207 345	32 72 110 193
50— 55— 60—	4 4 8	2 1 3 6	328 443	196 424	373	255	239	189	114	4	3 20		1		1	
50 55	13 13	3 6	673	8 424	373	255	300		50	4	6 32	3:		_	587 917	380 851

TABLE 17-continued

						TA	BLE 1	Icoi	nnuec	1						
Causes of death	Gene arter sclere	eral	With men o gang	out tion f	450 Wi ment of gan as conseq	th tion grene a	Aor aneur non-syp an dissec	tic ysm, philitic d ting	Oth aneur excep heart aou	ner ysm, ot of and	Perip	oheral cular case	Rayn dise	aud's	Thro ang oblite	mbo iitis
Ages at death	M	F	M	F	M	F	М	F	M	F	M	F	M	F	M	F
All ages	4,578	6,130	4,082	5,611	496	519	1,310	946	79	47	62	25	1	7	32	
0— 1— 5— 10—		_	_		=	_	<u>-</u>		_ _ 1		_	=	Wangara Wallanda		=	
15— 20—	_1	_	_1	_		_	1 4		_	-1	_		_	_	_	
25— 30— 35— 40—	3 2 6		- 3 2 6			_	1 4 6 12	- 3 2 3	1 3 1	4 2 3 2	$\frac{1}{\frac{1}{2}}$	=	=		1 1 2	
45— 50— 55— 60—	5 27 58 129	1 7 37 92	5 24 50 113	1 6 36 84	3 8 16	1 1 8	26 57 113 183	14 37 50 83	5 6 9	2 5 5 2	2 6 8 5	1 1 1	_	=	2 4 4 2	
65— 70—	290 614	235 648	258 531	218 606	32 83	17 42	261 261	117 172	5 14	10 1	10 7	3 4		1 3	4 5	
75— 80— 85 and	1,071 1,276 1,096	1,215 1,702 2,191	958 1,129 1,002	1,110 1,541 2,007	113 147 94	105 161 184	211 116 53	216 152 96	12 5 8	5 4 1	9 6 5	8 5 2	_1		4 1 2	
over				-,		10.	55	90	8	^	اد	4		1		
over				-,		101	33		-	1	3	4		1		
Causes of death	453-2 Other included under	ers ded	Arte embo an throm	4 rial lism	45 Gang of unspec cau	rene f	45 Oth disea of arter	6 er ses	460- Dise of ve and o diseas circula syst	468 ases eins other es of atory	40 Vari	cose s of	Haen hoi	51	Vario veir of ot speci site	ose ns her fied
Causes of death	Other included under	ers ded 453	Arte embo an throm	4 rial lism d bosis	Gang of unspec cau	5 rene f cified se	45 Oth disea of arter	6 er sses	460- Disse of ve and o diseas circula syst	468 asses bither es of atory em	Vari vein lov extrem	cose is of ver mities	Haen ho	norr-ids	46 Varice vein of ot speci site	ose ns her fied
Causes of death Ages at death All ages 0-1-5-10-15-20-25-30-35-40-45-50-50-5	M 29	ers ded 453	Arte embo an throm	4 rial lism d bosis F 577	Gang of unspec cau	F 22	45 Oth disease of arter M 135 -2 -1 1 4 4 4 3 3 9 6 6 18	6 er (sees)	460-Dise of wand of disease circular systems M	468 ases sins wither es of atory em F 1,888 4	M 61	cose is of wer mittes F 168	M 16	F 11	466 Varievein of ot species site M 20	cose ns her fied es
Causes of death Ages at death All ages 0-1-5-10-15-20-25-30-35-40-45-	Other included under	ers ded 453	Arte embo an throm	4 rial lism d bosis F 57	Gang of unspec cau	5 rene f cified se	45 Oth disea of arter M 135 -2 -1 1 4 4 3 9 6 16	6 er sses sies F 141 — 33 77 66 81 11	460-Dise of ve and c diseas circular syst M 1,284 1 1 1 1 7 7 7 3 3 5 14 16 6 46 46	468 ases sins other es of atory em F 1,888 4 3 3 3 9 11 14 26	Varivein lov extrei	cose is of wer mittes	M 16	F II	46 Varice vein of ot speci site	cose ns her fied es

TABLE 17—continued

						IAI	BLE I		riinued	•						
auses of eath	Phlebi and throm phlebi of low extrem	tis bo- tis ver	Phleb and throm phleb of otl	itis l bo- itis her	Pulmor embol and infarct	nary ism	Other venor emboling and thromb	er us ism	Oth disea of circular syst	ner nses f atory	468 Certa diseas of lymp nodes lymp chann	in ses ph and h	VII 470-5 Disea of th respira syste	ses ne tory	Acut uppe respiratinfection	e er tory
ges at leath	м	F	М	F	м	F	м	F	M	F	М	F	M	F	M	F
ages	138	256	15	25	630	723	371	647	24	25	9	9	40,756		57	62
0— 1— 5— 10—					1	1	1	_	. =		1 1	3	1,136 316 98 57	888 262 66 72	7 18 4 3	11 10 3
15— 20—	1	2		_	1	2	3	1	1	_	_	_	81 86	72 81	1	1
25— 30— 35— 40—		1 1 1 3	1	1 1 1	3 2 3 6	3 6 8 7	5 5	4 1 3 9	1	_			91 135 233 382	94 118 179 266	1 4 2	3
45— 50— 55— 60—	4 8 13 22	8 15 22 29	1 1 5 1	3 3	18 36 68 77	14 32 41 70	19 25 41 38	21 15 29 70	1 5 2	1 1 1	1 1		851 1,796 3,364 4,659	385 578 977 1,642	1 1	2 1 1 3
65— 70—	20 23	48 38	3	3	100 129	95 134	49 63	78 120	. 3 4	6 2	1 2	1	5,813 6,847	2,599 3,870	5	1 4
75— 80— 85 and over	20 11 8	46 24 18		6 2 2	99 61 26	150 100 60	71 33 18	98 105 92	2 1 4	6 6 3		1 2	6,596 4,776 3,439	4,986 5,078 5,583	4 1 4	7 4 11
,					1		1		1				ı			
Causes of death	Ac na phary (con	ute so- rngitis imon ld)	Ac Ac	71* 72 cute yngitis	Ac	73 cute cillitis	Acr laryn ar trach	ute igitis	Acute respi infec mult unsp	e upper iratory tion of iple or ecified ites		-483 nenza	Influ	80 ienza ith monia	48 Influe with o respira manife an influe unqua	enza other otory est'ns d enza
Ages at death	М	F	M	F	М	F	M	F	М	F	M	F	M	F	М	F
Il ages	4		4 1	1 1	3 12	2 10	i	2	ì	-			1	1	1,280	1,408
0— 1— 5— 10—	-2	-	-	1 2	11	3 -	2 1 1 2	_	6 2	2 3	37 21 18 12	32 17 8 25	26 7 14 8 11 5 11	14	6	5 1 1 3
15— 20—	_	-		1 -		_	1 -	-			- 29 25	22	2 20 5 18		8 7	1
25— 30— 35— 40—		-	-	1 -	1 -	3 -	1	_	1 -	1 -	21 39 42 63	32	5 36	21 23 46	15	4 5 9 12
45— 50— 55— 60—	=	-		1 -	1 -	-	1 -	_	1 -		113 186 314 414	16	3 139 3 221	67 1 121 1 181	120	42 70
65 70	-	-	-	1 -		1 -	2 3		1 -	_	542 1 643		362 3 418			145 210
75— 80— 85 at		1	1 -	2	3 -	1 -	$-\frac{2}{1}$		4 -		556 1 469 2 354	64	8 30:	5 377	203 162 159	269 269 312

^{* 471} Acute sinusitis 35, 50.

						TAE	BLE 17	con	tinued							
Causes of death	Influe with digest manifes but wit respira sympt	nza h ive st'ns, hout tory	48. Influe with ne manife but widiges on respira	enza rvous st'ns, thout tive	490-4		Lob pneum	ar	Bron pneur	cho-	Prim atyp pneum	nary ical	Pneum other unspec	ionia, and	500-	
Ages at death	M	F	М	F	M	F	M	· F	M	F	М	F	М	F	M	F
All ages	8	16	5	7	13,203		1,778	1,412		11,214	133	119	664	642	20,193	
0— 1— 5— 10—	1 -	1	$\frac{2}{1}$		835 206 43 28	637 176 36 34	30 11 3 6	23 10 4 3	730 176 37 18	549 147 29 26	32 7 2 1	25 8 1	43 12 1 3	40 11 2 · 5	218 56 15 7	17
15— 20—	_		_1	1	33 41	33 39	2 10	6	25 25	19 25	3 2	2 3	3 4	6 2	8 7	
25— 30— 35— 40—			_	1	49 54 84 133	40 56 78 108	7 16 20 42	8 10 16 26	36 31 55 85	28 34 50 73	3 3 6 —	2 8 4 5	3 4 3 4 6	2 4 8 4	9 26 49 116	3
45— 50— 55— 60—	1 1			1	219 468 707 998	138 219 358 591	59 120 184 199	25 48 70 94	134 306 463 718	100 155 257 454	6 8 11 9	2 5 7 7	20 34 49 72	11 11 24 36	379 924 1,912 2,751	11 18 35 65
65— 70—		1		1	1,305 1,900	1,052 1,698	240 252	162 193	1,003 1,555	827 1,430	10 9	4	52 84	59 71	3,423 3,758	90 1,42
75— 80— 85 and over	1 1	5 2 7	_1		2,334 2,072 1,694	2,382 2,670 3,042	249 204 124	245 229 231	1,971 1,770 1,490	2,019 2,327 2,665	14 4 3	10 6 16		108 108 130	3,312 2,000 1,223	1,70 1,58 1,51
	50	0	50	1	50)2	502	·0	502	2·1	510-	527	51	0.	5:	11
Causes of death	Acu bronc		Brond unqua		Chro	onic chitis	Bronc wit emphy	h	Otl	her	Oth disea of respira syst	ises f itory	Hypert of to an aden	nsils d	tons	eri- sillar scess insy)
Ages at death	М	F	М	F	M	F	М	F	M	F	M	F	М	F	М	F
All ages	1,487	1,577	917	932	17,789	6,349	9,223	1,845	8,566	4,504	3,405	1,525	13	8	5	
0— 1— 5— 10—	172 41 9 4	131 31 5 2	41 12 5 2	30 10 2	3	10 1 2 1	-		5 3 1 1	10 1 2	39 15 18 7	35 17 10 10	2 10 1	1 6	_	100
15— 20—	3 6	1 3	3	1 2		2 4		1 1		1 3	11 12	12 8	-		1	
25— 30— 35— 40—	1 5 6 17	4 5 7 8	8 4		21	2 11 19 45	4 9 21 53	1 5 8 22	3 12 14 42	1 6 11 23	12 15 54 68	13 19 36 37				
45— 50— 55— 60—	31 41 74 107	17 24 43 74	14 27 47 79	11 15 29 48	856 1.791	285	1,114	32 53 118 214	135 328 677 987	53 97 167 321	139 217 431 495	56 71 98 140				
65— 70—	160 192	103 188	117 134	56 119	3,146 3,432	803 1,113	1,790 1,747	273 368	1,356 1,685	530 745	543 541	158 175	_		2	
75— 80— 85 and	245 190 183	276 285 370	140		1,670	1,237 1,119 925	1,289 603 288	336 234 178	1,610 1,067 638	901 885 747	390 234 164	174 176 280				-

						IAB	LE I/	—con	iinuea							
auses of eath	512 • 513 Chro sinus	nic	514, 515 517 Oth disea of up respira trac	er ses per itory	518 Empye		519 Pleuri		Spontar pneur thor	neous no-	521 Absc of lun	ess	Pulmo conges and hypos	nary stion	523 Pneum conios due t silica a silicat (occur tiona	sis o nd es oa-
ges at death	М	F	М	F	М	F	M	F	M	F	М	F	M	F	М	F
ll ages	31	18	22	14	73	38	27	27	5	1	39	22	195	382	637	9
0— 1— 5— 10—		1	4	1 4 1	1	9	1	1 		_	1	1 -	1			
15— 20—	3 1	2		_	1	1	_	_				-	_			_
25— 30— 35— 40—	1 3 2 3	- 3	1	1 -1	$-\frac{1}{1}$			1	1 - 1	-		1 - 1		<u></u>	1 1	
45— 50— 55— 60—	3 1 2 6	1 1 2	$\begin{bmatrix} 1 \\ 1 \\ 1 \end{bmatrix}$	12	3 6 15 10	2 1 4 3	1 5 4	1 1 2	2		1 3 3 4	2 2 2 6	1 1		24 38 94 109	1 2 1 3
65— 70—			3	1	10 10	4	5 2	-3	1		6 5	2 1	2 14	5 17	118 115	2
75— 80— 85 and over	1	_	1 1		4 3 4	3	3 3 2	6	5		7 2 4	1 1 1	35 57 84	57 85 215	95 33 9	=
									1				1		lı .	
Causes of death	52 Oth specif pneur conic an pulmo fibros occupa orig	er ned mo- osis d onary is of tional	Oth chro inters pneum	ner onic titial	Bron ecta	chi-	Oth disea of lu and pleu cavi	er ses ing d	Pulmo colla (1 yea ove	onary ipse r and	Emphy with mentic bronce	sema out on of		7·2	Dise of t diges syst	ases the stive
Ages at death	M	F	М	F	M	F	М	F	M	F	М	F	M	F	М	F
ll ages	25	7	169	114	1,133	586	1,027	292		, 6		223	77			
0— 1— 5— 10—		-	5	3 1 1 1	3 5 4 2	3 1 8	26 3 1 1	19		1	7	5	19 3 1			87 29 23
15— 20—	_	_		_	4 6	6 2	3 2	3	1 1		2	2 1	2	2 2	31	17 32
25— 30— 35— 40—	=	=	4 2	1 3 6		7 12 26 20	2 2 12 19	. ;	3 1 7 5		2 2 10 16	3 6 5	2	1 1 2 1 1 2 -	41 60 119 187	63
45— 50— 55— 60—	1 4 5		8 1 14 1 17 2 25	7 3 10 24	1	30 43 59	61 159	10 11 11 22	8 1	. 1	23 55 1 154 1 144	12 11	4	5 5	290 481 730 863	280 411 609
65— 70—	4 8		1 24 2 31		ž.	95 83	186 176		1 1		175 167	27 38	10	8	1,010	849 1,092
75— 80— 85 and	2		24 - 12 - 1	16	1	56	98	3 3 2	4 1 3 1 7 1		94 55 1 32	30 27 24	7	3 5	1,042 807 406	1,011

^{* 512} Chronic pharyngitis and nasopharyngitis 0, 5, 45; 514 Deflected nasal septum 30; 515 Nasal polyp 60, 80; 516 Chronic laryngitis 60.

TABLE 17—continued

Sample S										-							
Diseases of bleases of bleases of surface				530,	531*			534, 535	, 536*	53	8*						
Diseases of cavity of buccal cavity of buccal cavity of supporting supporti		530-5	39	53	2	53:	3			53	39	540-	545	54	0	540-	0
Description Company	of			inflamr	natory	of		Disea	ises							With	out
Ages at death M F M	death			diseas	es of			saliva	ary			stom	ach			of	1
All ages 97 150 3 1 - 1 22 74 55 64 3,232 1,576 1,455 959 1,102		and	d	struct	tures	and to	ooth ment	glan	ds							perfora	tio
All ages 97 150 3 1 - 1 22 74 55 64 3,232 1,576 1,455 959 1,102 0				24	77	24	F7	M	E	M	127	M	E	M	F	M	F
0- 3						IVI											-
15	0		4		_	_	1	_				1	6		4		
15_ 2	5—	1	1									2	2			-	
25	15		_	1								1	2		1		
30	20-			_											2		
Ages at death M F M	30—	1	1 2						_	_	1	18 42	8 7	10 14	3		
Signature Sign	40	2				_			_	-		73		29	9		
Causes of the perforation	50	5	4			_		_	1	1 3	2	128 186 357	57	79	30 46	61	
The first color The first			7	_		_			ĩ	4		1			69	119	
Signary Sign		7 10			1		_	1 2	4 7	5	13	459 518	175 213		110 134	146 189	
Stand 9 32	75	17	25			- 5		6	14				316 276	222 178	205 168	177 143	
Causes of death With perforation Ulcer of duodenum Without mention of perforation With perforation S41·1 542	85 and		32	-	_	_	_	6					232	89		77	
Causes of death With perforation Ulcer of duodenum Without mention of perforation With perforation Gastropic perforation Without mention of perfo																	
of death perforation duodenum of duodenum of perforation perforation perforation jejunal ulcer mention of perforation perforation and duodeni duodeni Ages at death M F M		540)·1	1 5	41	54	1.0	54!	1-1	5	42	54	12.0	54	2.1	54	13
death death duodenum of perforation ulcer of perforation duodenic Ages at death M F M																	
Ages at death M F M 10		perfor	ation			0	of	perior	ation	jeji ul	unal lcer	1 (of	perio	ration		
death M F <td></td> <td></td> <td></td> <td></td> <td></td> <td>perfo</td> <td>ration</td> <td></td> <td></td> <td></td> <td></td> <td>perio</td> <td>ration</td> <td></td> <td></td> <td></td> <td></td>						perfo	ration					perio	ration				
0— 1 2 1 1 1 1 1 2 — — — — — — — — — — —	Ages at death	М	F	M	F	M	F									-	
1— — — — — — — — — — — — — — — — — — —		353		1 1						7 50	0 10	33	8	17	2	31	
10—	1—	_	_				-			-						1	
20—		_	_		2	1 -	-		_					_		=	
45— 17 10 72 19 48 10 24 9 4 — 3 — 1 — 3 55— 47 8 178 35 105 25 73 10 5 5 1 2 1 1 1 1 1 1 4 65— 56 30 242 56 150 34 92 22 4 2 3 2 7 1 1 1 1 1 4 65— 54 24 254 69 160 41 94 28 10 2 5 2 5 3 3 2 1 — 3 75— 45 38 236 100 155 55 81 45 9 — 5 — 4 — 4 5 80— 35 30 171 87 119 57 52 30 3 — 5 — 4 — 4 5 85 and 12 14 76 62 59 39 17 23 1 1 1 1 1 — 3		1		1 -	4 -	-			-	_		=	_	=		=	
45— 17 10 72 19 48 10 24 9 4 — 3 — 1 — 3 55— 47 8 178 35 105 25 73 10 5 5 1 2 1 1 1 1 1 1 4 65— 56 30 242 56 150 34 92 22 4 2 3 2 7 1 1 1 1 1 4 65— 54 24 254 69 160 41 94 28 10 2 5 2 5 3 3 2 1 — 3 75— 45 38 236 100 155 55 81 45 9 — 5 — 4 — 4 5 80— 35 30 171 87 119 57 52 30 3 — 5 — 4 — 4 5 85 and 12 14 76 62 59 39 17 23 1 1 1 1 1 — 3		2		_	4	1	1	1 2		1 -	-	1 -	- 1	_		-	
45— 17 10 72 19 48 10 24 9 4 — 3 — 1 — 3 55— 47 8 178 35 105 25 73 10 5 5 1 2 1 1 1 1 1 1 4 65— 56 30 242 56 150 34 92 22 4 2 3 2 7 1 1 1 1 1 4 65— 54 24 254 69 160 41 94 28 10 2 5 2 5 3 3 2 1 — 3 75— 45 38 236 100 155 55 81 45 9 — 5 — 4 — 4 5 80— 35 30 171 87 119 57 52 30 3 — 5 — 4 — 4 5 85 and 12 14 76 62 59 39 17 23 1 1 1 1 1 — 3	35	6		3 2	6	2 14	4	1 12	2	1 -	2 -	1 -			1	1	
75— 45 38 236 100 171 87 119 57 52 30 3 2 3 2 1 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3					2 1	9 48	8 10	0 24		9	4 _	1		_ 1	_		
75— 45 38 236 100 171 87 119 57 52 30 3 2 3 2 1 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	50 55	18	1	1 9	4 2 8 3	3 58 5 105	3 1.	4 36 5 73	3 1		5	1	2 -	1 3		1	
75— 45 38 236 100 155 55 81 45 9 — 5 — 4 — 4 — 4 — 5 85 and 12 14 76 62 59 39 17 23 1 1 1 1 — 3				0 24	2 5		0 3	4 92	2 2	2					_		
80— 35 30 171 87 119 57 52 30 3 — 3 — 5 85 and 12 14 76 62 59 39 17 23 1 1 1 1 1 — 5 3	70	54	2	4 25	4 6	160	0 4	1 94	1 2	28 1		2	5	1	1		
05 dild 12 14 70 0m 05	80	35	5 3	0 17	1 8	37 119	9 5	7 52	2 3	10	3 -	- :		1 -		5	2
C. d. C. BATT d. J. C. BATT C. J. C. BATT C. J. C. BATT C. BAT	03 411	a 12	A	4 /	0	14	9 3	1		3		1	1	1			

^{* 530} Dental caries 20, 50; 531 Abscesses of supporting structures of teeth 55; 534 Toothache from unspecified cause —; 535 Other diseases of teeth and supporting structures 10, 25, 25, 40, 45, 50, 1, 5, 35, 45, 60, 80; 536 Stomatitis 5, 20, 30, 65; 538 Other diseases of buccal cavity 50, 55, 65, 70, 70, 75, 85, 70.

						IAI	JLE 1	1	шишеш							
															552, 5	53*
auses	544 Disor		54 Oth	ier	550-	553	55		550		550		55		560,	
of leath	of funct of stor	ion	diseas stom an	es of lach	Append	dicitis	Act		With ment of	ion	Wir perito		Appen- unqua	dicitis lified	Herni abdon cavi	ninal
			duode	num					perito	nitis						
ges at leath	M	F	M	F	М	F	M	F	M	F	M	F	M	F	M	F
l ages	5	- 11	56	35	430	271	371	223	54	31	317	192	52	45	705	839
0— 1— 5— 10—	1	1			13 23 11	3 16 8 10	13 21 11	13 8 8	2 3 2	2 1	3 11 18 9	3 11 7 8	1 2 —	-3 2	75 6 1	48 2 =
15— 20—	1	1		_1	13 9	3 1	11 8	. 2	1 2	=	10 6	2 1	2 1	1	_1	1 2
25— 30— 35—		1.		_	10 13 15	1 6	. 7 11	1 5 1	_1	_	6 11	1 5	2 2 5 3	1	2	3
40			1	2	15 12	6 2 6	8 9	6	4	1	9	5 1 5		1	3 2	3 4 4
45— 50— 55—		1	3 7 9	1 2 1 5	11 32 37	5 14 23 16	9 31 29 29	10 20	2 3 9 2		28 20 27	4 10 17 10	2 1 8	1 4 3 2	15 23 32 72	13 25 33 71
60—	1		8		50	37 34	43	14 27	6 5	4	37	23 22	6	10	82	91
70—	_		8	5	54		50	28		6	45		4	6	106	164 147
75— 80— 85 and over	1 1	2 2 3	4 3 3	5 3	40 24 23	30 40 16	35 22 21	26 33 13	6 2 4	2 5 3	29 20 17	24 28 10	4 1 2	4 4 3	111 118 55	136 95
0																
	56 Herni	0 a of	560	0.0	560)-1	560)-2	, 560	-3	560-4		56		561	0
auses of leath	abdon cavi with mention obstru	ninal ity out on of	Ingu	inal	Fem	oral	Umbi	ilical	Vent (incisio		Oth inclu under	ded	Herni abdon cavity obstru	ninal with	Ingui	nal
ges at leath	M	F	М	F	М	F	M	F	M	F	М	F	М	F	М	F
l ages	223	207	82	10	5	16	25	24	10	24	101	133	482	632	301	74
0— 1—	62 4	42 1	3	_	_		19 —	16			40	26 1	13 2	6 1	10	1
5— 10—	1	_	_	_	_	_		_		_	1		_			
15— 20—	_1		=	_	_			_	. —	_	1		_	1 2		_
25— 30— 35—	-1	1	_1	-	_	_				=	<u>-</u>	1 2 1	1 1 2 1			=
40	1	3		-				_			1			3	_	_
45— 50—	8	4	7	1		_	-	2	1 -2	2 2 1 3	4	1 3 4 5	7 13 22 45	9 17 24 62	2 7 12 25	
55— 60—	10 10 27	4 8 9 9	7 6 6 8	_1	1	1	1 2		2 5	3	11			62	25	
55— 60— 65— 70—	10 10 27 27 27 21	9 9 16 34	11	1	3	1 1 2			1	5 4		5 9 25		75 130	25 33 46	10 17 25 5 10

^{* 552} Other appendicitis 25, 35, 35, 80, 80; 553 Other diseases of appendix 60, 65, 75, 80, 80.

						IAI	BLE 17	-								
Causes of death	561 Femo		561 Umbi		Ven (incisi	tral	561-4 Other inclu- und 56	ers ded er	570- Oth diseas intest an perito	es of ines	Intest obstru with ment of he	tinal ection out	570 Intu suscep	1S-	570 Paral	ytic
Ages at death	М	F	М	F	М	F	М	F	M	F	М	F	M	F	M	F
All ages	65	298	31	85	31	96	54	79	1,814	2,276	708	731	31	26	9	
0 1 5 10			1	1 -	=		2 2 —	4 1 —	197 57 14 6	128 32 4 8	30 11 3 1	26 3 2 2	16 5 1	17 2 1 —		
15 20	. =	_			_	_		1 2	7 16	9 16	2 1	1 3	_1		_	1/2-
25— 30— 35— 40—	_	1				1	1 1 —	1	11 19 27 46	11 30 26 45	2 2 9 19	5 5 9 15	- - 1	1	111	
45— 50— 55— 60—	1 2 3 8	4 4 7 31	1 2 4	3 4 6 8	1 2 2 2 2	2 6 4 12	3 1 3 6		53 113 143 169	62 83 109 168	19 32 54 72	19 14 33 50	2	1 1 1		-
65— 70—	9 17	29 57	4 6	13 23	4 7	14 18	5 9	9 15	215 221	254 326	96 102	80 108	1	_	1	
75— 80— 85 and over	12 7 6	56 70 - 38	8 2 3	10 9 6	4 4 2	12 14 13	8 8 5	13 12 6	231 177 92	406 327 232	118 95 40	157 112 87	<u>_1</u>	1	2	
Causes of death	570 Mesen infarc	teric	570 Volvi		Impac oi intes	ction f	570 Oth inclu under	ers ded	57 Gasi enter and co exco ulcera age 4	tro- ritis clitis, ept ative, weeks	57 Chro enter an ulcera coli	onic ritis d ative	S72	onal	572 Diver	rtic-
of	Mesen	teric	,		Impa	ction f	Oth inclu	ers ded	enter and co exco ulcera age 4	tro- ritis clitis, ept ative, weeks	Chro enter an ulcera	onic ritis d ative	Regio	onal	Dive	rtic-
Ages at death All ages	Mesen infarc	iteric tion	Volv	ulus	Impac or intes	ction f tine	Oth inclu under	ers ded 570	Gas enter and co exculcera age 4 and of	tro- ritis plitis, ept ative, weeks over F	Chro enter an ulcera coli	onic ritis d ative tis	Regio	onal ritis	Diver ulit	rtic- tis
of death Ages at death	Mesen infarc	teric tion	Volv	ulus	Impac or intes	ction f tine	Oth inclu under	ers ded 570	Gasterna and control of the control	tro- ritis colitis, cept ative, weeks over	Chro enter an ulcera coli	onic ritis d ative tis	Regio enter	onal ritis	Diver ulit	rtic- tis
Ages at death All ages 0— 1— 5—	Mesen infarc	F 275	M 215	F 154	Impac or intes	ction f tine	Other inclusion of the	F 218	Gasiente and coexcoulcera age 4 and coexcoulc	tro- ritis blitis, blitis, ept titive, weeks over F 365 99 26 1	Chroenter an ulcers coli	price	Regio enter	onal ritis	Diver ulit	rtic- tis
Ages at death All ages 0- 1- 5- 10- 15-	Mesen infarc	F 275	M 215	F 6 1	Impac or intes	ction f tine	M 230	ers ded 570 F 218 3 2	Gasientei and coexculcera age 4 vand coexculc	tro- ritis bilitis, ept titive, weeks over F 365 99 26 1 1	M 561	price	Regicenter M 34 1	onal ritis	Diver ulit	rtic- tis
Ages at death All ages 0— 1— 5— 10— 15— 20— 25— 30— 35—	M 206	F 275	M 215 11 5 5 1 - 1 1 1 4	F 154 6 1	Impaa oo intes	ction f tine	Othinclu under M 230 2 1 1 1 1 1	ers ded 570 F 218 3	Gasiente and control with the control of the contro	ro- tro- troitis colitis, cept titive, weeks over F 365 99 26 1 1 2 1	M 561 2 2 11 57	F 969 2 1 3 6 9	M 34 1 1 3 2 2	F 54	M 365	rtic- tis
Ages at death All ages 0- 1- 5- 10- 15- 20- 25- 30- 35- 40- 45-	Mesen infarc	F 275	M 215 11 5 1 1 1 4 10 8 9 9 13 3	F 154 6 1 - 1 2 5 6 5 5	Impac o intes	50	Oth inclu under M 230 2 1 1 1 1 1 1 1 4 4 10 18 8	F 218 3 - 2 1 1 4 4 1 3 3	M 359 158 43 8 1 1 2 2 5 5 4 12 18 8	ro- troitis blitis, ept titive, weeks over F 365 99 26 1 1 2 1 3 3 3 4	Chreenter an ulcers coli	F 969 2 1 1 3 6 9 4 4 177 12 20 29 47 544	M 34 1 1 3 2 3 3 3 3	F 54	M 365	rtic- tis

TABLE 17—continued

						2.234		1 - 001	· · · · · · · · · · · · · · · · · · ·							
auses of eath	572 Ulcer coli	ative	572 Oth		57 Funct disord intest	ional ers of	574 Absort and region	75 cess nal ectal	57 Perito		Perit	77 oneal esion	Of disc of int	78 ther eases estines and oneum	580- Dise of li gallbla an panc	ases ver, adder
ges at eath	M	F	M	F	M	·F	M	F	M	F	M	F	M	F	M	F
ages	157	230	5	13	10	22	15	10	40	48	6	7		122		2,047
0— 1— 5— 10—	- 1 1 1	1 3	-		1 -		1 	=	12 2 —	$\frac{1}{2}$		_	3 1 1 3	1 1 1	65 21 9 8	63 32 14 5
15— 20—	2 7	5 7				1	_		_1	=	_	_	1 2		8	10 2
25— 30— 35— 40—	3 6 8 13	3 14 10 12		=	1	_		1	3 1	3 1 4	-		4 3 2 3	1 1 1 2	7 9 31 52	12 12 22 40
45— 50— 55— 60—	15 20 13 15	15 24 22 21			1 1 1	$\frac{-2}{1}$	1 1 1	<u></u>	6 6 4	5 5 3 4	, 1	1	5 12 8 13	2 9 9 10	79 122 152 165	61 97 158 224
65— 70—	17 12	22 22	1		-1	5 5	3 1	1	6 2	4		1 1	11 13	16 21	197 210	278 334
75— 80— 85 and over	15 7 1	25 19 5	1 1 1	3 2 3	3	2 3 3	3 3 1	4 1 1	5 1 1	6 1 1	1 1	1 1 1	13 10 7	16 21 8	167 111 54	323 203 157
														- 1		
iuses of eath	Act and subact yello atrop of li	ite d cute ow ohy	Cirrh of li	nosis	Suppu hepa and l abso	rative titis liver	Oth disea of li	ier ases	Choleli		Cholec an cholan with mention calc	ystitis d igitis, out on of	Oth diseas gallbla and bi duc	es of idder	Diseas panci	es of
es at	M	F	M	F	M	F	M	F	M	F	M	F	M	F	М	F
ages	40	62	617	586	14	11	41	34	274	543	173	367	23	76	288	368
0— 1— 5— 10—	4 1 1	1 2 —	5 3 2 4	3 1 2 2	<u>-</u>	1 	- - 1	1 		, _	1 -	1 -	=		50 17 6 3	57 28 12 3
15— 20—	_3	1 1	3	1 4	_					3	_	<u> </u>		-	2	1
25— 30— 35— 40—	2 1 -3	2 2 2 3	2 4 20 31	7 5 10 27			1 1 1 2		1 2 1	-4 5 3	$\frac{1}{4}$		1 - 2	1 1 2	1 1 7 8	4 1 2 3
45— 50— 55— 60—	1 2 2 4	8 14 6 5	`47 82 92 82	27 45 76 80	$\frac{3}{2}$	1	5 4 4 4	. 2 4 5 2	7 7 14 24	8 16 26 64	5 8 12 23	4 5 19 21	2 1 4 2	3 1 4 8	12 15 24 24	9 9 21 43
65— 70—	5 5	5 7	89 66		_2	1	2 4	6 4	43 59	74 109	24 27	37 57	5 3	8 12	27 46	37 49
75— 80— 85 and		3 1 1	38 35 9	22	1 3		2 4 2	3 1 4	65 28 23	104 71 56	31 27 10	82 83 56	2 1	18 9 9	28 11 6	53 16 20

^{* 574} Anal fissure and fistula 65, 80.

		587.0		587.	1	587	2	590-6	37	590-3	94	39	0	39	1	392	
Cause of death		Acute	itis	Chron	nic atitis	Oth- disease pancr	es of	Disease the genurina syste	es of tito-	Neph and nephr	d	Act neph		Neph wir oede inclu neph	th ma ding	Chro	nic
Ages a death		М	F	M	F	M	F	M	F	M	F_	M	F	M	F	М) and
All age	s	166	241	32	22	90	105	6,888	3,676	1,923	1,762	72	50	144	120	1,512	1,
0— 1— 5— 10—	-	12	1			49 17 6 1	57 27 12 3	40 18 14 21	16 12 14 23	15 7 9 20	5 6 11 20	8 4 3	4 1 1	3 2 3	4 1 7	1 3 3 14	
15— 20—		_	1	_		2		38 53	26 38	36 48	22 27	6 5	1 2	8 9	5 4	22 33	ı
25— 30— 35— 40—		1 1 5 8	4 1 2 3	de commo				65 69 110 104	57 56 93 101	56 55 85 84	42 35 50 57	1 1 5 3	4 4 2 2	4 6 9 12	5 3 6 4	49 46 68 61	
45 50 55 60	-	10 14 15 19	8 9 19 40	8 3	<u></u>	1 1 1 2	1 1	163 251 340 447	152 181 265 317	113 156 190 195	135	2 4 5 7	1 3 2 3	9 13 20 10	9.	94 124 146 152	
65 70	-	18 34	31 42	8	4 5	1 4	2 2	677 1,015	465 491	197 227		6	4	9 10		165 191	
75– 80–	_	23	50 13	2	3 3 3	_3	_	1,278 1,240	568 455	179 158	168	3 3 2	5 4 4	7		143 122 75	
85 a		5	17	1	3	-	-	945	346	93	138	2	4	1	3	1 13	
		5	17	1	3		-	945	346	93	138	2	4	1	3	1 '3	
85 a		59	17	1	3	1	0-609		00	1	0.0	600		60	00.2	60	
85 a	ses	1	3 ritis	5 00 re		600 O dis	0-609 ther eases rinary stem	6 Infe	1	Pye pyelor a:		Abs of ki)1
Cause of	ses th	59 Neph no speci	3 ritis	5 00 re	94 ther	600 O dis	ther eases rinary	6 Infe	00 etions of	Pye pyelor a:	0.0 ditis, cystitis nd elo-	Abs of ki	0·1 cess dney nd renal		00.2	60)1
Caus of dear	ses th	Neph no speci as ac or chr	3 ritis t fied cute	5 Ore scle	94 ther mal prosis	600 O dis of u	ther eases rinary stem	6 Infect kic	ooo etions of ney	60 Pye pyeloo a py nep	0·0 litis, cystitis nd elo-hritis	Abs of ki ar perintiss	0·1 cess dney nd renal sue	О	00·2	60 Hydeneph)1 iro-ros
Caurof dea	ses th	Neph no speci as ac or chr	3 ritis t fied cute conic	Sole M	94 ther mal rosis	600 O diss of u sy	ther eases rinary stem F 7 1,72	6 Infect kick	oo etions of ney	60 Pye pyeloo a py nep	0.0 dilitis, cystitis and elo-hritis	600 Absof ki ar perintiss M	0·1 cess dney nd renal sue	О	00·2 ther	Hyo neph)1 iro-ros
Cause of dea	ses fith	Neph no speci as a co or chr	3 ritis t fied rute conic F 18:	M M	94 ther mal rosis	600 O diss of u sy	ther eases rinary stem F 7 1,72 4 1 0 5 1	M 2 803 1 163 3 - 3	F 1,217	M 779	O·O olitis, cystitis nd elo-hritis	600 Absof kir arr perintiss M 22	0·1 cess dney nd renal sue	M 2	00·2 ther	M 688)1 iro-ros
Caur of dea Ages dea All a	ses fith s at the ses	Neph no speci as a co or chr	3 ritis t fied tute ronic F 185	M M	194 ther mal prosis	600 Odissis of u sy M 3 1,366	rther eases rinary stem F 7 1,72 4 1 0 5 1 2 5 9	M 800 11 10 10 10 10 10 10 10 10 10 10 10 1	F 1,217	M 7779 M 104 62 63 77	0-0 dilitis, cystitis and elo-haritis	600 Absof kir arr perintiss M 22	0·1 cess dney nd renal sue F	M 2	00·2 ther	M 688)1 iro-ros
Caur of dea Ages dea All a () 1: 20 2: 33 344 4: 55	ses th s at th ges 0	Neph no speci as ac or chr	33 rritis t fined unterconic	5 O re scle	194 ther mal prosis	600 Odisof u sy M 3 1,36	F 7 1,72 14 1 1 2 5 5 1 1 2 2 5 5 9 1 1 3 3 1 1 1 2 2 5 5 9 1 1 3 8 6 6 6 9 9 1 1 1 2 1 5 5 6 6 6 9 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	M 2 800: 1 166 3 3 - 38 1 7 5 1.8 1 100 2 4 4 8 5	F 1,217	M 164 62 63 77 64 164 160 113	0·0 ditis, cystitis nd elo-hritis F	M 222	F 26	M 2	00·2 ther	M 688	ol iro-

65— 70—

75— 80— 85 and over

231

275 200

198

201 131

122

110 82

166

190 134

116

110 81

163

186 134

							_								
uses of eath	60 Cald 0: kidr an ure	culi f ney d	60 Oth disea of kid an ure	ner ases dney	60 Cald of of par urin syst	ther ts of	60 Cys	stitis	60 Oth disea c blad	ner ases of	607 60 Stric or uret	08 ture	60 Oth diseas uret	ner ses of	610-617 Diseases of male genital organs
es at ath	M	F	M	F	М	F	M	F	M	F	M	F	M	F	M
ages	135	135	48	50	33	9	122	195	_	23	57	1	26	33	3,597
0— 1— 5— 10—			4 2 1	5 1 —					<u>+</u>	<u>-</u>		_ _ _	1	<u>-</u>	1 1 -
15— 20—	_	_		=	-	_	_		1	=		_	_1	_	_
25— 30— 35— 40—	1 3 3 2	1 2 6 5	1 1 2 3	1 2 2 1	1 		1 1 1	1 - 1	<u>-</u>	1 1	<u>-</u>				1 1
45— 50— 55— 60—	2 16 14 19	4 10 17 17	3 6	- 4 4 7 4	1 1 2 2	1	1 3 1 8	3 2 5 16			2 3 1 4	_	1 - 2	 1	5 17 61 143
65— 70—	24 22	15 14	6 5	3 7	2 2	2 3	10 15	17 28	12 11	4	9 7	=	1 7	2 5	322 589
75— 80— 85 and	17 7 5	27 12 5		6 2 1	7 12 3	1 2	25 32 24	38 41 42	16	4			5 5 3	6 11 7	854 881 721

uses of ath	610 Hyperplasia of prostate	611 Prostatitis	612 Other diseases of prostate	613-616* 617 Other diseases of male genital organs	620- Dise of br ova Fallo tube parame	ases east, ry, pian and	620-623* 624 Salpingitis and oophoritis, unqualified	625* 626 Diseases of parametrium and pelvic peritoneum (female)	630-637 Diseases of uterus and other female genital organs
es at ath	M	М	M	M	M	F	F	F	F
ages	3,505	56	11	16	1	44	25	6	148
0— 1— 5— 10—	=	<u>-</u>		=	_			=	
15— 20—	_			-				derivative	1 1
25— 30— 35— 40—	=	- 1 1				2 3 3 6	2 2 3 . 4		2 1 5 10
45— 50— 55— 60—	3 15 57 138	1 1 3 2	general material destruits company	1 1 2	=	3 4 3	2 2 2	$\frac{A}{1}$	11 14 8 16
65— 70—	314 578	4 5	2 3	1 3	1	4	2	1	30 16
75— 80— 85 and over	830 863 707	14 16 8	4 2	5 2 1	=	6 1 3	$\frac{3}{2}$	1 1	17 11 5

^{* 607} Urethritis (non-venereal) 70, 75, 80, 75; 613 Hydrocele 45; 614 Orchitis and epididymitis 60, 85; 615 Redundant prepuce and phimosis 0, 1, 65, 75, 85, 85; 616 Sterility, male —; 620 Chronic cystic disease of breast —; 621 Other diseases of breast 70, 40, 55, 65, 65, 65, 70, 75, 75; 622 Acute salpingitis and oophoritis 20, 30, 40; 623 Chronic salpingitis and oophoritis —; 625 Other diseases of ovary and Fallopian tube 70, 70, 80.

Causes of death	630 Infective disease of uterus, yagina and vulva	631 Utero- vaginal prolapse	632* 633 Other diseases of uterus	634 Disorders of menstruation	635, 636, 637* XI 640-689 Deliveries and complications of pregnancy, childbirth and the puerperium	640-649 Complications of pregnancy	640, 641* 642 Toxaemias of pregnancy	643, 644* 645 Ectopic pregnancy
Ages at death	F	F	F	F	F	F	F	F
All ages	14	89	15	19	290	96	50	12
0 1 5 10		-		=	<u>-</u>	<u>-</u> - 1	<u>-</u>	=
15— 20—	1			1	8 51	3 16	1 8	1
25— 30— 35— 40—	- - 1	<u>-</u> 1 1	1 3 1	<u>-</u> 1 7	87 53 61 28	33 14 19 10	16 9 8 7	4 1 6 —
45— 50— 55— 60—	1 1 1	6 10 5 9	$-\frac{2}{1}$	2 3 1 2	<u>-</u>			
65— 70—	1_	20 14	2 1		_	-	_	=
75— 80— 85 and over	3 3 1	12 7 4	= -		_			

Causes of death	646, 647* 648 Other complications arising from pregnancy	650-652 Abortion	650 Abortion without mention of sepsis or toxaemia	651 Abortion with sepsis	652, 660* 670-678 Delivery with specified complication	670 Delivery complicated by placenta praevia or antepartum haemorrhage	671 Delivery complicated by retained placenta	672 Delivery complicated by other postpartum haemorrhage
Ages at death	F	F	F	F	F	F	F	F
All ages	27	47	16	29	85	18	3	20
0	- '		_		000000	_	-	_
1— 5— 10—				=		_		_
15— 20—	1 6	1 11	5	1 6	1 13			
25— 30— 35— 40—	10 2 5 3	13 6 11 5	6 1 2 2	6 4 9 3	23 22 17 9	4 6 3 3		7 4 5 2
45— 50— 55— 60—		Green Green Millerer Options		Samuel Samuel Samuel Samuel	=			=
65— 70—	_		_	-	Granters Granters	_	_	
75— 80— 85 and	distribution distribution			=			Manager Manager Aprillage	=

^{* 632} Malposition of uterus 25, 30, 65; 635 Menopausal symptoms—; 636 Sterility, female—; 637 Other diseases of female genital organs 60, 60, 65, 65, 65, 65, 70, 80; 640 Pyelitis and pyelonephritis of pregnancy 25, 30; 641 Other infections of genito-urinary tract during pregnancy 25; 643 Placenta praevia—; 644 Other haemorrhage of pregnancy 15, 25, 30; 646 Anaemia of pregnancy 20; 647 Pregnancy with malposition of foetus in uterus—; 652 Abortion with toxaemia, without mention of sepsis 25, 30; 660 Delivery without mention of complication 25, 25, 30, 35.

Causes of death	673* 674 Delivery complicated by disproportion or malposition of foetus	675 Delivery complicated by prolonged labour of other origin	676* 677 Delivery with other trauma	678 Delivery with other complications of childbirth	680-689 Complications of the puerperium	680* 681 Sepsis of childbirth and the puerperium	682 Puerperal phlebitis and thrombosis	683* 684 Puerperal pulmonary embolism
Ages at death	F	F	F	F	F	F	F	F
All ages	7	10	7	19	58	14	19	11
0— 1— 5— 10—	=	=			<u> </u>	<u> </u>	<u>-</u>	
15— 20—	=			1 4	3 11		1 3	
25— 30— 35— 40—	3 1 1 2	1 4 2 —	2 3 2	6 2 4 2	16 10 13 4	5 5 -2	5 3 6 1	4 1 4
45 50 55 60		<u>-</u>			1 — —	<u>-</u> 		<u>1</u>
65 70	=	_	=	_		=	=	=
75— 80— 85 and over		= ,	=	=	=		=	=

Causes of death	XI 690- Dises of t skin cellu tiss	I 716 ases he and	690- Infect of sl an subcuta tiss	ions kin d ineous	69 Bo an carbu	oil d	69 Oth cellu and al with mentic lympha	2 litis oscess out on of	subcut	8 local tions in and	700- Oth disea of skir subcuta tiss	er ises and ineous	700 70 Ecze)1	702, 7 704 Pemph	‡
Ages at death	М	F	М	F	М	F	М	F	М	F	М	F	М	F	М	F
All ages	173	282	83	90	26	21	44	46	8	17	90	192	4	3	20	37
0— 1— 5— 10—	4 7 2 3	4 2 4 1	4 2 1 1	2 1	1		2 1 1			1	5 1 2	2 2 3 1				=
15— 20—	. 1	1 2	1 1	1 1	_1		-1	 1	_	_1			_			oronal dualen
25— 30— 35— 40—	2 4 4 4	4 3 7 6	2 2 3 3	2 1 1		1 1	2 1 2 2	1 - 1		_	2 1 1	2 2 7 5				=
45— 50— 55— 60—	6 8 14 14	11 17 16 30	4 4 8 5	5 7 4 12	2 2 2	1 1 1 3	2 4 6 2	2 6 1 7	<u>-</u>	2 2 1	2 4 6 9	6 10 12 18	<u>-</u>	1	<u>-</u>	 1 3
65 70	15 16	27 37	6 9	6 14	2 3	1 3	4 5	3 7		3	9 7	21 23	1	_1	1	4 8
75— 80— 85 and over	31 18 19	35 35 40	13 6 8	12 11 10	7 3 2	1 4 4	5 1 3	9 4 4	1 1 2	1 3 2	18 12 11	23 24 30	_	1	6 5	8 5 7

^{* 673} Delivery complicated by abnormality of bony pelvis 20; 676 Delivery with laceration of perineum, without mention of other laceration—; 680 Puerperal urinary infection without other sepsis—; 683 Pyrexia of unknown origin during the puerperium—; 685 Puerperal eclampsia 20, 20, 20, 25, 35, 40; 686 Other forms of puerperal toxaemia 35; 687 Cerebral haemorrhage in the puerperium 15, 20, 30; 688 Other and unspecified complications of the puerperium 15, 20, 25, 35; 689 Mastitis and other disorders of lactation—; 691 Cellulitis of finger and toe 10, 40, 80, 85, 0, 60, 65, 65, 70; 693 Other cellulitis and abscess with lymphangitis 35; 694 Acute lymphadenitis 75; 695 Impetigo—; 696 Infectious warts—; 697 Molluscum contagiosum—; 700 Seborrhoeic dermatitis 85, 70, 80; 702 Occupational dermatitis—; 703 Other dermatitis 1, 1, 75, 75.

						IAL	LE I	con	muu							
Causes of death	705 Eryther tous conditi	na-	706-70 Othe hypertro and atro condit of sk	ophic ophic ions	711-71 715 Chronulcer	nic of	716 XII 720-7 Diseas the bo and or of mover	I 749 es of ones gans	720- Arth an rheum exce rheum fev	ritis d atism ept natic	Act arthr due pyog organ	ite ritis to enic	arth ar all	22 natoid ritis	722 Rheum arthr	atoid
Ages at death	м	F	М	F	м	F	М	F	М	F	м	F	М	F	М	F
All ages	22	27	14	59	17	55	613	1,331	355	1,027	13	18	221	754	208	746
0— 1— 5— 10—	1 1	1 2 2 1		1 1			14 2 3 12	15 4 4 10	- 1 1				1	_		
15— 20—				1			18	2 5	_		_		_			_
25— 30— 35— 40—		1 3 1	1	1 1 4 3	1		3 5 6 13	2 8 9	1 2 3 5	1 5 4	1 1		1 1 1 4		1 1 3	1 5 4
45— 50— 55— 60—	1 3 3	2 1 1	1 3 1 3	3 9 7 8		1 2 3	24 27 52 54	13 39 65 112	13 17 34 34	8 32 50 92	1 1 4	1 2 1 1	23	25 47	7 12 20 18	24 45 82
65— 70—	4 2	3	2	12 6	2	1 5	80 100	162 216	58 66		1	3 4	45	104 129	45 45	104 127
75— 80— 85 and	5	2 2 2	1	_2 	4 4 5	7 16 20	87 64 42	253 225 187	54 40 26	181	1	4		124	16	141 123 85
over											I		_		_	
over	1															
over					724,	725*	72	7*					73		734	
Causes of death	ank	2·1 dylitis ylo- etica	Ost arth (arth and	23 teo- rritis rosis) allied itions	724, 72 Musc rheum	6 cular	72' 730- Ost mye and o dise of b and	738 eo- litis other ases	73 Osto mye an perio	eo- litis	73 Oste defor	eitis	Ot dise	2* 33 her ases	734 73 Displ men interve dis	ace- t of
Causes of	Sponank	dylitis ylo-	Ost arth (arth and	teo- iritis rosis) allied	72 Muse	6 cular	730- Ost mye and o dise	738 eo- litis other ases	Osto mye an	eo- litis	Osto	eitis mans	Of dise of t	her ases	Displ men interve dis	ace- t of
Causes of death Ages at death All ages	Spon ank poi	dylitis ylo- etica	Ost arth (arth and cond	teo- nritis rosis) allied itions	Musc rheum	6 cular atism	730- Ost mye and d dise of b and	738 eo- litis other asses one oint F	Oste mye an perio	eo- litis id stitis F	Oste defor	eitis mans	Ot dise of t	her ases	Displ men interve dis	ace- t of rtebral
Causes of death Ages at death All ages	Spon- ank poid	dylitis ylo- etica	Ost arth (arth and cond	teo- nritis rosis) allied itions	Musc rheum	eular atism	730- Ost mye and dise of b and	738 eo- litis other ases one oint	Oste mye an perio	eo- litis id stitis	Oste defor	eitis mans	Of dise of t	her ases bone	Displ men interve dis	ace- t of rtebral
Causes of death Ages at death All ages 0— 1— 5—	Spon- ank poid	dylitis ylo- etica	Ost arth (arth and cond	teo- nritis rosis) allied itions	Musc rheum M 5	eular atism	730-Ost myee and c dise of b and j	738 eo- litis other asses one oint F	Ostronye an perio	eo- littis id stittis F	Osto defor	eitis mans	Of dise of t	her ases bone	Displ men interve dis	ace- t of rtebral
Causes of death Ages at death All ages 0-1-5-10-15-	Spon ank pois	dylitis ylo- etica	Osi arth (arth and cond	teo- nritis rosis) allied itions	Musc rheum M 5	eular atism	730-Ost myee and c dise of b and j	738 eo- litis other asses one oint F 206 4 2 1 3	Ostromyc an perio M 36 1 1 1 1 2 2 2 2 1 1 1 1 1 1 1 1 1 1 1	eo- litis id stitis F	Osto defor	eitis mans	Of dise of t	her ases bone	Displ men interve dis	ace- t of rtebral
Causes of death Ages at death All ages 0 — 1 — 5 — 10 — 20 — 25 — 30 — 35 — 35 — 35	Spon ank poid	dylitis ylo- etica F	Ostarth (arth and cond	reo- ritis rosis) allied itions	Musc rheum M 5	F	730- Ost mye and c dises of b and 1 M 143	738 eo-litis other ases one oint F 206	Osti mye an perio M 36 1 1 1 1 1 2 2 1 1 1 2 2 1 1 1 2 3 3	F 31 32 11	Osto defor	F 81	Ot diss of t	her ases oone F 77 1	Displ men interve dis	ace- t of rtebral
Causes of death Ages at death All ages 0	Spon ank poid	F Graph of the state of the st	Ostarth (arth and cond	F 240	72 Musc rheum M 5 1 1 1 1 1 1 1 1 1 1 1 1	F 4	730- Ost mye and c dise. of b and 1 M 143 11 1 1 1 2 2 2 2 2 1 1 1 1 4 4 6 6 6	738 eco- litis wither sases oone eloint F 206 4 2 2 1 3 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Ostr mye an perio M 36 1 1 1 2 2 1 1 1 2 4 6 6	eo- litis dd stitis	Oste defor	F 81	7: Ot diss of t	F 77 1	73 Displ men interve dis M 5	ace- t of rtebral

^{*706} Psoriasis and similar disorders 45, 55, 60, 70, 75, 80, 45, 60, 75, 75; 707 Lichen planus—; 708 Pruritus and related conditions 85; 709 Corns and callosities—; 711 Other dermatoses 70; 712 Diseases of nail—; 713 Diseases of hair and hair follicles—; 714 Diseases of sweat and sebaceous glands 65, 55; 716 Other diseases of skin 35, 25, 60; 721 Acute non-pyogenic arthritis—; 724 Other specified forms of arthritis 55, 55, 80, 55, 55, 55, 75, 80; 725 Arthritis, unspecified 70, 75, 75, 80, 85; 727 Rheumatism, unspecified 35, 65; 732 Osteochondrosis—; 734 Internal derangement of knee joint—.

						IAI		7—007	шишси							
	736, 737	, 738*	740-7	743*			746-7									
Causes of death	740- Oth diseas musc skele syste	749 er es of ulo-	74 Oth disea of mu tend and fa	ner uses uscle, lon	Curva oi spir	iture f	750- Conge malfo	759 enital rma-	75 Monst		75 Spi bifi an mening	na da d	Congo hyd ceph	enital	75 Oth conge malfor tion of ner system sense o	nital rma- is vous and
Ages at death	M	F	M	F	М	F	M	F	M	F	M	F	M	F	М	F
ll ages	115	98	96	62	13	21	2,503	2,408	50	115	301	411	237	275	69	76
0— 1— 5— 10—	14 1 1 10	11 2 2 7	13 1 1 9	10 1 1 5	1 1	1 2	1,725 179 81 52	1,673 156 49 52	50	115	287 6 2 1	379 22 3 2	189 28 6 4	225 33 3 5	25 27 3 4	49 12 1 3
15— 20—	18 7	2 4	18 6	2	-	1	53 29	38 30	_	_	1 1	2 2	2 1	1 1	1 3	5 2
25— 30— 35— 40—	- 1 2 7	1 3 4	1 2 5	1 3 3	-	<u>-</u>	28 31 39 38	23 22 32 37			1 -	-		3 - 1	1 2 —	1 - 2
45— 50— 55— 60—	6 6 12 6	3 5 11 3	5 5 11 4	2 4 7 1	1 1 1 1	1 1 2	58 44 32 26	60 66 41 27	-		1 	1	1 2 1	1 - 1	1 1	<u>1</u>
65— 70—	9 5	11 12	5 3	5 5	_3	2 3	41 26	43 19	_	_	_	_	_1	1		
75— 80— 85 and over	8 2 —	6 7 4	5 2 —	5	3	2 2 3	16 4 1	15 16 9		=			=	_		
	75	4	7:	55	7:	56	750	5.0	756	:1	756	.2	75	7	757	-1
Causes of death	Conge ma formati circul syst	al- ions of atory	pal ai	eft late nd elip	format dige	enital al- ions of stive tem	Cong hypert pylo sten	rophic oric	Imperi an		Oth	ier	Conge ma formati gen: urin syst	ons of ito- ary	Polyc disc of kie	ease
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	1,102		1			1				6		184		224	131	167
0— 1— 5— 10—	724 76 50 29	584 66 36 31	5 -	7	210	12	1		21 	5	170 14 6 3	137 12 1	87 9 6 7	28 3 4 6	20 1 1 1	9 2 2
15— 20—	35 16	2	-	_	1 1		_	_		1	1 2		13 4	3 2	3 1	
25— 30— 35— 40—	21 18 24 18	10 11 11 11	6 — 7 — 7 — 4 —				3 -				1 1 1 2	1 3 1	1 7 10 13		1 4 9 12	10 15
45— 50— 55— 60—	26 22 12	1 1 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	9 1 7 1 -			1 2 3 5 5	1 - 3 4 - 1				1 2 3 5	1 3 4 1	25 13 14 7	36 38 18 12	1 12	32 36 17 11
65— 70—	12		9 -	-	- 10	0	4 -	_	-		10	5	12 11	15 8	6 10	13 7
75— 80— 85 an		-	6 2 -	=		5	5 -	-			5	533	5 3 1	7	4 2 1	2 5 4

^{* 736} Affection of sacro-iliac joint —; 737 Ankylosis of joint 10, 10, 10, 85; 738 Other diseases of joint 45, 60, 60, 65, 70, 80, 45, 60, 65, 70, 75, 75; 740 Bunion 50, 70, 70, 70, 85; 741 Synovitis, bursitis, and tenosynovitis without mention of occupational origin 55, 55, 65; 742 Synovitis, bursitis, and tenosynovitis of occupational origin —; 743 Infective myositis and other inflammatory diseases of tendon and fascia 70, 65, 70; 746 Flat foot —; 747 Hallux valgus and varus 65, 65; 748 Clubfoot —; 749 Other deformities 20, 40, 60, 65, 70, 0, 1, 55.

760-5-773-5

760-769

760

761

757.0; 2; 3

758

Causes of death	Other included under 757	rs led	Conge mal format of bone joir	nital - ions and	Other unspections of the conger may format no elsewhold classic	and cified nital l- tions t	760-7 Cert disea of ea infai	ain ses rly	Wiimmat	th	Birringur asphy an infect of new	ies, yxia d ions	Introcran and sp inju at bi	a- nial pinal nry	Oth birt inju	er :h
Ages at death	M	F	M	F	М	F	M	F	М	F	M	F	M	F	М	F
All ages	117	57	29	34	182	151	5,506	3,807	1,982	1,272	3,404	2,140	929	529	243	150
0— 1— 5— 10—	67 8 5 6	19 3 2 4	18 1 1 1	24 1 - 1	124 17 7 3	116 7 2 3	5,505	3,807	1,982	1,272	3,403	2,140	929 — —	529	243	150
15— 20—	10	3 2	2	_		5	_				.=	***************************************	-		_	-
25— 30— 35— 40—	3 1 1	2 1 1 4	2 1	1 1 —	1 2 3 3										=	
45— 50— 55— 60—	3 1 —	4 2 1 1	1	1 1 —	3 4 2 4	1 2 2 2 2			_							
65— 70—	6	2 1	1	<u> </u>	5 3	_5		_	=	_		_	20.0-Tare	_	_	=
75— 80— 85 and over	1 1	2 2 1		3	1	1 1			_				_			-
					_						3		1			
Causes of death	Post aspl	natal nyxia nd ctasis	Pneu	monia of	Diar	rhoea of born	7 Uml	766* 67 bilical	Otl seps. newl	is of	disor	natal rders sing om ernal	Oti	arly	Haem disea newl (erythi	olytic se of born roblas-
of	Post aspl	natal nyxia nd	Pneu	monia of	Diar	rhoea of	7 Uml	67 oilical	Otl seps:	her is of born	Neor disor aris from toxac	natal rders sing om ernal emia	Oti dise pecu to e infa	her ases uliar arly ncy	Haem disea newl (erythi tos	olytic se of born roblas- is)
Ages at death All ages	Post aspl a atele	matal nyxia nd ctasis	Pneu new M	monia of born	Diar new M	rrhoea of born F	Umb sep M	oilical osis	Oth seps, newl	her is of born F	Neor disor aris from the toxage M	natal rders ing om ernal emia	Oth dise pecu to e infa	her ases aliar arly ncy	Haem disea newl (erythi tos	olytic se of born roblas- sis)
Ages at death All ages 0- 1- 5-	Post aspl a atele	rnatal nyxia and ctasis F 1,064	Pneu new M	monia of born	Diar new M	rrhoea of born F	Umb sep M	oilical osis	Otl seps newl	F 15	Neor disor aris from the toxage M	natal rders sing om ernal emia	Oti dise pecu to e infa	her ases aliar arly ncy	Haem disea newl (erythi tos	olytic se of born coblassis) F
Ages at death All ages 0 1- 5- 10- 15-	Post aspl a atele	rnatal nyxia and ctasis F 1,064	Pneu new M	monia of born	Diar new M	rrhoea of born F	Umb sep M	oilical osis	M 20	F	Neor disor aris from the toxage M	natal rders ing om ernal emia	Oth dise pecu to e infa	her ases aliar arly ncy	Haem disea newl (erythi tos	olytic se of born roblas- sis)
Ages at death All ages 0- 1- 5- 10-	Post aspl a atele	rnatal nyxia and ctasis F 1,064	Pneu new M	monia of born	Diar new M	rrhoea of born F	Umb sep M	oilical osis	M 20	F 15	Neor disor aris from the toxage M	natal rders ing om ernal emia	Oth dise pecu to e infa	her ases aliar arly ncy	Haem disea newl (erythi tos	olytic se of born coblassis) F
Ages at death All ages 0	Post aspl a atele	rnatal nyxia and ctasis F 1,064	Pneu new M	monia of born	Diar new M	rrhoea of born F	Umb sep M	oilical osis	M 20	F 15	Neor disor aris from the toxage M	natal rders ing om ernal emia	Oth dise pecu to e infa	her ases aliar arly ncy	Haem disea newl (erythin tos	olytic se of born roblas-sis) F 170
Ages at death All ages 0 10 15 20 35 40 45 55	Post aspl a atele	rnatal nyxia and ctasis F 1,064	Pneu new M	monia of born	Diar new M	rrhoea of born F	Umb sep M	oilical osis	M 20	F 15	Neor disor aris from the toxage M	natal rders ing om ernal emia	Oth dise pecu to e infa	her ases aliar arly ncy	Haem disea newl (erythi tos	olytic see of born roblas-iis) F 170

^{* 765} Ophthalmia neonatorum 0, 0; 766 Pemphigus neonatorum 0, 0, 0, 0, 0.

Note: The group 760-776 relates particularly to the causes of death within the first 28 days of life, but it includes also some deaths from the causes specified at all ages.

Causes of death	771 Haemorr- hagic disease of newborn M F M 127 92 3 127 92 3 — — — —	ional ljust-	Ill-def disea pecu to ea infar	fined ises liar irly	Immat with me of any subsic condi	turity ention other liary	77 Imma unqua	turity	780- Symp seni an ill-de condi	795 toms, lity id fined	Symp refe to sy	otoms rable stems rgans	Cert symp refer to ner system spec sen:	tain toms able rvous n and cial		
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	М	F
ll ages	127 92 3		180	123	76	78	1,532	1,198	2,718	5,094	69	65	4	4		
0— 1— 5— 10—	127	92	3		180	123 	76 	78 — —	1,532	1,198 — — —	13 1 1	10 2 1	3 1 —		2 1 —	
15— 20—		_	_	· _	_	_	_				4 2	_	_1		_	
25— 30— 35— 40—				_	_			-			1 5 2 5	2 2 1	1	 	1	<u></u>
45— 50— 55— 60—			=	_		-					1 6 8 14	2 10 9 3	1 2 5 6	1 3 1 2		<u>1</u> <u>-</u>
65— 70—		_	_			=	_	_	_		23 117	18 157	5 13	5 6		
75— 80— 85 and over			_	-				_	=		373 856 1,286	577 1,372 2,928	9 15 5			=
			780·0 4; 5; 8; 9,	; 1; 3; 6; 7; 781*			782·0; 3; 5; 8; 9,	; 1; 2; 6; 7; 783*	785-	789*	790,	791*	7:	93*		
Causes of death	780 Convu	0·2	Symp refera cardi cula: lymp	82 otoms ible to iovas- r and ohatic tem	Ac he fail unde	ute art ure,	Symp refera up gas intes	84 otoms ble to per tro- stinal act	Sen ai ill-de	ility nd efined eases	Urae		Seni with menti psych	ility out on of	Ill-de an unkn cause mort	fined d own es of
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	4		4 32	31	29	30	18	18	2,649	5,029	22	19	2,578	4,970	49	39
0— 1— 5— 10—	1 -	=	2 -					-	10	- 2	<u>-</u>	1	-		9 1 —	8 2 —
15— 20—	-	-	= =	=	=	=	-	_	3 2	-	_	_		_	3 2	
25— 30— 35— 40—	1	_	1 -	-	1				1 3	2			=		1 3 1 4	
45— 50— 55— 60—			1 1 - 1 - 4 - 3	1 -	1 1 1 4 3			1	2 4	1 7 8 8		3 2		=		1 4 6 1
65— 70—	-	-	- 2	2 3	2 2		3 3	1	18 104		6	1	12 93	9 146	4 5	3 4
75	-	_	- :	5 8	3 4		7 3	3	364	565	4	8	357	555	3	2

^{*780-0; 1; 3; 4; 5; 6; 7; 8; 9} Others included under 780—; 781 Other symptoms referable to nervous system and special senses—; 782-0; 1; 2; 3; 5; 6; 7; 8; 9. Others included under 782 70, 75, 80, 75; 783 Symptoms referable to respiratory system 35, 60, 70; 785 Symptoms referable to abdomen and lower gastro-intestinal tract 70, 70, 70, 85, 60, 65, 70, 75, 80, 80; 786 Symptoms referable to genito-urinary system 60, 70, 70, 75, 85, 65; 787 Symptoms referable to limbs and back—; 788 Other general symptoms 0, 15, 80, 70, 85, 85, 85; 789 Abnormal urinary constituents of unspecified cause—; 790 Nervousness and debility 65; 791 Headache—; 793 Observation, without need for further medical care—.

85 and over 8

1,352 2,908

16

					RAIL	WAY .	ACCID	ENTS			N	1.V. T	RAFFI	C ACC	IDENT	S
	xv	п													E81	1*
Causes	E800-	E999	E800-	E802	E80	00	E8	01	E8		E810-	E825	E8	10	E8	12
of death	poisor an	d	Rail		invol railr	oad	invol		invol other	and	Mo vehi	cle	invol colli	sion	pedes	
	viole (exte cau	rnal	accid	ents	emple	oyee	passe	nger	unspe pers		traf accid		wi raily tra	way		
Ages at death	М	F	М	F	М	F	М	F	М	F	M	F	М	F	М	F
All ages	13,456	9,379	250	30	140	2	20	П	90	17	4,345	1,607	8	-	1,299	979
0-	278 346	212	4		_	_		3		_	8 127	5 86			111	70
5— 10—	310 307	132 119	4 3 5	3		_	1		3 3 4	_3	122 124	64 44	_	_	97 35	70 49 25
15— 20—	859 985	147 186	12 13	1 1	4 8	_	3	_1	8 2	1	568 660	87 95	=		38 39	15
25— 30—	689 628	172 159	15 20		9 16	_			6		285 231	59 35		_	11 15	10
35— 40—	722 645	251 246	14 18	2	16 8 8		2	2 1	6 8		230 187	59 35 52 38	1 2	_	15 32 32	14 13
45— 50—	840 936	362 473	30 28 33	1 1 5	19 19	_	2 2 3 3	_	9	1 1	230 223	73 85	2		47 46 79	22 38 57 88
55— 60—	1,080 904	558 617	33 33	5 1	26 18	2	3	1 1	4 12	_	260 223	99 129	_1	=	79 94	57 88
65— 70—	850 916	674 935	10 4	2 3	_5	_	_1	_1	4	1 3	215 228	139 159		=	110 154	116 138
75— 80—	856 722	1,163 1,359	6	2	=	_		1	6	2	205 143	176 131	_		162 126	156 104
85 and over	583	1,391	1		_	_			1		76	51		_	70	47

					M	OTOR	VEHI	CLE T	RAFFI	C ACC	IDENT	rs				
									E817, E8	E818, 19*						
Causes of death	E8	lal list	to rid passen motor in col with motor or ol	er or ger of cycle lision non- vehicle	to rid passen motor in col with motor	er or ger of cycle lision other	vehicle acci invol two or	motor e traffic dent ving more tor		ıd	to rid motor not inv colli	ler of rcycle	invo overti	lving urning n lway	invo runni road	lving
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	524	90	57	4	977	77	626	253	22	13	396	51	55	- 20	271	7
0— 1— 5— 10—	5 16 72	2 7 14			1 1 1 2	1 2	4 3 5 7	2 5 4 1			1 - 2	1 2		- <u>1</u>	$\frac{1}{1}$	The same
15 20	55 19	12 5	13 20	2 1	252 279	18 24	43 81	9 20	1 1	_	111 131	13 13	10 17	4 2	31 53	11
25— 30— 35— 40—	16 22 22 24	4 2 7 7	8 1 2 3		118 66 60 35	13 3 2 2	55 54 57 54	19 13 18 11	,		34 35 20 17	6 3 4 2	4 2 4 5	1 2	37 31 27 12	4 4 5 3
45— 50— 55— 60—	33 33 51 48	11 7 3 4	2 3 3 1	1	42 39 37 20	5 3 3 1	61 60 51 31	24 24 22 21	1 3 4		11 10 12 6	3 2 1 1	3 6 —	3 2 —	15 19 12 14	4
65— 70—	45 32	1 3	_1	=	17 5	_	21 24	15 14	5 1		4 2			3	7 3	2
75— 80— 85 and over	19 11 1		=		1 1		12 1 2	11 18 2	3 2	2 6 , 1					3 2	3

^{*}E811 Motor vehicle traffic accident involving collision with street car —; E817 Motor vehicle traffic accident to occupant of motor vehicle in collision with pedestrian or pedal cycle 50; E818 Motor vehicle traffic accident involving collision with animal or animal-drawn vehicle 45, 55, 60, 20, 25, 55; E819 Motor vehicle traffic accident involving collision with fixed or unspecified object 15, 20, 20, 20, 25, 25, 40, 55, 70.

	M.V. T	RAFFIC	CACCII	DENTS	N	OTOR	VEHICI	E NON	-TRAF	FIC AC	CIDENT	rs		
									E83	31*	E833,	E834*		
Causes	E82	24	E8:	25	E830-	E835	E8:	30	E8	32	E8	35	E840-	E845
of death	Oth non-col		ounspe		Mo		pedes	trian	to r		aı	ther	Ot! roa	d
Gouvi	motor v traff accid	rehicle fic	nati		non-	traffic dents	,		passe of mot	nger orcycle		ecified ture	vehi accid	
Ages at death	М	F	M	F	М	F	М	F	M	F	M	F	М	F
All ages	61	26	36	16	69	5	39	4	9	I	18		112	54
0— 1—	4	4			 6 3	1	4	1	_	_		_		
5 10	4 2 2	1	1	1	3		3		=	=	=		10 10	2 7
15— 20—	8 5	2 3	5 12	1 6	6 6	1	3 1	=	2	1	3 2		10 2	5 5
25 30	-		3 2	_	8 5	_		*****	2 4	_	4	_	3 4	-
35 40	3 1		2 1		1 5	_	1 4		_	=	1	_	3 5	1
45— 50—	10		3 3 2 2	1 2	5 8 9	1	3 7		_	_	2	_	7 14	3 4
55— 60—	7 2	1 6	2 2	2 2 2	9	1	7	1	1		1		13	3
65— 70—	5 4	2	_	_	2 2	1	1 1	1			1 1	_	7 11	5 7
75— 80—	3 2	3		1	_1	_	_1	=		=		_	7 7	6 5
85 and over	1		_		_			_	_		_		1	1

	E840, 1	E841*			E84	4*							E85	2*
Causes of death	Accident to pedes cause pedal	dent trian	Accident to ride pedal not investigation motor	dent er of cycle olving n with	Oth non-n road v accid	ner notor ehicle	E850- Wa trans accid	ter port	Subme of occ of sr bo	ersion upant nall	Other trans injur subme	water port y by	Other from level anoth in wa transp	falls one to her iter
Ages at death	М	F	М	F	M	F	M	F	M	F	M	F	М	F
All ages	15	25	81	21	14	7	147	. 5	64	4	31	-	16	
0— 1— 5— 10—	1 -				<u>-</u>	<u>-</u>	1 5 11		- 4 11		1 1			=
15— 20—	=	-	7 2	3	_3	2 2	31 16	1	22 10	1 1	7 1	_	1 1	_
25— 30— 35— 40—		=	3 1 3 5	_ _ 1			17 4 14 7		7 5	1	5 2 2 2		2 1	
45— 50— 55— 60—	<u>-</u>	1 1 3	7 11 13 4	2 2	3	1	9 9 11 10	1	2 - 2 1	1 —	2 3 4 1		3 2 1 3	=
65— 70—	2 3	3 6	5 6	11	2	_1	2	1		_	***************************************		2	=
75— 80— 85 and over	3 4 1	6 4 1	2 1		1 2	_		_	systems systems			=	=	=

^{*} E831 Motor vehicle non-traffic accident to pedal cyclist 25; E833 Other motor vehicle non-traffic accident involving two or more motor vehicles 20, 25; E834 Motor vehicle non-traffic accident while boarding and alighting —; E840 Street car accident to pedestrian 75, 80; E841 Other street car accident, except collision with motor vehicle —; E844 Accident to pedestrian caused by other non-motor road vehicle 30; E852 Fall on stairs and ladders in water transport 25, 30, 35, 40, 45, 50, 55.

E862-E866*

E854, E855, E856*

E858*

ACCIDENTAL POISONING

E870*

	E85	6*	E858*				E862-E	866*			E87	0*		
Causes of death	Oth specifiaccide in waterans	er fied ents ater	E860-E	aft	Accidente de la constant de la const	lent onnel tary	E86 Injury occupa accide comme "trans aircr	y to nt by nt to ercial port"	Accide poison by so and lie substa	ental ning olid quid	E83 barbit acid deriva	turic and	by aspir and salicyl	rin d
Ages at death	М	F	м	F	М	F	М	F	M	F	M	F	М	F
All ages	18		75	3	36		25	_	175	197	96	. 136	18	25
0—			1			_	_		1 12	5	_	1	5	
5— 10—		_		-1			_		12 2	_	1			
15	1		3 15		2				1	2 6	1	1	_	1
20—	3				10		3	_	1		_	2		1
25— 30— 35—	2 1		21 5 16	1	14 3 5		4 1	_	6 9 17 12	3 5 15 15	3 2 10	3 3 11	1	2 2 2
40—	3 2		6		ĭ		8 5		12		7	8	1	
45— 50—			4 2	_1	1		2 2	_	14 18	18 12 27 25	10 10	11 10	1	4
55— 60—	3 2			_		_	_	_	18 20 24	. 27 25	10 12 16	21 18	4 3	2 4
65 70	_			_	_			_	11 9	23 19	7 5	18 13	1	2 2
75									12	13	10	10	_	1
80— 85 and		_						_	4 2	8 1	2	6	- =	1
over			,	'		ACCID	ENTAL	POISO	NING					
	E87	/3*	E875, E87	E876,	E87		E881-1							
	E87		E875, E87			9*	E881-1	E887*	E890-	E895	E8	90	E89	91
Causes of death		74 ther gesic porific		78 er and	E87	9*		E887* 88 er and cified and and aid	E890- Accide poiso by g and va	ntal ning	E8 b utili (illumin ga	y ity aating)	E89 motor v exha	rehicle
of	E8 by o analg	74 ther gesic porific	by other	78 er and	E87	9*	E8 by othe unspe solid liqu	E887* 88 er and cified and and aid	Accide	ntal ning	b utili (illumin	y ity aating)	by motor v exha	rehicle
of death Ages at	E8' by o analg and so dru	ther gesic porific ags	by other unspector dru	er and cified gs	E87 E88 by alco	9* 80 7 hol	E8 by othe unspessolid liques substa	E887* 88 er and cified and and ances	Accide poiso by gand va	ental ning ases pours	b utili (illumin ga	y ity nating)	motor v exha ga M	rehicle sust s
Ages at death All ages 0 1	by o analg and so dru M 17	ther gesic porific lgs	by other unspector dru	r and cified gs	E87 E88 by alco	9* 80 7hol	E8 by othe unspessolid liques substa	E887* 88 er and cified and and ances	Accide poiso by grand va	ental ning ases pours	M 377	y ity nating) as	motor v exha ga M	rehicle ust s
Ages at death All ages 0—	by o analg and so dru M	ther gesic porific lgs	by other unspectors dru	er and cified gs	E87 E88 by alco	9* 80 7hol	by other unspersolid liquing substant	E887* 88 er and cified and and ances	Accide poiso by gand va	ental ning ases pours	b utili (illumin ga	ry (ity (atting) as F	motor v exha ga	rehicle ust s
Ages at death All ages 0— 1— 5—	by o analg and so dru M 17	ther gesic porific lgs	by other unspectors dru	er and cified gs	E87 E88 by alco	9* 80 7hol	by other unspersolid liquing substant	E887* 88 er and cified and and ances	Accide poiso by grand va	ental ning ases pours F 553	M 377 - 1 1 5 6	F 538	motor v exha	rehicle ust s
Ages at death All ages 0-1-5-10-15-20-	by o analgand so dru M 17 11	ther gesic porific ags	by othe unspector dru	er and cified gs	E87 E88 by alco	9* 80 7hol	by oth unspe solid liqu substa	E887* 88 er and cified and and ances	Accide poison by grand va M 433 1 2 2 6 6 8 15	F 553 4 4	M 377 1 1 5 6 9 9	F 538 4 3	M IO	rehicle ust s
Ages at death All ages 0— 1— 5— 10— 15—	by o analg and so dru M 17	ther gesic porific ags	by othe unspector dru	er and cified gs	E87 E88 by alco	9* 80 7hol	by other unspersolid liquing substant	E887* 88 er and cified and and ances	Accide poison by grand va	rental ning sases pours F 553 2 4	M 377 — 1 1 5 5 6 6 9 12 15 5	F 538 4 3	M IO	rehicle ust s
Ages at death All ages 0	E88 by o analgand so dru M 17 1 1	T4 ther gesic porific igs F 10	by other unspect dru	F 12 2 1 3	E87 E88 by alco M 5 -1 1	9* 80 7hol F	by oth unspe solid liqu substa	E887* 88 er and cified and iid ances F	Accide poiso by grand va and va 433 1 2 2 2 6 6 8 15 1 1 4 19 17 11 1 1 25	F 553 4 4 3 9 5 7 9 9 9	M 377 1 1 5 6 6 9 12 15 15 7	F 538 4 4 3 3 9 9 4 4	M IO	rehicle must s
Ages at death All ages 0— 1— 5— 10— 25— 30— 25— 40— 45— 50— 55—	E8 by o analgand so dru M 17 11 1 2 2 1 3 3	The state of the s	E8: by othe unspector dru M 16 1 2 1 1 1 1 1 1 1 1	F 12 2 1	E87 E88 by alco M 5 -1 1	9* 80 7hol F	by oth unspe solid liqu substa	E887* 88 er and cified and and ances	Accide poiso by g and va M 433 1 2 2 6 6 8 15 14 19 17 11 25 41 311	F 553 4 4 3 9 5 7 9 9 9	M 377 1 1 5 6 6 9 12 15 15 7	F 538 4 4 3 3 9 9 4 4	M IO	rehicle must s
Ages at death All ages 0	E88 by o analgand so dru M 17 1 1	The state of the s	E8: by other unspectors M 16 1 2 1 1 1 1 1 2 2 2 2	F 12 2 1 3 2 1	E87 E88 by alco M 5	9* 80 7hol F	by oth unspe solid liqu substa	E887* 88 er and cified and iid ances F	Accide poiso by grand va M 433 1 2 2 2 6 6 15 14 19 17 11 1 2 1 2 5 45 41 19	F 553	M 377 1 1 5 5 6 9 12 15 15 7 7 21 30 27 35	F 538 4 4 3 3 9 9 4 4	M IO III III III III III III III III III	rehicle must s
Ages at death All ages 0— 5— 10— 25— 20— 25— 30— 35— 40— 45— 50— 55— 60—	E88 by o analgand so dru M 17 11 1 2 2 2 1 3 3 2 1 1 1 1 1	rther gesic porific ags	E8: by othe unspeed dru M	F 12 2 1 1 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1	E87 E88 by alco M 5 -11 1 1	9* 80 7hol F	by oth unspe solid liqu substa	E887* 88 er and cified and iid ances F	Accide poiso by grand va and va 433 1 2 2 2 6 6 15 14 19 17 11 1 31 38 32 32	F 553 -5 -2 -4 -4 -3 -9 -5 -7 -9 -27 -27 -32	M 377 11 5 66 99 122 15 15 7 21 30 27 35 28 47	F 538 4 4 9 9 26 26 30 4 45	M IO III III III III III III III III III	rehicle must s

^{*} E854 Falls on same level in water transport 50, 70; E855 Unspecified falls in water transport 50; E856 Machinery accident in water transport 20, 35, 35, 40, 40, 45, 60, 60, 60; E858 Water transport accident of unspecified cause —; E862 Other injury in commercial "transport" aircraft —; E863 Injury to occupant by accident to other specified aircraft 15, 30; E864 Aircraft accident at airfield to person not in aircraft 20; E865 Aircraft accident elsewhere to person not in aircraft 10, 20, 70, 70, 70, 72, 45; E866 Other and unspecified aircraft accidents 25, 25, 25, 35, 35, 45; E879 Accidental poisoning by morphine and other opium derivatives 25, 30, 50; E873 Accidental poisoning by promides 70; E875 Accidental poisoning by sulfonamides —; E876 Accidental poisoning by strychnine 1; E877 Accidental poisoning by belladonna, hyoscine, and atropine —; E879 Accidental poisoning by nowious foodstuffs —; E881 Accidental poisoning by pertoleum products —; E882 Accidental poisoning by industrial solvents 35, 35, 20; E883 Accidental poisoning by corrosive aromatics, acids and caustic alkalis 1, 30, 40, 40, 50, 50, 60, 75, 80, 20, 55, 60, 65, 70, 75, 80; E884 Accidental poisoning by mercury and its compounds 55; E885 Accidental poisoning by lead and its compounds 60, 1; E886 Accidental poisoning by arsenic and antimony, and their compounds 35; E887 Accidental poisoning by fluorides —.

	ACCID	ENTAL	POISO	NING										
			E893,	E895*										
Causes	E8	92	E8	94	E900-1	E904	E90	00	E90	01	E90 Oth		E90)3
of death	by o		by o		Accide fall		Fa on st		Fa fro		fal from	ls	Fa on sa	
death		oxide	gases	specified gases and vapours M F			020		ladd	ers	leve		lev	el
Ages at death	М	F	M	F	М	F	М	F	M	F	M	F	M	F
All ages	30	12	16	2	2,105	3,538	385	544	82	П	497	279	627	1,521
0	1	-	_		13 25	10 23	5	1 3	_		12 16	6 15 5 2		1 3
5— 10—	1	_	1	=	25 13 20	6 5	1			=	12 16	5 2		1 3
15— 20—	2 4				26 30	1 1	1	<u>-</u>	_2	_	20 22	_1	_1	_
25— 30—	1	_	1		43 35 57	4 7	3	2 3	2	_	33 24		1 4	1
35— 40—	$\frac{1}{2}$	1	2 2 1	1	57 49	· 7		1 4	2 2 5 3	=	33 24 34 21	3 3	6	2 3
45— 50—	3 6	_	1 2	_	67 78	18 23	21 19	6	2 19 11 11	_	31 31	4 4	6 8	2 8 8
55— 60—	1	1 2	2 2 1	_	103 105	18 23 52 77	19 21 25	6 19 22	11 11	1 1	40 30	4 9 8	20 19	8 24
65— 70—	3 3	1	1	1	137 226	174 357	29 51	52 65	9 12	1 4	28 27	13 28	39 79	71 135
75— 80—	2	1	_	_	298 394		78	141	5	2 2	43 32	65	159	434
85 and over	i –	1			386	1,159	55	121	1		25	68	171	538

Causes of death	Unspec fall	cified	E910-	er	E9: Blo fro fallii proje object miss	m ng or cted	Accide cause vehi	lent d by	Acci cause mach	dent d by	E9 Acci cause cutt an piere instru	dent ed by ing id	Accie cause elect	dent d by tric
Ages at death	М	F	М	F	М	F	M	F	М	F	М	F	M	F
All ages	514	1,183	2,360	1,118	266	14	59	_	211	5	13	5	92	29
0— 1— 5— 10—	1 2 1	2 2 —	244 160 152 119	178 90 43 51	6 10 2	1 3 2	_				$\frac{\frac{1}{3}}{2}$	1	1 11 5 3	3 2
15— 20—	3 7		141 141	18 14	8 18		3 7		13 19	1 1	_1	_	7 14	2
25— 30— 35— 40—	4 3 7 6	1 1 1 2	126 111 136 114	15 16 24 24	24 37 34 28		3 2 5 2	=	16 18 23 17		1 1 —		13 4 6 5	1 4 -
45— 50— 55— 60—	7 11 11 20	6 5 15 22	151 133 143 116	33 53 58 58	29 25 23 17	1 -	5 10 7 8		23 21 25 13	_ 	$-\frac{1}{1}$	=	7 9 5 1	3 4 3 1
65— 70—	32 57	37 125	83 90			1	5 1	_	7 2	_		1	_	1
75— 80— 85 and over	88 120 134	315	59	97	1	1 2	1		2	_	_	1	1	1 2

^{*} E893 Accidental poisoning by cyanide gas —; E895 Accidental poisoning by unspecified gases and vapours —.

Causes of death	Accident cause exploing for exploing the cause exploins a cause exploins exploins a cause exploins exploins a cause exploins	dent d by sion ssure	E9 Accidence cause fire a explosi combu	dent d by and on of stible	E9 Accidence cause hot sub- correct liquence and se	dent d by stance, sive id,	E91 Acci cause firea	19 dent	E92 Inhala and ing of for caus obstru or suffe	21 tion gestion ood sing	E9 Inhali and ing of o object o obstru or suffo	etion gestion ther causing action	For bo	eign dy ring orifice
Ages at death	M	F	M	F	M	F	M	F	М	F	М	F	М	F
All ages	7		268	422	52	64	75	6	212	154	18	14	12	16
0— 1— 5— 10—		=	10 22 12 9	6 33 24 12	1 14 —	3 8 2		1 4	97 19 1 —	78 5 2 4	8 2 1 2	3 3	1 1 1	- 1 -
15— 20—	3	_	1 3	6 4	1	1	21 5		3 4			_	_	=
25— 30— 35— 40—		=	8 6 12 11	3 4 4 5	$\frac{1}{4}$	1	6 2 4 6		5 7 6 5	2 2 3 3	=		<u>-</u>	1 1 2
45— 50— 55— 60—		=	16 9 16 9	13 16 12 20	2 1 1 5	1 3	5 2 6 4		8 12 8 6	3 7 8 9	1 1	1 2 —	2 - 1	- 3 1
65— 70—	1	_	10 30	41 45	3 4	5 5	1	_	4 11	2 11	1	_2		2 2
75— 80— 85 and over	1		33 30 21	70 59 45	9 1 4	7 12 14	1 1	=	8 4 4	5 2 3		1	1 2 2	1 2

Causes	E9		Accide mech			926 k of	E	27* 228 her		029 dental		E931*	E9 Hun	
of death	mecha suffoc in b and c	nical ation ed	suffocin oth unspecircum	cation er and cified	car infa under	e of ants 1 year age	accio	dents ed by nals	drov	vning nd ersion		essive old	thirst expo	and
Ages at death	М	F	M	F	M.	F	М	F	M	F	M	F	М	F
All ages	82	59	49	7	30	23	12	8	719	214	3	6	16	- 11
0— 1— 5— 10—	77 1 —	54	5 2 3 2	4 1 —	30	23	1 1		1 65 105 63	21 8 25	1	_	_	1111
15— 20—		1	2 2	=		_		_	60 52	3 5	Manufacture Military Co.		_1	_
25— 30— 35— 40—	_ 1 2		2 4 8 4				1	-	35 22 31 26	5 5 9 9		_		1 2 -
45— 50— 55— 60—			6 3 5 1			=	1 2	1 1	39 28 38 35	10 18 24 20	. =	1	2 1 1	1 -2 2
65— 70—		_	_	1	_		3 1	1 2	35 32	15 14	_	4	3 2	_1
75— 80— 85 and		=		Annual States	_	_		. 1	29 12 11	9 6 4			3 3	1 1

^{*}E918 Accident caused by radiation —; E920 Foreign body entering eye and adnexa —; E927 Accidents caused by bites and stings of venomous animals and insects 35, 60, 60, 1; E930 High and low air pressure —; E931 Excessive heat and insolation 1, 65, 70, 20 80.

Causes of death	E93 E93 Light	35	E93 Oth an unspec accid	er d cified	E940-l E940- Compli due non-the medica surg proce	E946 cations to rapeutic al and rical	E950-1 Therap misadve and complic of thera procee	eutic enture ate ations peutic	E9: Therap misadv in sur treatr	eutic enture gical	E951-E E960-I Lat effect of inj and poison	e ets ury	E96 Lat effect mot vehi accid	e of or cle
Ages at death	М	F	М	F	M	F	M	F	М	F	M	F	M	F
All ages	6	1	150	57	i	2	10	8	5	2	155	26	13	5
0— 1— 5— 10—	- 3		12 7 8 18	3 10 1 1		1	=	1		=	1			<u>-</u> 1
15— 20—	_	_	21 12	1	1	1	_1				3 2	1	3 1	_
25— 30— 35— 40—	1 1		10 7 4 1	1		-		1			5 4 8 8	1 1 3 —	$\frac{-2}{1}$	1 1
45— 50— 55— 60—	=		7 10 5 10	1			$\frac{1}{1}$	1 1 2	- 1 2		8 5 14 28	1 1 1 1	- <u>2</u> - <u>1</u>	<u></u>
65— 70—	_		5 3	4		_	1 1	1	1	1	33 22	3	2	=
75— 80— 85 and over	_	_	6 3 1	3 12 9	_		2	1			10 4 —	4 3 6	1	1
Causes of death	otl	62 ite ct of	E963, E9 Late of inition due to	65 effects juries o war	Sui a self-ir	-E979 cide nd nflicted	E9 Suicid self-in poiso by and	e and flicted oning algesic	Suicion self-ir poison other	971 de and afficted ning by solid	Suicid self-in poison	e and	E9 Suicid self-ini poiso by o	e and licted ning

Causes of death	E96 Laceffect oth accide inju	te t of er	E963, I E96 Late e of inj due to operat	ffects uries war	E970-l Suic an self-inf inju	ide d licted	Suicide self-inf poiso by ana and soy substa	e and licted ning lgesic porific	E9 Suicid self-in poison other and I subst	e and flicted ing by solid iquid	Suicid self-in poison gase domes	e and flicted ing by	E97 Suicide self-infi poison by ot gas	and licted ning her
Ages at death	М	F	М	F	м	F	M	F	M	F	М	F	M	F
All ages	63	19	78	1	3,116	2,091	327	451	75	46	1,417	1,177	58	6
0— 1— 5— 10—	_ 1 _					<u>-</u>		, _	_	_				
15 20	annuite.	1		_	43 76	20 47	1 6	5	1 4	1	20 30	12 29	1	_1
25— 30— 35— 40—	3 2 4 6		$\frac{2}{4}$	1 - -	141 168 200 218	72 76 132 148	22	13 16 32 40	4 7	4 1 1 7	72 80 86 96	45 41 76 69	2 4 10 8	
45— 50— 55— 60—	8 2 10 6		1 4 21	_	283 371 438 315	200 261 281 283	50 46	48 69 58 59	13	7 3 6 6	143 174 180 134	110 138 162 164	10	3 1
65— 70—	5 10	3	25 12		313 271	201 199		41 32	7 6	7	153 120	117 114		minero
75 80 85 and over	3 3	3	6		168 75 33	112 42 16	15 1 2	21 8 3	1	_	72 37 18	70 21 8		1

*E934 Cataclysm 5, 20; E940 Generalized vaccinia following vaccination 0; E941 Postvaccinal encephalitis 20; E942 Other complications of smallpox vaccination —; E943 Post-immunization jaundice and hepatitis —; E944 Other complications of prophylactic inoculation —; E945 Complications of anaesthesia for non-therapeutic purpose —; E946 Other complications due to non-therapeutic misadventure in local and surgical procedures 20; E951 Therapeutic misadventure in infusion or transfusion 60, C952 Therapeutic misadventure in administration of drugs or biologicals 35, 50, 55, 60; E954 Therapeutic misadventure in anaesthesia —; E955 Other and unspecified therapeutic misadventure 15, 50, 75; E956 Late complication of surgical operation —; E957 Late complication of amputation stump —; E958 Late complication of irradiation —; E959 Late complications of other forms of treatment 70; E961 Late effect of accidental poisoning 65, 35; E963 Late effect of self-inflicted injury —; E964 Late effect of injury purposely inflicted by another person (not in war) —.

Causes of death	Suicide self-inf injury hang an strangu	e and licted y by ing d	Suicide self-inf injury subme (drown	e and licted y by rsion	E9 Suicid self-ini injur firea an explo	e and flicted y by rms	Suicid self-ini injur cuttin piere instru	e and flicted y by g and cing	Suicid self-in injur jum from pla	e and flicted y by ping high	Suicid self-in injur other unspe me	le and flicted by by and cified	E980- Hom and in purpo inflicte oth pers (not in	icide njury osely ed by er ons
Ages at death	М	F	M	F	М	F	М	F	М	F	М	F	M	F
All ages	438	120	249	197	212	8	. 119	17	74	41	147	28	103	142
0— 1— 5— 10—		_	Sapana-				=	=			=		10 8 5 7	17 10 14 7
15— 20—	9 10	1 4	1 2	3	7 13	1 1		1	3	1	4 5	1	6 7	9
25— 30— 35— 40—	14 19 28 29	2 3 3 6	10 6 9 19	5 8 8 17	9 15 8 12	1 1 1	4 4 8 6	2 3	6 6 8 4	3	9 8 9 12	1 3 5 4	5 13 9 5	13 10 10 3
45— 50— 55— 60—	31 45 72 44	13 21 16 15	15 23 41 34	14 19 30 27	18	<u>1</u>	8 7 14 14	1 3	5 6 9 9	1 5 3 8	10 25 23 16	4 3 3 1	6 5 5 3	8 5 2 6
65— 70—	52 39	10 13	30 31	19 30	20 11		13 24	_3	6 5	· 2	9 11	2 1	4	7 9
75— 80— 85 and	32 12 2	8 3 2	14 11 3	9 5 3	8		10 2 3		4 2 1	3 2	5 1	=		2 - 2

	E980		E981		E982		E983		E984* E985		E990-E999* E990-E999		
Causes of death													
	Non-accidental poisoning		Assault by firearm		Assault by cutting and		Assault by other		Execution		Injury resulting from		
	by another person		and explosive		piercing instruments		means		2010-201011		operations of war		
Ages at death	м	F	м	F	м	F	м	F	М	F	М	F	
	9		7	13	17	22	64	- 81	6				
All ages	9	26		13	17	22					_		
0— 1—	1 5	4	_		1	1	8	12 4		_	_		
5— 10—	1 2	6 8 2				3	4	3			-	_	
		4	1	1			*				_		
15— 20—		_	1	2 3	1 2	2 2	5	4	1	_	_		
25—	_	-		_	1	5	3	8 7	1	_	_	_	
30— 35—	_	1	1	1 1	2 3	1	8	7 9	3		_		
40—	_		3	1	_	1	2	1			_		
45— 50—			1	3	2 2 3		3	5	_	_	_	_	
55		1	_		3		3 2	5 3 1 2	_	_		_	
60		1		1	-	2	3	2	_			-	
65— 70—			=			3	4	4 7	_	_	_		
75							_	2		_			
80 85 and		-1				_	2	1	_	_	_		
over		1					3	1					

over

^{*} E984 Injury by intervention of police —; E990 Injury due to war operations by gas and chemicals —; E991 Injury due to war operations by gunshot —; E992 Injury due to war operations by grenade and land mine —; E993 Injury due to war operations by bomb —; E994 Injury due to war operations by marine mine, depth charge and torpedo —; E995 Injury due to war operations by explosion of artillery shell —; E996 Injury due to war operations by explosion of undetermined origin —; E997 Injury due to war operations by aircraft destruction —; E998 Injury due to war operations by other and unspecified means —; E999 Injury due to war operations but occurring after cessation of hostilities —.

ICD Nos. E870-E936

Note. The deaths in this table have been classified to the several forms of violence in accordance with the information furnished by H.M. Coroners. "Open verdicts" are normally included with accidental deaths.

Deaths from poisoning will be analysed periodically in the Statistical Review, Part III, Commentary, to distinguish individual poisons stated to be responsible. These details can be obtained on request from the General Register Office.

See explanatory notes.

E 870—E 936.	Non-transport accidents
--------------	-------------------------

		E O	70—E 73	0. 140	u-ti ans	port at	cidents														_
Age- groups	Tot	al	At work	Но	me	Farm	Mine and quarry	Indurial pan	lace d	Place recr tion spc	ea- and	Stre ar hig	nd h-	Pub		Resi tial in tuti	ısti-	Oth spec plac	ified	Pla no spec	t
	M	F	MF	M	F	MF	M F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
11 ages 0 5- 15- 45- 65 & over		311 107 218 549	1,029 32 1 — 509 7 441 19 78 6	2,183 342 61 179 367 1,234	254 51 121 363	41 4	325 3 14 - 169 - 127 12 -	- 243	8 - 1 3 4 -	80 3 22 41 6 8	19 2 9 2 — 6	218 4 7 27 29 151	185 4 2 3 16 160	8 7 32 31 51	67 1 2 4 19 41	336 5 3 24 40 264	703 7 2 21 39 634	867 60 170 302 192 143	235 22 37 44 66 66	289 21 2 67 65 134	37
Age		Te	otal	At w	ork	Н	ome	Indu place pren	strial and nises		Pub build			Reside nstitu			Othe pecifi	ied		Place not ecifie	
grou	ps		F	M	F	M	F	М	F		M	F		M	F	I M		F	M	1	F
		M	. IP ()	IVI)	1	141	, 1	141					, .								
			70—E 89		cidenta			. 17			11	10		5	3	1 3	5	8	65		57
All age	es	608 16	750	28	5	476 15	672 9 2	16		-		-		_			1 3	-	_		1
5 15		10 130	2 78	9	2 3	88 88	55	4	_		3 4	3		1 2 2		1 1	4	5 3	20 27		13 19
45-	over	211 241	177 483	17 2		154 212	152 454	11			4	4		2	1	1	4		18		24
All ag 0- 5- 15- 45- 65 &	es	E 8	770. Acc	cidental	poisor	l I I I I I I I I I I I I I I I I I I I	morphin	e and o	ther o	pium	deri	vativ	1					And the second s			
		E 8	71. Acci	dental	poison	ing by	barbitur	ic acid	and	deriv	ative	s									20
All ag	es	96	136	1		71	103	1 -			-	_		_	_	-	5	3	19		30
5- 15-		23	28	_	_	17	21	=									1 3	2 1	3		5 12 13
45 65 &	over	48 24	60 47	1	_	36 18	47 34	1				_		_			1		5		13
		1)		11		1					- 1								_
				cidenta	l poiso		y aspirin	and sal	icylat	es							Y		, 9	,	11
All ag 0- 5-	ges	18 5	25 · 1	_		8 5	14	_		-				_	=		 - - - -		-		
15-		3 8	8	=	_	3	4	-	_							-	_	_	3		 4 4 3
45– 65 &	over	2	10 6			-3	6 3	-	-	-					-		1	_	1		3
								,													
			873*		1	uina b	y other aı	algosio	ond	conor	ific d	rugs									
All a	ges	1 17	874. Ac	li		11 8	6		-	·	1		.	1	1	1	3		1 -	1	3
0 5		1 1	*****	_	_	1 _1		_			_				_		1 1 1		- 2	,	=
15- 45-		5 8 2	1 4	_	=	1 5	1 3 2	=			1			<u>-</u>	_		1	_	1 2	2	
65 8	& over	2	5	_	-	1 1	2		_	-	_	_	-	1	1	1			1		4

^{*} E 873 Accidental poisoning by bromides: 1M, 65-74 yrs. "Place not specified".

TABLE 18A—continued

							-								
Age- groups	Total	At	work	Н	lome	plac	istrial e and mises	Pu	iblic lding	Resid	dential tution	spec	ther cified aces	I	lace oot cified
	M	F M	F	M	F	M	F	M	F	M	F	M	F	M	F
		876, E 877		- L 41			c								
All ages		Accidental	poisonin 	g by ot		unspeci	ned dru	igs —	-	, 2			2	1 5	
0- 5-	3	2 _		3	9 2	-		-	-			-	=	-	_
15- 45-	4	4 -		2 1 2	1			_		<u>-</u>	1	=	2	2 1 2	_
65 & over	5	4	_	2	1 4 2		-			1	nemana.	1		2	_
	I			ļi				1		1		1			
	E 879*														
	E 880.	Accidenta	al poison	ing by	alcohol										
All ages	5 1 -	3 _	enteren	3	2	_		1 -		-		1 1	1	1	
0 5 15		_ -	-	-		-	-	_	_	_	-	i	-	1	
45-	2 1	2 _	-	1		_	-	_	-	_			1		
65 & over	1 -	- 1 -	_	1				-	NO. PARK	-	_	_		-	
	E 001	A - 13 - 4	1	. ,		,									
All ages	E 881.	Accidenta	al poison	ung by	petroleu	m prodi	ucts								
0- 5-		_ _	-				-			_		_		_	_
15	_ =				_	_		_	-	_	-	_	_	_	
45– 65 & over	= =		-	_	_		_	_	********	-	********	_	-	_	
	1			11				1		1					
	E 882.	Accidenta	ıl poison	ing by i	industria	l solver	its								
All ages 0-	3	1 2		-	-	2		-				_	_	1	- 1
5			,	_				_	_		_			-	
15- 45-	3 -	1 2	-		_	2	-			_	_			1	1
65 & over		- -	*****	-	-		-	-				-	-	-	
	E 003	4	, .	. ,											
All ages	E 883.	Accidenta	ıl poison	ing by (corrosive 3	aroma	tics, ac	ids and	caustic	alkalis	1			5	2
0- 5-	i	-		1	_			_					_	-	
15-	3	1 _		1	_	-	Salvenia Salvenia			_	1	_	_	2	_
45- 65 & over	3 3 2	2 -	-	1	1 2				_1			_	_	2 2 1	
	l	. 11		!!											
	E 884, 1	E 885, E 8	86, E 88	7*											
	E 888.	Accidenta	l poison		other and	unspe	cified so	olid and	liquid :	substan	ces				
All ages 0- 5-	1 -	<u> </u>	-	3			Sirenia Militare	_	_		-	-		1	-
5- 15-				_	-	_				_		-		1	_
45-	1 -	1 -	_	1 1	1						_	-	_		
65 & over	1 -	and the same of th		1				and the same	-	-	-			-	***************************************
	E 890.	Accidenta	Ingisoni	ing by	ıtility (il	lumino	ing) as	e							
All ages	377 53	3 11 7	5	339	520	5	ga	, 7	9	2		8	1 1	16	8
5-	6 2	1 _	_	1 6	4 2		_		_	_		-			
15- 45-	1 6 64 2 113 9	1 4 4	2 3	55 97	4 2 22 86	<u>-</u>		1 2 4	3 2 4	1 1		2 4 2	1	5 5 6	2 2 4
65 & over	193 414	1 2		180	406	1	-	4	4		-	2		6	4

^{*} E 875 Accidental poisoning by sulfonamides: Nil; E876 Accidental poisoning by strychnine 1M, 0-4 yrs. "Home"; E 877 Accidental poisoning by belladonna, hyoscine and atropine: Nil; E879 Accidental poisoning by noxious foodstuffs: Nil; E 884 Accidental poisoning by mercury and its compounds: 1M, 45-64 yrs. "Public building" (at work); E 885 Accidental poisoning by lead and its compounds: 1M, 45-64 yrs. "Industrial place and premises" (at work), IF, 0-4 yrs. "Place not specified"; E 886 Accidental poisoning by arsenic and antimony and their compounds: 1F, 15-44 yrs. "Home"; E 887 Accidental poisoning by fluorides: Nil.

Age- groups	То	tal	At w	ork	Но	me	Indus place prem	and	Pub build		Reside		Oth speci	fied	Pla no speci	t
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
•	E 8	91. Acc	idental	poisoni	ing by n	otor ve	hicle ex	haust g	as							
All ages 0- 5- 15- 45- 65 & over	10 - 3 6 1	<u> </u>		Marine	- 2 4 1	=	- - 1		=				1 1 1	1 -		
	E 8	92. Acc	idental	poisoni	ing by o	ther car	bon mo	noxide	gas							
All ages 0- 5- 15- 45- 65 & over	30 2 1 9 10 8	12 1 	4 -		20 2 1 6 5 6	11 1 2 4 4	- - 1						5 - 2 3 -		2 - - - 2	1 1 -
	E 8		* 3 4 . 3			41	:61		d vonou							
All ages	E 8	94. Acc	cidental	poison	ing by o	ther spo	cified g	ases an	u vapou	-		_	9			
0- 5-	1				termental terminal	-	Section 2	-	_	-	_	-	1 5 3			
15- 45- 65 & over	1 8 6 1	1 1	6 6		1	1 1	3		and the second	_	_		3	_		
	E 8	95*														
Age- groups	T	otal	At v	vork	Ho	ome	Indus place pren	and	Str ar high	nd		ential ution	Otl spec pla	ified	Pla no spec	ot
	М	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	E 9	00—E 9	04. A	ccidenta	al falls											
All ages 0-	2,105 38	3,538 33	308	16	1,067	2,357 26	210	2	186	177 3	275	627	244 2 19	94	123	281 3
5- 15-	33 240	11 29 170	116	_	6 34 137	4 16	3 95 89		3 8	3 2 3	12	6	71	5 4	1 20 12 90	<u>-</u>
45- 65 & over	353 1,441	170 3,295	148 44	11 5	137 856	107 2,204	89 23		27 146	14 155	21 241	23 598	67 85	15 69	90	269
	E	000. Fa	ll on st	airs	11											
All ages	385	544 4	14	6	312	484 3	5	1	7	3	111	15	46	36	4	5 1 — — 4
5- 15-	5 2 30	11	-		5 1 20 67	-8	1 2 2			-	1	2	8 12	1 7	1	
45- 65 & over	86 262	53 476	1 7 6	4 2	67 219	44 429	2 2	1	2 5	3	1 3 7	12	12 26	7 28	3	4
	E	901. Fa	ill from	ladders	3											
All ages	82	11	47		38	11	18		7		_	-	18		1	
0- 5- 15-	14		13		3		5 10		7				4 10		<u>-</u>	
45- 65 & over	33 35	2 9	13 27 7		3 8 27	9	10 3	-	4 1		_		10 4	_	1	=

^{*} E893 Accidental poisoning by cyanide gas: Nil; E895 Accidental poisoning by unspecified gases and vapours: Nil.

	1	1						
Age- groups	Total	At work	Home	Industrial place and premises	Street and highway	Residential institution	Other specified places	Place not specified
	MF	M F	MF	M F	MF	M F	MF	M F
All ages 0- 5- 15- 45- 65 & over	E 902. Ot 497 279 28 21 28 21 28 4 7 154 7 132 25 155 219	her falls from 6 217 100 98 3 19	ne level to ano 132	ther 173	10 6 1 1 2 — 2 — 5 3	56 85 1 — 4 3 7 7 44 75	122 17 2 1 18 3 51 3 35 3 16 7	$\begin{bmatrix} \frac{4}{2} & \frac{7}{2} \\ \frac{2}{2} & \frac{1}{6} \end{bmatrix}$
All ages 0- 5- 15- 45- 65 & over	E 903. Fa 627 1,521 2	14 5	278 928 1 1 1 - 1 3 19 24 256 900	7	158 167 1 2 1 2 4 2 19 12 133 149	155 388	28 32 	1 6 1
All ages 0- 5- 15- 45- 65 & over	E 904. Ur 514 1,183 3 4 1	16 2	307 771 3 3 3 4 22 26 279 738	7 — — — — — 5 — 2 —	4	53 139 — — — 4 — 2 12 47 127	30 9	113
groups	Total At wor	k Home	Farm Mir and quar	rial place and ry premises	tion and an sport high	building	ial insti- spe tution pla	her cified not specified
I M	FMI	F M F	M F M	F M F	MFM	FMF	MFM	FMF
All ages 0- 40 5- 27 76 45- 54 65 & over	1 94 1 9 111 384 3 202 276	36. Other according to the second sec	114 10 297 3 10 3 14 54 3 157 34 4 112 8 — 11	2 287 6 1 4 — — 15 1 — 144 3 1 109 2 — 15 —	67 13 32 2 1 2 19 8 4 37 2 19 3 — 2 6 2 5	8 43 10 1 8 1 - 11 - 2 11 6 - 2 5 7 3	56 73 723 5 7 58 2 2 152 11 13 252 17 16 153 21 35 108	3 187 101 5 3 22 21 1 2 35 1 - 2 36 27 2 36 27 3 58 26 3 36 26 2
	T		II			1 _		1
Age- groups	Total	At work	Home	Mine and quarry	Industrial place and premises	Street and highway	Other specified places	Place not specified
	M F	M F	MF	M F	MF	MF	M F	M F
All ages 0- 5- 15- 45- 65 & over	E 910. Bi 266 14 6 1 12 5 149 2 94 2 5 4	ow from falling 222	s object 15	122 — 1 — 2 — 72 — 46 — 1 —	75	$ \begin{vmatrix} \frac{12}{2} & \frac{1}{2} \\ \frac{9}{1} & \frac{1}{1} \\ -\frac{1}{1} & -\frac{1}{2} \end{vmatrix} $	39 7 4 4 21 1 13 1 1 1	3 — 1 — 2 — 2 —
	1	11			1			1
Age- groups	Total	At work	Home	Farm	Mine and quarry	Industrial place and premises	Other specified places	Place not specified
	MF	M F	M F	MF	MF	MF	M F	MF
All ages 0- 5- 15- 45- 65 & over	E 911. A 59	58 — — — — — — — — — — — — — — — — — — —	by vehicle		49	9		

					TOLL	10/1									
Tota	al	At we	ork	Hor	ne	Fari	nn.			place	and	specif	fied	not	t
M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 912	. Acc	ident ca	used by	machir	ery										
211 4 8 106 82 11	5 1 2 2	1 1 105 81 11	3 - 1 2 -	2 		53 4 3 27 16 3	3 1 1 1	45 — 24 19 2		92 -2 43 41 6		3 12 4	2 - 1 1 -		
E 913	3. Acc	ident ca	used by	cutting	and pi	ercing i	nstrum	ents							
13 4 2 3 2 2	5 1 - 4	2 1 1		4 -1 1 -	3	2 - 1 1		1 1 - -		<u> </u>		=		3 -1 -2	<u>-</u>
E 91	4. Acc	eident ca	aused by	y electri	c curre	nt									
92 12 8 49 22 1	29 3 2 8 11 5	55 	1 1 -	25 9 3 8 4 1	26 3 7 11 5	10	Manager Samuel S	2 - 1 1		26 1 1 18 6 —	1	29 2 4 12 11 —	2 2 - -	=======================================	
E 91	5. Ac	cident c	aused by	y explos	sion of 1	pressure	vessel								
3 2 2		5 - 3 2 -								3 - 3 -		3 - - 2 1			
То	tal	At v	vork	Ho	me			place	and			spec	ified	no	ace ot ified
M	F	M	F	M	F	M	F	. M	F	M	F	M	F	M	F
E 91 268‡ 32 21 41 50 124	422‡ 39 36 26 61 260	50 — 31 16 3	**saused b	206 32 18 10 31 115	403 36 34 23 58 252	osion of	combu	25 — 17 6 2	naterial 2 - 1 1	7 - - 3 4	8 2 -1 -5	13 3 4 3 3	8 1 2 1 2 2		- - - 1
								3		1		1			
E 9	17. A	cident o	aused b	by hot s	ubstanc	e, corro	sive liq	uid, and	steam	[1			
E 9 52† 15 7 9 21	17. Ac 64† 11 2 4 4 4 43	11	caused b	by hot s 32 15	11 2 3 2 32	e, corro	sive liq	uid, and 11	l steam	4 - - 1 3	9 - 1 - 8		2 - - 1 1	5 - - 1 4	3 - - 1 2
52† 15 7 9 21	64† 11 2 4 4	111		32 15 — 3	50 11		-	111	l steam				2 — — — 1	5 - 1 4	
52† 15 7 9 21 E 9	64† 11 2 4 4 4 43			32 15 — 3 14	50 11		-		l steam	Indeplace		Ospe	ther cified aces	1 4 PI	
52† 15 7 9 21 E 9	64† 11 2 4 4 43			32 15 — 3 14	50 11 2 3 2 32				e and	Indeplace	1 8 ustrial	Ospe	ther cified	1 4 PI	1 2
	M E 912 211 4 8 106 82 11 E 913 4 2 2 2 1 E 91 1 F 91 I F	E 912. Acci 211	M F M	M F M F	Total At work Hore M	Total	M F M F M F M	Total	Total At work Home Farm Mine quar M F M F M F M E912. Accident caused by machinery 211 5 198 3 2 4 1 19 11 106 2 105 1 2 2 16 1 19 11 24 82 2 81 2 2 16 1 19 11 19 11 1 19 11 1 19 11 1 1 19 11 1	Total	Total At work Home Farm Mine and quarry Industrial place prem M F M	Total	Total	Total	Total

[‡] E916 Including burns by clothing: domestic fire M18, F85, gas fire M4, F39, electric fire M7, F57, other M47, F86. Burns by falling into fire: open fire M24, F28, gas fire M3, F5, electric fire M2, F4, other M2, F2. Conflagration M50, F43. Other and unspecified means M111, F73. † E917 Including scalds M32, F50. * E 918 Accident caused by radiation: Nil; E920 Foreign body entering eye and adnexa: Nil.

TABLE 18A—continued

Age- groups	То	tal	At	work	Ho	me	place	strial e and nises		blic lding		lential tution	spec	her cified ices		ace ot ified
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages 0- 5- 15- 45- 65 & over	E 92 212 116 1 30 34 31	1. Ind 154 83 6 15 27 23	4 - 2 1 1	and ing	136 96 1 7 17 15	of food (101) 71 3 6 12	2	obstruc	7 1 - 3 2 1	suffoca	29 4 	36 3 1 7 14 11	14 1 -7 5 1	6 2 2 1 1	24 14 	10 7 - 1 - 2
	E 92	2 Int	alation	and inc	rostion s	f other	object	ina	ohoten	otion or	, suffee	tion				
All ages 0- 5- 15- 45- 65 & over	18 10 3 -2 3	14 6 2 3 3 3		1	12 8 2 - 2 -	10 4 -1 2 3			2 1 - 1	— — — — — — — — — — — — — — — — — — —		— — — —	1 1	1		1
	E 92	3. Fo	reign bo	dy ente	ring oth	er orifi	ce									
All ages 0- 5- 15- 45- 65 & over	12 2 1 1 3 5	16 1 -4 4 7	1 - 1		2 - 2	9 1 3 2 3					3 1 1 1	<u>-</u>			3 - 1 1 1	6 - - 2 4
	E 92	4. Ac	cidental	mecha	nical suf	focation	n in bed	and cr	adle							
All ages 0- 5- 15- 45- 65 & over	82†	59† 56 2 1			80 77 - 2 - 1	57 55 1 1			=		=======================================	1 1 -	1 1 -			
	E 92	5. Ac	cidental	mecha	nical suf	focation	in oth	er and	unspeci	fied circ	umstan	ces				
All ages 0- 5- 15- 45- 65 & over	49 7 5 22 15	7 5 1 1	32 — 17 15		7 2 -	51	9 1 3 5	=		=		- 1 - -	30 4 16 10		Management of the Control of the Con	Separate Sep
					1											
Age- groups	Tot	tal	Atv	vork	Но	me	Str ar high		Pul buil	olic ding		lential ution	Otl spec pla	ified	Pla no spec	ot
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages 0- 5- 15- 45- 65 & over	E 92	6. La 23 23	ck of ca	are of in	20 20 — — — —	13 13 —————————————————————————————————	rear of	age	3 3 —	1	1		5 5 —	5 5 — —	1	4 4 — —
Age- groups	To	tal	At	work	Но	me	Fa	rm	recre	e for ation sport	aı	eet id way	Otl speci pla	ified	Pla no speci	t
	М	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages 0- 5- 15- 45- 65 & over	E 92 E 92 12 1 1 2 3 5		8 — 2 3 3 3	idents c	aused by	y anima 3	7 1 1 1 3		2 - 1 1	2 2 —		3 - - 1 2	2 —		=	

[†] E 924 Including accidental mechanical suffocation: In bed, M24, F19; In cot, cradle, etc. M58, F40.

* E 927 Accidents caused by bites and stings of venomous animals and insects: 1M, 15-44 yrs. "Home", 2M, 45-64 yrs. "Home", IF, 0-4 yrs. "Place not specified".

Place not specified

Other specified places

Industrial place and premises

Mine and quarry

Age- groups	Total		At wo	ork	Ho	me	Far	m	Mine		place	and	spec	ified	no	t
8.0.0	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages 0- 5- 15- 45- 65 & over	E 929. 719 2 66 2 168 3 226 1		19 	drownii	16 5 1 2 3 5	36 9 1 3 11 12	10 3 -2 3 2	=	33 2 11 14 3 3	1 - 1 -	23 3 8 2 9	2 1 1	631 52 148 204 121 106	170 15 31 31 58 35	6 1 2 1 2	4 - 2 1 1
													1			
Age- groups	Total		At w	ork	Но	me	Fai	m	Indus place prem	and	aı	reet nd nway	spec	her ified ices	Pla no speci	ot
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	<u>F</u> _
All ages 0- 5- 15- 45- 65 & over	E 9304 E 931.		cessive I	heat an	d insola	tion					- - -			<u>-</u>	-	1 - - 1
All ages 0- 5- 15- 45- 65 & over	E 932.	6 - - 1 5	cessive	cold	- - - 1	44		- - 1	=======================================							<u> </u> =
All ages 0- 5- 15- 45- 65 & over	E 933	. Hu	inger, th	nirst, an	2 2 - 2	sure		2 		=======================================	2	- - 1	7	6 3 1 2	4 - 4	2 - - 2 -
Age-	Tota	al	At	work	н	ome	plac	strial e and nises	recre	e for eation sport	8	reet and hway	spe	ther cified aces	n	ace ot cified
groups	M	F	М	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages 0- 5- 15- 45- 65 & over	E 934 E 935	i* i. Li	ghtning I 1 1			=		=	3 2 1 -				3 1 2 —	1 1 -		=======================================
			-1													
All ages 0- 5- 15- 45- 65 & over	E 936 150 19 26 55 32	5. O	12 - 4 6 2	=======================================	51 14 17 14 3 3	10 2 2 4 12	7 - 3 3 1		$ \begin{vmatrix} \frac{11}{2} \\ \frac{8}{1} \end{vmatrix} $	=======================================	$\begin{array}{c c} 4 \\ \hline 2 \\ \hline 1 \\ \hline 1 \end{array}$	- - - 2	34 2 5 13 9 5	12 2 — 1 9	43 3 16 17 7	13 1 -1 2 9

ICD Nos. N800-N999

- Note. 1 Headings to which no deaths were assigned during the year have been omitted from the table.
 - 2 See note at head of Table 18A.

ICD No.	Nature of injury	All ages	0	1	5	15—	25	35—	45	55—	65—	75—	85 and over
N800-N999	TOTAL	13,456 9,379			617 251	1,844 333	1,317	1,367 497	1,776 835	1,984 1,175	1,766	1,578 2,522	583 1,391
N800-N809	Fracture of skull, spine and trunk M	4,088 1,498	19	115 79	213 88	871 121	473 69	427 72	503 111	546 201	457 276	371 353	93 119
N800	Fracture of vault of skull M	85 20	-	7	6	14	10	12	10	5	15	5	1
N801	Fracture of base of skull M	544 178		17 14	33 17	150 24	64	59 10	72 10	66 22	49	25 29	9 8 1
N802	Fracture of face bones M	22		1	1	5	5	2	4	1	1	1 2	1
N803	Other and unqualified skull M	1,781 569	16	69 53	115 43	413 65	242 39	209 30	201 49	234	147 88	115 89	20
N804	Multiple fractures involving M skull or face with other bones \ F	801 243	3	16	35 17	183	85	86 12	95 24	114	102 46	69	13
N805	Fracture and fracture disloca- tion of vertebral column, F without mention of spinal cord lesion	237 103			7 3	40	26 4	19	36	35 17	35 14	53 33 36	20 28 13 13 6 10
N806	Fracture and fracture disloca- tion of vertebral column F	93 28	_	2	3	10	16	9	18	12	17	5	1
N807	with spinal cord lesion Fracture of rib(s), sternum, and \(\) \(M \)	180	_	2	1	10	3	10	16	28	36	52	
N808	larynx F Fracture of pelvis M	78 119		_	-5	15	7	2 7 2	4 15	21	15	36 20	22 15 9 28
N809	Multiple and ill-defined fractures of trunk	116 226 156		_1	5 2 7 3	31 1	15 2	14 5	36 7	8 30 21	20 23 35 49	43 46 52	28 11 16
N810-N819	Fracture of upper limb $\begin{cases} M \\ F \end{cases}$	69 138	_	-,	_1	3	2	3	7 2	7 4	10	23 62	13 45
N810	Fracture of clavicle M	8					1	-,	2	-7		2	3
N811	Fracture of scapula M	Ĭ	_	_	_	_	_					1	-
N812	Fracture of humerus M	40 70	_	_		1	_	1	3	2	8	16 34	9 25
N813	Fracture of radius and ulna	13	-	-	_1	_2				1		-4	2
N814	Fracture of carpal bone(s) M	15		=		_		_	-1	=1	-2	-6	-6
N818	Other, multiple, and ill-defined M fractures of upper limb	2 9	-	_		_		_	-1	1	1	-4	-2
N819	Multiple fractures involving M both upper limbs, and upper limb with rib(s) and sternum	14 15			_	=	_1	_2	2	3	1 3	4 8	3
N820-N829	Fracture of lower limb \ M F	1 088	-		3	24	16	20	30 15	64 65	191	464 1,274	275 963
N820	Fracture of neck of femur	448 1,280		_		_	-	i	2	12	370 79 159 78	209 602	145 493
N821	Fracture of other and unspec- Mified parts of femur F	443 1,166	_	_		4	- î	5	6	24 25 22	78 142	212 565	112 429
N822	Fracture of patella M	5	_						_	-1	3	1 5	1
N823	Fracture of tibia and fibula M	51 95	_			3	_4	2 2	4	4	12	15	7
N824	Fracture of ankle M	8	_	_	_	_	-	1	3 2	2 3	1 4	1 3	-3
N825	Fracture of one or more tarsal \(\begin{aligned} M \\ and metatarsal bones \tag{F} \end{aligned}	2			_	_			1	1		-	_
N826	Fracture of one or more phalanges \(\) M of foot \(\) F	2			_	_	_		1	_1	_	-	
N827	Other, multiple, and ill-defined M fractures of lower limb	25 18		_	_1	4	3	_3	3	1	4 5	3	3
N828	Multiple fractures involving M both lower limbs, lower with upper limb, and lower limb(s) with rib(s) and sternum	83 97	_1	_	_2	-9	3	-4	- 8	15	13 24	22 43	3 7 21
N829	Fracture of unspecified bones $\{M\}$	21 11		_1	-1	4	_5	_4	2	3	1 3	1 5	_
N830-N839	Dislocation without fracture $\ldots \left\{egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array}\right.$	46 22	_	=	_3	9	-6	1 2	1 2	13	5	7	1 2
N840-N848	Sprains and strains of joints and $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	6	=	_	=	-	=	_	_	_1		4	_

ICD No.	Nature of injury	All ages	0-	1—	5—	15	25—	35	45—	55—	65—	75—	85 and over
N850-N856	Head injury (excluding skull fracture) $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	1,067 495	10	27 21	53 23	213 35	107 18	103	120 34	141 42	117 88	127 152	49 56
N850, N851 N852	Open wound, contusion and \(\)M haematoma of scalp \(\). \(\) F Concussion \(\). \(\) M	55 51 54	_	2 2 2		8 1 12		5 1 3	4 1 5	6 2 6	7 9 7	14 21 10	9 14 2
N853	Cerebral laceration and con-	29 355	1	-6	15	3 88	44		 46	1 45	4 44	17 26	4 14
N854	tusion	157 124 126	1 7 2	5	11 7 4	16 15 3	7 5 2	9 4 2	14 11 4	15 17 11	30 24 27	38 21 48	10 9 18
N855	Other and unspecified intra- cranial haemorrhage follow- ing injury (without mention of cerebral laceration or con- tusion)	75 33	2 1	3 4	3	17 2	7 1	9	7 3	9	6	12 9	2 4
N856	Head injury of other and unspecified nature $\dots $ $\left\{ egin{array}{ll} \mathbf{F} \\ \mathbf{F} \\ \end{array} \right.$	404 99	1	10	25 7	73 10	47 8	56 9	47 12		31 12	44 19	13
N860-N869	Internal injury of chest, abdomen, SM and pelvis	1,150 294	5	30 13	62 25	257 40	173 20	144	166 38	46	89 49	54 39	15
N860	Traumatic pneumothorax and {M haemothorax {F	79 19	=	1	1	9	9	6	9	3	19	10 4	3
N861	Injury to heart and lung M	243 54	-3	2	10	50 10	31	29 5	43	8	19 12	10	1
N862	Injury to other and unspecified \(\) M intrathoracic organs \(\) \(\) F	301 62		4	14	58 8 6	42 4 3	53 5 3	56 6 9	12	22 14	3 7 9 2 6	- 1
N863 N864	Injury to gastro-intestinal tract \ M F M	31 12 101			9	30	 24	8	2	5 2 9	1	6	
N865	Injury to liver	25 36	^	4	4	5 9 2	2 5	2 5	-,3	4	1	2 2 1	
N866	Injury to spleen M F Injury to kidney M	22 16	=		-	2	3	1	3		5	1 2 2 2 3	1
N867	Injury to pelvic organs M	6 9	_			_3	3		ı î		-1	2	
N868	Injury to other and unspecified \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	9 95	=	1 7	_ ₇	27	14	10	1 6	13	1 5	3 5	1
N869	intra-abdominal organs Internal injury, unspecified or fM involving intrathoracic with intra-abdominal organs	38 239 47		3 8 2	8 13 7	67 3	3 39 3		32 8	26 9	5 12 6	3 12 5	_
N870-N879	Laceration and open wound of face, M neck, and trunk	194 45	_	-,	2	21	16 5	25 5	20 5		49 5	15	2 5
N874	Open wound of neck M	129	_	_	1 2	9	11 2 4	15 2	4	5	37 3 7	10	_1
N875	Open wound of chest \(\) M	32 4	=	_	1	_4	2	4	1	10	-	1	=
Rem. of N870–N879	Open wound of other sites of face, neck and trunk \ F	33 20	_	1	_3	8	1	3	_	7	5 2	4 4	5
N880-N888	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	31 5	_'	=		_4	3	2		2	8 2	i	
N890-N898	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	26 7	=	'	2	_	3	2	1	1	9	i	
N900-N908	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	151 47		-	-	26 3	9	21 8	34 8	4	18	7	3 2
N910-N918	Superficial injury $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	9 5			_			_'		1	-	5 2	'
N920-N929	Contusion and crushing with intact skin surface {M	34 40	_	=	=	1	_2	i	5	2	5	14 15	13
N930-N936	Effects of foreign body entering through orifice {M}	246 186	107 83		5 7	7 5	13 5	13 10		16 22		16	6 5
N930	Foreign body in eye and adnexa \ M	- 1		_	_			_1	_	_	_		_
N932	Foreign body in nose M			-	=		-		_	_	_		_
N933	Foreign body in pharynx and M	228 171	105 82		4 7	7 5	13 4	11	22 13		16 14	14 9	4 5
N934	Foreign body in bronchus and SM lung F		2	3		=		_	1	1 2 2		gamen.	
N935	Foreign body in digestive tract M	7 8	-		1	_		1		2 3	3	1	_2
N936	Foreign body in genito-urinary M			=		_	⁻ 1	1	_		********	1	

TABLE 18B—continued

No. Nature of injury	132 5 4 2 7
N941 Burn confined to face, head, M	132 5 4 2 7
N941 Burn confined to face, head, M 16 - 1 - - 1 - 1 2 4	4 2 7
N942 Burn confined to trunk State Stat	
N943 Burn confined to upper limb(s), M	
N944 Burn confined to wrist(s) and M 1 -	15
N945 Burn confined to lower limb(s).	4 _
N946 Burn involving face, head, and M 13	4 -
N948 Burn involving face, head, and neck, with trunk and limb(s) F 102 3 8 11 1 3 3 3 9 5 5 5 5 5 5 5 5 5	4
N948 Burn involving face, head, and neck, with trunk and limb(s) F 102 3 8 11 1 3 3 3 9 5 5 5 5 5 5 5 5 5	3 10 37 1
Specified parts	15
Ny60-N979 Effects of poisons	16
N961	3 _
N961	243 6 369 9
N962	
N963	
N964	
N965	5 —
N966	
N967	
N968	
N969	202 59 315 84
N970	4 4
N971 Poisoning by barbituric acid \(\begin{array}{c ccccccccccccccccccccccccccccccccccc	
cylates $ F $	24 40
N973 Poisoning by bromides	2 —
	_4 _
N974 Poisoning by other analgesic $\int M$ 33 - 1 1 - 7 7 9 4 -	3
N976 and soporific drugs F 38 - 1 1 2 5 9 11 5 5 9 11 5 5 7 5 7 7 7 7 7 7	_ 3 _
N978 Poisoning by venom M 3 - - - 1 - 2 -	
N979 Poisoning by other and un- $\{ F \ \ 1 \ \ 1 \ \ 3 \ \ - \ \ 1 \ \ - \ \ 4 \ \ 5 \ \ 5 \ \ 4 \ \ 2 \ \ 1 \ \ - \ \ 4 \ \ 5 \ \ 5 \ \ 4 \ \ 2 \ \ 1 \ \ - \ \ 4 \ \ 5 \ \ 5 \ \ 4 \ \ 2 \ \ 1 \ \ - \ \ 4 \ \ 5 \ \ 5 \ \ 4 \ \ 2 \ \ 1 $	3
N980-N989 Effects of weather, exposure, and \(\begin{array}{c ccccccccccccccccccccccccccccccccccc	7
N980 Effects of reduced temperature M 4 - 1 - - - - 1	5 2 —
N981 Effects of heat and insolation M 3 - 1 2	
N984 Effects of lightning \(\begin{pmatrix} F & 2 & - & - & 1 & - & - & - & - & - & - & -	_1 _
N985 Effects of hunger $\}_{M}^{F}$ $\begin{bmatrix} 1 & 1 & 1 & 1 & 1 & 1 & 1 & 1 & 1 & 1 $	
N987 Effects of exposure, not else- \ M	5 -
N988 where classified } M 12 3 2 3	_4 =

TABLE 18B—continued

ICD No.	Nature of injury	All ages	0_	1—	5—	15	25—	35—	45—	55	65—	75	85 and over
N990-N999	Other and unspecified injuries and \$\int M\$	2,288 904	122		235 47	294 39	214 51	240 78	283 127	358 171	266 142	152 83	32 26
N990	reactions	1,079	4 7	66	187 34	158 15	90 25	96 43	113 62	158 101		67 29	14
N991	Asphyxia and strangulation SM	633 238	90 67	11 10	27	41 12	46 12	75 16	88 40	120		42 10	2 2
N992	Electrocution	102	1	11	9	22	19	14	16	8 5	1 3	1 3	
N994	Other general effects of external SM causes		26 23				_	-1			_	1	_
N995	Certain early complications of M trauma			-			_	1		_2	_	_1	1
N996	Injury of other and unspecified M nature	432 171	1	4	12	71 9	59 12	54 11	64 16	68 29	46 28	38 39	15 16
N997	Reactions and complications Mue to non-therapeutic medical and surgical procedures		1	_	_	1		_		MANAGE .	=	1	
N998	Adverse reaction to injections, {M infusions, and transfusions {F	1	-1			_	_			_1		_	_
N 999	for therapeutic purposes Adverse reaction to other therapeutic procedures	8 7		=	_	_1	_	-1	2	1 3	2	2	_

ICD Nos. AE 138-AE 150; AN 138-AN 150 TABLE 18C. Deaths from violent causes-Nature of injury according to external cause, 1959

See note at head of Table 18A

	AE 150	Injury resulting from operations of war	78			110-	118	1111	31 31	6
	AE 149	Homi- cide and injury pur- posely inflicted by other persons (not in	103	33		11=∞	13		1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	18
	AE 148	Accident Acciden- All other Suicide caused tal acciden and self-by fire-drown- tal inflicted arm ing and causes injury mersion	3,116	55 27 9	0000	145	50 203 24	1171	1,882 1,682	745
	AE 147	All other accidental causes	1,123	130 77 8	36	1 252	151 8 28 7	241 184	- 40	390
ı;	AE 146	Accidental drowning and sub-	719	1111	1111		1111	1111	1111	719
External cause of injury (Intermediate List)	AE 145	Accident caused by fire- arm	75			317	2 19 7	1111	1111	-,
ry (Interm	AE 144	Accident caused by hot sub-stance corrosive liquid, steam, and radiation	52	1111	1111	1111	1111	1111	52 63	11
se of inju	AE 143	Accident caused by fire and explosion of combustible material	268	.	111	-1-1	. 111	1111	187 372 72 48	7
ternal cau	AE 142	Accident caused by mach- inery	211	23	17	1127	76	1111	1111	- 21
Ex	AE 141	Acciden- Acciden- tal tal poison- falls ing	2,105	232 232 222	2,678 18 17	4 194 226	33.2	36	1111	74 70
	AE 140	Acciden- tal poison- ing	608	1111			1111	1111		11
	AE 139	Motor Other Accident tal accidents accidents ing	584	195 44 45 5	1238	1 85 61	\$ 6.57 23.94	-111	∞er-	169
	AE 138	Motor vehicle accidents	4,414	2,234 687 419 235	164 115 16	549 214	707 219 86 34	10	1 136	221 96
in the second se		Total	9,379	3,233 1,017 855 481	1,157 2,836 46 22	1,067	1,150 294 402 104	43 246 186	269 444 2,614 2,508	2,368
			${\rm M}$	ZHZH ZHZH	ZHZH	ZHZH	ZFZF.	ZTZT	ZHZH	(F
			:	: :	: :	and	and	and	: :	jo s
			:	: :	: :	oints ire)	nen	e ste	: :	All other and unspecified effects external causes
		try Jist)	:	: trunk	 acture	of j	t, abd	contusion skin surfa body er	: :	ified
		of inju	:	and	s out fra	rains les luding	f ches			nusbed
		Nature of injury (Intermediate List)		f skull f spine	f limb 1 with	nd st musc y (exc	jury o	inju with for orifice	oison	and
		zg	:	Fracture of skull Fracture of spine and trunk	Fracture of limbs Dislocation without fracture	Sprains and strains of joints adjacent muscles Head injury (excluding fracture)	Internal injury of chest, abdom pelvis Laceration and open wounds	Superficial injury, crushing with intact Effects of foreign through orifice	Burns Effects of poisons	ll other and u external causes
			Total			Spra ad Head		S H	Burns	All
				AN 138 AN 139	AN 140 Fracture of limbs AN 141 Dislocation witho	AN 142 AN 143	AN 144 AN 145	AN 146 AN 147	AN 148 AN 149	AN 150

See note at head of Table 18A

				External	cause of	injury by	age		
Natu	re of injury (Intermediate List)	All ages	0-	5-	15-	25-	45-	65–	75 and over
		Road v	ehicle acci	dents to p	edestrians	(ICD No	s. E812, E	840, E842	2, E 844)
	Total $\{M \}$	1,316	113 73	132 74	77 22	91 44	267 210	269 263	367 319
AN138	Fracture of skull $$ $\begin{cases} M \\ F \end{cases}$	642 439	73 54	78 41	42 15	45 19	135 100	137 97	132 113
AN139	Fracture of spine and trunk	168 170	4	12	6 2	9 7	35 33	38 58	64 63
AN140	Fracture of limbs $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	86 87		1 1	4	2	18 10	15 25	46 51
AN141	Dislocation without fracture \ M F	_3		2		_1		_	_
AN142	Sprains and strains of joints \(\) M and adjacent muscle \(\). \(\) F				_	_	grandanie Securite		desired.
AN143	Head injury (excluding fracture) F	189 136	12 7	15 7	13 2	12 6	35 24	35 37	67 53
AN144	Internal injury of chest, {M abdomen, and pelvis {F	134 105	19	20 16	8 3	13	21 28	25 25	28 18
AN145	Laceration and open wounds M	30 22	1	1		3 3	11 4	8	
AN146	Superficial injury, contusion and crushing with intact F skin surface	5	_			_1		3	6 8 7 2
AN147	Effects of foreign body enter- \(\) M		_				-		_
AN148	ing through orifice F M		_				_		-
AN149	Effects of poisons M					_	_		
AN150	All other and unspecified M effects of external causes F	55 41	4 3	3 2	4	5 2	12 11	10 12	17 11
			Road ac	cidents to	pedal cyc	lists (ICD	Nos. E81	3, E843)	
	Total $\cdots {M \choose F}$	605 111	5 2	99 29	83 23	96 21	200 29	88 6	34 i
AN138	Fracture of skull $$ $\begin{cases} M \\ F \end{cases}$	376 71	3 2	59 19	52 15	58 15	127 15	53	24
AN139	Fracture of spine and trunk SM			5		3	20	8	1
AN140	Fracture of limbs $\left\{ \begin{matrix} f \\ M \end{matrix} \right\}$	18		_1	_2	_ 3 _	3	5	4
AN141	Dislocation without fracture \(\begin{array}{c} M \\ F \end{array} \)	1	- <u>-</u>	_	_	Sales and Sales	1	Grander America	
AN142	Sprains and strains of joints \ M and adjacent muscle \ F	_				_	Z	Marine Marine	and the second
AN143	Head injury (excluding fracture)	67 22	-	17 7	5 4	14 4	20 5	8	3
AN144	Internal injury of chest, {M abdomen, and pelvis {F	68 10	_2	11	11 4	15	17 5	_11	_1
AN145	Laceration and open wounds \ M				2	_1	2	1	_
AN146	Superficial injury, contusion M and crushing with intact F skin surface	_	-		=	_		-	_
AN147	Effects of foreign body enter- \ M ing through orifice \ F	-	-	_	_		_	_	_
AN148	ing through orifice F Burns M F	750			_	=	_	_	
AN149	Effects of poisons \ M		_	_	_				_
AN150	All other and unspecified effects of external causes F	26 3		6 2	_5	2 1	10	_2	1

				External	cause of	injury by	age		
Natu	re of injury (Intermediate List)	All	0-	. 5	15-	25	45-	65-	75 and over
		Accident	to rider o	r passenge	r of motor	cycle (ICI	Nos. E8	14, E815, I	E 821)
	Total $\left\{ egin{array}{lll} M \\ F \end{array} \right.$	1,430 132	3 2	5 4	806 71	399 35	186 20	29	
AN138	Fracture of skull $\left\{ \begin{array}{ll} M \\ F \end{array} \right\}$	835	2	3	456	240	115	17	2
AN139	Fracture of spine and trunk	88	1	2	43 53	19 20	12 12	3	_
AN140	Fracture of limbs \ M F	40 1	_	=	12	13 1	12 —	3	=
AN141	Dislocation without fracture \ M F	9		_	5	2	2		_
AN142	Sprains and strains of joints \ M and adjacent muscle \ . \ F	_	_	_		_		_	_
AN143	Head injury (excluding fracture)	171 20		- 1	101 13	47	21	2	_
AN144	Internal injury of chest, {M abdomen, and pelvis {F	208 20	1	2	138 10	48	17 4	2	_
AN145	Laceration and open wounds M	19	_		14	4	ï		_
AN146	Superficial injury, contusion and crushing with intact F skin surface			=		=	=	=	=
AN147	Effects of foreign body enter- { M ing through orifice { F	_			_	_			-
AN148	Burns M	3		_	1	1	1		_
AN149	Effects of poisons M					_		_	
AN150	All other and unspecified M effects of external causes.	57 5		=	26 2	24 2	5	2	Ξ
		Moto	r vehicle tr	affic accid	ents (ICE E 822 , E	Nos. E81	0, E811, 1	E816-E819	9,
	Total $$ $\left\{egin{array}{ll} M \\ F \end{array} ight.$	973 351	11	15	239	349 83	281 119	58 35	20 37
AN138	Fracture of skull \{ M \ F	358	5	6	108	142	81	11	5
AN139	Fracture of spine and trunk	101 105	7	1	26 23	25 29	27 39	10	8
AN140	Fracture of limbs \ M F	52 20 19	=		2 5 2	11 6 1	19 6 6	3 3	$\frac{12}{7}$
AN141	Dislocation without fracture \(\int \) M	3 3		_		1	2 3		
AN142	Sprains and strains of joints \ M and adjacent muscle \ F			_		_			_
AN143	Head injury (excluding frac- M ture)	117 41	1 —	4	33	40 14	34 14	5 2	3
AN144	Internal injury of chest, {M abdomen, and pelvis {F	264 78	4 2	5 3	49 12	94 16	85 31	21 10	6
AN145	Laceration and open wounds M	26 10			·4 1	10	10	1	i
AN146	Superficial injury, contusion M and crushing with intact F skin surface	1 1	=	Spiramen		1	<u>1</u>		Ξ
AN147	Effects of foreign body enter- \(\) M	1					1	_	_
AN148	ing through orifice F Burns M	3			2		1	_	_
AN149	Effects of poisons F		_	_	- 1	=	1	_	
AN150	All other and unspecified \{ M\\ effects of external causes \{ F\\	75 44	1 1		15	27 11	21 14	7 5	- 4 3

TABLE 18D—continued

	Nature of injury (Intermediate List)			External	cause of i	njury by	age		
Natu	re of injury (Intermediate List)	All ages	0-	5	15-	25-	45-	65-	75 and over
			Accio	dental fall	s (ICD No	s. E900–I	E 904)		
	Total $\left\{egin{array}{cccc} M \\ F \end{array}\right.$	2,105 3,538	38 33	33 11	56 2	184 27	353 170	363 531	1,078 2,764
AN138 AN139 AN140		521 232 257 222 930 2,678	22 16 — — — 2	21 8 3 -2	28 1 3 —	124 13 14 3 4 5	168 44 52 21 46 66	76 50 59 34 167 355	82 100 126 164 711 2,250
AN141 AN142 AN143	Dislocation without fracture { M F } F Sprains and strains of joints { M and adjacent muscle F Head injury (excluding frac- M ture)	18 17 4 1 194 226	16 11	- - 6 3	2 - - 9 1	1 - 12 3	5 1 - 35 20	2 6 - 36 44	8 10 4 1 80 144
AN144 AN145 AN146	Internal injury of chest, abdomen, and pelvis	33 8 22	- - - 1	1 -	9 1 1 1	15	23 5 3 3 —	7 8 1 8 2 8	20 18 3 11 16 27
AN147 AN148 AN149 AN150	Effects of foreign body entering through orifice F M M M M M M M M M M M M M M M M		1 = 1			1 13 2	1 - - - 17 10		

TABLE 19. Causes of death by sex at different periods of life, 1959 (including, for England and Wales only, crude death rates per million living)

Classified in accordance with the International Abbreviated List with certain sub-divisions.

					En	gland a	nd Wal	es			
Abbrevi- ated	Causes of death					Aş					
List No.			Under				Y	ears		1	
		All ages	year	1-	5-	15-	25-	45-	55-	65-	75 and over
	ALL CAUSES $\left\{ {\mathop{\mathbf{M}}\limits_{\mathbf{F}}} \right.$	269,878 257,773	9,454 7,175	1,391	1,539	2,993 1,283	10,814	22,928 14,380	52,025 30,530	75,128 62,655	93,606 131,629
B1	Tuberculosis of respiratory \(\) M	2,620	4	3		12	316		773		326
B2	system F Tuberculosis, other forms M F	854 190 190	4 5 2	3 18 12	3 9 9	13 6 8	236 38 33	150 36	150 32 33	177 26	118 20 35
B3	Syphilis and its sequelae 5 M	627	1	_		1	29	65	164	241	126
B4	Typhoid fever $\begin{cases} F \\ M \\ F \end{cases}$	331 2 1					7 1	31	72	108	$\frac{112}{1}$
B5	Cholera M						_	_	_	_	-
В6	Dysentery, all forms M	18 15	2 3	2	3	1	1 2	4	4 2	2 2	2 2
B7	Scarlet fever and streptococcal Sorie throat & F	12 9	1	1 2	2	3 1	. 1			_2	2
B8	Diphtheria M				_	_		_	_		
В9	Whooping cough $\left\{ egin{array}{ll} M \\ F \end{array} \right\}$	11 14	9 7	2 7			_		_		_
B10	Meningococcal infections \ M F	97 62	37 25	38 18	7 9	3	4 2	3	2	3	1
B11	Plague $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$			_					_	_	
B12	Acute poliomyelitis $\binom{M}{F}$	41 25	1	3 5	5	7	22 12	_1	_1		_
B13	$\begin{array}{cccccccccccccccccccccccccccccccccccc$					_	_				_
B14	Measles $\left\{ \begin{array}{cccc} M \\ F \end{array} \right\}$	49	13 10	22 17	11 14	1 2	1 2	1	_	1 2	1
B15	Typhus and other rickettsial \(\int M \)	1	_	-	_			1	_		
B16	diseases F Malaria M F	2						1	_		
B17	All other diseases classified as $\left\{ f M \atop infective \ and \ parasitic \ \ \ \ \ \ \right\}$	474 439	38 28	36 19	30 36	18 17	71 64	81 50	93 90	48 60	59 75
	$ \begin{array}{cccc} \text{Malignant neoplasm:} & \left\{ \begin{matrix} M \\ (140\text{-}205) \end{matrix} \right. & \left\{ \begin{matrix} F \\ F \end{matrix} \right. \\ \text{stomach (151)} & \dots & \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ \left. \begin{matrix} F \end{matrix} \right. \\ \end{array} $	51,783 45,334 7,930 6,146	24 27 —	153 124 —	239 213 —	285 199 3 4	2,248 2,812 235 148	6,406 6,065 933 416	14,251 9,855 2,056 1,004	16,285 12,543 2,697 1,951	11,892 13,496 2,006 2,623
	trachea, bronchus and {M lung (162, 163){F	18,181 2,882		_	2 2	10 6	633 177	2,891 483	6,786 811	5,844 843	2,015 559
B18	breast (170) \dots M Uterus (171-174) \dots F	62 8,708 4,003				2 8	745 428	7 1,816 709	17 2,097 1,012	18 2,154 1,039	19 1,894 803
	Leukaemia and aleukaemia (204)	1,315 1,219 24,295 22,376	9 6 15 21	77 60 76 61	119 100 118 109	70 54 202 125	188 148 1,191 1,166	130 151 2,445 2,490	251 218 5,141 4,713	268 263 7,458 6,293	203 219 7,649 7,398
B19	Benign and unspecified	541 735	17	9	25 15	25 26	72 95	81 156	110 145	110 138	92 138
B20	Diabetes mellitus $\ldots \left\{ egin{array}{ll} M \\ F \end{array} \right.$	1,100 2,093	1 2	1 2	4	12 9	78 33	89 80	177 345	355 762	383 848
B21	Anaemias $\left\{ egin{array}{ll} M \\ F \end{array} ight.$	582 1,109	1 4	3	5	9	27 29	35 47	91 105	147 293	264 612
B22	Vascular lesions affecting M	30,897	13	9	17	39	449	1,444	4,547	9,342	15,037
B23	central nervous system F Nonmeningococcal	44,253 180 134	9 67 44	5 17 8	17 4 6	31 1 4	488 16 16	1,524 13 11	4,388 31 17	11,625 15 18	26,166 16 10
B24	Rheumatic fever { M F	63 63	3	1	8	15	8 5	6	6 10	12 10	7
B25	Chronic rheumatic heart disease { M	2,482 4,589	3	_	4	46 46	426 597	513 900	645 1,105	530 1,034	318 907

				F	England	and Wa	iles—co	ntinued			
Abbrevi- ated	Causes of death		1,			Ag	ge				
List No.	Causes of acath		Under				Yea	ars			,
		All	1 year	1-	5	15-	25-	45-	55-	65-	75 and over
в26 {	Arteriosclerotic heart dis. incl. coronary dis. (420) F Degenerative heart disease (421, 422) F	52,193 32,729 20,507 31,495	2 2	+	5 2	8 4 8	1,506 209 116 69	5,938 1,016 320 183	13,281 4,340 1,228 928	11,366 4,335	14,493
B27 B28	$ \begin{array}{cccc} \text{Other diseases of heart} & \dots \bigvee_{F}^{M} \\ \text{Hypertension with heart} & & M \\ \text{disease} & \dots & \dots & F \end{array} $	5,644 7,120 4,656 6,719	7 9 —	5 4 —	12 —	28 18 2	133 97 47 31	254 187 215 130	816 642 839 658	1,824 1,579	2,700 4,327 1,974 3,796
B29 B46 (Pt.)	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	3,269 3,555 7,492 9,256	1 7	4	5 4	15 11 19 17	180 79 103 117	376 190 298 225	689 428 855 604	854 960 1,929 1,823	1,153 1,887 4,278 6,459
B30 B31	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	3,898 3,964 13,203 13,387	37 34 835 637	21 17 206 176	30 33 71 70	54 47 74 . 72	165 148 320 282	299 174 687 357	728 414 1,705 949	1,185 999 3,205 2,750	1,379 2,098 6,100 8,094
B32 B46 (Pt.)	Bronchitis M F Other diseases of respiratory system (470-475, 510-527) F	20,193 8,858 3,462 1,587	218 171 46 46	56 42 33 27	22 12 32 23	15 13 24 21	200 119 156 108	1,303 302 358 130	4,663 1,014 927 242	7,181 2,382 1,089 338	6,535 4,803 797 652
B33 B34	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	3,090 1,473 430 271	2 5 4 3	1 13 16	2 1 34 18	8 3 22 4	135 33 50 15	291 95 43 19	738 194 73 39	941 369 104 71	972 773 87 86
B35 B36	Intestinal obstruction and hernia	1,413 1,570 951 1,381	105 74 160 102	17 5 44 29	5 4 12 6	4 7 16 18	40 45 56 67	89 71 93 88	230 187 156 170	386 443 205 334	537 734 209 567
B37	diarrhoea of newborn Cirrhosis of liver {M} F	617 586	5	3	6	6	57 49	129	174 156	155 206	82 90
B38	Nephritis and nephrosis $$ M	1,923 1,762	15	7	29 31	84 49	280 184	269 189	385 279	424 470	430 549
B3 9	Hyperplasia of prostate M	3,505	_			_		18	195	892	2,400
B40	Complications of pregnancy, childbirth and puerperium	290			1	59	229	1			
B41	Congenital malformations $\dots \begin{Bmatrix} M \\ F \end{Bmatrix}$	2,503 2,408	1,725 1,673	179 156	133 101	82 68	136 114	102 126	58 68	67 62	21 40
B42	Birth injuries, postnatal asphyxia and atelectasis \{ M}	2,818 1,743	2,817 1,743		_1	_			_	_	=
B43 {	Diarrhoea of newborn (764) $\begin{cases} M \\ F \end{cases}$ Other infections of newborn (763, 765-768) $\begin{cases} M \\ F \end{cases}$	30 14 481 324	30 14 481 324								
B44	Other dis. of early infancy and immaturity unqualified { F	2,177 1,726	2,177 1,726	-		_	_	_			_
B45	Senility without mention of psychosis, ill-defined and F	2,718 5,094	13 10	1 2	1	6	13	7	22 12	140 175	2,515 4,877
B46 (Rem.)	unknown causes All other diseases (Remainder 001-795) F	7,479 10,781	259 193	137 127	159 112	190 151	629 742	839 936	1,351 1,710	1,821 2,895	2,094 3,915
BE47 BE48	Motor vehicle accidents \ M F All other accidents \ M	4,414 1,612 5,745	8 5	133	250 108	1,240 183	952 184	466 159	493 229	447 299	425 358
	All other accidents $\begin{cases} M \\ F \end{cases}$	5,533	260 190	205 126	352 121	471 66	966 179	202	705 374	694 894	1,448 3,381
BE49 BE50	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	3,116 2,091 181 143	10 17	8 10	3 1 12 21	119 67 14 17	727 428 39 37	654 461 12 13	753 564 33 8	584 400 41 16	276 170 12 4
BN47 BN48	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	7,462 5,123 269 444	34 16 4 8	173 114 25 35	332 137 17 38	1,368 198 12 12	1,468 225 40 18	826 200 18 25	913 358 28 33	864 806 44 87	1,484 3,069 81 188
BN49 BN50	Effects of poisons M F All other injuries M F	2,614 2,508 3,111 1,304	10 5 230 183	30 23 118 51	20 14 248 62	89 71 375 52	589 414 587 171	549 451 383 159	554 570 489 214	465 501 393 215	308 459 288 197

				E	ngland a	ınd Wal	les—con	tinued			
	-					Age					
			Under		1	1	Yea	rs		1	
Abbrevi- ated	Causes of death	All ages	year	1-	5-	15	25-	45	55-	65-	75 and over
List No.		Rates per million living	Rates per 1,000 live births			Rate	es per m	nillion li	ving	,	
	Estimated mid-year population $\{M\}$ (in thousands) $\{F\}$	21,885 23,501	385,689* 362,812*	1,393 1,323	3,548 3,388	2,895 2,886	6,038 6,136	3,171 3,295	2,382 2,826		679 1,237
	ALL CAUSES $$ $\left\{ {\mathop{_{\mathbf{F}}^{\mathbf{M}}}} \right\}$	12,332 10,969	24·51 19·78	999 809	434 308	1,034 445	1,791 1,305	7,231 4,364	21,841 10,803	53,625 30,534	
B1	Tuberculosis of respiratory { M system } F	120 36	0.01 0.01	2 2		4 5	52 38	141 46	325 53	528 86	480
B2	Tuberculosis, other forms M	9	0.01	13 9	3	2 3	6 5	11 7	13 12	19	29
В3	Syphilis and its sequelae $\ldots \begin{cases} M \\ F \end{cases}$	29 14	0.00 0.00		_	0	. 5	20 9	69 25		186
B4	Typhoid fever $\begin{cases} M \\ F \end{cases}$	0	_	_	_		<u></u>		0		7
В5	Cholera M_F		_				_	_	-		
В6	Dysentery, all forms $\left\{ \begin{matrix} F \\ M \end{matrix} \right\}$	1 1	0.01 0.01	1		_0	0		2	1	3
В7	Scarlet fever and streptococcal { M sore throat { F	1 0	0·00 0·00		_1	10	0		1	_1	3
B8	Diphtheria M_F		_	_		_		_			_
В9	Whooping cough \{ M F	1	0·02 0·02			_	_	_	_	_	-
B10	Meningococcal infections $\dots \begin{cases} M \\ F \end{cases}$	3	0.10	27	2 3	1 1	0	_1	1	2	-1
B11	Plague			_	_	_	_		_		_
B12	Acute poliomyelitis M	2	0.00	2 4	2	2 1	4 2	0	0	=	
B13	Smallpox $\left\{ \begin{array}{lll} M \\ F \end{array} \right\}$		_	_	_	_	_		_	_	_
B14	Measles $\left\{ \begin{matrix} \mathbf{\hat{M}} \\ \mathbf{F} \end{matrix} \right\}$	2	0·03 0·03	16 <i>13</i>	3	0	0	0	_	1	-1
B15	Typhus and other rickettsial { M diseases { F	0				*****	_	0	_	_	_
B16	Malaria M	0		_			0	0	_	_	
B17	All other diseases classified as fried infective and parasitic F	22 19	0·10 0·08		8 11	6	12 10	26 15		34 29	87 61
	Malignant neoplasm: { M (140-205) { F stomach (151) { M F	2,366 1,929 362 262	0.06 0.07 —	110 94 —	67 63 —	98 69 1 1	372 458 39 24	2,020 1,841 294 126	5,983 3,487 863 355	6,113 1,925	
	trachea, bronchus and {M lung (162, 163) {F	831 123			1	3 2	105 29	912 147	2,849 287	4,171 411	2,968 452
B18	breast $\dots $ $\begin{cases} M \\ F \end{cases}$	371 170				1 3	121 70	551 215	7 742 358	1,050 506	28 1,531 649
	Leukaemia and aleukaemia { M F (204)	52	0·02 0·04	55 45 55 46	34 30 33 32	24 19 70 43	31 24 197 190	41 46 771 756	105 77 2,158 1,668	191 128 5,323 3,067	299 177 11,265 5,981
B19	Benign and unspecified neoplasms {M	25 31	0·04 0·04		7	9	12 15	26 47	46 51	79 67	135 112
B20	Diabetes mellitus M_F	50 89	0.00 0.01		1	4	13 5	28 24	74 122	253 371	564 686
B21	Anaemias $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	27 47	0.00 0.01	2 5	1 2	3 2	4 5	11 14	38 37	105 143	389 495
B22	Vascular lesions affecting SM	1,412	0.03	6	5	13	74	455	1,909	6,668	22,146
B23	central nervous system F Nonmeningococcal M meningitis F	1,883	0.02 0.17 0.12	12 6	5 1 2	11 0 1	80 3 3	463 4 3	1,553 13 6	5,665 11 9	21,153 24 8
B24	Rheumatic fever $\left\{ \begin{array}{ll} M \\ F \end{array} \right\}$	3	0.01	1	2	5 2 16	1	2	3 4	9 5	10 11
B25	Chronic rheumatic heart disease {M}	113				16 16	71 97	162 273	271 391	378 504	468 733

^{*} Live birth occurrences.

				Eı	ngland a	and Wal	es—con	tinued			
			1			Age					
			Under				Year	rs			
Abbrevi- ated List No.	Causes of death	All ages	year	1-	5	15-	25-	45-	55-	65-	75 and over
2.37 1.107		Rates per million living	Rates per 1,000 live births			Rates	per mil	lion liv	ing		
	Estimated mid-year population { M F	21,885 23,501	385,689* 362,812*	1,393 1,323	3,548 3,388	2,895 2,886	6,038 6,136	3,171 3,295	2,382 2,826	1,401 2,052	
B26 {	Arteriosclerotic heart dis. incl. coronary dis. (420) F Degenerative heart disease (421, 422)	2,385 1,393 937 1,340	0.01			3 1 3 3	249 34 19 11	1,873 308 101 56	5,576 1,536 516 328	12,358 5,539 3,094 2,273	12,768 21,345
327	Other diseases of heart $\dots \begin{cases} M \\ F \end{cases}$	258 303	0·02 0·02	4 3	1 4	10 6	22 16	80 57	343 227	1,212 889	
328 .	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	213 286	_	_	_	_1	8 5	68 39	352 233	1,127 1,025	2,907
329 346 (Pt.)	$ \begin{array}{cccc} Hypertension \ without \\ mention \ of \ heart & . & . & . \\ Other \ circulatory \ diseases \\ (450-468) & . & . & \\ \end{array} \begin{cases} M \\ F \end{cases}$	149 151 342 394	0·00 0·00 0·02	3	$\frac{0}{\frac{1}{1}}$	5 4 7 6	30 13 17 19	119 58 94 68	289 151 359 214	610 468 1,377 888	1,525 6,300
330 331	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	178 169 603 570	0·10 0·09 2·16 1·76	15 13 148 133	8 10 20 21	19 16 26 25	27 24 53 46	94 53 217 108	306 146 716 336	846 487 2,288 1,340	1,696 8,984
332	Bronchitis M	923	0.57	40	6	5	33	411	1,958	5,126	9,624
346 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	377 158 68	0·47 0·12 0·13	32 24 20	4 9 7	5 8 7	19 26 18	92 113 39	359 389 86	1,161 777 165	3,883 1,174 527
333	Ulcer of stomach and \$\begin{array}{cccccccccccccccccccccccccccccccccccc	141 63	0.01 0.01	_1	10	3	22	92 29	310 69	672 180	1,432 625
334	Appendicitis $\left\{ egin{array}{ll} M \\ F \end{array} \right\}$	20 12	0.01 0.01	9 12	10	8	8 2	14 6	31 14	74 35	128 70
335 336	Intestinal obstruction and hernia	65 67 43 59	0·27 0·20 0·41 0·28	12 4 32 22	1 1 3 2	1 2 6 6	7 7 9 11	28 22 29 27	97 66 65 60	276 216 146 163	791 593 308 458
337	of the newborn Cirrhosis of liver \ldots M	28 25	0·01 0·01	2	2	2 2	9	41 22	73 55	111 100	121 73
338	Nephritis and nephrosis M	88 75	0.04	5	8	29	46	85	162	303	633
339 340	Hyperplasia of prostate M Deliveries and complications of F pregnancy, childbirth and the puerperium	160	0.01	5	9	17 20	30 37	57 6 0	99 82 —	229 637 —	3,535
341 342	Congenital malformations M F Birth injuries, postnatal M	114 102 129	4·47 4·61 7·30	128 118	37 30 0	28 24	23 19	32 38	24 24	48 30	31 32
	asphyxia and atelectasis\F Diarrhoea of newborn (764)\M	74	4·80 0·08	-	-			-		-	_
343	Other infections of newborn (763, 765-768) F	22 14	0.04 1.25 0.89	- Andrews						_	
344	Other dis. of early infancy and Mimmaturity unqualified F	99 73	5·64 4·76					-			agamentum attemption
345	Senility without mention of \{ M\\ psychosis, ill-defined and \{ F\\ unknown causes	124 217	0.03	2	0	2	2	2	9	100 85	3,704 3,943
346 (Rem.) BE47	All other diseases { M (Remainder 001-795) { F	342 459 202	0·67 0·53	98 96	45 33	66 52	104 121	265 284	567 605	1,300 1,411	3,084 3,165
BE48		69 263 235	0·02 0·01 0·67 0·52	95 66 147 95	70 32 99 36	428 63 163 23	158 30 160 29	147 48 203 61	207 81 296 132	319 146 495 436	626 289 2,133 2,733
BE49	Suicide and self-inflicted { M injury } F	142 89	distant		1	41	120	206	316	417	406
BE50	Homicide and operations of \{ M\\ war \cdots \cdots \cdots \cdot F\}	8 6	0·03 0·05	6	0 3 6	23 5 6	70 6 6	140 4 4	200 14 3	195 29 8	137 18 3
3N47	Fractures, head injuries and \{M\\ internal injuries F	341 218	0·09 0·04	124 86	94 40	473 69	243 37	260 61	383 127	617 393	2,186 2,481
BN48	Burns {M F	12	0·01 0·02	18 26	11	4 4	7 3	6	12	31 42	119 152
3N49 3N50	Effects of poisons M F All other injuries M	119 107 142	0.03 0.01 0.60	22 17 85	6 4 70	31 25 130	98 67 97	173 137 121	233 202 205	332 244 281	454 371 424
I ive hirth	\[\frac{1}{F} \]	55	0.50	39	18	18	28	48	76	105	159

Live birth occurrences.

						N	orthern	Region				
Abbrevi- ated	Causes of death			,			Ag	е				
List No.				Under				Year	rs			
			All ages	year	1-	5-	15-	25-	45-	55-	65-	75 and over
	ALL CAUSES	. {M F	19,492 16,941	840 640	117 78	111 73	197 93	882 631	1,734 1,003	3,821 2,202	5,258 4,442	6,53 7,77
B1	Tuberculosis of respiratory system	{M F	224	_	-	_	_	27	42	80	57	11
B2	Tuberculosis, other forms	$\left\{ \begin{array}{c} \mathbf{f} \\ \mathbf{f} \\ \mathbf{f} \end{array} \right\}$	68 13 13	1	2	1	$\frac{2}{2}$	27 5 2	9 2 1	$\frac{10}{2}$	11 1 2	
В3	Syphilis and its sequelae	. {M	51			-	_	5	8	8	23	
B4	Typhoid fever	. {M F	23 I				_	1	3	4	10	
B5	Cholera	. {M F	_	_	_	_	_			_		_
B 6	Dysentery, all forms	${M \atop F}$	-		_		_	-			_	_
B7	Scarlet fever and streptococcal sore throat	{M F	-	_	_	_	_	_	_	_		_
B8	Diphtheria	\{\frac{F}{M}\}			=	_			_	_	_	_
B9	Whooping cough	. SM	1	1	attention of the		_		_		_	_
B10	Meningococcal infections	$\left\{ \begin{array}{l} \mathbf{F} \\ \mathbf{M} \\ \mathbf{F} \end{array} \right]$	7 3	4	3 2						_	
B11	Plague	. { M		_	_	_	_	-				
B12	Acute poliomyelitis	$\begin{cases} M \\ F \end{cases}$	2		-	1		1 2	-	-		
B13	Smallpox	. {M			_					-		
B14	Measles	. {M F	4	2 2	2	1					-	-
B15	Typhus and other rickettsial diseases	{M F		-		_	_		_			
B16	Malaria	M F			_							_
B17	All other diseases classified as infective and parasitic		25 31	3	1 3	4	3	6 5	4	4	- 3	3 5
	Malignant neoplasm: (140-205)	{M F M F	3,669 2,942 660 476	3	9 3	21 6 —	23 15 —	171 225 21 18	515 417 94 36	978 660 171 92	1,094 819 212 158	855 796 162 172
D10	trachea, bronchus and lung (162, 163)	${M \atop F}$	1,207 182	-		1	1 3	46 18	221 32	434 54	379 51	125 24
B18	breast (170) uterus (171-174)	{M F F	498 266					51 29	1 124 50	116 75	116 61	91 49
	Leukaemia and aleukaemia (204)	{ M F M F	86 74 1,715 1,446	2	5 1 4 2	14 4 6 2	8 3 14 7	11 8 93 101	8 10 191 165	14 17 359 306	10 17 493 416	14 14 554 446
B19	Benign and unspecified neoplasms	{M F	40 41	1	1	1	2	5	6	10	, 8	7 6
B20.	Diabetes mellitus	{M F	66 179		-1			5	3 13	12 40	24 68	22 53
B21	Anaemias	{M F	43 91	_		_	_	3 2	4 8	5	11	20 51
B22	Vascular lesions affecting	SM	2,577	1	1	2		36	112	398	753	1,269
B23	Nonmeningococcal meningitis	F M F	3,210	5 4	2	1	5 2	39	112	363	936	1,755
B24	Rheumatic fever	SM.	4	-		1	_	1	1		1	
B25	Chronic rheumatic heart disease	F M F	149 266				1 2	29 57	1 40 59	34 68	33 35	12 45

-											
					Norther	n Regio	n—con	tinued			
Abbrevi- ated	Causes of death					Ag	е				
List No.			Under				Yea	rs			
		All ages	year	1-	5-	15-	25-	45-	55-	65-	75 and over
в26 {	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	4,018 2,440 1,453 1,969			_	<u>-</u>	123 23 7 10	489 102 23 18	1,071 412 88 58	1,323 897 306 357	1,012 1,006 1,028 1,525
B27	Other diseases of heart \{ M \\ F	374	1		1		14	13	58	122	165
B28	Hypertension with heart disease	437 317 387	1	1	1	2	1	13 9 6	56 59 48	120 119 140	241 130 192
B29 B46 (Pt.)	Hypertension without mention of heart	193 192 535 564			1	3 2	14 7 9 5	26 12 13 9	33 20 50 32	49 64 109 115	67 89 352 402
B30	Influenza M	151	4	2	1	3	9	11	31	34	56
B31	Pneumonia $\left\{ egin{array}{cccccccccccccccccccccccccccccccccccc$	144 814 640	81 62	22 15	8 3	3 4 6	8 22 17	37 21	10 97 46	42 194 155	68 349 315
B32	Bronchitis M	1,231	8	5		_	23	105	316	448	326
B46 (Pt.)	Other diseases of respiratory SM system (470-475, 510-527)	233	13 4 3	3	1 2	2 2 4	10 20 11	18 29 9	70 12	138 59 28	262 45 41
B33	Ulcer of stomach and duodenum SM	218 104	-			2	18	19	57 17	71 30	51 44
B34	Appendicitis M	31 20	2	1	3	2	1 4	3	5 4	8 7	6 3
B35	Intestinal obstruction and hernia	77 88	7 3	1	1		1 3	5	11 10	23 36	28 30
B36	Gastritis, enteritis and diarrhoea except { M	66 78	23 14	2	1	4	7 8	4	7	15	7 15
B37	diarrhoea of newborn Cirrhosis of liver {M} F	37 45	_	1	1	1	5 2	9	7	13	1 8
B38	Nephritis and nephrosis $\left\{ egin{array}{ll} M \\ F \end{array} \right\}$	127 130		_	4 3	5	27 17	23	18 26	22	28 36
B 39	Hyperplasia of prostate M	208				_	_		13	64	131
B40	Complications of pregnancy, F childbirth and puerperium	25	-	_	_	5	20	_	_		manus.
B41	Congenital malformations $\dots \begin{Bmatrix} M \\ F \end{Bmatrix}$	187 200	140 153	13	5 8	5	10	6	6	1 2	1 4
B42	Birth injuries, postnatal asphyxia and atelectasis { M	211	211 118	_		_	_		_		_
B43 {	Diarrhoea of newborn	4 1 46 34	4 1 46 34								=
B44	Other dis. of early infancy and $\left\{ egin{array}{ll} M \\ immaturity unqualified \\ \end{array} \right.$	222 175	222 175								
B45	Senility without mention of \(\) M psychosis, ill-defined and \(\) F	245 346	1 3			1	1	_	3	17	222
B46 (Rem.)	unknown causes All other diseases (Remainder 001-795) { F	532 693	27 13	9	6	15	54 64	45 68	114 124	11 124 182	330 138 218
BE47	Motor vehicle accidents M	321	1	21	21	81	61	29	35	35	37
BE48	All other accidents FM	121 504 369	39 24	13 16 13	13 26 12	9 34 7	7 108 14	10 49 17	16 67 22	29 48 64	24 117 196
BE49	Suicide and self-inflicted	228	_			5	51	48	68	38	18
BE50	injury F Homicide and operations of M war F	106 22 11	1	1	1 1	3	20 1 4	20 1 1	35	24 11 4	4 2
BN47	Fractures, head injuries and M internal injuries	599 341	2	25 11	28 17	86	131	62	81	59	125
BN48	Burns M	16	1	3 6	4	10 1 2	9	11 1 4	23 5 1	11	193 5 3
BN49	Effects of poisons § M	196 129	1	2	-1	2 3	46	37	51	39	18
BN50	All other injuries \\ M F	264 102	37 24	2 2 8 7	20 4	31 4	19 43 14	26 27 7	35 38 14	27 34 16	16 26 12

						Tynesi	de Conv	urbation				
Abbr ate	ed	Causes of death					Ag	e				
List	No.			Under				Y	ears			
			All	1 year	1-	5-	15-	25-	45-	55-	65-	75 and over
		$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	5,220 4,504	238 190	33 20	29 16	42 27	236 177	483 267			1,64
B1		Tuberculosis of respiratory system	16		_	1	_	10 5	11 4	19 1		
B2		Tuberculosis, other forms $\dots \begin{cases} M \\ F \end{cases}$	6	-	_	1	1	2	1	2	2	
B3		Syphilis and its sequelae \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	15		_	_		_1	2	2	7	
B4		Typhoid fever $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$			_	_	_	1				
B5		Cholera {M F	l —		_	_	_		_	_		
B 6		Dysentery, all forms MF	_			_	_	_	_	. =	_	-
B7		Scarlet fever and streptococcal sore throat { M	_	_		_		_	-			
B8		Diphtheria MF				_	_	_				-
В9		Whooping cough \{ M\ F	1	1	_	_	_	-	_	_		
B10		Meningococcal infections MF	3	1	2	F3 -	-	_			-	
B11		Plague $\left\{ \begin{array}{cccccccccccccccccccccccccccccccccccc$			_	_	_			_		
B12		Acute poliomyelitis \ \ M F			_		_					
B13		Smallpox $\begin{cases} M \\ F \end{cases}$						_	_			
B14		Measles $\left\{ \begin{array}{cccccccccccccccccccccccccccccccccccc$	i i		1	_	_					
B15		Typhus and other fickettsial diseases {M	_			_	-	-				_
B16		Malaria	_		_			-				
B17		All other diseases classified { M as infective and parasitic { F	6 7	1	1	1				3		-
		Malignant neoplasm:	1,091 791 188	1	2	8 2	7 5	53 53	150 113 20	300 186	220	229 212
		₹F	112		-			8	20 10	61 24	57 39	42 35
B18		trachea, bronchus and M lung (162, 163) F breast (170) M	401 58			1	1	15	77 11	138 21	132 15	38
		uterus (171-174)	140 62			_	1	12	32 14	34	36 16	26
		Leukaemia and aleukaemia { M (204)	16 23	_	2	3	2 2	3	1	1 5	1	3
		Other malig. and lymphatic M neoplasms (Rem. of 140-205) F	486 396	1	_	4	5	27 26	52 45	100	7 151 107	146 131
B19		Benign and unspecified M neoplasms F	13			1	1	1 2	1 2	5	2 5	3 2
B20		Diabetes mellitus M	15 55	1	_	1		1	2	3 5	7 20	4 26
B21		Anaemias M	13	_			-	1		3 2	4 8	6
B22		Vascular lesions affecting M	685	1		1		10	39	115	208	311 422
B23		central nervous system Nonmeningococcal meningitis	804 4 5	1 3				7	30	102 3 1	243	422
B24		Rheumatic fever $\dots \begin{Bmatrix} M \\ F \end{Bmatrix}$		_					1			-
B25		Chronic rheumatic heart disease	35 76	_	_		1	4 12	9	9 22	9	4 14
- ~			- 11							1		

Abbrevi-				Ту	neside (ontinued	t		
ated List No.	Causes of death					Ag					
List 110.		Ali	Under				Yea	rs			75 - 1
		ages	year	1-	5	15-	25-	45-	55-	65-	75 and over
B26 {	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	984 607 314 457					35 12 3 4	130 26 4 4	280 118 18 16	312 208 62 95	227 243 226 338
B27	Other diseases of heart \{ M \} F	96 116	1	4	1	_	3	3	18	33	37
B28	Hypertension with heart disease	90 109		-	_			1 2	17 16 10	26 32 45	71 41 52
B29 B46 (Pt.)	$ \begin{array}{cccc} \text{Hypertension without} & & \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ \text{Other circulatory diseases} & \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ \left\{ \begin{matrix} M \end{matrix} \right. \\ M \end{matrix} \right. \\ \left\{ \begin{matrix} M \end{matrix} \right. $	60 58 139 149			_	1 2	4 1 2	8 3 2 1	7 6 12 6	17 15 23 27	23 34 99 113
В30	Influenza M	38 34	1				3	2	5	7	20
B31	Pneumonia M	253 215	20 16	6	1	2	2 4 5	2 2 9 5	27 15	9 65 51	16 119 116
B32	Bronchitis $\left\{ \begin{smallmatrix} M \\ F \end{smallmatrix} \right\}$	394 186	1	2	_		3	39	118	130	101
B46 (Pt.)	Other diseases of respiratory System (470-475, 510-527)	51	2 2	1	_	1 1	3 6	6 7 4	28 7 5	47 20 6	89 10 12
B33	Ulcer of stomach and duodenum {M	64 26	_		_		8	5	13	21	17
B34	Appendicitis M	10	_	_	_1	1	<u>î</u>	1	2	3	1
B35	Intestinal obstruction and M	17	3	_	_	_		1	2	7	4
B36	hernia Gastritis, enteritis and diarrhoea except F	25 20 25	1 8 7	1		- =	4 2	3	2 3 2 3	6 2 7	12 3 5
В37	diarrhoea of newborn Cirrhosis of liver \{ M\{ F\}	20 15			1	1	2	7	3 4	7 5	
B38	Nephritis and nephrosis $\left\{ egin{array}{ll} M \\ F \end{array} \right\}$	23 38	_	_	1	1 3	2 6	7 2	4 9	2 9	6 9
B39	Hyperplasia of prostate M	47	_	-	-	_	_	_	4	14	29
B40	Complications of pregnancy, F childbirth and puerperium	10	-			3	7	_		***************************************	_
B41	Congenital malformations $\dots \begin{cases} M \\ F \end{cases}$	57 64	40 48	4 2	3 2	2 2	4	1 5	2	administration of the second	1 1
B42	Birth injuries, postnatal asphyxia and atelectasis { M F	64 31	64 31		_	_	-	_	_		=
B43 {	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	 	1 1 14 12								
B44	Other dis. of early infancy and {M immaturity unqualified {F	55 43	55 43	_	_	_	_				_
B45	Senility without mention of {M psychosis, ill-defined and {F	51 65			-		gundania.	Anti-production of the Contraction of the Contracti	2	4	45 61
B46 (Rem.)	unknown causes All other diseases (Remainder 001-795)	139 192	8 5	1	1	3	20 20	12 17	31 30	34 53	30 62
BE47	Motor vehicle accidents $\ldots \begin{cases} M \\ F \end{cases}$	75	_	6	6	13	12	3	13	8	14
BE48	All other accidents $\binom{r}{M}$	126 100	14	1 6 3	6 2 6 4	6	26 7	13	10 20 9	10 11 19	14 6 24 46
BE49	Suicide and self-inflicted {M injury	61 41	_	-	_	_	14	14	17	12	4 2
BE50	Homicide and operations of M war	5					10	6	14 2	2 2	
BN47 BN48	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	140 84 3 16		8 1 1 2	7 2 - 2	16 1 1	28 3 - 2	10 1 2	28 11 1	14 22 -6	29 43 1 1
BN49	Effects of poisons \ M	62	_	_		_	13	16	15	13	5
BN50	All other injuries M	44 62 32	14	3	5 2	3	12	7 4 1	15 8 7	6	5 6 7 4

					E	ast and	West R		Region			
Abbrevi- ated List No.	Causes of death						Age	Year	·s			
Dist 140.		All	.	nder -								75 and
		ages	5 3	ear	1-	5-	15-	25-	45-	55-	65-	over
	ALL CAUSES	M 25,6 F 24,0		941 722	128	145 98	240 134	1,061	2,263 1,340	5,205 3,103	7,375 6,188	8,314 11,586
В1	Tuberculosis of respiratory	M 2	97	_			2	29 30	40 17	68 16	88 21	34
B2	system Tuberculosis, other forms	M	20	_	3 2	2	1 3	3	4	2 4	4	1 2
В3	Syphilis and its sequelae	M	59 28			_		3 2	4 3	21	21	10
B4	Typhoid fever	M F	-			_		_		_	_	
B5	Cholera	M		_	-	_	_		_	_		-
В6	Dysentery, all forms	M	2 3	1	1			_	=	1		1
В7	Scarlet fever and	M	-						_		_	-
B8	streptococcal sore throat Diphtheria	M	_								=	
В9	Whooping cough	M	2	2		_			_	-	_	-
B10	Meningococcal infections	M	3 4 8	2 4	3 1 2	1			_		=	1
B11 .	Plague	M	-			_						-
B12	Acute poliomyelitis	M			_	_	_	1		_	_	=
B13	Smallpox	M	-	_		_		_	_	_	_	-
B14	Measles	M	8	4 2	_2	1 2		1	_	_	1	
B15	Typhus and other	M	-	-		_			_	_	_	
B16	rickettsial diseases	M					_	_			_	
B17	All other diseases classified as infective and parasitic	(M F	35 31	4 4	5	3 2	3	1 2	. 5	8 7	3 5	3
	Malignant neoplasm: (140-205) stomach (151)	F 4,0	324 081 334 596	2 2	18 8 —	14	19 21 1 1	226 292 24 19	643 517 102 45	1,444 907 248 96	1,483 1,154 270 188	975 1,166 189 247
	trachea, bronchus and lung (162, 163)		881				1	79 18	302 40	666 64	492 84	141 37
B18	breast (170)	M F	725	_	_		1	67	1 157	1 174 119	179 124	1 147 70
	uterus (171-174) Leukaemia and aleukaemia		30		8	5	4	53	61	28	34	19
	(204)	F M 2,1	92 174 195	2 2	5 10 3	5 9 9	7 13 10	13 101 122	228 205	19 501 435	19 685 560	625 654
B 19		MF	43 79	4	1	6	3	4	4 20	10 17	5 11	6
B20 ·	Diabetes mellitus	rM I	21		1		1	11	9	19 39	39 59	41 82
B21	Anaemias	M	48		1	1		3 4	5 2	6	12 37	20 64
B22	Vascular lesions affecting	M 3,0	98		2	1	3	38	143	447	999	1,465 2,416
B23	central nervous system Nonmeningococcal meningitis	F 4,1	93 20 6	2 8 1	1	4	3	36 1 2	131	439	1,162	2,416 3 1
B24	Rheumatic fever	M	7		_	2	1	2	_	1	1	-
B25	Chronic rheumatic heart disease	F M F	7 179 175		1	2 2 1	2 8 4	53 86	63 106	76 109	53 99	25 71

				East a	nd West	Riding	s Regio	n-cont	inued		
Abbrevi- ated List No.	Causes of death		i	1		Aş					
LIST NO.		A 11	Under				Yea	rs			
		All ages	year	1-	5-	15-	25-	45-	55	65	75 and over
в26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	5,206 3,347 1,838 2,657	1			1 2	148 22 14 3	585 103 26 18	1,421 498 125 96	1,758 1,235 451 443	1,292 1,489 1,221 2,095
B27 B28	Other diseases of heart \ M F M	540 696 403	1	1	1	4 4	9 12 3 7	29 20 20	88 83 65	177 192 161	231 384 154
P20	disease\F	654	-				7	15	60	233	339
B29 B46 (Pt.)	Hypertension without MF mention of heart	244 304 757 904			1 2	1 1 1 2	10 6 10 10	24 15 27 31	51 46 77 41	65 81 192 165	93 155 447 652
B30	Influenza	383 352 1,209 1,262	10 3 89 83		4 3 8 8	3 6 9	21 17 33	35 17 69	63 40 153	107 112 286	140 154 540
B32	Bronchitis	2,180	35	6	1	11	19	136	102 504	278 781	709 686
B46 (Pt.)	Other diseases of respiratory System (470-475, 510-527)	971 275 149	22 7 5	4 3 5	2 2 4	1 2 4	16 15 11	37 29 11	139 75 23	263 90 22	487 52 64
B33	Ulcer of stomach and duodenum	232 122	-1	1		1	17	24 10	50 16	73 26	66
B34	Appendicitis M	37 30		1	1	3	9	3	8 5	6	65 6 7
B35	Intestinal obstruction and hernia	104 124	7	1		1	2	10	18	25	40
B 36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	96 126	27 9	3 6	_	1	4 9	5 6	22 16 16	42 22 29	43 19 50
B37	Cirrhosis of liver $\dots M$	60 54	1	1	1		2 3	18	20 15	11 20	8 5
B38	Nephritis and nephrosis $ \dots \begin{cases} M \\ F \end{cases} $	186 186	1	_	5	9	23 27	26 20	46	39 45	37 49
B39	Hyperplasia of prostate M	278	_		-		_	5	15	75	183
B40	Complications of pregnancy, F childbirth and puerperium	23				5	18	_		-	-
B41	Congenital malformations $\dots \begin{Bmatrix} M \\ F \end{Bmatrix}$	212 208	152 144	12 13	12 9	8 5	12 12	9 10	3 5	1 6	3 4
B42	Birth injuries, postnatal Amasphyxia and atelectasis F	274 172	274 172		_	_	_				_
В43 {	Diarrhoea of newborn	4 2 48 35	4 2 48 35								=
B44	Other dis. of early infancy and \{ M \ immaturity unqualified \ \ \cdot \}	204 184	204 184			_	_		-	4	_
B45	Senility without mention of {M psychosis, ill-defined and F	165 319		1	_		1	1	1	6	158 307
B46 (Rem.)	unknown causes All other diseases (Remainder 001-795) (F	657 928	31 14	9	10 6	21 15	54 59	82 92	120 170	171 251	159 310
BE47	Motor vehicle accidents M	365		11	35	88	81	36	44	45	25 21
BE48	All other accidents \ \ M F	144 568 576	21 18	11 19 21	18 34 9	18 30 3	15 108 13	11 79 18	25 66 44	24 67 102	21 144 348
BE49	Suicide and self-inflicted M	296	-	_		10	76	63	68	53	26
BE50	Homicide and operations of M war	193 20 16	1 3	1 2	2	8 3 2	32 8 6	44	59 3	36	14
BN47 BN48	Fractures, head injuries and internal injuries $\left\{ egin{array}{l} M \\ F \\ Burns & . & . & . \\ \end{array} \right\} \left\{ egin{array}{l} M \\ F \\ \end{array} \right\}$	687 527 30 52	$\frac{2}{3}$	13 14 4 6	39 19 4	103 18	151 14 3 2	76 19 6 1	88 38 3 7	80 91 3 11	135 311 11 19
BN49	Effects of poisons M	244 219	2	5	1 2	8	57	50	48	50	
BN50	All other injuries $\left\{ egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array} \right]$	288 131	18 17	5 6 9 8	29	7 20 6	30 62 20	39 49 14	57 42 26	43 32 18	23 35 27 18

Abbrevi-					West Y	orkshire ———— Ag		bation			
ated List No.	Causes of death					Ag	Year	rs			
		All ages	Under 1 year	1-	5-	15-	25-	45-	55-	65-	75 and over
	ALL CAUSES $\cdot \cdot \begin{Bmatrix} M \\ F \end{Bmatrix}$	11,184	382 306	55 51	61 45	98 52	419 323	993 606		3,238 2,941	3,562 5,375
ВІ	Tuberculosis of respiratory & M	105	_		_		9	19	35	31	1
В2	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	41 8 6		3 2		1	13 1 1	1	1	9 1 —	
В3	Syphilis and its sequelae \ \ \frac{M}{E}	22 16	_	_	_				9	9 8	
B4	Typhoid fever \cdots $\begin{cases} M \\ F \end{cases}$			_	_	_	_		_	_	_
B5	Cholera $\cdots $ $\begin{cases} M \\ F \end{cases}$	_	_				_		_	_	_
В6	Dysentery, all forms \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	1	1	_	_	_	_	. =	, =	_	
В7	Scarlet fever and streptococcal sore throat \{ \bar{F}	_		_	_		_	_	_	_	_
B8	Diphtheria		_	_	=	_	_	_	_		_
B9	Whooping cough $\dots \begin{cases} N \\ F \end{cases}$	[] 3	_1					_	_	_	
B10	Meningococcal infections M	3	1	1	_1		_	=		_	_
B11	Plague $\binom{N}{F}$	<u> </u>	_	_	_	_	_	=	_		_
B12	Acute poliomyelitis \{\bar{M}{F}	1 =	_	_	_	_	_	=	_	_	_
B13	Smallpox $\left\{ \begin{array}{cccc} M \\ F \end{array} \right\}$	I -	_		_	_			_		=
B14	Measles	i 5			_	_				1	_
B15	Typhus and other rickettsial diseases {M	1		-	_			_	_	=	_
B16	Malaria	1 -	=	_	_	=	_	=	_	_	_
B17	All other diseases classified {N as infective and parasitic {F			4		1		2 4	5	4	
	Malignant neoplasm: { M. F. Stomach (151)	1,855	1	8 4				233 35	418 114	538 118	54
	trachea, bronchus and lung (162, 163) F				_	1	28 8	136 19		215 44	
B18	breast (170)	1 319	_	-		1	21 22	66	74	1	6
	Leukaemia and aleukaemia	1 44	_	3	1	2		2	12		
	(204)	1 904		3 2 5 2		1 4 4	36	91	228		
B19	Benign and unspecified Neoplasms				3		3 7	1 10	3		
B20	Diabetes mellitus $\left\{ \begin{array}{ll} M \\ F \end{array} \right\}$	4 61 84		=		1	3 2	5	7 23	26 21	1 3
B21	Anaemias $\left\{ \begin{smallmatrix} N \\ F \end{smallmatrix} \right\}$	1 25		1	1	=	1	_3	3 5		
B22	Vascular lesions affecting	1,363		1	_	2 2	18 20	61 57	207 204	437 519	63 1,12
B23	central nervous system Nonmeningococcal meningitis	1,92	2			=	1 1	37	204	4	1,12
B24	Rheumatic fever \{\bar{\text{N}}{\text{F}}	1		_	2	1 1				1	_
B25	Chronic rheumatic heart disease	1 124	- 1			5	17	28	39 48	21	1 3

	1										
A laborari				West `	Yorkshi			-conti	nued		
Abbrevi- ated List No.	Causes of death					Ag	Yea	re		-	
List 140.		All	Under				1 ea	rs			75 and
		ages	year	1-	5-	15-	25-	45-	55-	65	over
B26 {	Arteriosclerotic heart dis. incl. coronary dis. (420)	2,447 1,675 796 1,158					70 9 8 —	290 61 12 5	661 248 77 32	805 609 190 198	621 748 509 923
B27	Other diseases of heart { M	240 328	_	1		3	3	12	45	78	98
B28	Hypertension with heart disease	162 284		_	_	_	5 2 2	13 9 6	42 32 34	91 73 108	174 46 134
B29 B46 (Pt.)	Hypertension without MF F Other circulatory diseases (450-468)	84 126 271 365		1	1	1 1 1	5 2 4 7	11 8 15 13	18 22 37 16	25 37 74 88	25 56 138 239
B30	Influenza M	195 178	4 2	_	1	_	9	14	35 18	57 62	75
B31	Pneumonia $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	574 698	43 33	9	3	4 3	13	30 18	66 55	140 152	84 266 423
B32	Bronchitis $\left\{ egin{array}{lll} M \\ F \end{array} \right\}$	1,017 475	6 2	2	-	1	11	60 16	247 74	371 131	319 240
B46 (Pt.)	Other diseases of respiratory SM system (470-475, 510-527)	92 77	1	2	3	2	7 4	15	21 13	26 13	20 35
B33 B34	Ulcer of stomach and duodenum	112 51 16 18		1		1 1	6 2 6	10 5 2 2	23 6 2 4	40 10 3 7	31 27 1 4
B35	Intestinal obstruction and M	38 64	3	-			1	4	7	5	18
B 36	Gastritis, enteritis and diarrhoea except M	36 56	8 2	3 3		_	1 2 4	2 1 1	10 5 8	22 10 14	26 7 24
B37	diarrhoea of newborn Cirrhosis of liver $\dots M$	30 21	1		-1	-	1	6	14 6	4 8	4 2
B38	Nephritis and nephrosis $ \dots \begin{cases} M \\ F \end{cases} $	66 86	_		2	3 2	10 9	11	17 21	10 18	13 28
B 39	Hyperplasia of prostate M	90		-	-	-	-	1	2	12	75
B40	Complications of pregnancy, childbirth and puerperium	9	_	_		2	7	-			
B41	Congenital malformations $\ldots \begin{Bmatrix} M \\ F \end{Bmatrix}$	86 84	59 58	5	6	3	7 6	4 3	1 2	1	1 2
B42	Birth injuries, postnatal asphyxia and atelectasis { M F	120 89	120 89	_		-			_		_
B43 {	Diarrhoea of newborn { M (764)	2 17 17	2 17 17								
B44	Other dis. of early infancy and $\left\{ egin{array}{ll} M \\ immaturity unqualified & \end{array} \right\}$	83 71	83 71	_		-	-	-	_	_	_
B45	Senility without mention of {M psychosis, ill-defined and {F	43 114		1	_		_	-	_	1 3	42 109
B46 (Rem.)	unknown causes All other diseases (Remainder 001-795) { M}	287 444	10	4 8	4 3	9	22 24	32 35	58 78	80 118	68 162
BE47	Motor vehicle accidents M	131 74	-	3	14	33	27	10	16	18	10
BE48	All other accidents $\begin{cases} F \\ M \\ F \end{cases}$	214 235	14 12	3 4 7 10	10 17 4	33 10 13 1	31 8	31 11	17 19 21	18 13 26 35	9 56 133
BE49	Suicide and self-inflicted { M injury { F	126 91	_			5	31 18	28 16	27 29	23 18	12 6
BE50	Homicide and operations of M war F	9	1	1	1		5 2	1	3	1	
BN47 BN48	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	253 206 12 30	1 2	6 6 1 4	15 11 2	40 9 —	50 6 1	30 9 3 1	33 21 5	32 34 2 6	47 109 5 10
BN49	Effects of poisons \(\int M \)	114	1	1 4	1	4	25 18	27 16	17 29	24 21	14
BN50	All other injuries $\left\{ egin{array}{l} M \\ F \end{array} \right\}$	101	13	4 2 1	15	3 7 3	18	10	15 12	9	21 12 8

					North	h Weste	rn Regi	on			
Abbrevi-	Causes of death					Age	е				
List No.	Causes of deam		Under				Year	S			
		All ages	1 year	1	5-	15	25-	45	55-	65-	75 and over
	ALL CAUSES $\cdot \cdot \cdot \left\{ \begin{smallmatrix} N \\ F \end{smallmatrix} \right\}$	41,640 40,258	1,580 1,223	204 151	244 126	422 198	1,737 1,318	3,905 2,316	8,591 5,203	11,998 10,657	12,959
В1	Tuberculosis of respiratory [N					1 2	62	89	141	116	44
В2	system		1 1	3		1 1	49 4 3	20 6 2	18 2 3	30 1 7	1
В3	Syphilis and its sequelae []	1 102	1	_		1	8	10	28	37	1° 1:
B4	Typhoid fever	1 51		=			_	8	10	19	-
B5	Cholera	1 -	-	salesine			-		-	_	-
В6	Dysentery, all forms	3	1	-			_	1	_	1	
B7	Scarlet fever and streptococcal sore throat \ \ \frac{1}{1}	1	_	_		1			_	_	
B8	streptococcal sore throat \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	1	_	_	_					=	_
В9	Whooping cough { }	1	1 2	-	_	_	· —	_		_	
B10	Meningococcal infections	13	4	6	1	1	1 1		1	_	_
B11	Plague	1 -		_			_	_			_
B12	Acute poliomyelitis	2 2	=		1		_1		=		_
B13	Smallpox	<u> </u>	_		_		_			_	_
B14	Measles	A 8		2 5	3	_	_	=			
B15	Typhus and other rickettsial diseases {!	M 1	_	_	_			1	_	_	-
B16	Malaria	M _		_			_	_	_		_
B17	All other diseases classified as infective and parasitic	A 83				1 3	15 11	19 9	9 19	8 7	
	Malignant neoplasm: [140-205]	7,545 6,642 1,252 1,050	1			36 40 —		984 896 147 70	1,528 342	1,888 434	1,86
	trachea, bronchus and lung (162, 163)	2,742	_	-	_	2 2	116 38			858 123	
B18 {	breast (170) {]	M 8 1,164	=				93	235	303	3 295	23
	Leukaemia and aleukaemia	vi 162	1		20	8	24		32		2
	(204)		2	9	12	14 26 24	177 139	374	736	1,065	98
B19	Benign and unspecified neoplasms		4	_	4	3 2	12 14	15 22			1
B20 .	Diabetes mellitus {	M 152			1 1	4	10	12 14	27 62	53 136	12
B21	Anaemias	M 101		-	1	1 1	4 5		15 15	25 67	11
B22	Vascular lesions affecting	M 5,21			1 3		83	270	820	1,688	2,34
B23	Central nervous system	7,15! M 28 F 3:	3 10		1 3		- 3	246 1 1	4		-
B24	Rheumatic fever {	M I			1 1	2	2 1	-	2	1 1	
B25		M 40:				111	72	83	103	84	4

		North Western Region—continued										
Abbrevi- ated	Causes of death		1			A						
List No.		A 11	Under				Year	's				
		All ages	year	1-	5	15-	25-	45-	55-	65-	75 and over	
B26 {	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	8,056 4,944 3,038 4,806			<u>-</u> 1	2 2 1 1	284 37 22 18	1,053 203 73 40	2,211 764 207 176	2,652 1,876 725 855	1,854 2,062 2,009 3,716	
B27	Other diseases of heart $\dots \begin{cases} M \\ F \end{cases}$	908 1,200	2	+	. 1	4 2	19 22	53 38	173 127	311 356	346 652	
B28	Hypertension with heart disease F	633 1,022			_		10	35 23	139 110	233 331	216 554	
B29	Hypertension without SM mention of heart F	419 416	_			4 2	30	70	92	103	120	
B46 (Pt.)	Other circulatory diseases (450-468)	1,084 1,456		-	3	3 3	13 7 18	29 35 31	50 133 101	131 281 312	191 622 988	
B30	Influenza $\left\{ \begin{array}{ll} M \\ F \end{array} \right\}$	521 536	2	3	6	5	20 29	42 21	119 72	180	144	
B31	Pneumonia M	1,899 1,986	146 136	34 26	9 11	10 8	43 45	121 61	289 157	159 486 457	234 761 1,085	
B32	Bronchitis M	3,622 1,725	30 20	5	3	3	38 32	326	916 237	1,325 560	976 799	
B46 (Pt.)	Other diseases of respiratory M system (470-475, 510-527)	511 243	7 3	6	6	3 4	24 18	72 64 27	129 38	170 49	102 98	
B33	Ulcer of stomach and duodenum F	463 190	_1	_		2	22 4	37 16	122 23	163 47	116 100	
B34	Appendicitis M	59 40	1 1	3 2	8	2	7	1	8	17 14	12	
B35	Intestinal obstruction and hernia	228 263	24 12	_3	_1	1	7 10	14 13	41 36	67 77	71 114	
B36	Gastritis, enteritis and diarrhoea except { M	145 179	33	6 4	2 2	3 2	11	13 14	17 24	31 46	29 62	
В37	diarrhoea of newborn Cirrhosis of liver $\dots M$	103 95	_	_1		1	10 11	22	32 31	20	17 15	
B38	Nephritis and nephrosis $\left\{ \begin{array}{ll} M \\ F \end{array} \right\}$	296 283	1 1	_2	5	14 10	38 36	43 31	62 43	66 75	65 84	
B39	Hyperplasia of prostate M	474	_	_		_		5	36	129	304	
B40	Complications of pregnancy, childbirth and puerperium	55				9	46					
B41	Congenital malformations $\dots \begin{cases} M \\ F \end{cases}$	392 369	310 269	19 21	9 10	7 9	16 20	11 17	7 8	7 10	6 5	
B42	Birth injuries, postnatal asphyxia and atelectasis $\{M\}$	476 316	476 316		_	_			_		_	
B 43 {	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	11 3 84 57	11 3 84 57	=					_			
B44	Other dis, of early infancy and $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	313 274	313 274			_	_	_				
B45	Senility without mention of {M psychosis, ill-defined and {F	523 962	3	1	1		3	_1	2	33 43	481 912	
B46 (Rem.)	unknown causes All other diseases (Remainder 001-795) {M	1,078 1,691	44 36	17 16	23 14	42 22	95 128	121 150	204 274	268 489	264 562	
BE47	Motor vehicle accidents \ M	650 270		30 15	42	156	135	64	80	73 70	70	
BE48	All other accidents M	914 899	51	32 16	71	25 65 7	20 143 22	28 94 38	33 107 65	138 164	61 213 549	
BE49	Suicide and self-inflicted { M injury } F	481 329	_	_	_	27 10	115	104 54	105 105	89 76	41 25	
BE50	Homicide and operations of M war	35	2	1 1	1 3	4	5 4	4	103	8 2	1 -	
BN47	Fractures, head injuries and Minternal injuries F	1,111	6	39 18	54 19		202 24	116 30	130 54	159 142	220 476	
BN48	Burns M	43 84	-	3 5	3	2	9	3	6	10	43	
BN49	Effects of poisons \{ M	484 449		2 4	4	22 11	117	99 62	101 113	83 112	55 89	
BN50	All other injuries \ MF	442 187		19	53		58 70 21	48 24	64 32	56	41 27	

				Sor	uth East	t Lanca	shire Co	onurbati	on		
Abbrevi- ated	Causes of death)			Ag	е				
List No.	Causes of death		Under				Year	's			
		All ages	1 year	1-	5-	15-	25-	45-	55-	65-	75 and over
	ALL CAUSES {	15,602 15,235		87 55	85 41	138 65	699 497	1,572 896	3,332 2,019	4,392 4,141	4,708 7,091
B1	Tuberculosis of respiratory	M 187		_	_		31	38	58	43	17
B2		VI 5		1	1		15 3 1	1	2 2	15 1 3	3 1 1
В3	Syphilis and its sequelae	M 43		_		_	4	7 4	11	17	4
В4	Typhoid fever	M =		_		_	_	_	_		_
B5	Cholera {	M -			_	_	_			_	
B 6	Dysentery, all forms	M 2	1	_	_	=	_	_	_	1	
В7		M -	1 =	_		_	_	_			_
В8	Diphtheria	M –		_		_	_	=		_	_
B9		M _	1	_		_	_				_
B10	Meningococcal infections	M	1	3	_	1	1	_	1	=	_
B11	Plague	M -	_		_	_	_	_		_	_
B12	Acute poliomyelitis	M -		_		=				=	_
B13	Smallpox {	M -	_	_	_		_			_	_
B14	Measles		3	1 1			_	_	_		_
B15	Typhus and other rickettsial diseases	M -	_	_	_	_				_	_
B16	Malaria	M -		_		=	=	_	_		_
B17	All other diseases classified as infective and parasitic	M 2!		5 2	2 1		8	5 4	1 5	1 3	2 3
	(140-205)	M 2,922 2,510 M 466 F 386	1 _	4 2 —	13 12 —	9 11 —	150 145 16 11	423 360 56 24	858 580 139 69	895 715 162 131	684
		M 1,119		1		_1	54 13	192 37	435 49	331 41	106 33
B18 {		M F 460 F 233			_		35 23	94 46	118 61	123 63	1 90 39
		м 64	4 1	1	10	1	11	9	16	7	8
	(204)	VI 1.270) —	3 1	9 3 3	5 7 6	10 69 53	166 151	18 268 265	15 395 342	359 360
B19	Benign and unspecified neoplasms	M 29			_1	1	4 5	9	6 10	3 5	3 4
B20	Diabetes mellitus {	M 58		1	_		5 2	4	11 25	22 49	16 45
B21	Anaemias	M 34			1	_1	1 2	4 2	5 8	8 28	15 51
B22	Vascular lesions affecting	1,890 2,703	2	1	1		30	90 94	327	628	811 1,454
B23	central nervous system	Z,703	5	2	1 2	1	36 2 2	1	316	799 —	3
B24	Rheumatic fever {	MI 2		_		_	1	_	_	-1	1
B25	Chronic rheumatic heart disease	158 323	3			4 2	34 45	28 65	47 87	27 80	18 44

		South East Lancashire Conurbation—continued											
Abbrevi- ated	Causes of death					A							
List No.		All	Under				Yea	rs			761		
		ages	year	1-	5-	15	25-	45-	55-	65-	75 and over		
B26 {	Arteriosclerotic heart dis. incl. coronary dis. (420) F Degenerative heart disease (421, 422) F	2,787 1,663 1,223 2,001				- 1 1	111 14 13 10	405 74 26 19	787 271 91 78	895 642 296 356	589 661 796 1,538		
B27	Other diseases of heart $$ M	324 463	1	<u> </u>	_	2	6	21	66	114	114		
B28	Hypertension with heart disease M	230 342	_				3	17 15 7	47 61 35	148 79 120	241 72 179		
B29 B46 (Pt.)	Hypertension without mention of heart	161 160 435 637	=		1	2 1 2	12 8 4 8	32 10 14 7	34 22 50 50	35 59 102 146	46 60 264 423		
B30	Influenza $\begin{cases} M \\ F \end{cases}$	210 200	1 2	1	4	2	10	17	52 28	68 69	55 87		
B31	Pneumonia $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	671 709	56 50	19 9	2 3	3	14 18	53 28	103 62	148 172	273 364		
B32	Bronchitis $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	1,536 795	3 2	2		2	18 14	152 31	399 119	558 268	402 360		
B46 (Pt.)	Other diseases of respiratory System (470-475, 510-527) F	175 101	4 2	4		_	6	21 9	49 19	56 22	33 41		
B33	Ulcer of stomach and duodenum	176 79			_	_	9 2 5	12	46 10	53 27	56 32		
B34	Appendicitis $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$	23 12	_	2 2	4	_	5	1	3	5 4	4 2		
B35	Intestinal obstruction and M	100	12	1		_	1	8	22 18	33 41	23 45		
B36	Gastritis, enteritis and diarrhoea except F	58 63	13	3		, 1	5 7 4	4	6 8	12 20	13 19		
В37	diarrhoea of newborn Cirrhosis of liver $\dots M$	42 38	*****	_		1	4 7	8 2	11 16	9 10	9		
B38	Nephritis and nephrosis $\cdots \begin{cases} M \\ F \end{cases}$	111	1	_	2	6	17 16	15 12	23 12	22 28	25 18		
B39	Hyperplasia of prostate M	156	_			distract		3	8	41	104		
B40	Complications of pregnancy, F childbirth and puerperium	23	_			2	21	_	-		_		
B41	Congenital malformations $\dots \left\{ egin{matrix} M \\ F \end{array} \right.$	140 118	111 77	5 12	4 5	2 3	7 7	3 6	3 1	3	2 4		
B42	Birth injuries, postnatal asphyxia and atelectasis { M	178 119	178 119	_	, _	_		anadara anadara	_	-	_		
B43 {	Diarrhoea of newborn	1 1 34 26	1 1 34 26		_						sygnesis graphics against against		
B44	Other dis, of early infancy and {M immaturity unqualified {F	111 95	111 95	_	_			-	=	_	=		
B45	Senility without mention of {M psychosis, ill-defined and F	170 339	_	_		_	2	_1	1	11 11	155 327		
B46 (Rem.)	unknown causes All other diseases (Remainder 001-795) { M	365 583	15 18	6	6 4	13 5	28 45	40 55	75 96	100 174	82 180		
BE47	Motor vehicle accidents \ M F	267 101	_	11 4	19 5	54 12 20	49 6	31	33 10	33 27	37 25 76		
BE48	All other accidents M	328 322		16 5	21	20	50 6	12 32 18	36 28	48 63	76 182		
BE49	Suicide and self-inflicted { M injury } M	188 114		_	_	12 4	47 23	47 24	43 36	21 23	18 4		
BE50	Homicide and operations of M war	7	2	1		1	2 2		4	4	-		
BN47	Fractures, head injuries and M internal injuries F	423 271	3	16 5	23 6	64 14	73 8	48 9	51 22	61 56	84 151		
BN48	Burns	12 35	_	1 3	1	1	1	3	2 3	4 8	4 16		
BN49	Effects of poisons \ M	199 164	1	2		9	50 22 24	45 28	43 39	25 38	24 32 19		
BN50	All other injuries \\ \frac{M}{F}	165	27 16	8	17	15	24	28 19 14	20 11	16 12	19 12		

					Me	erseyside		bation			
Abbrevi- ated List No.	Causes of death		ii			Ag	Year	00			
Dist 140.		All	Under 1			i					75 and
		ages	year	1-	5	15-	25-	45-	55-	65-	over
	ALL CAUSES $$ $\{M\}$	7,978 7,531	391 334	44 36	53 25	77 44	366 309	787 488	1,668 927	2,282 1,839	2,310 3,529
B1	Tuberculosis of respiratory & M	115				1	13	25	31	34	11
B2	system	42 4 6		2		1	15	10 2 1	4	- 6	-6
B3	Syphilis and its sequelae \ M	25	1	Best			1	2	, 7	6	. 8
B4	Typhoid fever $\left\{ \begin{matrix} F \\ M \end{matrix} \right\}$	10			_			- 1		154	4 4
B5	Cholera § M	_			_	_		_		_	_
В6	Dysentery, all forms \ M F	_1			_	_	_	1		=	_
В7	Scarlet fever and streptococcal sore throat { M	_	-		_	_		_	_	*****	-
B8	Diphtheria M			_	_					_	_
В9	Whooping cough \ M	-			_	_					-
B10	Meningococcal infections	i		1					, =	-	
B11	Plague		_	_	_	_	_			or other lands	_
B12	Acute poliomyelitis MF			_	1				_	_	_
B13	Smallpox \{M\}	_									-
B14	Measles MF	_1	=	_1	_					_	
B15	Typhus and other rickettsial diseases	_	_				_	_			
B16	Malaria M	=		_	_			_			_
B17	All other diseases classified {M as infective and parasitic {F	17 15	1 2	1	2	1	1	4	2 2	3 4	3
	Malignant neoplasm: { M (140-205)	1,541 1,309 235 207	1	5 3	8 8	7 13 —	72 91 8 3	205 186 25 18	446 286 65 35	501 354 88 68	296 368 49 83
B18	trachea, bronchus and {M lung (162, 163) } F breast (170) } M	591 130 1 184					24 17 14	94 19 1 40	222 27 47	200 38 	51 27
	uterus (171-174) F	116	_	_	_	_	18	26	30	21	21
	Leukaemia and aleukaemia { M (204)	35 35 679 637	1	3 3 2	5 5 3 3	2 5 5 6	5 3 35 36	2 2 83 81	3 4 156 143	10 9 203 172	5 4 191 196
B19	Benign and unspecified	14 15	_	_		Springer and Sprin	4	1 2	6	2 4	1 3
B 20	Diabetes mellitus $\begin{cases} M \\ F \end{cases}$	21 57	_		_	1	-1	1 2	6	5 20	9 26
B21	Anaemias $\binom{M}{F}$	15 27	_	_			1 2	2	2	2 5	8 18
B22	Vascular lesions affecting \$\int M\$	899 1,198	1	_	1	1	13	61	135	301	386
B23	central nervous system \ F Nonmeningococcal \ M meningitis \ F	1,176	2 8				1 1	55	134	314	672 1 1
B24	Rheumatic fever \ M F	1 2			-					-	1
B25	Chronic rheumatic heart SM disease F	8Î 186				4 3	20 39	21 47	19 55	11 24	6 18

				N	Ierseysi	de Cont	ırbation	-conti	nued		
Abbrevi- ated	Causes of death					Ag	е				
List No.		All	Under				Year	's			
		ages	year	1-	5-	15-	25-	45	55-	65-	75 and over
B26 {	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	1,619 1,052 408 572					66 9 3 2	214 55 17 4	453 151 22 18	507 374 92 90	379 463 274 458
B27	Other diseases of heart M	180 267	1	1	_	1	3	8	28	62	77
B28	Hypertension with heart disease F	117 237			_		5	5	28 20 16	69 43 60	157 44 156
B29	Hypertension without MF	60 62				2	6	10	16	12 14	14
B46 (Pt.)	Other circulatory diseases (450-468)	160 182	_	_		2	7	5 7 7	22 21	51 38	33 78 109
B30	Influenza $\left\{ egin{array}{lll} M \\ F \end{array} \right.$	90 80		1	1 2	2 2 2	7 7	9 5	17 12	28 18	25 33
B31	Pneumonia M	535 622	35 38	6	4 3	2	13 12	24 10	74 35	146 122	231 394
B32	Bronchitis $\left\{ egin{array}{lll} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	715 337	13 13	1 3		. 1	10 10	54	203 34	239 108	194 162
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527) {M}	51		1	_1	2	11	13 6	22	30 14	24 16
B33	Ulcer of stomach and duodenum {M	113 39	_				7	5	30	49	22 23
B34	Appendicitis $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	13			1	1			1 4	4	6
B35	Intestinal obstruction and hernia	40 39	6 3	_	1	-	2	1	5	7	18
B36	Gastritis, enteritis and Am diarrhoea except	21 44	5 8	. 1	1	. 1	1	4	5 3 5	9 2 11	20 4 14
В37	diarrhoea of newborn Cirrhosis of liver M F	22 19	_	1			1 4	10	6	2 8	2 3
B38	Nephritis and nephrosis M	47 56	_	1	1	2 2	7 7	11	9	6	10 18
B39	Hyperplasia of prostate M	57	_		_				2	14	41
B40	Complications of pregnancy, F childbirth and puerperium	11		_	-	1	10		-	_	endown.
B41	. Congenital malformations $\ldots egin{cases} M \\ F \end{cases}$	98 100	79 82	6	1 2	2	· 1	6		3	
B42	Birth injuries, postnatal {M asphyxia and atelectasis	139 91	139 91		_					_	_
B43 {	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	3 1 16 14	3 1 16 14	_	_						=
B44	Other dis. of early infancy and \{M\\ immaturity unqualified \{F\}	73 61	73 61	_	_	_					
B45	Senility without mention of \{M\\ psychosis, ill-defined and \{F\\	47 106	1		_		1		1	2 6	42 98
B46 (Rem.)	unknown causes	200 343	8 7	3	3	10	20	21	34 48	51 91	50 128
BE47	Motor vehicle accidents M	121		6	11	21	33	14	13	16	7
BE48	All other accidents $\begin{cases} F \\ M \\ F \end{cases}$	51 168 152	6 3	5 7 4	16 3	13	26 4	6 14 6	7 21 11	9 30 19	17 35 102
BE49	Suicide and self-inflicted SM	68 51	_		_	3	17	15	11	19	3 7
BE50	Homicide and operations of M war	5 4		1	1	1 1	10 1 1	10	10	13 2 1	-
BN47	Fractures, head injuries and {M internal injuries {F	211	2	6 7	14	26	46	18	24	40 17	35
BN48	Burns M	11	1	1	1		2 2	2	1	2 2	35 91 2 10
BN49	Effects of poisons \(\) M	75		_	-	4	22	16	11	16	6
BN50	All other injuries \ \ M F \ F	74 65 28	4 2	1 7 1	12 2	8	11 7 2	11 7 5	13 9 5	16 9 7	21 2 4

A 1-1					No		dland R	egion			
Abbrevi- ated List No.	Causes of death					Ag	Year	re			
List 140.		All	Under 1			1.5					75 and
		ages	year	1-	5-	15-	25-	45-	55-	65-	over
	ALL CAUSES $\dots {N \choose F}$	20,544 18,462	746 577	115 93	136 83	243 86	860 595	1,605 1,002	3,811 2,179	5,570 4,495	7,458 9,352
B1	Tuberculosis of respiratory { N F		_			_	17	29	48	43	22
В2	system F Tuberculosis, other forms M	1 15 13		1 1	1	1 2 1	10 1 2	7 5 3	12 2 3	12 1 2	2
В3	Syphilis and its sequelae \ \ \frac{N}{E}		_	_		_	1	5	13	13	9
B4	Typhoid fever $\begin{cases} Y \\ Y \end{cases}$	28			_				8	8	_
B5	Cholera $\cdot \cdot \cdot \begin{cases} N \\ F \end{cases}$	_	_		_	_		_			_
В6	Dysentery, all forms \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	1 2		_	_	_	_	_1	1	_	
В7	Scarlet fever and streptococcal sore throat \{ \text{F}	ı –		_		_	_				1
B8	Diphtheria	<u> </u>			_	_	_	-		_	
В9	Whooping cough $\dots \left\{ \begin{array}{ll} M \\ E \end{array} \right\}$	<u> </u>	-	E0	. =		· <u> </u>	5	_		_
B10	Meningococcal infections	9 3	6	1 2	_	_	_		_	2	
B11	Plague $\left\{ \begin{array}{cccc} M & M \end{array} \right\}$	-	_				_				
B12	Acute poliomyelitis }	3	_	1	_1	_	_1				_
B13	Smallpox { N	1 _			_	_			_		
B14	Measles	1 1 5	2	1		1	_	1		- =	_
B15	Typhus and other rickettsial diseases { N	1 _	_					_	_	-	
B16	Malaria	1 _		and the same of th	_	_	_	_			=
B17	All other diseases classified { Mass infective and parasitic { F	1 31 37	3 5	2 2	4 2	3 2	4 9	4	5 4	5	1
	Malignant neoplasm: { Malignant neoplasm: { F }	3,723 3,167 1 602	2	12 10 —	18 23 —	19 15 1	146 232 15 14	441 429 56 28	1,009 687 151 69	1,178 877 198 129	892 181
	trachea, bronchus and SM lung (162, 163)				1		32 10	188 30	427 44	363 46	137 27
B18 {	breast (170) { N	604			=	_	1 56 37	118 51	153 74	150 78	1
	uterus (171-174) F Leukaemia and aleukaemia	1		7	7	10	12	9	18	19	10
	(204)	95 1 1,874	1	3 5 7	12 10 11	5	15 86 100	10 188 192	22 411	20 596 454	569
B19	Benign and unspecified neoplasms	1 43 60		2	_	3	4 9	10 9	11 16	9 10	12
B20	Diabetes mellitus $\cdot \cdot \cdot \left\{ \begin{smallmatrix} M \\ F \end{smallmatrix} \right\}$	1 89		_	1	_	7 1	8 5	18 25	25 64	30 76
B21	Anaemias {M	46 75		_	1	_		2 2	4 9	13 25	26
B22	Vascular lesions affecting	2,569			1	4	46	92	374	767	1,285 1,901
B23	central nervous system F Nonmeningococcal meningitis F	1 15	8	1 3	1 1	_	42	111 2 —	327 3 3	891	1,901
B24	Rheumatic fever { N	1 5	_	_	1 2	1	2 2	_		1	-
B25	Chronic rheumatic heart disease	1 168 282	2	-		5 3	41 33	32 58	2 48 74	32	3 10 51

	North Midland Region—continued										
Abbrevi- ated	Causes of death			1		Age					
List No.		All	Under				Year	'S			75 3
		ages	year	1-	5	15-	25-	45-	55-	65-	75 and over
B26 {	Arteriosclerotic heart dis. incl. coronary dis. (420) F F Gegenerative heart disease (421, 422) F F	3,684 2,204 1,772 2,354	1			<u>1</u>	102 8 10 4	415 67 29 11	937 289 106 85	1,194 795 395 366	1,034 1,045 1,229 1,888
B27	Other diseases of heart \{ M \\ F \\ \}	529 616	4	E		1	10	21	68 50	172 176	257 368
B28	Hypertension with heart disease {M F	393 491					1	13 14	75 51	138 137	166 288
B29 B46 (Pt.)	Hypertension without mention of heart	282 255 594 641	,		Section of the Sectio	$\frac{1}{2}$	20 9 10 7	32 20 20 20	61 30 56 37	64 60 146 118	104 135 361 457
B30	Influenza $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	283 276	4 6	1	1 2	4 2	11 8	10 11	39 22	95 74	118 150
B31	Pneumonia $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	802 868	59 42	22 15	4 3	4 2	26 13	44 31	104 71	176 155	363 536
B32	Bronchitis $\left\{ egin{array}{ll} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	1,520	26 16	4 6	4	2	18 5	91 20	348 80	516 159	511 324
B46 (Pt.)	Other diseases of respiratory System (470-475, 510-527) F	257 125	6 9	5	3	3 2	16 14	30 7	60 11	85 24	55 50
B33 B34	Ulcer of stomach and duodenum	242 91 34		- April Apri			10	26 7 4	52 10	71 28 12	83 43 8
D34	Appendicitis $\left\{ {\stackrel{M}{F}} \right\}$	17			3		2	1	3	3	5
B35	Intestinal obstruction and hernia F	109	5 5	3	1	_1	4 2	8	22 13	26 31	39 57
B36	Gastritis, enteritis and diarrhoea except F diarrhoea of newborn	77 90	11 5	6 2	1	,	3 5	10	15 11	11 22	20 36
B37	Cirrhosis of liver M	43 51	1		_	2	4 4	7 4	9	9 16	12 12
B38	Nephritis and nephrosis $\cdots \begin{Bmatrix} M \\ F \end{Bmatrix}$	170 138		<u>-</u>	2 1	2 6	38 13	22 12	28 23	42 32	36 51
B39	Hyperplasia of prostate M	262	wayee		_		-		8	64.	190
B40	Complications of pregnancy, childbirth and puerperium	19	_			5	14				oriogenes.
B41	Congenital malformations $\ldots \begin{cases} M \\ F \end{cases}$	202 204	151 152	12 12	15 4	6	9	5 8	1 5	3 9	<u> </u>
B42	Birth injuries, postnatal asphyxia and atelectasis { M	229 139	229 139	_	, =	_	_	_	_		
в43 {	Diarrhoea of newborn M F	1 46 26	1 46 26	`= =	=						
B44	Other dis, of early infancy and \{M \text{immaturity unqualified }\{F	144 112	144 112	_	_	_	_	_	_		_
B45	Senility without mention of {M psychosis, ill-defined and {F	283 421	2	1	_	_1	2 1	3	3	14 17	260 396
B46 (Rem.)	$ \begin{array}{c} \text{unknown causes} \\ \text{All other diseases} \\ \text{(Remainder 001-795)} & \dots \\ \end{array} \begin{cases} \mathbf{M} \\ \mathbf{F} \end{array} $	567 749	18 22	8 16	15 11	19 11	54 45	54 63	111 123	131 199	157 259
BE47	Motor vehicle accidents \ M	394 118		15	22 9	114 11	108	45 10	34 23	29 17	27 20
BE48	All other accidents M	458 389	21 17	5 21 8	33 8	38	22 73 18	44 14	69 20	37 65	122 231
BE49	Suicide and self-inflicted { M injury } F	241 140	_	_	1	8 2	60 33	44 26	61 33	48 34	20 11
BE50	Homicide and operations of MF	20	1	3	6		3	1	1	3	
BN47	Fractures, head injuries and internal injuries { F	635 373	3	19 9	31 10	120 14	136 24	74 15	81 26	51 60	120 214
BN48	Burns $\left\{ egin{array}{lll} \mathbf{B} & \mathbf{F} & \mathbf{F} \end{array} \right.$	26 28	1	3	1	1	6 2	2	3 2	5	12
BN49	Effects of poisons $$ $\begin{cases} M \\ F \end{cases}$	148 157	_	1	1 3	5	41 33	22 26	36 33	23 32	19 25
BN50	All other injuries M	291 109	18 18	14	23 10	34 4	58 17	37 8	45 16	39 22	19 25 23 11

	Causes of death	Midland Region Age									
Abbrevi- ated List No.											
		All	Under 1	Years 75 and							75 and
		ages	year	1-	5-	15-	25-	45-	55-	65-	over
	ALL CAUSES $$ $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	26,166 23,667	1,060 780	146 123	151 119	324 142	1,177 846	2,451 1,434	5,297 2,942	7,100 5,713	8,460 11,568
B1	Tuberculosis of respiratory System	305 89		1	_	1 3	44 24	65 18	81 14	84 14	29 16
B2	Tuberculosis, other forms M	21 15	1	1	_1	<u>1</u>	7 4	3 2	3 2	4 2	4
В3	Syphilis and its sequelae \ M F	55 20			_		2	7 2	19 3	15	12 10
B4	Typhoid fever $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	_			-		_		. =		
B5	Cholera $\left\{ \begin{array}{cccc} M \\ F \end{array} \right\}$	_		-		_	_	_		energe and a second	
В6	Dysentery, all forms M	3			3		_		,	_	
B7	Scarlet fever and streptococcal sore throat \{ M}			-			1	-			
B8	Diphtheria M	_	=	-	Santanian Santanian						********
B9	Whooping cough\{ M}F	3	2	1		_	-	_	_	Sunday.	garage.
B10	Meningococcal infections M	12	3 6	7 2	1			2			_
B11	Plague					-	_				
B12	Acute poliomyelitis M	2 I	_			1	1	-	_	e-sature foresterin	
B13	Smallpox M_F	_					_		_		
B14 ·	Measles	4		4		_	_	_	_	· —	
B15	Typhus and other rickettsial diseases	_	_			_	_			_	******
B16	Malaria	_		_			_	_	_	_	
B17	All other diseases classified {M as infective and parasitic {F	43 29	8	4	1 2	1	5 4	7 6	11 4	4 6	5
	Malignant neoplasm: { M F F Stomach (151)	4,846 4,168 735 578	_	14 14 —	21 24 —	$\frac{32}{23}$	231 284 25 16	684 629 106 41	1,375 957 196 111	1,468 1,105 245 184	1,019 1,127 163 225
	trachea, bronchus and {M lung (162, 163)	1,671			_		62 14	321 38	657 70	486 65	145 46
B18	breast (170)		-		amenda di di		87	196	211	4 195	164 59
				8	16			11	22	25	18
	Leukaemia and aleukaemia (204)	125 2,306 2,009	1	7	10	27	17 124 110	25 246	20 499	708	19 690 614
B19	Benign and unspecified neoplasms {M	44		_	1 2	5 3	7 11	10 13		7 11	7
B20	Diabetes mellitus $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	105		_	2 2	4 2	7 5			30 78	32 66
B21	Anaemias $\binom{M}{F}$	57 111		1		1	3 3	4			28 60
B22	Vascular lesions affecting [M.	2,968	1	1	1	3	52	170	488		1,343
B23	central nervous system F Nonmeningococcal f meningitis F	3,991 13 12	3	2		1	2	2	435 2 2	1,024 1 1	2,322 1 1
B24	Rheumatic fever \{ \bar{N}{E}	11	_	_	_	6	_	2	1	. 2	-
B25	Chronic rheumatic heart { M disease } F	1 256 418				2 6	46 75			46	27 27 73

1					Midla	nd Regi	on—co	ntinued			
Abbrevi- ated	Causes of death		·]———[1		Ag					
List No.		A 11	Under				Yea	rs			
		All ages	year	1-	5-	15-	25-	45-	55-	65-	75 and over
в26 {	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	4,478 2,698 2,021 2,987					159 25 11 10	555 89 32 22	1,163 366 145 80	1,452 940 428 479	1,149 1,278 1,402 2,395
B27 B28	Other diseases of heart MF Hypertension with heart disease MF	573 656 509 641	Constant	1		3 2	20 14 5 2	47 25 24 13	95 69 103 78	150 183 177 208	256 362 200
B29 B46 (Pt.)	Hypertension without MF mention of heart MF Other circulatory diseases MF (450-468) MF	283 312 587 672	Salinama Salinama Salinama			1 2	24 12 10 19	32 14 37 24	65 51 74 55	74 92 152 146	340 88 142 312 427
B30 · · · · · · · · · · · · · · · · · · ·	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	599 494 1,430 1,264	5 4 113 76	4 4 23 20	3 9 7	7 3 7 10	24 17 36 38	59 19 84 35	131 71 230 106	196 124 367 298	173 249 561 674
B32 B46 (Pt.)	Bronchitis \{ M\\ F\} Other diseases of respiratory system (470-475, 510-527) \{ F\}	2,124 847 366 138	15 13 4 6	6 4 1 4	1 2 1	4 2	24 11 19 11	157 33 39 11	536 100 99 25	749 222 110 21	637 463 88 57
B33 B34 .	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	319 143 48 18	<u></u>		1 1 7 1	5	16 7 5	34 3 4 3	102 27 11 3	87 42 6	78 62 9 5
B35 B36 B37	Intestinal obstruction and hernia Gastritis, enteritis and diarrhoea except diarrhoea of newborn Cirrhosis of liver M	129 152 100 108		1 4 6		1 1 2	5 5 3 7	5 7 10 8	25 19 22 10	29 54 27 24	53 62 16 41
B38	Nephritis and nephrosis $$ M F	185 164	4	1 2	2 4	6 9	9 6 32 16	10 8 30 27	23 15 41 26	14 20 35 37	32 40
В39	Hyperplasia of prostate M	321				_	_	1	16	97	207
B40	Complications of pregnancy, childbirth and puerperium	- 21		SSSection		· 4	17	_		_	
B41	Congenital malformations $\hdots \left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	256 256	. 178 191	16 19	11 14	7 6	19 8	10 5	4 9	7	4 3
B42	Birth injuries, postnatal asphyxia and atelectasis { M	340 186	340 186	_		_	_			_	_
в43 {	Diarrhoea of newborn { M F Cother infections of newborn (763, 765-768)	1 3 69 39	1 3 69 39	_							derenhal derenhal
B44	Other dis. of early infancy and \{M\\ immaturity unqualified \\{F\}	209 171	209 171	_	_	_	_	Specialists Stitutelists		_	_
B45	Senility without mention of {M psychosis, ill-defined and {F	283 500	_1	_		1	_1	-1	2	13 19	265 479
B46 (Rem.)	unknown causes All other diseases (Remainder 001-795) { M	697 1,008	29 21	17 16	19 8	22 21	70 73	79 83	116 146	169 265	176 375
BE47	Motor vehicle accidents \ M F	506 148		9	30	140	123	46	65	41	51
BE48	All other accidents\{\begin{align*}M\\F\end{align*}	572 611	41	12 26 8	11 36 22	19 40 3	20 78 18	20 63 21	16 57 42	22 70 105	27 161 365
BE49	Suicide and self-inflicted { M F	334 214		_	1	12	73 42	68 47	80 63	68 33	32 20
BE50	Homicide and operations of M war F	14	1		2	9 2 1	3	1 3		3	20 2 1
BN47	Fractures, head injuries and Minternal injuries \{ M	821 537	7 2 1	13 13	42 17	155 19	163	79 25	105	86	171 321
BN48	Burns M	26 52	1 1	3	4	19	29 2 2	1 2	36 6	75 7 14	8 17
BN49 BN50	Effects of poisons M F All other injuries	273 260 306	1	5 2 14	3 3 20	11 9 28	59 39 53	58 50 40	55 61 42	47 45	34 50 33 25
	F	138			8	3	13	14		42 27	25

					West	Midlar	nds Con	urbatio	1		
Abbrevi- ated List No.	Causes of death					Ag					
List No.		Ali	Under				Yea	rs			751
		ages	year	1-	5	15-	25-	45-	55	65-	75 and over
	ALL CAUSES $\left\{ egin{array}{ll} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	12,985 11,848	538 394	74 56	74 57	147 71	605 406	1,317 693	2,822 1,532	3,535 2,947	3,873 5,692
B1	Tuberculosis of respiratory \(\) M	168 38	_	1			26	47	48	35	11
B2	system F Tuberculosis, other forms M F	14	1		1	1	14 4 1	3	6 2 1	2	7
В3	Syphilis and its sequelae M	28	_		-		1)	4	10	8	5 7
B4	Typhoid fever $\left\{ \begin{matrix} F \\ M \\ F \end{matrix} \right\}$	12			_			_	[2] 	2	. 7
B5	Cholera M			_	_		_		_		
В6	Dysentery, all forms } M	3	_		3	_	_	Andreadorn of the Control of the Con	_	-	
В7	Scarlet fever and streptococcal sore throat F	1		1000	_	_		-			_
B8	streptococcal sore throat } F Diphtheria } M	_	_						1.	_	_
В9	Whooping cough \ M	3	2	1							
B10	Meningococcal infections F	7 7	1 1 4	5 2	1		_				_
B11	Plague	_			_						
B12	Acute poliomyelitis $\begin{cases} F \\ M \\ F \end{cases}$	1	F , -		2-		1				
B13	Smallpox M	_	_	_				_		_	_
B14	Measles	3 4		3			_	_		_	
B15	Typhus and other \(\) M	_	_		-				_		_
B16	rickettsial diseases F Malaria	_	_		_		_	_	_		_
B17	All other diseases classified \{ M\\ as infective and parasitic \{ F\}	21 13	2	4	1	1	1	3 5	6	2	1 2
ſ	Malignant neoplasm: \(\int M \)	2,465	_	5	12	18	132	366	733	763	436
	(140-205) } F stomach (151) } M F	2,101 379 303	1 -	6	16	11	130 18 10	298 57 24	521 112 65	561 128 90	557 64 113
	trachea, bronchus and \{M\\ lung (162, 163) \cdot\ F	954 116	_			-	38	181 18	377 41	275	83
B18	breast (170)	429		_			40	97	113	32 2 96	21 1 83
	uterus (171-174) F	173				2	15	30	56	43	27
	Leukaemia and aleukaemia M (204)	57 64 1,072		3 4 2 2	8 7 4	2 3 16	12 7 64	14 124	7 12 237	13 11 345	8 6 280
B19	neoplasms (Rem. of 140-205) \(\) F Benign and unspecified \(\) M	1,016	1	_	.9	2	54	115	234	289	307
B20	neoplasms \F Diabetes mellitus \M	46		Management of the Parket	2	1	6	6	8	15	13
B21	\F Anaemias ∫M	102			_	2	3	2 2	24	36	34 12 32
B22	Vesculer lesions - Carting	61			1	_	2	1	3	21	
B23	Vascular lesions affecting central nervous system	1,375 1,988 6	1	1	1	3	23 24	87 74 2	225 208 1	416 523	623 1,153 1
B24	Rheumatic fever	5				2		1	1	1	_
B25	Chronic rheumatic heart FM disease F	134 217				2 3 3	24	35 38	41 49	22 52	1 9 44

				W	est Midl	ands C	onurbati	on—coi	ntinued		
Abbrevi- ated	Causes of death					Ag					
List No.		All	Under				Year	s			75 and
		ages	year	1-	5-	15-	25-	45-	55-	65-	over
B26 {	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	2,108 1,358 937 1,442				=	77 15 7 3	286 43 18 10	584 178 75 39	656 467 200 235	505 655 635 1,155
B27	Other diseases of heart $\dots \begin{cases} M \\ F \end{cases}$	276 330		2		1	10 8	29 14	52 37	74 96	108 173
B28	Hypertension with heart disease	270 369	=		Ξ	_	2 2	12	58 43	106 124	92 192
B29 B46 (Pt.)	$ \begin{array}{cccc} Hypertension \ without \\ mention \ of \ heart & . & . & . \\ Other \ circulatory \ diseases \\ (450-468) & . & . & \\ \end{array} \begin{array}{c} M \\ F \\ \end{array} $	151 164 266 282		_			11 8 7 8	19 6 16 11	43 25 41 30	32 43 70 60	46 82 130 173
B30	Influenza $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	339 296	2 3	2		1	14	34 10	86 41	120 81	80 151
B31	Pneumonia M	806 690	69 44	12	4	6	20 26	58 19	137	208 182	292 334
B32	Bronchitis $\left\{ {\mathop{\mathbf{M}}\limits_{\mathrm{F}}} \right\}$	1,256 494	8 7	2	_	_	15	108 18	325 52	440 136	358 276
B46 (Pt.)	Other diseases of respiratory System (470-475, 510-527) { F	141 52	3 4	1	2		10 5	17 4	36 12	39 6	32 20
B33	Ulcer of stomach and duodenum M	187 85	1	_	1	_	11	19	62 13	53 24	42 37
B34	Appendicitis $\left\{ {\mathop{\mathbf{M}}\limits_{\mathbf{F}}} \right\}$	18			2	1		2	6	3	5 3
B35	Intestinal obstruction and hernia M	59 70	5 3		_	_	4 5	3 2	10	12 23	25 28
B36	Gastritis, enteritis and diarrhoea except { M	60 45	14	4 2	_	1	5 2 4	2 2 7	14	17	7 12
B37	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	41 19	_1	_			4 3	5 2	17 2	10 11	4
B38	Nephritis and nephrosis $\left\{ egin{array}{ll} M \\ F \end{array} \right\}$	90 81	1		2 3	4 7	18 8	16 14	21 11	12 15	16 21
B39	Hyperplasia of prostate M	148		_			_	_	7	41	100
B40	Complications of pregnancy, F childbirth and puerperium	12	_	_	-	3	9	_	_	_	
B41	Congenital malformations $ \left\{ egin{matrix} M \\ F \end{array} \right. $	130 125		6 7	6 9	3 2	15 4	5	3 4	6	3
B42	Birth injuries, postnatal {M asphyxia and atelectasis	180 96	180 96	_		=	_	_	_	=	=
B43 {	Diarrhoea of newborn { M F C C C C C C C C C	2 36 24		=		=				=	
B44	Other dis. of early infancy and Mimmaturity unqualified F	92 77	92 77	_	_		_	_		_	_
B45	Senility without mention of {M psychosis, ill-defined and {F	94 177	_	_		_1	1		1 1	4 13	87 162
B46 (Rem.)	unknown causes All other diseases (Remainder 001-795) { M	329 473	15 9	9	10 3	11 12	32 31	40 45	65 72	79 126	68 166
BE47	Motor vehicle accidents \ M	228 67		4 5	14 6	56 7	53 6	19	30	22 12	30 16
BE48	All other accidents $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	256 298	21	14 5	15 7	20		24	25 22	30 52	177
BE49	Suicide and self-inflicted injury	153	_	-	_1	8	39 20	24 25	35 31	33 19	13 10
BE50	Homicide and operations of SM F	5		1		1		1		1	1
BN47	Fractures, head injuries and internal injuries { F	247	_	6	8	62 7	11	31	43 18	36 36	153
BN48	Burns $\cdot \cdot \cdot \begin{cases} M \\ F \end{cases}$	15		2	3	1	2 2	1	3	6	4 7
BN49	Effects of poisons \ MF	150		1	1 2	9	35 21	24 26	30 32	30 26	20 31
BN50	All other injuries \\ M\ F	123	18	9	2 7 2	14	19 4	12	32 17 8	18 15	13

Abbrevi-						Easter	n Regio	n			
ated List No.	Causes of death						Yea	ırs			
		All ages	Under 1 year	1-	5-	15-	25-	45	55-	65-	75 and over
	ALL CAUSES $\binom{M}{F}$	19,652 19,023	645 496	111 73	141	251 76	754 516	1,451	3,230 1,941	5,318 4,408	7,751 10,429
B1	Tuberculosis of respiratory \(\int M \)	126	_			arran	14	22	31	42	17
B2	Tuberculosis, other forms FM	57 10 7		1 1 1			12	11 1 1	10	14 4 2	9 2
В3	Syphilis and its sequelae \ M	34 26	1	_			1	5	5 5	22 10	1 10
B4	Typhoid fever $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	_		_	_		_	_	-		-
B5	Cholera M										
В6	Dysentery, all forms \{ M\ F	-5			_		1	1	_1	1	1
В7	Scarlet fever and streptococcal sore throat { M	1			_	1					-
B8	Diphtheria M	7 7	71 -	. =	-		· , =				
В9	Whooping cough { M	_	_			_					
B10	Meningococcal infections M	7 2	1 1	5		1	_	_			-
B11	Plague $\left\{ \begin{smallmatrix} M \\ F \end{smallmatrix} \right\}$	_			_					-	
B12	Acute poliomyelitis M	4			1 2	1	3			-	
B13	Smallpox M		_				_		-		
B14	Measles $\left\{ egin{array}{ll} M \\ F \end{array} \right]$	3	1	1	1			_			
B15	Typhus and other { M rickettsial diseases { F			_	_					_	-
B16	Malaria M	_	_		_			_		_	-
B17	All other diseases classified M as infective and parasitic F	40 34	1 2	1 2	2 5	3 2	9 5	5	8 4	6	5 10
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	3,936 3,445 600 381	3 1 —	14 6 —	23 20 —	20 12 1	180 208 22 6	436 453 55 -23	960 641 124 55	1,237 984 229 106	1,063 1,120 170 190
	trachea, bronchus and {M lung (162, 163) { F	1,273	-		1	_	42 10	188	443 50	414 59	186 48
B18 {	breast (170) \dots $\begin{cases} M \\ F \end{cases}$	716 286					60 26	155	159	184	158 65
	Leukaemia and aleukaemia SM	112	1	6	6	8	19	11	18	21	22
	(204)	1,948 1,775	2	2 8 4	7 17 12	12 8	18 97 88	182 188	375 307	19 573 527	19 682 640
B19	Benign and unspecified neoplasms {M}	43 54	1 1	1	1 2	2	9	6 16	7	8	8 12
B20	Diabetes mellitus $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	98 168	1		1		5	8 4	11 27	26 61	47 70
B21	Anaemias $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	5 I 89		1		2	5	1 3	8	16 19	19 53
B22	Vascular lesions affecting SM	2,208 3,324	3	-	1	3	23	91	292	638	1,157
B23	central nervous system F Nonmeningococcal	3,324 16 15	8 5	1 3	1	2	24	103	277 3 2	856	$\frac{2,062}{2}$
B24	Rheumatic fever	5			1 2	_			1	2	1
B25	Chronic rheumatic heart disease	134 280		_	1	2 2	21 28	27 56	31 66	35 62	17 66

					East	ern Reg	ion—co	ntinued			
Abbrevi- ated	Causes of death					Ag					
List No.		All	Under				Year	rs			75 and
		ages	year	1-	5-	15-	25-	45-	55	65-	over
B26 {	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	3,692 2,438 1,612 2,266	1	<u>-</u>		1 2	71 7 13 8	353 60 15 12	801 283 68 59	1,252 756 297 310	1,214 1,332 1,216 1,876
B27	Other diseases of heart M	474 540				1	8	13 13	53 33	129 116	270 370
B28	Hypertension with heart disease MF	328 458	_			1	3 2	11	50 42	91 128	172 276
B29 B46 (Pt.)	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	219 271 612 727		_		1 2	14 4 11 6	18 11 20 12	41 31 75 44	61 73 153 153	84 152 351 512
B30	Influenza $\left\{ egin{array}{lll} M \\ F \end{array} \right.$	306 300	3 2		4 2	5 1	14 6	24 11	35 20	86 61	135 197
B31	Pneumonia $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	1,110	48 46	18 12	2 3	5 4	18 22	41 34	127 63	253 208	598 714
B32	Bronchitis \{ M \ F	1,090 494	14 11	1 5	3 2	1 1	11 6	66 16	210 48	402 110	382 295
B46 (Pt.)	Other diseases of respiratory System (470-475, 510-527) F	108	3 7	7	3 4	2	8 5	18 11	48 16	57 22	65 43
B33 B34	Ulcer of stomach and duodenum F Appendicitis M	204 103 27		2 3	2 2		6 1 1	19 1 5	31 9 5	57 26 7	91 66 4
B35	\f\	100	4	2	1	1	3	3	15	35	36
В36	hernia \ F Gastritis, enteritis and diarrhoea except \ F	103 80 108	13 6	5	4	1 3	3 4	13 11	12 14 4	27 15 29	57 12 50
B37	diarrhoea of newborn Cirrhosis of liver M	46 39	1	_	.2	1	9 6	8 2	12 9	10 15	S 5 5
B38	Nephritis and nephrosis $\ldots \left\{ egin{array}{l} M \\ F \end{array} \right.$	130 108	1	1	1 3	8	19 12	17 10	28 15	27 28	30 37
B 39	Hyperplasia of prostate M	305				_			14	58	233
B40	Complications of pregnancy, childbirth and puerperium	- 17	_	_	-	4	13			· . —	: 444
B41	Congenital malformations $\dots \left\{ egin{matrix} M \\ F \end{array} \right.$	176 164	109 112	19 10	14 13	6 5	14 6	7 6	5	. 2	6
B42	Birth injuries, postnatal asphyxia and atelectasis $\begin{cases} M \\ F \end{cases}$	188 107	188 107		, _	b-halfmatons			_		_
B43 {	Diarrhoea of newborn { M (764)	37 27	37 27			,					
B44	Other dis, of early infancy and $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	168 135	168 135		_		diameter.				
B45	Senility without mention of {M psychosis, ill-defined and {F	217 398	1	_		1	_1	_	2	13 15	199 382
B46 (Rem.)	unknown causes All other diseases (Remainder 001-795) { M	583 815	21 13	11 12	21 7	16 15	42 45	.60 68	90 124	144 202	178 329
BE47	Motor vehicle accidents \ M F	361 97	2	10	18	110 9	79 18	44	39 15	32 15	27 21 98
BE48	All other accidents M	420 416	11 10	12 9	34 7	46 4	78 13	38 11	49 23	54 66	98 273
BE49 BE50	Suicide and self-inflicted injury	225 137 9 5	1 2			7 4 1	52 32 3	53 35 1	54 31 3	44 20 1 1	15 15 —
BN47 BN48	Fractures, head injuries and internal injuries	575 400 23 22	2	10 5 - 2	26 9 1 3	113 10 3	114 21 7 1	65 8	67 26 —	71 63 5 3	107 257 6 12
BN49 BN50	Effects of poisons $\begin{cases} M \\ F \end{cases}$ All other injuries $\begin{cases} M \\ F \end{cases}$	154 138 263 95	1 11 10	2 1 10 4	4 1 21 3	4 4 43 4	36 29 55 12	36 26 35 19	35 29 43 14	26 23 29 13	11 24 16 16

A blacavi				I	London	and Sou		ern Reg	gion		
Abbrevi- ated List No.	Causes of death					Ag	e Year				
		All	Under				1 cal	5			75 and
		ages	year	1-	5-	15-	25-	45-	55-	65-	over
	ALL CAUSES $$ $\{M\}$	64,023 65,071	1,912	302 208	338 232	656 295	2,437 1,883	5,553 3,698	12,399 7,186	17,739 14,748	22,687 35,344
B1	Tuberculosis of respiratory \(\int M \)	597	2	2		2	70	81	174	158	108
B2	system F Tuberculosis, other forms M F	208 38 51	1 1	3 2	1	1 1 1	45 10 10	42 3 6	36 . 9 . 9	44 5 10	39 6 12
В3	Syphilis and its sequelae \ M	175		_			5	22	42	65	41
B4	Typhoid fever $\begin{cases} F \\ M \\ F \end{cases}$	102	8 =	_	-		1	8	20 _1	26	4
B5	Cholera M			_		_	_	-	_	_	_
B6	Dysentery, all forms $\left\{ \begin{matrix} F \\ M \end{matrix} \right\}$	3 4		-1		1	<u>-</u>		2		-
В7	Scarlet fever and SM	3	_		1	1				1	
B8	streptococcal sore throat } F Diphtheria M F					_	. <u>I</u>				
В9	Whooping cough \int M	2 3	2					_			
B10	Meningococcal infections $\ldots \begin{cases} F \\ M \\ F \end{cases}$	22 12	2 2 9 4	6	3 4		1	1	1	1 2	
B11	Plague			Marworn	Name and Address of the Address of t	_	_	**************************************			
B12	Acute poliomyelitis $\left\{ \begin{matrix} \mathbf{r} \\ \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$	20 9		2 2	2 2	5	10	1	_		
B13	Smallpox M	_	_			_	_	_	_		_
B14	Measles $\left\{ \begin{array}{cccc} \mathbf{M} \\ \mathbf{K} \end{array} \right\}$	12 9	2	4 3	5 3	1 1			=		
B15	Typhus and other SM rickettsial diseases F	_		_		_	_	_	_	ANYTHE	_
B16	Malaria				_		1	1	_	_	
B17	All other diseases classified {M as infective and parasitic {F	115 127	10 4	3	5 9	4	20 18	12 14	29 29	11 20	21 26
	Malignant neoplasm: { M (140-205) { F F stomach (151) } M F	13,593 12,266 1,697 1,425	5 9 —	38 37 —	59 53 —	80 41 —	564 678 53 38	1,683 1,672 220 102	3,730 2,565 436 203	4,292 3,338 573 435	3,142 3,873 415 647
	trachea, bronchus and \{M\\ lung (162, 163) \ldots \{F\}	5,406 949	-			1	170	834	1,915	1,784	702 207
B18	breast (170)	19 2,499 959		-	_		195 87	531 175	255 8 575 231	286 5 600	598 220
	Leukaemia and aleukaemia ∫ M	344	2	21		16	42	36	73	244 68	59
	Other malig, and lymphatic M neoplasms (Rem. of 140-205) F	338 6,127 6,096	3 3 6	20 17 17	27 23 32 29	63 31	299 283	47 593 660	50 1,298 1,251	78 1,862 1,695	77 1,960 2,124
B19	Benign and unspecified {M neoplasms {F	140 214	3 5	3	8 5	3 8	22 28	21 45	22 37	32 43	26 40
B20	Diabetes mellitus $$ M	240 466	_		1 4	3	16	22 17	39 65	80 170	79 207
B21	Anaemias $\left\{ \begin{array}{ll} M \\ F \end{array} \right\}$	105 209	_	_	3	4	1 6	5 12	19 25	34 41	39 122
B22	Vascular lesions affecting \(\int \text{M} \)	6,057		3	2	10	94	289	909	1,733	3,017
B23	central nervous system F Nonmeningococcal M meningitis F	9,972 45 33	1 13 8	4	3	8	108 5 1	354 4 6	888 7 7	2,341 7 8	6,269 4 2
B24	Rheumatic fever $\left\{ \begin{array}{ll} M \\ F \end{array} \right\}$	11 12	_		2	1	1	2	1	2	2
B25	Chronic rheumatic heart disease F	610 1,206		-		4 9	88 99	1 126 218	153 270	128 298	111 312

		London and South Eastern Region—continued									
Abbrevi- ated	Causes of death					Ag					
List No.		All	Under				Yea	irs			75 and
		ages	year	1-	5-	15-	25-	45-	55-	65-	over
в26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	12,621 8,308 4,164 7,579			_	2 2 2 2	354 50 23 10	1,446 217 54 24	3,089 921 223 158	4,108 2,671 769 854	3,622 4,447 3,093 6,532
B27	Other diseases of heart $\dots \begin{cases} M \\ F \end{cases}$	1,196	2 2	1 1	1 5	10 2	28 22	45 30	125 106	352 348	632 1,153
B28	Hypertension with heart disease F	1,033 1,715		_			7	48 24	173 127	303 479	502 1,076
B29	Hypertension without { M mention of heart } F	982 1,120		_		4 2	43 9	107 49	211 134	252 270	365 656
B46 (Pt.)	Other circulatory diseases (450-468) F	1,748 2,559	3	1	1	6	29 33	85 61	231 185	515 462	880 1,808
B30	Influenza $\left\{ egin{array}{lll} M \\ F \end{array} \right.$	983 1,101	6	7	8	15 14	38 41	79 63	186 104	286 239	358 623
B31	Pneumonia M	3,796 4,036	158 101	36 34	16 22	22 18	87 75	192 87	442 242	927 756	1,916 2,701
B32	Bronchitis $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	5,261 2,424	49 44	15 6	5 3	3	33 20	271 68	1,153 217	1,796 602	1,936 1,460
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527) { F	735 410	9	6 4	. 8	5 4	24 18	61 29	191 70	234 105	197 170
B33	Ulcer of stomach and duodenum {M	879 447	1 1	_		1	24 4	85 33	. 209	261 110	298 244
B34	Appendicitis $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$	113	_	1 3	8 4	6	17	15	16	29 15	21 32
B35	Intestinal obstruction and hernia	366 431	27 22	4	1 3		10 14	24 15	50 49	98 107	152 217
B 36	Gastritis, enteritis and diarrhoea except { M	222 403	16	12 8	2 3	, 4	16 13	20 21	37 52	47 94	68 189
В37	diarrhoea of newborn Cirrhosis of liver $\dots $ M	147 149	_1	_1	2	1 2	11 10	32 21	42 39	39 50	18 27
B38	Nephritis and nephrosis $\ldots \begin{cases} M \\ F \end{cases}$	387 383	4	3 3	5	17	58 32	54 43	71 51	88 109	87 134
B 39	Hyperplasia of prostate M	798	-		_	_		4	46	196	552
B40	Complications of pregnancy, F childbirth and puerperium	73		_		16	57	_	-	_	_
B41	Congenital malformations $ \begin{cases} M \\ F \end{cases} $	596 516		51 33	42 24	17 13	28 31	30 37	17 21	28 23	4 9
B42	Birth injuries, postnatal asphyxia and atelectasis { M	527 379	527 379) <u> </u>	-		-	_	- E	. 74
В43	Diarrhoea of newborn { M F Cother infections of newborn } M (763, 765-768)	1 77 60	1 1 77 60		=		-	. 7			
B44	Other dis. of early infancy and { M immaturity unqualified { F		521	_	_					_	_
B45	Senility without mention of {M psychosis, ill-defined and {F	403 904	3 3		1	_	3	2 2	4 2	24 17	366 879
B46 (Rem.)	unknown causes	1,791	52 41		35 28		143	203 233	314 400	438	539 1,089
BE47	Motor vehicle accidents \(\) M	940	1	16	42	263	179	108	114	104	113
BE48	All other accidents $\begin{cases} F \\ M \\ F \end{cases}$	1,117 1,247	29	7 44	14 62 19	42 89	44 171 51	38 133 49	58 144 93		120 292 774
BE49	Suicide and self-inflicted M	782		_	1	31	189	181	166		77 47
BE50	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	614 48 42	3	4 2	6		143 15 10	146 2 6	7	6 4	3 3
BN47	Fractures, head injuries and \{M\\ internal injuries \{F\}	1,504 1,170	6 5	27 16	49 20	278 42	270 56	179 50	187 83	197 190	311 708
BN48	Burns M	44 86		5	3 7		4	6 7	5	7 11	12 42
BN49	Effects of poisons \ M	741 768		9	5		153 148	173 144	133 154	134 143	103 145
BN50	All other injuries MF	598 289	24	23	54		127	66	106	62	59

						Greate	er Londo	on			
Abbrevi- ated List No.	Causes of death	-				Ag					
List Ivo.		All	Under 1				Year	rs			75 and
		ages	year	1-	5	15-	25-	45-	55-	65-	over
	ALL CAUSES $\cdot \cdot \left\{ \begin{smallmatrix} N \\ F \end{smallmatrix} \right\}$	46,357 45,670		216 143				4,374 2,780	9,461 5,316	12,727	15,520
В1	Tuberculosis of respiratory	M 457		2	_	1	49	59	130	129	
B2	Tuberculosis, other forms F	151 M 31 3 34		3	1	1 1	37 10 7	24 2 4	5	5 4	. (
В3	Syphilis and its sequelae \ \ \frac{N}{E}	M 136		_	_		4	18	32	50	3:
B4	Typhoid fever	81 M		-				8	15	19	30
B5	Cholera	<u> </u>			_	_				_	-
B 6	Dysentery, all forms \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Z 2 3		<u></u>	D, -	-			2		
В7	Scarlet fever and streptococcal sore throat { N	M 2			1	1	-			-	-
B8	Diphtheria N	1 _				=	<u> </u>				
В9	Whooping cough \{\bar{N}{E}	1 1	Ī	-	, ,		-				
B10	Meningococcal infections	3 17 10	6	5	2 4		1	1	1	1 2	-
B11	Plague	1 -	-					_		_	-
B12	Acute poliomyelitis	M 19	_	2 2	2 2	5	10				
B13	Smallpox {N	1 _							-		-
B14	Measles	6 5		2 2	4 2					1	
B15	Typhus and other fickettsial diseases F			_						_	_
B16	Malaria	1	_	_				1			
B17	All other diseases classified { M as infective and parasitic { F		6 2	1 3	1 6	3 2	15 15	6 10		. 8 12	13 16
	Malignant neoplasm: { M (140-205)	8,849 1 1,252	4 7 —	31 26 —	46 31 —	61 27 —	432 505 39 32	1,341 1,253 174 83	2,864 1,912 342 156	2,379	2,148 2,709 283 462
	trachea, bronchus and {M lung (162, 163)	712		_	_	1	136 34	667 124	1,489 202	1,326 208	536 144
B18	breast (170) M. F. uterus (171-174) F.	1,812		_			148 60	393 132	6 440 171	1	427 160
	Leukaemia and aleukaemia ∫ M	1 247	1	20	21	14	27 22	28	56	45	35
	Other malig. and lymphatic M neoplasms (Rem. of 140-205) F	4,365	3 4	17 11 9	13 25 17	7 46 20	22 230 209	31 472 490	39 971 904	1,317 1,205	1,290 1,458
B 19	Benign and unspecified neoplasms {M		2 4	2 2	6	2 5	20 20	13	18	23	22 28
B20	Diabetes mellitus $\left\{ \begin{array}{ll} M \\ F \end{array} \right\}$	1 173		_	1 4	2	12	19 14	32 49	53 116	54 156
B21	Anaemias $\left\{ \begin{array}{llll} M \\ F \end{array} \right.$	79 151	_	1	2	3	1 2	4 8	13	25 29	31 91
B22	Vascular lesions affecting	3,981		1	2 2	6	69	222	648	1,140	1,893
B23	central nervous system F Nonmeningococcal		1 10 7	3	2	4	80 5	255 3 6	631 6 6	1,514 5 6	4,017 3 2
B24	Rheumatic fever $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	9		-	2	1	1	2	-	1	2
B25	Chronic rheumatic heart disease {F	12 483 950		-	1	4 8	78 84	96 171	122 218	3 98 224	4 85 245

					Grea	ater Lor	donc	ontinued	1		
Abbrevi- ated	Causes of death					Ag					
List No.			Under				Year	'S	}		
		All	year	1-	5	15-	25-	45-	55-	65-	75 and over
B26 {	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	9,299 5,939 2,551 4,720	_	_		2 1 2 1	287 38 15 8	1,174 184 37 16	2,386 664 143 94	2,948 1,898 461 533	2,502 3,154 1,893 4,068
B27 B28	Other diseases of heart M Hypertension with heart M	807 1,111 751	1 2	1	1 4	8 2	22 15 4	32 23 38	82 76 123	240 224 213	420 765 373
B29 B46 (Pt.)	disease	1,253 760 870 1,159 1,756		- - 1		4 2 6 5	38 7 25 28	89 36 64 44	91 161 102 163 137	337 193 217 351 308	803 275 506 548 1,231
B30 B31	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	728 814 2,856 3,024	4 3 127 82	2 2 23 24	4 5 7 16	8 8 17 7	32 35 64 51	63 50 155 58	150 82 340 179	203 187 696 576	262 442 1,427 2,031
B32 B46 (Pt.)	Bronchitis , M F Other diseases of respiratory M system (470-475, 510-527) F	4,214 1,984 548 293	39 35 7 5	12 4 4 2	-4 -6 3	3 3 5 3	28 14 17 14	226 54 54 22	970 181 147 50	1,407 498 166 80	1,525 1,195 142 114
B33 B34	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	649 338 81 46	1 1		5 3	1 1 5	16 3 13 2	60 24 12 2	162 44 12 3	196 79 18 11	213 186 15 24
B35 B36	Intestinal obstruction and hernia	264 310 164 286	22 16 9 14	3 7 5	1 1 2 2	1 2 3	7 7 11 7	18 9 16 13	37 38 29 42	74 79 36 67	102 159 52 133
В37	Cirrhosis of liver \{ M F	111	1	_1	_2	.1	8 7	20 17	36 27	29 31	13 20
B38	Nephritis and nephrosis $\dots \begin{cases} M \\ F \end{cases}$	265 251	4	3 2	3	12 2	46 24	41 32	46 34	60 74	50 79
B39	Hyperplasia of prostate M	551		_		_		3	30	139	379
B40	Complications of pregnancy, childbirth and puerperium	58			-	14	44			-	
B41	Congenital malformations $\dots \left\{ egin{matrix} M \\ F \end{array} \right.$	439 378	285 230	33 22	28 17	9 11	21 26	24 30	13 16	23 19	3 7
B42	Birth injuries, postnatal asphyxia and atelectasis $\begin{cases} M \\ F \end{cases}$	418 308	418 308		_		_	_			_
B 43	Diarrhoea of newborn { M { F } (764)	1 58 50	58 50		_					_	=
B44	Other dis. of early infancy and M immaturity unqualified F	391 290	391 290	_	_		_	-		_	
B45	Senility without mention of SM psychosis, ill-defined and F	250 533	3 2			_	2	1	2 2	16 10	226 517
B46 (Rem.)	unknown causes All other diseases (Remainder 001-795) { M	1,273 1,936	33 29	24 15	22 18	24 26	105 128	149 172	230 290	320 487	366 771
BE47	Motor vehicle accidents \ M F	676 300	_1	11	28 9	188 32	127 31	77 29 91	77 41	82 60	85 92 212
BE48	All other accidents $$ $\left\{ {\mathop{\mathbf{M}}\limits_{\mathbf{F}}} \right\}$	802 819	23 27	34 19	42 15	56 10	135 37	91 44	100 69	109 123	212 475
BE49 BE50	Suicide and self-inflicted $\begin{cases} M \\ \text{injury} \\ \text{Homicide and operations of} \end{cases} \begin{cases} M \\ F \\ M \end{cases}$	618 484 31 37	2 4		1 4 4	23 19 2 7	158 117 13 10	144 114 — 4	127 116 2 1	106 84 1 3	59 34 3 2
BN47 BN48	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	1,075 756 33 60		21 14 5 2	33 15 3 5	194 33 1 3	200 39 4 1	122 39 1 7	125 61 3 5	146 124 6 5	228 426 10 30
BN49 BN50	Effects of poisons \ M F All other injuries \ M F	607 620 412 204	2 2 18 22	9 5 14 6	5 4 34 4	23 17 51 15	130 122 99 33	146 116 43 29	106 127 72 34	102 113 44 28	84 114 37 33

Abbrevi-						*Southe		on			
ated List No.	Causes of death					Ag	Yea	rs			
		All	Under 1 year	1-	5-	15-	25-	45-	55-	65-	75 and over
	ALL CAUSES {M	15,245	545 338	98 73	78 69	212	546 407	1,137	2,672 1,572	4,199 3,373	5,758 8,183
В1	Tuberculosis of respiratory \(\int M \)	131	-			2	10	22	39	35	
B2	Tuberculosis, other forms F M F	37 12 12	1	1	- 1 - 1	, =	7 2 1	7 3 2	11	5 1 3	23 7 3 4
В3	Syphilis and its sequelae $\ldots \begin{cases} M \\ F \end{cases}$	27 16	_		,,,,,,,	_	2	3	6	11	5
В4	Typhoid fever $\left\{ \begin{matrix} \Gamma \\ M \\ F \end{matrix} \right\}$	_		_	_	_	_	_	_	_	
B5	Cholera $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$		_		and the same of th		_	_		_	_
В6	Dysentery, all forms M	ł	1		_		_	_		_	1
B7 B8	Scarlet fever and streptococcal sore throat	3 									1
В9	Whooping cough \{ M	1	10			-	_	_		_	
B10	Meningococcal infections M	7	1 1	5		1	1				_
B11	Plague $\left\{ \begin{array}{lll} M \\ F \end{array} \right\}$	_	_								_
B12	Acute poliomyelitis }M	6 3	1	_	_	1	4 2	_		=	_
B13	Smallpox M			_	_						_
B14	Measles M	3 4	_1	1	1 3	_	_	_		_	_
B15	Typhus and other				_						
B16	Malaria M				_	=	_	_		_	_
B17	All other diseases classified M as infective and parasitic F	30 30	_	3	1 6	2	4	9 2	3	1 7	7 5
	Malignant neoplasm: { M (140-205) } F stomach (151) } M F	2,930 2,622 383 295	1 -	13 9 —	11 12 —	15 11 —	127 148 7 6	314 335 34 17	760 562 97 38	945 693 124 72	744 852 121 162
B18	trachea, bronchus and \ M \\ lung (162, 163) \\ breast (170) \\ \tag{M}	1,028 188				2	37 8	124 32	384 63	362 50	119 35
	uterus (171-174) F	508 238					42 25	93 45	115	127 62	131 52
	Leukaemia and aleukaemia M	93 78	_1	5 5 8	6	3 5	16	12 9	15 15	20 13	15 19
{	Other malig, and lymphatic M neoplasms (Rem. of 140-205) F	1,426 1,315	_	8	5	10	67 62	144 139	264 277	439 369	489 453
B19	Benign and unspecified neoplasms M	35 48	2	1	1 2	1 1	2 5	4 7	7 8	8 13	9
B20 .	Diabetes mellitus $$ M	62 99	_	_		1 2	9 1	5	11	20 29	16 54
B21	Anaemias $\left\{ egin{array}{lll} M & F \end{array} \right.$	33 47	1 1	2	_	nd-regarded.	1 2	1	5	5 4	18 32
B22	Vascular lesions affecting M central nervous system F	1,716 2,587	2		2 2 1	2 2	20 28	62 96	201 216	507 605	920 1,638
B23	Nonmeningococcal Mmeningitis F	14	5	1	1 1	_	1	1	3	1	1,036
B24	Rheumatic fever { M	4			_	1	B	1		1	2
B25	Chronic rheumatic heart disease	132 211			1	1 2	14 24	27 31	24 48	43 53	22 53

^{*} Constitution changed. See explanatory note 12 and Appendix C.

		*Southern Region—continued									
Abbrevi- ated	Causes of death			1		Ag					
List No.		All	Under				Yea:	rs			75 and
		ages	year	1-	5	15-	25-	45-	55-	65-	over
326	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	3,047 1,996 1,174 1,901		-	_	1	61 10 5 4	279 46 15 13	716 201 67 53	1,038 631 233 262	952 1,108 854 1,569
327	Other diseases of heart $$ M	357 403		+		1	9 6	10 17	46 33	88 90	203 256
328	Hypertension with heart MF	264 360		_			3	19	35 35 32	79 111	128 214
B29 B46 (Pt.)	$ \begin{array}{cccc} \text{Hypertension without} & & \begin{cases} M \\ \text{F} \end{cases} \\ \text{Other circulatory diseases} & \begin{cases} M \\ \text{F} \end{cases} \\ \text{(450-468)} & \dots & \dots \end{cases} $	162 160 421 529					6 6 3 7	16 6 20 16	35 16 48 35	46 43 110 111	89
В30 ,.	Influenza $\left\{ egin{array}{lll} M \\ F \end{array} \right.$	190 226		1 4	1 3	3 6	11	14 5	37 19	58 50	63 131
B31	Pneumonia $\left\{ egin{array}{lll} M \\ F \end{array} \right.$	809 861			4 5	7 4	12 18	30 12		195 170	411
B32	Bronchitis $\left\{ \begin{array}{lll} M \\ F \end{array} \right\}$	901 374	22	9 5	2	. 1	4 3	42 11	179 26	300 100	
B46 (Pt.)	Other diseases of respiratory System (470-475, 510-527) F	102	1 3	5 2	3		6 7	19	49 12	53 20	42 54
B33	Ulcer of stomach and duodenum \dots $\begin{cases} M \\ F \end{cases}$	86	1		1		8	17 4	42 10	63 19	66 48
B34	$\left\{ egin{array}{lll} {\sf Appendicitis} & \dots & \dots & \dots & \left\{ egin{array}{lll} {\sf M} & {\sf F} & {\sf F} \end{array} \right.$	18		1	2			4	4	2	
B35	Intestinal obstruction and hernia { M	75 94		1		-	3	3 4	16 8	17 24	31 50
Ŗ 36	Gastritis, enteritis and diarrhoea except F		5		1	, 1	3 4	5	7	6 22	9
В37	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	37 26				-	2	10 7	6	15 9	4 5
B38	Nephritis and nephrosis $\left\{ \begin{array}{ll} M \\ F \end{array} \right\}$	125			2 2	6	10	14 7	29 12	27 29	36 35
B39	Hyperplasia of prostate M	207		-				_	12	47	148
B40	Complications of pregnancy, F childbirth and puerperium	13	-			2	10	i	_	-	
B41	Congenital malformations $$ $\left\{ egin{aligned} M \\ F \end{aligned} \right.$	139 130			6					5 3	
B42	Birth injuries, postnatal asphyxia and atelectasis { M	172 91			, _1	-	_	_		_	Standard Sta
B43 {	Diarrhoea of newborn (764)	2	29	=			-			_	
B44	Other dis. of early infancy and immaturity unqualified \{ F	124 62				_					
B45	Senility without mention of {M psychosis, ill-defined and {F	121 273		_	-	1	1	2 2	3	4 7	
B46 (Rem.)	unknown causes All other diseases (Remainder 001-795)	l	10			5		53	83		
BE47	Motor vehicle accidents \(\) M	335	1	8	11	106	63	38	36	40	
BE48	All other accidents $\begin{cases} F \\ M \\ F \end{cases}$	94 351 347	19		20	36	62	37	35	8 37 53	89
BE49	Suicide and self-inflicted SM	144		_	-	6		32 29	29 36	31 12	12 9
BE50	injury F Homicide and operations of M war F		-	1	_	2	3	-	3	2	
BN47 BN48	Fractures, head injuries and fractures internal injuries	484 322 16 20	1	6	15 9 1	114 21 1		11	52 21 1	57 34 1 7	6
BN49	Effects of poisons $\left\{ \begin{array}{ll} M \\ F \end{array} \right\}$	134		1	1	- 4	28	28 25 25	33 38	21 23	15 18
BN50	All other injuries MF		17	11		31	39	25 11	17 10	31	20

^{*}See footnote to page 212.

		*South Western Region									
Abbrevi-					- 30	Ag		egion			
ated List No.	Causes of death						Year	rs			
		All	Under 1 year	1-	5-	15-	25-	45-	55-	65-	75 and over
	ALL CAUSES {M	20,126 20,597	554 440	85 87	98 94	243 82	666 545	1,441 984	3,546 2,295	5,608 4,822	7,88! 11,248
B1	Tuberculosis of respiratory System {M. F.	126 70	_	and any or	-	1	17	24	35	35 17	14
B2	Tuberculosis, other forms M.			1 2			17 4 5	10 4 1	15 9 3	3 4	10
В3	Syphilis and its sequelae $\dots \begin{cases} M \\ F \end{cases}$	43 25	_		_		1	1 4	9	18	14
B4	Typhoid fever				-	_			_		
B5	Cholera	patentian magazine			-	-	_	_			
В6	Dysentery, all forms $\begin{cases} M \\ F \end{cases}$	2					1			-	. 1
B7	Scarlet fever and streptococcal sore throat \{ F			-1	_1			_			***************************************
B8	Diphtheria $\left\{ egin{array}{lll} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	_	_			*******	_	Maratana Assessed			-
B 9	Whooping cough $\dots \left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	2 9	1	-2		_			-		- married
B10	Meningococcal infections $$ $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	9	3 2	2 2 1	1	1	1		1		
B11	Plague					_			_	_	
B12	Acute poliomyelitis MF	2					1	and the same of th	. 1	-	-
B13	Smallpox M					-0.00007-					
B14	Measles	4 4	1	2	2		1				1
B15	Typhus and other rickettsial diseases {M		-					-			2-4
B16	Malaria		_	_		ements and a second	_				
B17	All other diseases classified {M as infective and parasitic {F	43 39	. 3	5 2	2 2	1	6	7 6	8	5 4	6
	Malignant neoplasm: { M F F Stomach (151) } M F F F F F M F F F M F F F M F M F M	3,481	3 4 —	13	19 17 —	19 9 —	127 187 14 7	394 425 50 26	977 762 124 63	1,169 943 200 150	999 1,121 169 217
B18	trachea, bronchus and M lung (162, 163)	185 6 700			1	2	25 8 54	157 .23 .2 127	441 59 2 168	370 55 — 193	127 39 2 157
	uterus (171-174)	301 96 81 1,934 1,751	1 3 3	1 4 7 4 5	11 8 8 8	2 15 8	30 12 6 76 82	10 6 175 194	74 15 16 395 382	72 21 19 578 454	75 21 18 680 615
B19	Benign and unspecified neoplasms {M	35 55	2		3 2	1	3 7	4 9	4	13	5 14
B20	Diabetes mellitus $\left\{ egin{array}{ll} M \\ F \end{array} \right\}$	105 154	_	_	1	2	5	6	14 15	-37 54	41
B21	Anaemias $\binom{M}{F}$	47 62	1		2	1	2	2	10	10 15	22 41
B22	Vascular lesions affecting Central nervous system \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	2,417 3,785	_	1	1	2 2	22	110	336	671	1,274 2,327
B23	Nonmeningococcal Mmeningitis	3,785	1	1	3	2 2	30 1 1	119	330	974	2,327
B24	Rheumatic fever M	2 7	_	_	-	1 1	_			1 3	
B25	Chronic rheumatic heart disease F	166 300		-		2 3	20 22	26 44	54 78	38 78	26 75

^{*}Constitution changed. See explanatory note 12 and Appendix C.

				*5	South W	estern	Region-	-contin	ued		
Abbrevi- ated	Causes of death]	1		Ag	e				
List No.			Under				Year	rs	1		
		All ages	1 year	1-	5	15-	25-	45-	55	65-	75 and over
32 6 {	Arteriosclerotic heart dis. incl. coronary dis. (420) F Degenerative heart disease (421, 422) F	3,913 2,489 2,099 3,117	_		_ _ _ 2	_	90 12 4 2	364 61 28 13	915 318 116 89	1,373 856 415 444	1,171 1,242 1,536 2,567
27	Other diseases of heart \{ M \ F	412 527	_	. 1	1	3	5	13 11	55 44	126 125	208 342
28	Hypertension with heart disease	410 573					10	16 17	73 51	163 196	148 307
1 2 9 146 (Pt.)	Hypertension without Mention of heart	245 273 628 707	_			1 3 2 1	11 5 6 10	25 16 18 7	56 34 72 52	76 73 151 134	* 76 142 379 503
30	Influenza M	283 340	-	1	. 3	7	13	15	46	74	124
31	Pneumonia $\binom{M}{F}$	804 880	45 37	12 11	3 9 4	2 3 5	11 25 19	11 39 20	32 91 60	77 195 166	201 385 558
32	Bronchitis M	981 422	10 6	2	4 2	1	7	50	192	379	336
46 (Pt.)	Other diseases of respiratory M system (470-475, 510-527) F	256 127	2 3	3 2 1	3 4	3	8 13 8	13 20 7	49 62 23	103 95 30	235 59 51
33	Ulcer of stomach and duodenum {M	187 127			-	_	5 2 5	15	34 15	53 25	80 76
34	Appendicitis M	32 19	1	4		2 2	5	3	7	9	. 6
35	Intestinal obstruction and hernia	137	11	_	-		2	7	21	38	58
36	Gastritis, enteritis and diarrhoea except	120 79 125	6 3	2	1	2	4	5	16	28 19	68 24
37	diarrhoea of newborn Cirrhosis of liver M	39 36	_	_	-	1	2 2	6	19 12 10	10	57 9 6
38	Nephritis and nephrosis $ \begin{cases} M \\ F \end{cases} $	174 142	3 2	1	3	9	22	15 14	36 22	12 43 39	45 48
39	Hyperplasia of prostate M	348	_			_		1	15	94	238
40	Complications of pregnancy, childbirth and puerperium	26	_		1	6	19		-		
41	Congenital malformations $$ $\left\{ egin{array}{l} M \\ F \end{array} \right.$	173 182	105 111	14 18	9	10 5	9	10 10	7	9	4
42	Birth injuries, postnatal asphyxia and atelectasis { M	167 93	167 93		-			_		_	_
43	Diarrhoea of newborn M F	25 19			4						
44	Other dis. of early infancy and \{M immaturity unqualified \{F	137 126	137 126					_	_		
45	Senility without mention of {M psychosis, ill-defined and {F	249 558	, _			1	1	2		8 25	237 530
46 (Rem.)	unknown causes All other diseases (Remainder 001-795) { F	646 847	17 10	19	10 14	9	43 62	81 62	119 133	152 238	196 312
E47	Motor vehicle accidents M	330	* 1	6	18	114	76	33	31	30	
E48	All other accidents $\left\{ egin{array}{c} F \\ M \\ F \end{array} \right\}$	124 399 404	11 10	6 8 6 8	7 13 9	16 41 4	21 59 5	15 55 16	21 46 32	13 48 54	21 22 120 266
E49	Suicide and self-inflicted SM	223	-			6	44	38	66	46	23
E50	Homicide and operations of M	165 7 11	-	=	2	1 1	31 2 2	40	38	32	23 20 2 —
N47	Fractures, head injuries and {M internal injuries {F	569 393	2 3	6	24	127	114	65 21	68 37	53	110
N48	Burns M	22 38	_	1 5	9 2 2	2	26 2 1	2	2 2	43 4 5	226 9 21
N49	Effects of poisons \ M	145 183	2	2	1	2 4	28 22 37	27 35	31 34	29 37	23
N50	All other injuries M	223 90	8	3 2	4 7	31 2	37 10	35 34 15	42 21	40 14	23 50 24 11
*See for											

^{*}See footnote to page 214.

Abbrevi-					v	Ag	(South I	Last)			
ated List No.	Causes of death						Year	rs			
		All ages	Under 1 year	1-	5-	15-	25-	45-	55-	65	75 and over
	ALL CAUSES $$ $\left\{ {{\mathbf{M}}\atop {\mathbf{F}}} \right\}$	12,329	478 359	69 52	69 43	154	535 340	1,040	2,531 1,329	3,510 2,660	3,94 4,58
B1	Tuberculosis of respiratory \(\int M \)	168	2	_		3		21	57	56	
B2	system F Tuberculosis, other forms M F	37 12 13	1	2	2		14 1 2	7 3 3	6 2 6	1 1	-
В3	Syphilis and its sequelae M	28	_		_	0.0000		_	9	11 4	
B4	Typhoid fever $\begin{cases} F \\ M \\ F \end{cases}$	8		andices andices	-				_	_	-
B5	Cholera $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$		_		_		_				-
В6	Dysentery, all forms \ M F	2		1	_	and the same of th		1		_	-
В7	Scarlet fever and streptococcal sore throat \{ F	2	_	1	_			_		_	,
В8	Diphtheria M	_	_	_	_	distance of the same of the sa		_			
В9	Whooping cough $\left\{ \begin{array}{ll} M \\ F \end{array} \right\}$	_	_			_		_			-
B10	Meningococcal infections	7 3	4 2	2 1	1	_		anter-	manusir		-
B11	Plague $\left\{ \begin{array}{lll} M \\ F \end{array} \right\}$	-	judicinios difension		_						_
B12	Acute poliomyelitis M	3	-	1	1		1	de secondo		-	
B13	Smallpox $\left\{ \begin{array}{ll} M \\ F \end{array} \right\}$	_		_	_					=	-
B14	Measles M	3	_	3			-		_	=	-
B15	Typhus and other sickettsial diseases {M}	-		_			_	_			-
B16	Malaria	toppen or toppen	_	=	_	Shiftened Shiftened	_	and a		_	
B17	All other diseases classified {M as infective and parasitic {F	18	_	2 1	1	1	1	7	6 2	3 2	-
	Malignant neoplasm: { M (140-205) { F F stomach (151) } M F	2,075 1,665 388 312	<u>-</u>	6 9	16 9 —	17 8 1	125	229 196 51 23	375 107	697 497 129 117	42 44 8 11
	trachea, bronchus and {M lung (162, 163)	641			_	_1	19	78 10		241 16	5
B18 {	breast (170) { M F F F F F F F F F F F F F F F F F F	2 289 155	-		-		28 21	52 28		80 36	5 2
	Leukaemia and aleukaemia	58	<u> </u>	2	5			. 7		12	
	Other malig. and lymphatic M neoplasms (Rem. of 140-205) F	986 794		5 4 4	11 11 8	5 2 10 5	52 58	5 92 78	220	315	28
B19	Benign and unspecified	27 15		_		2 2	4	1 4	8 4	2 4	1
B20	Diabetes mellitus $\dots $ $\begin{cases} M \\ F \end{cases}$	43		_			3	2		17 33	1 2
B21	Anaemias §M	37 58	pro-co-ca	_	-	3	4	3 7	5	10 17	1 2
B22	Vascular lesions affecting \(\int \text{M} \)	1,364	1	-	2	1	28	72	204	436	62
B23	central nervous system F Nonmeningococcal M meningitis F	1,765	4	2	-		27 1 1	78	188 3 1	517	95
B24	Rheumatic fever	1				1	_	_			_
B25	Chronic rheumatic heart disease F	139 225			1	1 1 5 2	32 33	30 54	37 65	22 44	1: 2

A11					Wales		h East)-	—contir	ued		
Abbrevi- ated List No.	Causes of death					Ag	Year				
List Ito.		All ages	Under- 1 year	1-	5-	15-	25-	45-	55-	65-	75 and over
826	Arteriosclerotic heart dis, incl. coronary dis. (420)	2,493 1,332 950 1,256					99 10 5	311 49 19 10	692 225 66 55	829 537 237 218	562 511 623 972
B27	Other diseases of heart \ M F	178 224	1	=		1 2	7 2	8	44	40	77
B28	Hypertension with heart disease	262 281				_	4 2	8 17 2	30 53 43	75 86 101	106 102 133
B29 B46 (Pt.)	$ \begin{array}{cccc} \text{Hypertension without} & & & M \\ \text{mention of heart} & & & \ddots & F \\ \text{Other circulatory diseases} & & & M \\ \text{(450-468)} & & & & \ddots & \dots & F \\ \end{array} $	172 170 374 352				$\frac{1}{1}$	5 3 6 2	15 12 15 9	31 13 32 19	48 52 83 78	. 73 89 238 243
B30 B31	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	137 119 394 331	1 2 37 23	2 6 7	1 1 2 1	2 1 2 3	2 1 13 11	9 6 25 17	29 16 65 33	44 38 89 75	47 54 155 161
B32 B46 (Pt.)	Bronchitis M F Other diseases of respiratory system (470-475, 510-527) F	1,031 355 379 52	6 10 3	1 1 3 1		, 1	14 3 11 4	45 11 42 8	242 46 126 10	404 88 119 12	318 196 73 17
B33 B34	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	98 41 20 13			3 3	1 1 1	6 1 2 1	12	29 9 1	27 12 3 4	23 18 7 3
335 336	Intestinal obstruction and hernia	62 52 35 35	5 5 5 4	1 1 5		4 2	1 1 5 2	6 7 3 3	8 8 3 7	18 11 7 8	23 19 3
337	diarrhoea of newborn Cirrhosis of liver {M} F	24 32	2		1		2 4	5	5	9	
338	Nephritis and nephrosis $\dots \begin{cases} M \\ F \end{cases}$	93 92	1		1	5	10 12	19 12	17 14	21 26	19 23
339	Hyperplasia of prostate M	199	_	-	_		_	1	13	49	136
340	Complications of pregnancy, F childbirth and puerperium	13	-			2	11	_	-	_	-
341	Congenital malformations $\dots \left\{ \begin{matrix} M \\ F \end{matrix} \right]$	124 125	82 90	9	4 3	8 7	7	7 8	2 2	2	3 1
342	Birth injuries, postnatal asphyxia and atelectasis {M	183 110	183 110	unquatho	. —				_	-	
343	Diarrhoea of newborn { M F Other infections of newborn { M F C C C C C C C C C C C C C C C C C C	4 2 15 8	4 2 15 8	manuscript manuscript manuscript development							=
344	Other dis. of early infancy and { M immaturity unqualified { F	100 81	100	-		_		-	-		
345	Senility without mention of {M psychosis, ill-defined and {F	170 292	1	_	_		1		2	6	161 281
346 (Rem.)	unknown causes All other diseases (Remainder 001-795) F	296 474	5 13	5	9	3	32 33	41 52	49 81	66 130	86 141
BE47	Motor vehicle accidents M	157 59	0 1	5	9	51 10	34	16	10	11	20
3E48	All other accidents M	324 182	13	11	16 12	40	63	37	46	10 29 29	69 105
BE49 BE50	Suicide and self-inflicted injury	112 53 7 2				5 2	22 6 1	17 18	37 12 1	23 10 5	8 5 —
3N47 3N48	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	344 183 16 13	2 1 1	8 8 2 1	17 6 1 4	65 10 2 1	70 10 3	40 8 —	36 9 2	32 29 3 2	74 102 3 4
3N49 3N50	Effects of poisons $\begin{cases} M \\ F \\ M \end{cases}$ All other injuries $\begin{cases} M \\ F \\ M \end{cases}$	71 50 169 50	13	1 5 3	7 6	2 3 27 3	18 6 28 5	13 15 17 7	22 11 34 7	9 8 24 10	6 7 14 6

Abbrevi-					V	Vales II Ag		ider)			
ated List No.	Causes of death					7.6	Ye	ars			
		All	Under 1 year	1-	5-	15-	25-	45-	55-	65-	75 and
	ALL CAUSES	4,989 4,777	153	16 17	28	51 24	159 125	348 247	922 578	1,453	1,85
B1	Tuberculosis of respiratory \(\) \(\) M	70			_		6	11	19	26	
B2	system F Tuberculosis, other forms F F	12 5 6	1			1	1	2 2		3 1 2	
В3	Syphilis and its sequelae \(\int \) M	12					1	_	4	5 2	
B4	Typhoid fever $\left\{ \begin{matrix} F \\ M \\ F \end{matrix} \right\}$	4		Speciments Strategies Strategies	_						-
B5	Cholera	_		_		_		. 1	_	_	_
В6	Dysentery, all forms $\left\{ \begin{matrix} F \\ M \\ F \end{matrix} \right\}$. =		_	_	-	_			_	_
B7	Scarlet fever and streptococcal sore throat F	2			_					_	-
B8	streptococcal sore throat F Diphtheria M		-	1	. =	_		77.7		777	_
B9	Whooping cough \ ME	_	_	_	-				_		-
B10	Meningococcal infections \\ \frac{M}{F}	5	1		2				-	_	_
B11	Plague		_			_		_			-
B12	Acute poliomyelitis	III =	-			-					_
B13	Smallpox	-		_		_	_	_	_	_	
B14	Measles	1	-	_	1			_	_	_	
B15	Typhus and other		-		-	_				_	-
B16	rickettsial diseases F Malaria F		_					Name of Street, or other party of Street, or other party or other		-	_
B17	All other diseases classified { M as infective and parasitic { F	11	_	1			1	2	2		3
	Malignant neoplasm: { M F	927 855 222 147		4 1 —	5 3	5 4 —	28 50 3	83 96 18 5	246 211 60 31	328 245 83 48	228 24: 58 63
B18	trachea, bronchus and \ M \\ lung (162, 163) \\ breast (170) \\ \tag{M}	30		_	- Company	_	5 1	32 7	98 9 2	95 8 2	32
	uterus (171-174) F	152 79		_		_	12 10	28 19	. 44	35 14	3: 1:
	Leukaemia and aleukaemia ∫M	15		3	2 2	1	1	1	3	4	
-	Other malig. and lymphatic M neoplasms (Rem. of 140-205) F	23 424 424	-	1	2 3 1	2 4 2	6 19 21	32 35	83 104	144 135	138
B 19	Benign and unspecified neoplasms	9	_	_				3	4 2	3 2	
B20	Diabetes mellitus $\left\{ \begin{array}{ll} M \\ F \end{array} \right\}$	19		_	-	1		_2	3 8	4 10	14
B21	Anaemias $\left\{ \begin{array}{ll} M \\ F \end{array} \right\}$	14	-	_	_	_	1 3		2 4	2	9
B22	Vascular lesions affecting \(\int \text{M} \)	708		_	1	1	7	33 24	78	241	34
B23	central nervous system F Nonmeningococcal	996 4 2	2	_	1	1	5	24 1	104	256 1 1	60:
B24	Rheumatic fever \ M	2			-	2			_		
B25	Chronic rheumatic heart disease {FM	1 47 74	manus manus protestes			1	10	3 15	10 21	16 20	1

					Wales 1	II (rema	ainder)-	-continu	ued		
Abbrevi- ated	Causes of death					Ag	e				
List No.			Under				Yea	rs			
		All ages	1 year	1-	5-	15-	25-	45-	55-	65-	75 and over
B26 {	Arteriosclerotic heart dis, incl. coronary dis. (420) F Degenerative heart disease (421, 422) F F	985 533 386 603	_	-			15 5 2	88 19 6 2	265 63 17 19	334 172 79 77	283 274 282 504
B27	Other diseases of heart \{ M	103 152			******	_	4	2	11	31	55
B28	Hypertension with heart disease	104 137				2 1 —	1 1	3 3	11 14 16	43 29 40	93 56 77
B29	Hypertension without SM F	68 82		_	_	1	3 5	11	13	16	24 47
B46 (Pt.)	Other circulatory diseases (450-468)	152 145	ement.			_	2	6 8 5	3 7 3	21 37 29	98 108
B30	Influenza $\left\{ egin{array}{cccccccccccccccccccccccccccccccccccc$	62 76			1	-1	2 3	1 4	12	25 23	21 37
B31	Pneumonia $\left\{ egin{array}{lll} M \\ F \end{array} \right\}$	136 153	11 7	1	3	1	5	5	16	37 32	61 91
B32	Bronchitis M	252 127	3	2			-5	14	67 11	81	85 69
B46 (Pt.)	Other diseases of respiratory M system (470-475, 510-527) F	62 22	1	_	1	1	1	3 7 5	18 2	37 17 5	19
B33	Ulcer of stomach and duodenum {M	51 19					3	3 4	10	15	20 7
B34	Appendicitis M	11		2	-1	1		1	1	1	6 2
B35	Intestinal obstruction and SM	26	1				2	4	3	10	6
B36	hernia Gastritis, enteritis and	31 14	2			_	1	4	2 2	5	17
B37	diarrhoea except friendly diarrhoea of newborn cirrhosis of liver M	18 14 4	3				1	2	6	5	6
B 38	Nephritis and nephrosis M	50 45	_			3 2	3	6	9	14	15
B 39	Hyperplasia of prostate M	105				2	3	3	7	16	12 78
B 40	Complications of pregnancy, childbirth and puerperium	5		_		1	4	-	-		
B41	Congenital malformations $\dots \begin{cases} M \\ F \end{cases}$	46 54	31 41	2 3	6		3	1 4	1	2	
B42	Birth injuries, postnatal asphyxia and atelectasis {M	51 32	51 32	_					_		
В43 {	Diarrhoea of newborn { M	5 5	5 5								
B44	Other dis. of early infancy and { M immaturity unqualified { F	35 22	35 22			_		-			
B45	Senility without mention of \(\) M psychosis, ill-defined and \(\) F	59 121	_		-	-		_	-	2	57 117
B46 (Rem.)	unknown causes All other diseases (Remainder 001-795) (R	158	5	1	4	3	10	1 20 20	31	38	46
BE47	Motor vehicle accidents M	55		2	-	17	13	7		7	64
B E48	All other accidents § F	27 118 93	4 4	2 4 2 2	2 1 7 5	12 2	23	15 5	5 3 19 5	13 13	2 6 23 53
BE49	Suicide and self-inflicted M	50			1	2	11	6	19	7	4
BE50	injury Homicide and operations of M war F	24 3 1				1	2 2 1	2	10	9	
BN47	Fractures, head injuries and SM	133		2 5	7 2	22	31	16	18	19	18
BN48	internal injuries	83 7 14		5	2 2	4 2	3	2 1 2	5 1 1	12	50 5 5
BN49	Effects of poisons \(\) M	24	-	-		1	3	6	9	4	1
BN50	All other injuries \ \begin{pmatrix} F \ M \ F \end{pmatrix}	18 62 30	4 4	2	3 2	8	15 5	5 2	5 16 7	8	5 4

							rbations				
Abbrevi- ated	Causes of death					Age	Year	rs			
List No.		All ages	Under 1 year	1-	5-	15-	25-	45-	55-	65-	75 and over
	ALL CAUSES § M	99,326	3,597	509			4,226	9,526	20,746	27,600	31,619
B1	Tuberculosis of respiratory \(\) \(\) \(\)			301				199	321	292	141
B1 B2	system	335	2	9		3 2	99 20	53	54	73	49
32	\F	66		4	2	4	11	6	. 10	16	13
B3	Syphilis and its sequelae \{ \begin{aligned} M \ F \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \						11	33 16	25	46	
B4	Typhoid fever $\cdots $ $\left\{ egin{array}{ll} \mathbb{F} \end{array} \right.$	1 2	=				1		1	-	1
B5	Cholera $\left\{ \begin{array}{cccccccccccccccccccccccccccccccccccc$	1 -									
В6	Dysentery, all forms \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \				3			1	2	1 2	_
B7	Scarlet fever and	M 2	_		1	1		_	-		
B8	streptococcal sore throat F	мI —	4 =				1		1		
20	Whooping cough		6	1							_
B9 B10	Whooping cough	9	9 5	5 4	3		2	2	2 1		=
BIO	Weiningococcur interest	23				1			1		
B11	{F			=			11	=			
B12	Acute poliomyelitis { N	M 21		2 2	2 3 2	5 1	11 4		-	-	-
B13	Smallpox $\left\{ \begin{array}{cccccccccccccccccccccccccccccccccccc$	A -	-	-				_			-
B14	Measles	M 22			6 2					2	
B15	2 John Marie Comment	м —		_				_			
B16	rickettsial diseases Malaria				4 7						
	15	15	1	16	5 9	5	25	20		5 14	
B17	All other diseases classified { } All as infective and parasitic { } F		7 9	6	5 9	7			7 34	1 24	1 2
	(140-205) \ F	M 2,892	2 10					2,443 367	/ 833	3 4, 767 967	4,08 7 5,07 62 96
		M 7,934		-	1	3 3	295 79		7 2,938 8 372	2,479 2 378	87
B18 {	lung (162, 163) F breast (170) M	M 19	9 -			1	270	722	2 7 2 826	7 4 6 793	73
	uterus (171-174) F		7 -		- 1		143	279	9 392	379	29
	(204)	M 463	5 3	32 3 26 5 23	2 48 5 39	23	68	60	0 84	4 111	1 8
	Other malig. and lymphatic Neoplasms (Rem. of 140-205)	VII 0,//0	6 5	5 23 7 14					8 1,960 3 1,836		2,52
B19		M 208									
B20	Diabetes mellitus \cdots $\left\{ \begin{array}{lll} M & M \end{array} \right\}$	M F 767		1	3 5	3 4 5	24 10	33 26			
B21	Anaemias $\binom{N}{k}$	M 191 F 415		1 3	3 3	5 1					
B22	Vascular lesions affecting	M 10,193	3 4	4 3	1	5 10				7 3,130 5 3,912	0 4,6 2 8,8
B23	Nonmeningococcal J	F 15,126 M 76 F 59	6 20	5	5 1 5 1 2	2 1	190	5	7 1,393 7 9	3 10	U)
B24	Rheumatic fever	м 21		_	- 4	4 4	1 2	2 4	4 1	1 2	
B25	Chronic rheumatic heart	F 1,015 F 1,969	5 -		_ 1	1 3 20 18	177		2 4 7 277 3 479	7 188	8 1

					Cor	nurbatio	nscor	itinued			
Abbrevi- ated List No.	Causes of death					Ag					
List No.		A 11	Under				Yea	rs		-]
		All	year	1-	5-	15-	25-	45-	55-	65-	75 and over
B26 {	Arteriosclerotic heart dis. incl. coronary dis. (420) F Degenerative heart disease (421, 422) F	19,244 12,294 6,229 10,350			<u>_</u>	2 2 4 1	646 97 49 27	2,499 443 114 58	5,151 1,630 426 277	4,198	4,823 5,924 4,333 8,480
B27	Other diseases of heart \{ M\ F	1,923	4 2	1.4	2 6	15	47	105	291	601	854
B28	Hypertension with heart disease	2,615 1,620 2,594		3	_	6	43 16 13	73 80 42	247 310 229	654 546 794	1,581 668 1,516
B29 B46 (Pt.)	Hypertension without ME FOTH FINAL STREET ST	1,276 1,440 2,430 3,371	5		3	9 5 13 8	76 26 41 60	169 68 118 83	279 185 325 260	314 385 671 667	429 771 1,257 2,288
B30	Influenza $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	1,600 1,602	12 11	6	10	13	75	139	345	483	517
B31	Pneumonia M	5,695 5,958	350 263	75 61	10 21 26	15 34 20	128 118	75 329 138	185 747 415	426 1,403 1,255	813 2,608 3,662
B32	Bronchitis M	9,132	70 68	21 12	4	. 7	85 55	639	2,262	3,145	2,899
B46 (Pt.)	Other diseases of respiratory M system (470-475, 510-527)	1,108	17	11	11	10	54 39	132 127 50	488 282 105	1,188 337 141	2,322 261 238
B33 B34	Ulcer of stomach and duodenum	1,301 618 161	1 2	1 3	1 14	2 2 9	57 15 27	111 44 16	336 85 26	412 157 34	381 312 32
B35	Intestinal obstruction and M	93 518	51	3	4		2	7	15	28	34
B36	hernia	625 359 519	28 57 41	19	2 1 3 3	. 3	15 19 26 22	35 23 27 28	83 83 59 70	138 180 79 128	190 290 86
B37	diarrhoea of newborn Cirrhosis of liver {M	266 215	3	2	2 2	3 2	20	56 26	87 59	61 73	207 32 32
B38	Nephritis and nephrosis { M	602 602	6	4 4	11	28 19	100	101	120 92	112 160	120 173
B 39	Hyperplasia of prostate M	1,049	_		-	_		7	53	261	728
B 40	Complications of pregnancy, F childbirth and puerperium	123	-		-	25	98	Miles	-	-	Maryrena
B41	Congenital malformations $$ $\left\{ egin{aligned} M \\ F \end{aligned} \right.$	950 869	657 590	59 52	48 41	21 20	55 50	43 51	22 25	35 24	10 16
B42	Birth injuries, postnatal asphyxia and atelectasis { H	1,099 734	1,099 734		_	_					Miller and
B43 {	Diarrhoea of newborn { M F Other infections of newborn } M F Other infections of newborn } M F F F Other infections of newborn } M F F F F Other infections of newborn M F F F F Other infections of newborn M F F F F F F F F F F F F F F F F F F	7 6 175 143	7 6 175 143								Seatoring destination destination
B44	Other dis. of early infancy and {Mimmaturity unqualified {F	805 637	805 637	_			_	_			
B45	Senility without mention of {M psychosis, ill-defined and {F unknown causes	655 1,334	4 5	1	1	1	6 2	2 3	7	38 44	597 1,274
B46 (Rem.)	All other diseases (Remainder 001-795) {M	2,593 3,971	89 75	47 42	45 31	70 64	227 272	294 355	493 614	664 1,049	664 1,469
BE47	Motor vehicle accidents M	1,498 625	1	41 25	92	365	301	154	182	179	183
BE48	All other accidents M	1,894	107 78	84 46	34 117 36	65 128 17	52 298 72	60 205 91	93 221 160	131 254 311	165 480 1,115
BE49	Suicide and self-inflicted injury {M	1,214			2	51 34	306 198	272 195	260 236	214 166	109 63
BE50	Homicide and operations of M war F	71 62	5 6	5	4	6 9	22 18	4 5	11 2	10	4 3
BN47	Fractures, head injuries and internal injuries {M	2,456 1,704	14	63 40	111 45 7	402 68	463 69	259 71	304 143	329 289	511 973
BN48	Burns M	86 180	1 6	11 12	12	6	10	71 7 14	7	16	26 74
BN49	Effects of poisons $\dots \qquad M$	1,207	4 3	13 13	7	49 33	275 203	274 204	222 255	210 220	153 225
BN50	All other injuries M	928 458	94 69	43	90 12	98	203 179 61	95 62	141 77	102 74	86 74

						reas ou lations					
Abbrevi- ated	Causes of death					Ag	е				
List No.			Under)		Yea	rs			
		All ages	1 year	1-	5-	15-	25-	45-	55-	65-	75 and over
	ALL CAUSES $\cdot \cdot \cdot \left\{ \begin{smallmatrix} M \\ F \end{smallmatrix} \right\}$	35,315 33,907	1,291 964	174 153	185 133	374 184	1,418	3,177 1,884	7.148 4,079	10,074 8,512	11,474 16,882
BI	Tuberculosis of respiratory System {M	397 147	_	_	_	5 2	45 31	68 34	111 28	126 34	42 18
B2	Tuberculosis, other forms \{\begin{align*}M \\ F \end{align*}		1	2 2	1	1 2	2 6	8 5	3 5	3	5
В3	Syphilis and its sequelae \ M	86 50		_	_	_	5 2	8	20 14	34 21	19 10
B4	Typhoid fever \cdots $\begin{cases} M \\ F \end{cases}$		_	_	_	_		_	_	_	
B5	Cholera $\binom{M}{F}$		_	_	_	_	_	_	_	=	-
В6	Dysentery, all forms $\left\{ \begin{matrix} \tilde{M} \\ F \end{matrix} \right\}$	5 2		2	_			_2	1	_	1
B7	Scarlet fever and streptococcal sore throat \{ F	5	1	_	1	1				_1	1
B8	Diphtheria		_		_	_	_		=	_	_
В9	Whooping cough $\ldots \qquad \begin{cases} M \\ F \end{cases}$	3	3	_	_		_	*		_	
B10	Meningococcal infections \{\bar{M}{F}	11 7	4 2	5 2	1	1 2	_		=	_	-
BH	Plague	_		_	_	_	_	_	=	_	_
B12	Acute poliomyelitis $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	3 5	_1	<u></u>		1	1 3	_	_	=	
B13	Smallpox $\{M\}$				_	_		_	_		_
B14	Measles $\left\{ \begin{array}{cccc} M \\ F \end{array} \right\}$	8	1 3	2 3	1 2	_		_	_	_	_
B15	Typhus and other rickettsial diseases			_	_				_	_	_
B16	Malaria MF	_	_		=	_			_	_	_
B17	All other diseases classified { M as infective and parasitic { F	53 52	7 5	3 2	2 5	4	6 9	13	7 14	5 5	6
	Malignant neoplasm: { M (140-205)	6,986 5,925 1,114 833	4 2 —	21 16 —	29 30 —	46 24 1 1	304 428 31 21	869 765 131 56	293	2,209 1,652 369 288	1,520 1,700 289 334
	trachea, bronchus and {M lung (162, 163) {F	2,551 373				2	95 29	393 53	974 122	815 105	272 63
B18	$ \begin{cases} \text{breast (170)} & \dots & M \\ \text{F} \end{cases} $	1,101		_	_		1 119 72	217 105	265 137	2 272 151	228 110
	uterus (171-174) F	578	1	10	1 16	13		14	38	34	22 28
	(204) F Other malig. and lymphatic J M neoplasms (Rem. of 140-205) F	3,142 2,863	3 2	10 11 6	16 13 13	30 16	23 25 154 162	20 331 314	679	989 802	932 937
B19	Benign and unspecified neoplasms {MF	72 93		2	4	5 4	11 11	9 22	12 19	20 22	12 12
B20	Diabetes mellitus $\binom{M}{F}$	133 270		_		_3	12	11 10	18 44	42 99	46 115
B21	Anaemias $\binom{N}{F}$	56 167		1	1	2	4 5	2	12 20	13 40	23 90
B22	Vascular lesions affecting SM central nervous system F	4,159	3	1 2	3	9	66 58	232 226	629 565	1,279 1,578	1,937 3,469
B23	Nonmeningococcal SM meningitis		13	4	1 2		2 2	3	3	1 4	
B24	Rheumatic fever	8			1 4	2	1	_	1 3	2 2	1 2
B25	Chronic rheumatic heart SM disease				1 -	7	64 95	65 118	106	69 140	37 117

				with	Urban a populati	areas ou ons of l	tside co	nurbational	ons r—cont	inued	
Abbrevi- ated	Causes of death					Ag					
List No.		Ali	Under				Yea	rs			75 - 1
		ages	year	1-	5-	15-	25-	45-	55-	65-	75 and over
B26 {	Arteriosclerotic heart dis. incl. coronary dis. (420) F Degenerative heart disease (421, 422) F F	6,958 4,477 2,426 4,077	ESTABLE OF THE PARTY OF T	deposition of the contract of		1 1 3	207 26 7 8	819 121 39 - 25	1,799 570 145 135	2,342 1,596 553 636	1,790 2,164 1,679 3,270
B27	Other diseases of heart $\dots \begin{cases} M \\ F \end{cases}$	711 899	2 2	1			22 14	32 25	132 81	211 268	311 504
B28	Hypertension with heart SM disease	726 1,022	_	_			8 5	33 26	140 102	270 311	275 57 8
B29 B46 (Pt.)	Hypertension without mention of heart	338 434 1,048 1,322	= 1	_		-3 -1	15 12 12 13	36 21 49 30	80 48 117 85	81 124 280 234	126 226 590 957
В30	Influenza M	438 409	6 2	_	3 6	9	27 17	50 21	77 49	126 116	140 189
B31	Pneumonia M	1,629 1,659	127 76	22 29	7 8	11 17	48 38	70 45	253 128	423 343	668 97 5
B32	Bronchitis $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	2,703 1,137	35 21	10 5	3	2 2	34 14	194 40	631 151	971 308	823 595
B46 (Pt.)	Other diseases of respiratory M system (470-475, 510-527) F	525 222	11 10	5 8 5	4 2	5	29 15	56 19	149 34	159 54	104 80
B33	Ulcer of stomach and duodenum {M	369 173	1			2	20	51 10	87 24	102 37	107 95
B34	Appendicitis $\binom{M}{F}$	48 35	1	2	5	5	6	5	7 5	11	8 11
B35	Intestinal obstruction and hernia	193 207	12 15	4	1		5	11 11	35 21	54 62	72 92
В36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	116	24 14	3	1	2 4	8	17	25 18	18 46	20 84
B37	Cirrhosis of liver $\dots \begin{Bmatrix} M \\ F \end{Bmatrix}$	73 91	1	Saleston -	1	1	8 7	17 10	21 24	19 36	6 11
B38	Nephritis and nephrosis \{ M \}	247 249	2	2	2 5	14	46 30	33 24	50 32	43	55 84
B39	Hyperplasia of prostate M	440		-		_		5	29	122	284
B40	Complications of pregnancy, F childbirth and puerperium	36	-	distance	-	9	27	-	-	-	
B41	Congenital malformations $$ M	296 337	222 243	13 21	11 12	11 10	11 13	15 15	6	3	4 2
B42	Birth injuries, postnatal asphyxia and atelectasis { M	379 215	379 215			_	_	_			
[Diarrhoea of newborn {M (764)	6	6 2	_			_	_	_		
B43	Other infections of newborn M (763, 765-768)	65 32	65 32	COMMON DE LA COMMON DEL COMMON DE LA COMMON DE LA COMMON DE LA COMMON DEL COMMON DE LA COMMON DE	_				-		Section Section
B44	Other dis. of early infancy and {M immaturity unqualified {F	285 258	285 258	_	_	_					gyaman daaran
B45	Senility without mention of {M psychosis, ill-defined and {F	213 440	3				1	3	6	16 18	187 418
B46 (Rem.)	unknown causes All other diseases (Remainder 001-795) (Remainder 001-795)	965 1,397	34 30	26 21	22 13	25 23	58 89	137 111	168 228	231 412	264 470
BE47	Motor vehicle accidents M	519		22	38	127	114	61	54	54	49
BE48	All other accidents $\left\{ \begin{matrix} F \\ M \end{matrix} \right\}$	756 701	35 18	16 20 16	12 40 13	25 60 5	25 114 17	18 80 23	27 94 39	50 93 114	49 220 456
BE49	Suicide and self-inflicted {M injury	431 307			1	11	91 67	75 78	132 73	81 57	41 24
BE50	Homicide and operations of M war	27 24	1 3	2 2	1 5	7 2 1	4 8	2	5 2	7 3	3
BN47	Fractures, head injuries and {M internal injuries { F	945 676	5 3	27 17	47 13	151 25	180 32	104 21	104 43	112 102	215 420
BN48	Burns M	45 58	_	5 7	6	1	5 2	1 2	6	7	14 25
BN49	Effects of poisons $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	378 375	1	4	2 2 24	9	67 63	67 76	112 79	61 84 55	55 57 29 27
BN50	All other injuries $\{M\}$	365 146	30 19	4 8 6	24	39	71 20	46 20	63	55 25	29 27

		Urban areas outside conurbations with populations of 50,000 and under 100,000									
Abbrevi- ated	Causes of death					Ag	е				
List No.			Under				Year	rs			
		All	1 year	1-	5-	15-	25-	45-	55-	65-	75 and over
	ALL CAUSES $\cdot \cdot \begin{Bmatrix} M \\ F \end{Bmatrix}$	21,209 21,181	715 547	84 69	140 80	223 89	844 611	1,709 1,097	3,997 2,490	5,989 5,167	7,508 11,031
B1	Tuberculosis of respiratory System {					1	29 14	30 15	65 13	43 10	23
B2	Tuberculosis, other forms	1 15	1	1	1 2	_ i	2	6 2	2 2		6 2 4
B3	Syphilis and its sequelae \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	1 51 32	_	_	_			6 2	9	21 9	15 11
B4	Typhoid fever	<u> </u>			_	_	_	_		_	
B5	Cholera $\cdots \left\{ \begin{smallmatrix} 1 \\ 1 \end{smallmatrix} \right\}$	1 -	_		_		_		_	_	
B6	Dysentery, all forms	1 2	1		_		1	_	.,—		
B7	Scarlet fever and streptococcal sore throat	2	_	1	_		1	=	=		
188	Diphtheria {		_					_	_	_	
B9	Whooping cough \{\frac{1}{3}}	4 -		_	_					_	
B10	Meningococcal infections	A 8			1	_	_1	_		_	
B11	Plague	A _		_			_			_	
B12	Acute poliomyelitis {	A 3	_	_	1	_	2			_	_
B13	Smallpox {	4 -			_	_	_		empare	_	_
B14	Measles	A 8		1			1	1	_	_	_
B15	Typhus and other	<u>M</u> -		_	-	-	_		_		
B16		M					1				
B17	All other diseases classified as infective and parasitic	M 42					5		1	10	
	(140-205)	M 73,998 3,709 M 594 453	-				172 228 23 10	465	786 139	212	1,124
240	lung (162, 163) \	M 1,370	-	_	-	2	44 20			433 65	
B18	3100000 (170)	M 8 720 720 730	-	-			69		147 84	190 94	177
		VI 101				3	10			23	
		M 1,925			8 11 8 10	15	95	183	411	605	598
B19	Benign and unspecified neoplasms	M 41			1 1	3	3	8 9			
B20	Diabetes mellitus {	M 90		-	_		5 4			28 67	29 59
B21	Anaemias {	M 6:		_		1 -	5 2	4 4		17 24	45
B22	Vascular lesions affecting central nervous system	M 2,482 F 3,883	7: 1	_	- 4	2 3	34	107 104	359 373	743 987	2,380
B23	Nonmeningococcal meningitis	M I	1 3	3 -	-	-			1		2 2
B24	Rheumatic fever {	F	5 -	_		1 -	- 1	1	2	1	_
B25	Chronic rheumatic heart disease	M 16 F 33					27		26 70	37 75	

			with p		ban are					inued	
Abbrevi- ated	Causes of death					Ag					
List No.		All	Under				Year	S			75 and
		ages	year	1-	5-	15-	25-	45-	55-	65-	over
B26 {	Arteriosclerotic heart dis. incl. coronary dis. (420)	4,232 2,759 1,698 2,742			9000-000 	3	130 11 9 7	416 72 33 21	1,070 374 99 78	1,400 978 364 399	1,216 1,324 1,189 2,236
B27	Other diseases of heart $\dots \begin{cases} M \\ F \end{cases}$	440 590		_	1	1	7 8	26 13	48 58	139 144	218 363
B28	Hypertension with heart disease	330 538	. =	,		_1	4	14 11	56 56	121 170	134
B29	Hypertension without SM mention of heart SM	235 266	=				12 7	31 15	43 32	62	87 143
B46 (Pt.)	Other circulatory diseases { M (450-468) F	593 764	_		1	1 2	7 8	21 12	70 58	147 157	346 526
B30	Influenza { M	234 239	3	_1	4 3	6	6	19	35 27	73 49	87 138
B31	Pneumonia MF	1,047 1,001	62 55	16 10	8	4 8	26 22	47 27	120 75	257 196	507 604
B32	Bronchitis MF	1,553 625	21 14	, 5 4	2	2	14 5	103 34	348 88	608 166	450 313
B46 (Pt.)	Other diseases of respiratory System (470-475, 510-527)	278 117	7		2 2	_	12 8	23	72 20	.98	68 53
B33	Ulcer of stomach and duodenum M	239 118	_	Species Species	_		12 3	21 6	61 17	73 33	72 59
B34	Appendicitis {M F	35 28	1	2 2	9 1	1	3	4	5 2	7 10	5 11
B35	Intestinal obstruction and hernia	87 132	8	1	_		5	4	14 17	25 41	30 60
B36	Gastritis, enteritis and diarrhoea except { M	89 109	2i 5	1	4	1	4	9 10	14 15	17 34	18 38
В37	diarrhoea of newborn Cirrhosis of liver {M} F	43 56			2	_	6 2	9	9	12 21	5 13
B38	Nephritis and nephrosis $\left\{ \begin{array}{ll} M \\ F \end{array} \right\}$	142 124	appropriate a		1 2	3	20 12	16 14	34 24	35 26	33 45
B39	Hyperplasia of prostate M	287			_	_	_		17	74	196
B40	Complications of pregnancy, F childbirth and puerperium	18	_		1	4	13	_	-	;	-
B41	Congenital malformations $$ M F	176 168	118 124	13 8	13 4	6 2	11 9	8	5	2	4
B42	Birth injuries, postnatal {M asphyxia and atelectasis	227 105	227 105		, _	_	_				
B43 {	Diarrhoea of newborn { M F	5 2	5 2	_		_		_	_	_	_
l	Other infections of newborn M (763, 765-768) F	36 33	36 33	_	-	_	=		desidence	÷	-
B44	Other dis, of early infancy and {M immaturity unqualified {F	162 142	162 142	-	_		_	_	_	. ‡	giorgen. Mileson
B45	Senility without mention of {M psychosis, ill-defined and {F	216 436		1			_	1	1	12 21	203 410
B46 (Rem.)	unknown causes All other diseases (Remainder 001-795) { M	595 861	15 11	7 12	15 5	14 9	60 59	55 71	110 132	133 244	186 318
BE47	Motor vehicle accidents { M	351 136	2	10 6	19	102	76 17	43 12	31 14	27 27	41 40
BE48	All other accidents M	449 482	16 17	6	26 6	33	75 12	52 14	64 36	67 77	110 308
BE49	Suicide and self-inflicted { M injury } F	253 195		_		7 2	56 38	51 41	69 53	48 39	22 22
BE50	Homicide and operations of M	12 12	1	1	3	2	3	2	1	4 2	1
BN47	Fractures, head injuries and \{M\\ internal injuries \ldots \ldots \{F\\	592 466	2	11	24 10	107	113 20	73 16	74 28	63 76	125 297
BN48	Burns	16	2	2 1	1	12	2	2	4	3 5	3 9
BN49	Effects of poisons, § M	214	-	1	1	5	47 38	40	52	47	21
BN50	All other injuries \\ M F	234 243 104	14 17	3 5	20 5	30 6	48 12	42 35 8	52 55 35 17	44 33 20	21 50 25 14

				Ur	ban are	as outsi ulations	de conu under	rbations 50,000	3		
Abbrevi- ated	Causes of death					Ag	е				
List No.			Under				Year	'S			
		All ages	1 year	1-	5	15-	25-	45-	55-	65-	75 and over
	ALL CAUSES $\cdot \cdot \begin{Bmatrix} M \\ F \end{Bmatrix}$	62,470 59,917	2,141 1,606	335 248	341 254	667 288	2,336 1,726	4,718 3,178	11,420 6,841		22,930 31,412
Bi	Tuberculosis of respiratory SM F	519 170	2			3 5	61 50	85 28	151 28	152 28	65 28
B2	Tuberculosis, other forms FM	41	2	2 3	3 2	2	8	8 5	6	6 9	4 8
В3	Syphilis and its sequelae \ M	116	_	_	_		6	7	32 18	52 18	19 19
B4	Typhoid fever $\cdot \cdot \cdot \begin{cases} M \\ F \end{cases}$		_	_		_	_	_	_	_	
B5	Cholera {M	_	_	_	_	_		_	_		_
В6	Dysentery, all forms \{\bar{M}{F}	2 2	_	_		1	_	=	1	1	1
В7	Scarlet fever and streptococcal sore throat \{ \bar{F}	3 2		1		_	1	_		1	
B8	Diphtheria $\binom{N}{F}$		_	_	_		_	_	=	_	_
В9	Whooping cough $\dots \begin{cases} M \\ E \end{cases}$	1 2	-	1	_			_	_	_	
B10	Meningococcal infections \{ \bar{Y}{F}	23 17		8	_1		_	1	_	1	
B11	Plague $\binom{N}{F}$	_		_	_	_			_	_	
B12	Acute poliomyelitis \{\bar{Y}{F}	6		1	2 2	1	3 2	_			_
B13	Smallpox $\left\{ \begin{array}{cccc} M \\ F \end{array} \right\}$	-	_	_	_	_	_	_	_	_	_
B14	Measles $\left\{ {\stackrel{M}{F}} \right\}$	11	3	3	5	1	1	_	_		
B15	Typhus and other rickettsial diseases {MF	· _		_			_	_	_	_	_
B16	Malaria $\cdots \begin{Bmatrix} M \\ F \end{Bmatrix}$		_	_		_	_	_	_	_	
B17	All other diseases classified {N as infective and parasitic F	I 124 88		8 4	7 6			23 8	28 19	12 7	10 22
	Malignant neoplasm: { M. F. Stomach (151)	10,224	5	37 36 —	52 48 —		445 620 46 25	1,260 1,342 206 89	3,049 2,162 440 246	2,800 621	2,940 3,164 540 634
	trachea, bronchus and lung (162, 163)				1	1	105 25	526 100	1,380 151		423 109
B18 {	breast (170)	1 1,952				1	157 99	400 165	5	484	2 427 169
	Leukaemia and aleukaemia { (204)	25 I 5,652	1 2		18 30	12 40	257	31 30 495 558	56 44 1,168 1,009	48 1,712	47 42 1,928 1,783
B19	neoplasms (Rem. of 140-205) \ F Benign and unspecified \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		_	3	4	7	14	16	25	25	
B20	neoplasms \ F	264 514		1		2	17 16	16		83	105 188
B21	Anaemias {N	139		<u></u>	_	1 2	6 7		21 27	39 73	63 141
B22	Vascular lesions affecting \(\int \) N	7,705	3			10	111	296	1,067 1,085		3,876
B23	central nervous system F Nonmeningococcal meningitis F	11,015	1 15	7	4 1 2	11		2	1,085 7 5	1	6,505 1 2
B24	Rheumatic fever	16		1	1	4	3	1	1	4	1 3
B25	Chronic rheumatic heart disease F	539		Marine Ma	2 2	2 9 10		120 193	122 225	133 216	61

				Ui with p	rban are opulatio	eas outsi ons unde	ide cont r 50,00	rbation 0—cont	s inued		
Abbrevi- ated List No.	Causes of death					Ag					
List No.		All	Under 1				Yea	rs			
		ages	year	1-	5-	15-	25-	45-	55-	65-	75 and over
B26 {	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422) F	12,117 7,577 5,354 7,926				4 2 3	316 40 31 8	1,277 218 69 41	3,002 1,040 292 245	4,132 2,664 1,160 1,127	3,386 3,613 3,802 6,502
B27	Other diseases of heart $\dots \begin{cases} M \\ F \end{cases}$	1,364 1,592	3	1	_	5 2	36 14	57 37	184	407	675
B28	Hypertension with heart disease F	1,117 1,439		_			12	42 30	154 199 135	393 376 472	986 488 795
B29 B46 (Pt.)	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	793 804 1,801 2,111			1 1 1	4 1 3 5	44 16 16 19	76 53 60 62	178 91 206 108	219 222 458 423	271 421 1,054 1,492
B30	Influenza $\begin{cases} M \\ F \end{cases}$	915 942	11 12	10	8 10	16	30	47	156	297	340
B31	Pneumonia	2,631 2,533	177 145	47 36	16 14	18 16 9	26 71 49	35 137 70	79 331 172	221 628 501	534 1,208 1,537
B32 B46 (Pt.)	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	4,073 1,666 880 362	55 33 10 8	16 8 10 7	2 4 6 4	1 1 4 7	42 25 39 33	220 56 81 32	872 171 239 46	1,497 437 275 70	1,368 931 216 155
B33 B34	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	688 316 102 70	1 1 2 2	5 5		3 4 2	28 7 9 6	69 20 12 6	163 41 16 14	207 78 31 13	217 169 22 18
335 336	Intestinal obstruction and hernia	333 339 203 326	22 12 35 21	4 1 8 6	2 1 3 1	7 2	10 10 7 19	24 16 21 20	51 33 31	97 91 48	121 175 43
337	diarrhoea of newborn Cirrhosis of liver M	134 128	1		1	1 2	14	33	33 34 39	78 31	146 19
338	Nephritis and nephrosis \ M F	509 436	3 3	2	8	23	64	65	92 77	132 117	17 122
339	Hyperplasia of prostate M	939				-	37	3	66	247	139 623
340	Complications of pregnancy, childbirth and puerperium	71	_	_	*****	12	58	1	-	******	
341	Congenital malformations $$ M	577 571	394 391	51 43	34 28	21 21	31 20	17 29	11 15	14 14	4 10
342	Birth injuries, postnatal asphyxia and atelectasis { M	609 380	608 380		1	_	Accordance	_			_
843 {	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	10 4 128 59	10 4 128 59								100000
B44	Other dis. of early infancy and {M immaturity unqualified {F	504 391	504 391		_	_				_	
B45	Senility without mention of {M psychosis, ill-defined and {F	824 1,637	4 2	_	1	2	4 2	2	5 2	39 45	767 1,583
B46 (Rem.)	unknown causes All other diseases (Remainder 001-795) F	1,788 2,589	65 49	32 20	37 34	40 30	151 167	182 228	304 412	444 673	533 976
BE47	Motor vehicle accidents M	890	4	25	41	274	198	86	87	95	80
BE48	All other accidents $\dots \begin{cases} f \\ F \end{cases}$	318 1,387 1,315	52 43	25 22 50 25	33 91 30	36 108 20	39 242 39	31 151 34	39 182 68	57 161 224	60 350 832
BE49 BE50	Suicide and self-inflicted injury	662 423 46 21	2 5		 6 5	27 10 5 2	150 69 6 4	140 88 3 3	158 122 11	130 98 13	57 36 —
BN47 BN48	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	1,606 1,191 58 101	7 2 1	31 25 4 5	63 38 - 8	302 38 3 6	320 48 7 5	161 39 8 4	198 61 5 5	193 189 8 19	331 751 22 49
BN49 BN50	Effects of poisons $\begin{cases} M \\ F \end{cases}$ All other injuries $\begin{cases} M \\ F \end{cases}$	550 505 771 280	1 50 46	8 5 32 13	9 4 66 18	18 12 91 12	126 71 143 27	109 82 102 31	114 120 121 43	107 119 91 53	59 91 75 37

Abbrevi-	Course of death				1	Rural di Ag					
List No.	Causes of death		Lindor				Year	'S			
		All ages	Under 1 year	1-	5-	15-	25-	45	55-	65-	75 and over
	ALL CAUSES $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	51,558 46,805	1,710	289 239	340 237	759 254	1,990 1,421	3,798 2,491	8,714 5,211	13,883	20,07 24,47
B1	Tuberculosis of respiratory SM	416	1	_	_	1 2	43	64 20	125	127	5
B2	Tuberculosis, other forms \ M F	143 39 34	1 1	1 4 2	2 2	1	42 6 5	5 4	27 11 5	32 9 10	
В3	Syphilis and its sequelae \ M F	105		_	_	1	7	11 4	32 6	37 14	1
B4	Typhoid fever $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	_		_	_	_	_	=	_		-
B5	Cholera M_F	_	_		_	_	_	_	_		
В6	Dysentery, all forms M	5 2	1	_	_		1	1		=	-
В7	Scarlet fever and streptococcal sore throat \{ M	2 3				1	Department of the Control of the Con			_	
B8	Diphtheria $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	_	_		-	_		_		_	_
В9	Whooping cough \(\begin{array}{c} M \\ F \end{array} \)				_	_	-	_		_	_
B10	Meningococcal infections M	19	8 3	6	1 3	1	1 2		1	1	-
B11	Plague	_		_		_	_			Acceptant.	
B12	Acute poliomyelitis $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	8 4		1 1	1	1	5 2	_1	_		-
B13	Smallpox M_F	_	_	_				timer.	_		
B14	Measles MF	12	2 2	6 3	1 2	1	_1	Sharmont Sharmont	ateria.	1	-
B15	Typhus and other rickettsial diseases			_	-	_	_	1	_	_	
B16	Malaria			_	_			_		_	_
B17	All other diseases classified {M as infective and parasitic {F	96 94		6 6	6 8		18 16	18 9	17 19	11 14	1 1
	Malignant neoplasm: { M F F Stomach (151) } M F F F F Stomach (151) } M	8,065	4	30 20 —	50 42 —		402 503 34 23	1,047 1,050 161 62	2,284 1,696 351 156	528	2,43 2,43 40 50
	trachea, bronchus and {M lung (162, 163) {F	2,693 434			1	2	94 24	406 57	961 114	920 145	31 9
B18 {	breast (170) { M F F with the strength of the strength o	13 1,591 700	-	_	_	_	130 82	2 340 111	376 170	415	33 15
	Leukaemia and aleukaemia { M (204)	204	2 4	14 7 16 13	27 19 23 22	12	50 20 224 224	30 30 448 450	26 923	1,457	1,67 1,30
B19	Benign and unspecified { M reoplasms	107	6	1	5	5	8 18	17 27	22 24	18	2 2
B20	Diabetes mellitus	239 388			1 2	1	20	20 14	35	74	8
B21	Anaemias M	133	1	1	1 2	2	8 5	5	17 14	31	6
B22	Vascular lesions affecting \(\int \text{M} \)	6,358			1	7	75	249	835	1,857	3,32 4,96
B23	central nervous system F Nonmeningococcal	8,320 29 24	16 16	2 2 1 4	4	3	84 2 1	280 1 2	770 6 2	2	4,96
B24	Rheumatic fever M.	13		_	1	3	2	1	1	4	
B25	Chronic rheumatic heart disease F	11 418 689	_	=	3 1 —	3 2 5 3	66 72	68 129	114 160		6 16

					Rural	district	s-cont	inued		_	
Abbrevi- ated	Causes of death		[Ag					
List No.		A 11	Under				Year.	s 			~ .
		All ages	year	1-	5-	15-	25-	45-	55-	65-	75 and over
в26 {	Arteriosclerotic heart dis, incl. coronary dis. (420) Degenerative heart disease (421, 422)	9,642 5,622 4,800 6,400	2	_		1	207 35 20 19	927 162 65 38	2,259 726 266 193	3,316 1,930 957 996	2,930 2,769 3,490 5,151
B27	Other diseases of heart $\dots \begin{cases} M \\ F \end{cases}$	1,206 1,424	1	_	-3	7 4	21 18	34 39	161 102	340 365	642 893
B28	Hypertension with heart disease F	863 1,126	_		_	1	7 5	46 21	134 136	266 357	409 607
B29 B46 (Pt.)	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	627 611 1,620 1,688	1		<u>-</u>	2 2 2 1	33 18 27 17	64 33 50 38	109 72 137 93	178 160 373 342	240 326 1,031 1,196
B30	Influenza $\left\{ \begin{array}{ll} M \\ F \end{array} \right\}$	711 772	5	4	5	10	27 32	44 34	115 74	206 187	295 424
B31	Pneumonia M	2,201 2,236	119 98	46 40	19 18	9 18	47 55	104 77	254 159	494 455	1,109 1,316
B32	Bronchitis $\left\{ egin{array}{lll} M \\ F \end{array} \right.$	2,732 1,159	37 35	4 13	11	3 4	25 20	147 40	550 116	960 283	995 642
B46 (Pt.)	Other diseases of respiratory M system (470-475, 510-527)	671 275	7 7	4	9	5	22 13	71 25	185	220 50	148 126
B33 B34	Ulcer of stomach and duodenum F	493 248	1 1		2 - 5	1 4	18 3 5	39 15	91 27 19	147 64 21	195 138 20
B34	Appendicitis $\left\{ {\mathop{\mathbf{M}}\limits_{{\mathbf{F}}}} \right\}$	84 45		4	6	1	4	3	3	12	12
B35 B36	Intestinal obstruction and hernia	282 267 184 239	12 15 23 21	4 4 15 5	1 1 1	2 4 3 5	5 7 11 14	15 17 19 19	47 33 27 34	72 69 43 48	124 117 42 92
В37	diarrhoea of newborn Cirrhosis of liver {M} F	101 96	_	_1	1	1	9	14 11	23	32 36	20 17
B38	Nephritis and nephrosis \ M F	423 351	4 2	1	7 8	16 13	50 35	54 34	89 54	102 97	100 108
B39	Hyperplasia of prostate M	790	_	-	_		-	3	30	188	569
B40	Complications of pregnancy, F childbirth and puerperium	42	_	_	-	9	33		-	-	_
B41	Congenital malformations $\ldots \left\{ egin{matrix} M \\ F \end{array} \right.$	504 463	334 325	43 32	27 16	23 15	28 22	19 23	14 11	13 11	3 8
B42	Birth injuries, postnatal asphyxia and atelectasis { M F	504 309	504 309	_	_	_			_		
в43	Diarrhoea of newborn { M F Cother infections of newborn (763, 765-768)	77 57	2 77 57								***************************************
B44	Other dis. of early infancy and \{M\\ immaturity unqualified \therefore \{F\\\}	421 298	421 298					_	_		
B45	Senility without mention of {M psychosis, ill-defined and {F	810 1,247	2	1	=	3	2	2	4	35 47	761 1,192
B46 (Rem.)	unknown causes All other diseases (Remainder 001-795) { F	1,538 1,963	56 28	25 32	40 29	41 25	133 155	171 171	276 324	349 517	447 682
BE47	Motor vehicle accidents \ M	1,156	1	35	60	372 45	263 51	122	139	92 34	72 44
BE48	All other accidents \ M F	1,259 1,109	50 34	18 45 32	21 78 36	142 19	237	156 40	144 71	119 168	288 670
BE49	Suicide and self-inflicted {M injury {F	556 274	_		1	23 14	124 56	116 59	134 80	111 40	47 25
BE50	Homicide and operations of M war F	25 24	2 2		2	3	4	1 4	5 4	7 2	4
BN47 BN48	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	1,863 1,086 64 84		41 25 3 10	87 31 4 9	406 55 7	392 56 16 4	229 53 2 3	233 83 6 8	167 150 10 17	302 628 16 31
BN49 BN50	Effects of poisons M F All other injuries M F	265 231 804 316	42	4 1 32 16	1 48 19	8 13 117 13	74 39 146 51	59 47 105 38	54 61 129 59	40 34 112 43	20 36 73 45

TABLE 21. Causes of Death by Sex, 1959, classified in accordance with the Abridged List and Supplementary Abridged List (see statement below)

Note. Publication of Table 20 has been suspended. Instead, Table 21 has been enlarged to include a cause analysis according to the Registrar General's Abridged List as well as the Registrar General's Supplementary Abridged List, but with no age details. A further cause analysis by detail of age is given for England and Wales, standard regions, conurbations and national aggregates by type of area in Table 19.

All details which prior to this change appeared in Table 20 and also figures (based on the Registrar General's Abridged List, without age detail) for administrative areas not

separately shown in Table 21 are available at the General Register Office.

THE ABRIDGED LIST OF CAUSES OF DEATH adopted by the Registrar General in consultation with the Ministry of Health, and its relation to the Detailed International Statistical Classification.

No.	Registrar General's L	ist		ICD No.	
		_			
1.	Tuberculosis, respiratory	• •			
2.	Tuberculosis, other			010-019.	
3.	Syphilitic disease			020-029.	
4.	Diphtheria				
5.	Whooping cough			056.	
6.	Meningococcal infections			057.	
7.	Acute ponomyenus			080.	
8.	Measles			085.	
9.	Other infective and parasitic diseases		• •	030-054, 058-074, 084, 086-138.	081-
10.	Malignant neoplasm, stomach			151.	
11.	Malignant neoplasm, lung, bronchus			162, 163.	
12.	Malignant neoplasm, breast			170.	
13.	Malignant neoplasm, uterus			171-174.	
14.	Other malignant and lymphatic neopla	asms		140-150, 152-161, 165, 175-203, 205.	164,
15.	Leukaemia, aleukaemia			204.	
16.	Diabetes			260.	
17.	Vascular lesions of nervous system			330-334.	
18.	Coronary disease, angina			420.	
19.	Hypertension with heart disease			440-443.	
20.	Other heart disease			410-416, 421-434.	
21.	Other circulatory disease			444-468.	
22.	Influenza			480-483.	
23.	Influenza Pneumonia			490-493, 763.	
24.	Bronchitis			500-502.	
25.	Other diseases of respiratory system			470-475, 510-527.	
26.	Ulcer of stomach and duodenum			540, 541.	
27.	Gastritis enteritis and diarrhoea			543, 571, 572, 764.	
28.	Nephritis and nephrosis			590-594.	
29.	Hyperplasia of prostate			610.	
30.	Pregnancy, childbirth, abortion			640-689.	
31.	Congenital malformations			750-759.	
32.	Other defined and ill-defined diseases			210-254, 270-326,	340-
		••	••	402, 530-539, 542, 570, 573-587, 600-611-637, 690-749, 762, 765-795.	544-609,
33.	Motor vehicle accidents				
34.	All other accidents			E800-802, 840-962.	
35.	Suicide				
36.	Homicide and operations of war			E964, 965, 980-999.	

See also explanatory notes.

THE SUPPLEMENTARY LIST OF SUBDIVISIONS OF THE REGISTRAR GENERAL'S ABRIDGED LIST OF CAUSES OF DEATH and its relation to the Detailed International Statistical Classification

No.	Registrar General's Abridged List	ICD No.
9 (1)	Infectious hepatitis	092.
14 (1)	Malignant neoplasm, mouth and pharynx	140-148.
14 (2)	" ,, oesophagus	150.
14 (3)	,, intestine and rectum	152-154.
14 (4)	,, ,, larynx ,, ,, cervix uteri	161.
13 (1)	", cervix uteri	171.
14 (5)	" " prostate	177.
14 (6)	", ", bladder	181.0, 181.8.
14 (7)	", ", bone (including jaw-	
	bone)	196.
14 (8)	Lymphosarcoma, reticulosarcoma	200.
14 (9)	Hodgkin's disease	201.
32 (1)	Thyrotoxicosis	252.
32 (2)	Multiple sclerosis	345.
32 (3)	Rheumatic fever	400-402.
20 (1)	Chronic rheumatic heart disease	410-416.
21 (1)	Hypertension without mention of heart	444-447.
25 (1)	Pneumoconiosis and chronic interstitial	
	pneumonia	523-525.
26 (1)	Ulcer of stomach	540.
32 (4)	Appendicitis	550-553.
32 (5)	Appendicitis	560, 561, 570.
32 (6)	Cirrhosis of liver	581.
32 (7)	Cholelithiasis, cholecystitis	584, 585.
30 (1)	Maternal sepsis (not abortion)	640, 641, 681, 682, 684.
30 (2)	Toxaemias of pregnancy and puerperium	642, 685, 686.
30 (2) 30 (3)		650-652.
(/	Abortion Rheumatoid arthritis and allied conditions	722.
32 (8) 32 (9)		760, 761.
32 (10)	Birth injury Postnatal asphyxia and atelectasis	762.
23 (1)		763.
32 (11)	Pneumonia of newborn Ophthalmia, pemphigus, sepsis of newborn	765-768.
32 (11)	Haemolytic disease of newborn	770.
32 (12)	Immaturity (without other disease peculiar to	770.
32 (13)		774, 776.
32 (14)	early infancy)	794.
	Senility without psychosis Ill-defined and unknown cause	780-789, 790-793, 795.
32 (15)	in-defined and unknown cause	100-109, 190-193, 193.

_	TABLE 21—		icu,	- Ingia	ilu ali			standa	1	gions	anu	Conta	Datio	1		
		10	N	orthern			st & W Ridings	S	I	North V	Vesteri	a		N	/lidland	
	Registrar General's Abridged List	England and Wales	Total	Tyneside Conurbation	Remainder of Northern	Total	West Yorkshire Conurbation	Remainder of East and West Ridings	Total	S.E. Lancashire Conurbation	Merseyside Conurbation	Remainder of North Western	North Midland	Total	West Midlands Conurbation	Remainder of Midland
1	Tuberculosis, {M respiratory {F	2,620 854	224 68	65 16	159	261	105	156	453	187 47	115 42		159		168 38	
2	respiratory		13	3 6	10	97 20 18		12	135 21 22	9 8	4	8	15	89 21 15	14 6	7
3	Syphilitic disease \ M F	627 331	51 23	15 6		59 28	22 16		102 51	43 24	25 10	34 17		55 20	28 12	27 8
4	Diphtheria {M F					-								-		
5 6		11 14 97 62	7	1 1 3 1	4 2	2 3 4 8	3 2	1 2 5	1 2 13 10	1 6 1	1 1 1	1 6 8	1 9 3		3 1 7 7	5 2
7 8	Acute poliomyelitis $$ $\left\{\begin{matrix} M \\ F \\ M \end{matrix}\right\}$ Measles $$ $\left\{\begin{matrix} M \\ F \\ M \end{matrix}\right\}$	25	2 4		2 2 3 3	1 8 6		1 3 4		- 6 1	1 1	1 2 1 6	1	2 1 4 6	1 1 3 4	
9	Other infective, etc., { M diseases	466	32	7	19 25	35	16	19	68	27 30	18 15	43 23	39	33	21 17	23 16 356 275
10	Malignant neoplasm: { M stomach { F	6,146	476	i	472 364	834 596	370	464	1,252 1,050	386	235 207	549 457	423	735 578	379 303	
11 12	lung, bronchus $\left\{ \begin{array}{ll} M \\ F \\ M \end{array} \right\}$	2,882	182	401 58	806 124		714 115	967 129		1,119 174	591 130	1,032 142 6	1,148 157		954 116 3	717 117
13	breast $\dots \begin{cases} M \\ F \end{cases}$	8,708 4,003	498	140 62			319 207	406 222	1,164	460 232	184 116	520 282	604	853	429 173	424 197
14	Other malignant and SM lymphatic neoplasms F	24,295 22,376 1,315	1,446	486 396 16	1,050	1,995		1,104	3,173	1,270 1,182	679 637 35	1,354	1,598	2,009	1,072 1,016 57	1,234
15	Leukaemia, {M aleukaemia {F	1,219	74	23	51	92	37	55	179	64 76	35	68	95	125	64	
16 17	Vascular lesions of nervous system { M F M M F M M	2,093	179	55 685	124 1,892	190 3,098	1,363	1,735	346 5,215	58 128 1,890 2,703	1,198	3,254	171 2,569 3,275	198 2,968 3,991	46 102 1,375 1,988	96 1,593
18 19	Coronary disease, M F F F M M Heart disease F	32,729	2,440	984 607 90 109	1,833	5,206 3,347 403 654	1,675	1,672	8,056 4,944 633 1,022	2,787 1,663 230 342	117	286		509	2,108 1,358 270 369	1,340
20	Other heart disease \ M F	43,204	2,672	649	2,023	3,828	1,703	2,125	4,348 6,858	1,705 2,787	1,025	3,046	3,252	4,061	1,347 1,989	2,072
21	Other circulatory disease F	12,811	728 756	199 207	529 549	1,001 1,208	355 491	646 717	1,503 1,872	596 797	220 244	687 831	876 896	870 984	417 446	453 538
22	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	3,964	144 856	265	110	352 1,252	589	174 663	536 1,979	704	550	725	846	494 1,495	339 296 841 712	198 654
24	Bronchitis \ M F	8,858	508		322	971	475	496	3,622 1,725	1,536 795	337	593	611		1,256 494	353
25	respiratory system \{F	1,587	111	37	74	149	77	183 72	243	175	51	91	125	138	52	86
26 27	Ulcer of stomach and duodenum Gastritis, enteritis and diarrhoea M	3,090 1,473 981 1,395	104 70	26 21	78 49	122 100	51 38	71 62	190 156	59	39 24	72 73	91 78	143 101	187 85 60 47	41
28	Nephritis and hephrosis	1,923 1,762	130		92	186	86	100	283	90			138	164	90 81	83
29 30	Pregnancy, childbirth, F abortion	290	208	10	15	23	9	14	55	23	11	261 21	19	21	148 12	173
31 32	Congenital MF Other defined and ill-defined diseases F	2,408 1 19,054	1,457	64 389	136 1,068	208	84 674	124 950	369	118	100 570	151 1,367	204 1,520	256 1,902	130 125 878 1,024	131
33 34		1 4,414 1,612 1 5,745 5,533	121 504	126	89 378	144 568	74 214	70 354	914	101 328	121 51 168 152	418	118 458	148 572	228 67 256 298	316
35 36	Suicide $$ $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	3,116 2,091 1 181	106	41 5	65	193	91	102	329	16	51 5	164 14	140	214 14		103

TABLE 21—continued. England and Wales, standard regions and conurbations

	TABLE 21—con	ntinue	d. En	gland	and '	Wales	s, stai	ıdard	regio	ns an	d con	urbat	ions			
		8	N	orthern			t & Wa	est	N	Torth V	Vesteri			IV.	lidland	
	Registrar General's Supplementary Abridged List	England and Wales	Total	Tyneside Conurbation	Remainder of Northern	Total	West Yorkshire Conurbation	Remainder of East and West Ridings	Total	S.E. Lancashire Conurbation	Merseyside Conurbation	Remainder of a North Western	North Midland	Total	West Midlands Conurbation	Remainder of Midland
	Infectious hepatitis { M F } Malignant neoplasm, M F } M	119 145 1,249 613	5 9 100 44	1 4 31 11	4 5 69 33	9 10 104 59	6 6 50 29	3 4 54 30	25 20 174 104	5 7 59 41	7 8 35 20	13 5 80 43	6 13 91 40	6 9 148 60	5 4 70 25	1 5 78 35
,	Malignant neoplasm, { M	1,369 955 6,774 8,248	86 60 528 549	24 19 156 157	62 41 372 392	106 65 679 792	39 33 274 359	67 32 405 433	211 166 961 1,215	67 56 390 453	44 31 178 251	100 79 393 511	96 51 536 598	110 89 658 761	47 39 314 403	63 50 344 358
(1)	Malignant neoplasm, { M Iarynx	643 180 2,555	46 18 185	11 7 41	35 11 144	55 22 305	28 10 148	27 12 157	95 24 418	37 12 152		39 9 190	51 9 184	60 16 233	29 6 112	31 10 121
` '	Malignant neoplasm, M prostate Malignant neoplasm, { M bladder { F	3,590 1,993 932	215 130 68	35 18	95 50	296 163 68	86 30	174 77 38	471 249 116	90 38	89 49 26	201 110 52	282 154 56	355 172 71	166 74 42	98 29
	Malignant neoplasm, { M bone (including jaw-bone) Lymphosarcoma, { M F	330 265 552	28 20 43	5 6 5 7	23 14 38	42 30 35	18 16 14	24 14 21	47 48 60		7 13 14 14	23 19 27	23 14 43 32	30 28 53 40	17 12 34	13 16 19
	Thyrotoxicosis	55	26 46 17	16 4 1	19 30 13	34 39 25	15 16 12 2	19 23 13	41 90 50	15	15	14 37 26	40 23 4	48 30 9	17 25 9	23 23 21 6
2(2)	Multiple sclerosis $\left\{ \begin{array}{ll} F \\ M \\ F \end{array} \right\}$ Rheumatic fever $\left\{ \begin{array}{ll} M \\ M \end{array} \right\}$	296 340 551 63	13 20 40	3 7 18	10 13 22	21 36 47	16 15 21	5 21 26 4	63 56 80	25 34	10 6 12		20 26 29	29 29 45	12 16 23	17 13 22
(1)	Chronic rheumatic heart M disease F	63 2,482 4,589	149 266	35 76	1 114 190	7 7 279 475	124 217	155 258	6 402 852	158 323	81 186	163 343	5 11 168 282	256 418	134 217	122 201
	Hypertension without mention of heart	3,269 3,555 831 130	193 192 64 10	60 58 9 4	133 134 55 6	244 304 61 11	126 17 7	160 178 44 4	419 416 120 25	160 37	11	194 72	282 255 26 6	283 312 131 7	151 164 25 1	132 148 106 6
	$ \begin{array}{lll} \text{Ulcer of stomach} & & \dots \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ \text{Appendicitis} & \dots & \dots \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ \end{array} $	1,455 959 430 271	80 62 31 20	15 10	55 47 21 18	115 67 37 30	45 25 16 18	70 42 21 12	132	61 23	46 23 13 6	48 23	92 60 34 17	145 90 48 18	84 52 18 9	61 38 30 9
		1,413 1,570 617 586	37	20	60 63 17 30	104 124 60 54	38 64 30 21	66 60 30 33	263 103	117 42	39 22	107 39	112 43	129 152 67 55	59 70 41 19	26
0(1)	$\begin{array}{c} \textbf{Chole} \textbf{lithiasis,} \\ \textbf{chole} \textbf{cystitis} & \dots & \\ \textbf{Maternal sepsis (not abortion)} & & \textbf{F} \end{array}$	447 910 47	7	16 2	5	46 82 6	42	3	155	53 3	34	1	4	38 93 4	17 48 1	3
	Toxaemias of pregnancy F and puerperium Abortion F	57 47	6		3	3		6	13	3		2	2	6		
2(8)	$\begin{array}{c} \textbf{Rheumatoid arthritis and} \\ \textbf{allied conditions} & \dots \\ \textbf{F} \end{array}$	221 754			8 33	20 70			49 137			23 57	17 63	20 75	7 35	
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	1,172 679 1,646 1,064	64 120	13 44	51 76		34 72	27 80	106 280	39 93	29 95	38	138	167 77 173 109	88 47 92 49	30 81
3(1) 2(11)	Pneumonia of newborn { M F } Ophthalmia, pemphigus,	445 305 36 19	31	9 2		43 35 5	17	18	54	24	14	16	2	65 36 4 3	1	14
2(12)	Haemolytic disease of Mewborn	184 176 1,608 1,276	12 158	34	10 8 124 96	13 156	62	94	30 224	13 76	51	16 97	14 103	160	74	86
	Senility without psychosis { M F } Ill-defined and unknown { M F } cause { F	4,970	335	58 5	181 277 13 4		110	204	943	335	102	506 10	408 14	488 14	171	317

_	TABLE 21—conti	nued.	Stand	dard re	egions	and	conur	batio	ns. U	Jrbar	and r	ural a	ggrega	tes	
				ondon & ith East					es (incl				Areas c		
	Registrar General's · Abridged List	Eastern	Total	Greater London	Remainder of South Eastern	Southern*	South Western*	Total	Wales I (South East)	Wales II (remainder)	Conurbations	Urban areas with populations of 100,000 and over	Urban areas with poplns. of 50,000 & under 100,000	Urban areas with populations under 50,000	Rural districts
1 2	Tuberculosis, respiratory	126 57 10 7	597 208 38 51	457 151 31 34	140 57 7 17	37 12	126 70 23 20	238 49 17 19	37 12	70 12 5	335	397 147 26 28	59	519 170 41 47	14:
3	Syphilitic disease $ \dots \begin{cases} M \\ F \\ M \end{cases} $ Diphtheria $ \dots \end{cases} $	34 26	175 102 —	136 81	39 21	27 16 —	43 25 —	40 12 —	28 8 —	12 4	269 149	86 50		116 61	10:
5	Whooping cough \ M F F Meningococcal \ M infections \ F	7 2	2 3 22 12	1 3 17 10	5 2	1 1 7 3	1 2 9 4	- 7 8	7 3		7 9 36 23	3 1 11		1 2 23 17	19
7	Acute poliomyelitis \ M F F Measles \ M F	4 4 2 3	20 9 12	19 8 6 5	1 1 6 4	6 3 3 4	2 -4 4	3 3 1	3 3		21 9 22 13	3 5 4 8	3 1 4 8	6 6 7 11	3
9 10	Other infective, etc., { M diseases	46 35 600 381	122 135 1,697 1,425	77 93 1,252 1,062	45 42 445 363	34 31 383 295	44 42 557 463	33 16 610 459	22 11 388 312	11 5 222 147	169 178 2,892 2,356	63 54 1,114 833	42 43 594 453	129 92 1,853 1,443	104 99 1,477 1,061
11 12 13	lung, bronchus \ M F	1,273 199 - 3 716	5,406 949 19 2,499	4,155 712 11 1,812	1,251 237 8 687	1,028 188 508	1,122 185 6 700	903 99 6 441	641 69 2 289	262 30 4 152	7,934 1,305 19 3,344	2,551 373 8 1,101	1,370 233 8 720	3,633 537 14 1,952	2,693 434 13 1,591
14 15	Other malignant and Jymphatic neoplasms F Leukaemia, aleukaemia F	1,948 1,775 112 88	959 6,127 6,096 344 338	4,365 4,316 247 250	1,762 1,780 97	1,426 1,315 93	301 1,934 1,751 96	1,410 1,218 73	986 794 58	79 424 424 15	8,776 8,438 463	3,142 2,863 171	1,925 1,861 101	902 5,652 5,139 287	293
16 17	Diabetes {M F Vascular lesions of M nervous system {F	98 168 2,208 3,324	240 466 6,057 9,972	173 341 3,981 6,504	67 125 2,076 3,468	78 62 99 1,716 2,587	105 154 2,417 3,785	69 122 2,072 2,761	43 90 1,364 1,765	19 32 708 996	374 767 10,193 15,126	177 133 270 4,159 5,905	90 154 2,482 3,887	251 264 514 7,705 11,015	204 239 388 6,358
18 19	Coronary disease, angina F Hypertension with M heart disease F	3,692 2,438 328 458	12,621 8,308 1,033 1,715	9,299 5,939 751 1,253	3,322 2,369 282 462	3,047 1,996 264 360	3,913 2,489 410 573		2,493 1,332 262 281	985 533 104 137	19,244 12,294 1,620 2,594	6,958 4,477 726 1,022	4,232 2,759 330 538		9,642 5,622 863
20 21	Other heart disease MF Other circulatory disease FF	2,220 3,086 831 998	5,970 10,454 2,730 3,679	3,841 6,781 1,919 2,626	2,129 3,673 811 1,053	1,663 2,515 583 689	2,677 3,944 873 980	1,803 2,534 766 749	1,267 1,705 546 522	536 829 220 227	9,167 14,934 3,706 4,811	3,486 5,623 1,386 1,756	2,299 3,663 828 1,030	7,257 10,471	6,424 8,513
22 23	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	306 300 1,143 1,132	983 1,101 3,864 4,090	728 814 2,907 3,070	255 287 957 1,020	190 226 836 874	283 340 828 897	199 195 5 49 497	137 119 409 339	62 76 140 158	1,600 1,602 5,856 6,090	438 409 1,694 1,691	234 239 1,081 1,033	015	711 772 2,274 2,292
24 25	Bronchitis	1,090 494 211 108	5,261 2,424 735 410	4,214 1,984 548 293	1,047 440 187 117	901 374 177 102	981 422 256 127	1,283 482 441 74	1,031 355 379 52	252 127 62 22	9,132 4,271 1,108 611	2,703 1,137 525 222	1,553 625 278 117	4,073 1,666 880 362	2,732 1,159
26 27	Ulcer of stomach and duodenum F Gastritis, enteritis M and diarrhoea F	204 103 82 108	879 447 223 404	649 338 164 287	230 109 59 117	197 86 39 113	187 127 79 125	149 60 53 55	98 41 39 37	51 19 14 18	1,301 618 366 525	369 173 122 190	239 118 94 111	688 316 213 330	493 248 186 239
28 29 30	Nephritis and nephrosis	130 108 305 17	387 383 798 73	265 251 551 58	122 132 247 15	125 91 207 13	174 142 348 26	143 137 304 18	93 92 199 13	50 45 105 5	602 602 1,049 123	247 249 440 36	142 124 287 18	509 436 939 71	423 351 790 42
31	Congenital malformations { M F Other defined and ill-defined diseases } F	176 164 1,448 1,783	596 516 4,178 5,521	439 378 3,027 3,879	157 138 1,151 1,642	139 130 1,109 1,306	173 182 1,496 1,932	170 179 1,314 1,601	124 125 930 1,135	46 54 384 466	950 869 6,607 8,424	296 337 2,321 2,930	176 168 1,487 1,907	577 571 4,613 5,999	504 463 4,026 4,571
33 34	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	361 97 420 416	940 410 1,117 1,247	676 300 802 819	264 110 315 428	335 94 351 347	330 124 399 404	212 86 442 275	157 59 324 182	55 27 118 93	1,498 625 1,894 1,926	519 223 756 701	351 136 449 482	890 318 1,387 1,315	1,259
35 36	Suicide \ M F Homicide, operations \ M of war \ F	225 137 9 5	782 614 48 42	618 484 31 37	164 130 17 5	144 116 9 5	223 165 7 11	162 77 10 3	112 53 7 2	50 24 3	1,214 892 71 62	431 307 27 24	253 195 12 12	662 423 46 21	556 274 25 24

^{*} Constitution changed. See explanatory note 12 and Appendix C.

TABLE 21—con	tinued.	Stan	dard re	gions	and c	conur	batior	ıs. U	Jrban	and r	ural a	ggrega	tes	
			ondon &		1			es (incl mouth				Areas o		
Registrar General's Supplementary Abridged List	Eastern	Total	Greater	Remainder of South Eastern	Southern*	South Western*	Total	Wales I (South East)	Wales II (remainder)	Conurbations	Urban areas with populations of 100,000 and over	Urban areas with poplns. of 50 300 & under 100,000	Urban areas with populations under 50,000	Rural districts
Infectious hepatitis { H. Malignant neoplasm, mouth and pharynx }	12	33 50 293 147	25 33 213 99	8 17 80 48	7 9 68 23	15 12 95 47	9 1 74 47	7 1 47 28	2 27 19	49 62 458 225	10 11 147 77	9 12 116 56	35 32 308 139	16 28 220 116
Malignant neoplasm, oesophagus	68 507	326 233 1,535 2,146	238 159 1,110 1,539	88 74 425 607	80 57 396 472	121 74 517 632	114 92 457 437	86 51 322 288	28 41 135 149	459 337 2,422 3,162	182 116 867 1,101	112 81 500 655	323 228 1,581 1,892	293 193 1,404 1,438
Malignant neoplasm, Iarynx	12	178 39 597	114 26 445	64 13 152	33 13 143	37 13 183	36 14 141	27 10 88	9 4 53	238 64 974	97 21 372	60 11 211	147 38 571	101 46 427
Malignant neoplasm, prostate Malignant neoplasm, bladder M	1 160	912 617 305	579 445 231	333 172 74	234 107 48	332 149 83	92 36	111 66 26	61 26 10	1,201 779 385	436 257 111	292 168 90	921 440 205	740 349 141
Malignant neoplasm, { None (including Figure 1)	A 24	79 59	48 41	31 18	14 16	19 22	24 11	15 7	9 4	112 104	41 41	24 26	83 43	70 51
Lymphosarcoma, reticulosarcoma	44 48 45 23	172 146 138 95	130 100 109 61	42 46 29 34	39 32 26 16	44 33 40 33	19 10 31 20	17 7 29 16	2 3 2 4	216 166 219 110	67 45 69 54	49 37 43 25	112 105 127 93	108 89 85 50
Thyrotoxicosis { N H Multiple sclerosis { N H	3 18 1 26 43	8 56 90 156	5 35 66 104	3 21 24 52	2 25 16 37	8 25 19 50	2 26 22 24	1 17 14 16	1 9 8 8	17 98 135 212	7 35 38 54	4 18 32 40	19 77 74 141	8 68 61 104
Rheumatic fever { H Chronic rheumatic heart disease		11 12 610 1,206	9 12 483 950	2 127 256	4 3 132 211	2 7 166 300	3 6 186 299	1 5 139 225	2 1 47 74	21 24 1,015 1,969	8 13 349 647	5 4 161 331	16 11 539 953	13 11 418 689
Hypertension without mention of heart Pneumoconiosis and chronic interstitial pneumonia	271 4 13	982 1,120 79 38	760 870 64 32	222 250 15 6	162 160 23 14	245 273 59 9	240 252 255 2	172 170 233 2	68 82 22	1,276 1,440 163 65	338 434 146 17	235 266 59 3	793 804 264 24	627 611 199 21
Ulcer of stomach { N } Appendicitis { N }	1 106 67 1 27 24	439 293 113 69	335 225 81 46	104 68 32 23	98 63 18 15	103 84 32 19	82 41 31 19	57 29 20 13	25 12 11 6	610 401 161 93	182 117 48 35	112 70 35 28	315 206 102 70	236 165 84 45
Intestinal obstruction and hernia		366 431 147 149	264 310 111 103	102 121 36 46	75 94 37 26	137 120 39 36	88 83 38 36	62 52 24 32	26 31 14 4	518 625 266 215	193 207 73 91	87 132 43 56	333 339 134 128	282 267 101 96
Cholelithiasis, cholecystitis	21 62 1	95 190 9	73 132 6	22 58 3	23 58 1	37 81 6	36 64 3	26 48 2	10 16 1	154 325 17	55 105 5	32 84 7	115 214 11	91 182 7
Toxaemias of pregnancy I and puerperium Abortion I	4	11 22	8 19	3	2	5 2	1 2	1	1	23 31	9 5	3	16 8	6
Rheumatoid arthritis and \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	22 59	36 154	25 99	" 11 55	7 41	25 57	13 54	7 41	6 13	70 254	30 87	16 66	56 211	49 136
Birth injury { No. No.		209 149 318 230	168 119 250 189	41 30 68 41	72 38 100 53	68 41 99 52	81 44 153 98	58 34 125 76	23 10 28 22	453 281 646 453	155 81 224 134	107 48 120 57	245 147 364 233	212 122 292 187
Pneumonia of newborn { H I Ophthalmia, pemphigus, { N sepsis of newborn { H	26	68 54 9 6	51 46 7 4	17 8 2 2	27 13 2 1	24 17 1 2	19 13 1	15 8 —	4 5 1	161 132 14 11	65 32 —	34 32 2 1	112 53 16 6	73 56 4 1
2) Haemolytic disease of newborn	18 4 112	47 41 381 278	39 32 279 208	8 9 102 70	10 10 92 46	7 8 114 99	8 8 108 78	6 6 82 61	2 2 26 17	81 68 576 460	18 19 220 204	15 10 126 111	41 46 375 287	29 33 311 214
Senility without psychosis {	390	377 880 26 24	232 513 18 20	145 367 8 4	110 263 11 10	240 546 ,9 12	220 403 9 10	162 287 8 5	58 116 1 5	608 1,289 47 45	197 429 16 11	210 424 6 12	783 1,608 41 29	780 1,220 30 27

onstitution changed. See explanatory note 12 and Appendix C. 235

_	111000 21	·	acu.	Londo	II A.C	., City	01 17	muon,	ment	роша	ni boi	ougns	S		
	Registrar General's Abridged List	London Administrative County	City of London	Battersea	Bermondsey	Bethnal Green	Camberwell	Cheisea	Deptford	Finsbury	Fulham	Greenwich	Hackney	Hammersmith	Hampstead
1 2	Tuberculosis, SM F Tuberculosis, M	74 16		4 3 1	3	2	11 1 1	3	10 3 2	1	11 3	94	17	6 2	
3	other ↓ F Syphilitic disease ∫ M	63		3	*********	-	1		_	_	_	-	1		
4	Diphtheria	36	_	1	_	-	_	_1	=	3	1	3		2	1
5	Whooping cough M	1						_							
6	Meningococcal Infections	2 7 8	_	_		-	1	_			=	· 1	_		100
7	Acute poliomyelitis \ M F	10	_		_	_	1		-		_	_	1	-	
8	Measles \{ M	3		_	_	=	elabore.	-	_		_		2		-
9 10	Other infective, etc., diseases	32 41 516 435		2 2 29 18	- 6 7	2 8 10	1 25 33	1 4 7	1 11 9		2 1 14 17	15 11	4 4 30 26	2 24 16	1
11	lung, bronchus { M	1,757 313	3	49 6	26 8	20 9	105 16	31	49 6	25 2	80 16	43 7	89 11	56 7	3
12	breast $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$	694	_	24	13	9	38	16	16	6	23	14	35	22	1
14	uterus F Other malignant and \(\int M \)	293 1,771	6	61	28	6 30	103	30	6 40	23	16 67	2	12 96	6	1
15	lymphatic neoplasms F Leukaemia, M aleukaemia F	1,729 88 93	4	55	25 1	24 1 1	100 3 6	29 2 4	39 4 3	11	58 5 4	45 35 4	94 4 6	65 56 8 2	
16	Diabetes	58 148	_	1 3	1	4	2	_			2 5	1	5	4	
17	Vascular lesions of nervous system F	1,533 2,425	1	63 97	19 34	25 35	83 117	30 51	3 34 43	2 11 15	60 100	1 3 41 50	69 118	54 84	355
18 19		3,599 2,457 289 464	6 1 1 1	124 86 2 12	60 36 4 6	51 31 4 5	162 124 18 20	54 49 2 14	93 36 7 13	33 27 2 7	123 80 12 15	90 47 14 14	184 136 14 15	114 77 8 11	111111111111111111111111111111111111111
20	Other heart disease M	1,556 2,645	_2	65 118	20 34	8	56 117	31 69	43	12 16	47 85	46	74		2
21	Other circulatory disease F	782 1,119	4	19	23	23 12 13	45 64	18 41	62 11 26	5	34 52	67 18 17	158 32 47	43 73 29 31	2 5 2 2
22	Influenza $\left\{ \begin{array}{ll} M \\ F \end{array} \right.$	261 319 1,357 1,360	4	8 19 43	7 4 22 23	1 8 27	4 16 85	17 5 22	6 4 25	3 5 16	11 15 42	1 4 41	6 15 60	9 5 38 30	1 2 2
24	Bronchitis	2,109	4	74	1	16	104	45 16	34 47	13 24	29 87	35 51	135		2
25	Other diseases of F respiratory system F	1,017 244 120		44 12 3	52 35 2 2	52 25 2 3	58 20 5	14 3 2	22 4 2	14 6 2	47 8 7	22 4	52 8 7	71 41 6	2
26	Ulcer of stomach and duodenum F	292 164	, _	5	3	6 7 1	24 11	5	12	3	7 8	9	12	5	1
27	Gastritis, enteritis Mand diarrhoea F	71 125		5 2 1 3	3	1 3	2 5	2	4 3 1	2 2	4	9 2 3 2	6 4 3	3	
28	Nephritis and nephrosis F	113 115	-	7 5	7	2	4	1 3	1 3	1	1	3 5 7	6	2 2 12	3
29 30	Hyperplasia of prostate M Pregnancy, childbirth, F abortion	225 34		7 5 5 2	2	1	4 7 12 3	4	5	2	8	7	5 4	12	-
31 32	Congenital malformations . { F Other defined and ill-defined diseases. { F	225 186 1,294 1,621		11 8 38 49	4 2 20 29	6 5 12 28	15 8 73 87	6 4 23 23	3 6 28 21	4 10 14	14 5 47 54	3 9 27 19	7 8 65 73	7 15 47 73	39
33 34	Motor vehicle accidents	254 129 365 339	1	9 2 11 9	5 4 8 4	5 5	21 10 17 7	3 2 8 9	13 2 4 3	4 3 10 5	7 3 9 6	7 3 6 6	15 4 6 13	8 6 16 8	15
35	Suicide § M	318 211		8 5	5	5 2	14	1 8	3 4	3	13	4	16	10	14
36	Homicide, operations M of war F	19		1			_	1	_	4	10	3	9 3 1	10	

Ŧ	Registrar General's Supplementary Abridged List	London Administrative County	City of London	Battersea	Bermondsey	Bethnal Green	Camberwell	Chelsea	Deptford	Finsbury	Fulham	Greenwich	Hackney	Hammersmith	Hampstead
) Ma	fectious hepatitis $\left\{ egin{array}{l} M \\ F \\ alignant neoplasm, \\ M \\ mouth and pharynx \\ \end{array} \right\}$	12 16 105 37		2 2		1	6	1 3	1		1 4		1 3 4 1	4	1 1 3 2
) Ma	alignant neoplasm, { M oesophagus { F alignant neoplasm, } M intestine and rectum { F	121 63 418 629	1 - 2	3 2 18 18	2 1 7 6	1 1 7 10	6 2 23 40	1 1 10 11	3 6 14	1 3 5	4 2 19 29	6 1 17 13	5 2 19 37	3 16 23	3 1 10 14
) Ma 5) Ma	alignant neoplasm, alignant neoplasm, cervix uteri alignant neoplasm, prostate alignant neoplasm, M	55 13 204 230 169		5 4 6	5	3 4 4	3 1 10 17	1 4 6 2	2 5 7 5	1 1 7	1 11 8 5	1 1 6	1 1 8 14	1 2 7	1 1 8 5
/) Ma i j B) Ly	bladder F alignant neoplasm, bone (including jaw-bone) mphosarcoma, Mreticulosarcoma F Mogkin's disease M	109 23 13 54 42 38		1 2 2 3	4 - 3	2 1 1	2 2 1	1 2 1	1 1		1 - 2 1 2	5 2 - 1 3 - 1	5 1 - 2 3 3	6 1 1 1 -3	8 1 1 2 3 3
l) Th	$\begin{cases} F \\ F \\ \text{ syrotoxicosis} \\ \vdots \\ F \\ \text{ solution} \end{cases} $	1 17 24 33		13	1 - 1		1 1 1	1	3 1	1 1	1 -3 1	1 2	1 3 2	1	
l) Ch	neumatic fever $\cdots \begin{cases} M \\ F \end{cases}$ aronic rheumatic heart $\begin{cases} M \\ M \end{cases}$	5 8 234 451	-	1 10 12	- 6 10	1 10	2 15 22		8 9	1 6	1 9 16	11 13	12 23	9 13	
l) Pn	rectension without mention of heart	339 390 29 11	2 1 —	7 15 —	5 7	5 3	20 33 2 4	13	7 8 1	3 4 —	12 19 2	6 7 —	13 11 1	17	9 6 —
	cer of stomach	144 112 39 22	-	3 2 2 1	2 1	3 5	14 9 2 1	3 1 1 1	7 2	1	1 7 1 2	6 1 1	7 5 2	1 1 3	6 6 - 2
	testinal obstruction and hernia $\begin{cases} M \\ F \\ F \end{cases}$ rrhosis of liver $\begin{cases} M \\ F \\ \end{cases}$	104 162 61 37		4 2 2 1	4 6 2 —	1 2 —	11 13 2	$\frac{2}{3}$	5 2	1 2 —	12 2	4 1 1 1	3 5 2 2	6 6 3 1	3 4 1 3
1) M	nolelithiasis, cholecystitis	28 52 1 7			21		1 1		1 - 1	1 1 -	1 2 1		1 2 1	1 -	- - -
	heumatoid arthritis and {M allied conditions {F	11 37	_	_		2	3	1	_	1	1 6	1	1	1 3	2
10) Po	ostnatal asphyxia and $\left\{egin{array}{ll} M\\ F\\ M\\ atelectasis \end{array}\right.$	83 53 115 83		2 2 1 1	1 2	1 1 2	7 9 4		1 2 1	_	1 2 5	1	6 2 8 11	5 6	1 1 4
11) O	neumonia of newborn $\begin{cases} M \\ F \end{cases}$ phthalmia, pemphigus, $\begin{cases} M \\ S \end{cases}$ sepsis of newborn $\begin{cases} M \\ F \end{cases}$	22 21 3 2	=	=	1	=	2 1 —	1			=	1	3	1	1
13) In	aemolytic disease of newborn	13 15		1 4 5	1	1 1	3 2 8 8		6			1 4 3	1 2 4	1 4 5	1 3 1
	Positive without psychosis $\left\{egin{array}{l} M\\ F\\ M\\ Cause \\ \end{array}\right\}$	195	1	1 3 —	1 1	1 =	1 10 —	5 3 —	1 4 -	1	5 6 1 1	1 1 1	4 7 1	3 5	3 1 1

-								шор		1010	agus		****	-		l.	
	Registrar General's Abridged List	Holborn	Islington	Kensington	Lambeth	Lewisham	Paddington	Poplar	St. Marylebone	St. Pancras	Shoreditch	Southwark	Stepney	Stoke Newington	Wandsworth	Westminster	Woolwich
1	Tuberculosis, {M respiratory {F	4	18 5	5 4	19	10	6 5	8	7 3 1	7 5	3	10	13	4	23		
2	Tuberculosis, other {M F	=	2	1	1 1	1	2		1	1		1		=	4 2	1 1	l
3	1 F	1	2 2	4 5	11 2	1	2	1	1	3		2	5	1 2	6	2	
7	Diphtheria $\binom{M}{F}$		_	=	=	-	=	=	=	_	-	_	1 =	_	=	=	=
5	Whooping cough \{\begin{array}{c} M \\ F \end{array}\end{array}\rightarrow\ri	=	1	1	=	_	_	_	=	=	-	_	=	_	_	-	-
6	Meningococcal infections	=	1 2	=	1	=	_	=	=	1	=	=	=		1	=	-
7	Acute poliomyelitis { M	_	5 2 1		_	1	_	=	_	=	_	=	=	_	1	=	-
8	Measles $\left\{ \begin{smallmatrix} M \\ F \end{smallmatrix} \right\}$	_	-	1	=	=	=	=	=		=		=		1		ŀ
10	Other infective, etc., diseases F Malignant neoplasm: M stomach F	3 2	3 2 35 26	3 25 20	1 4 30 31	2 36 24	3 2 16 8	1 12 10	2 1 11 8	1 1 23 11	2 6 9	2 14 10	1 2 15 15	10	3 6 62 55	2 14 8	27
11	lung, bronchus \ M	13	145 26	61 14	100 25	118	63 15	31	50	76	39	59	68	32	191	50	54
12	breast M	3	36	41	55	44	31	1 14	20	23	1 12	15	18	6	35 1 86	10	13
13 14	uterus F Other malignant and fM	13	101	13	104	13	21	5	5	17	12	9	7	3	36	8	14
15	lymphatic neoplasms F Leukaemia, M aleukaemia F	13 15 1 3	112	77 96 4 2	103	132 127 10 5	48 75 1 3	43 32 3 2	51 51 2 6	71 73 4	15 20	54 34 3	59 50 1	27 31 2	193 196 7 16	50 56 2 4	70 3
16	Diabetes { M		3	5	5	6	3	1 6	2:5	10	3	-8	1 9	1 2	11	7	1
17	Vascular lesions of M nervous system F	10	103 150	61	105	134 194	44 73	23 45	66	55	13	44 76	60 70	20 35	13 164 315	28 67	82 106
18 19	Coronary disease, angina	23 17 1 4	237 173 23 30	142 133 8 14	254 173 17 25	287 183 23 32	124 88 2 13	75 34 2 10	100 64 18 39	126 107 9 13	38 31 4 12	93 56 4	117 56 11 27	58 27 7, 5	403 292 33 49	122 73 11	192 113 20 22
20	Other heart disease M	6	79 150	37 81	91 159	133 171	32	24	65 88	33	17	72	53	25	334	35	49
21	Other circulatory M disease F	5	46 100	41 69	53	54	51 36 30	13 16	23	52 28 29	26 8 24	134 24 40	61 30 25	36 8 19	576 97 143	33 27 31	103 27 53
22	Influenza \ M F Pneumonia \ M	1 1 14	18 21 86	15. 17 43.	15 28 91	18	4 3	6 9	13 18	12	6 5	11	16	1	38 42	9	5 78 50
	(F	7	90	65	78	90	36 37	36	24 29	83 53	34	50 52	51 38	20 10	138	34 22	78 50
25	Bronchitis M F Cother diseases of respiratory system F	16	173 84 17 8	61 34 10 10	141 48 12 10	117 58 20 4	59 28 4 3	62 17 11 4	50 29 4 3	69 38 6	46 27 5	71 42 8 9	109 28 11	28 23 4	217 108 38 15	59 24 5	62 27 8 5
26	Ulcer of stomach and duodenum { M	2	12 10	11	17 10	15	13	6	10	14	7	13	12 5	4	36	7	
27	Gastritis, enteritis and diarrhoea F	_	5 7	11 9 3 6	12	14 8 11	13 13 2 5	6 7 2 5	3 1 4	14 7 1 4	7 1 3 1	6 1 2	5	5 1 2	14 8 17	7 3 1 6	11 4 5 5
28	Nephritis and nephrosis	3	11	4	5	6		4	1 3 2	4	4	5 3 8	4 4	1	14	6	1
29 30	Hyperplasia of prostate M Pregnancy, childbirth, F	3	10	12 1	14	13 17 3	2 2 8 2	6	2	4 2 8 2	2	8	11	2 3 5	10 38 3	5	5 8
31 32	abortion Congenital malformations Other defined and ill-defined diseases F	7 6 8	18 12 89 109	8 10 58 76	20 8 102 116	9 5 85 95	10 9 51 45	5 3 25 33	1 3 23 53	8 6 53 69	3 1 26 25	8 6 31 40	8 8 43 45	2 5 15 29	28 19 177 273	4 3 29 28	7 5 48 47
33	Motor vehicle SM accidents	-		12.	19.	14.	7			9	1.	10	6	- 1	24	8	16
34	All other accidents M	1 3	18 12 27 28	5 18 33	10 28 21	7 15 18	21 21	3 2 10 3	4. 2 6 12	3 22 13	3 2	6 9 10	2 10 14	4 2 6 7	18 47 39	2 23. 13	5 10 12
35	Suicide	5	19 13	14 17	17 13 2 1	14 13	22 10	5	17	19 10	8 2	8	14	3	42	8	7 8 2
36	Homicide, operations M of war F	1	5 2	1	2	2	2 2						1		1 8	1	2

	Registrar General's Supplementary Abridged List	Holborn	Islington	Kensington	Lambeth	Lewisham	Paddington	Poplar	St. Marylebone	St. Pancras	Shoreditch	Southwark	Stepney	Stoke Newington	Wandsworth	Westminster	Woolwich
	Infectious hepatitis { M F F Malignant neoplasm, mouth and pharynx { M F		2 1 6 2	1 7 2	1 1 6 3	- 5 2	1 2 2 3		1 4	9	1	1 5	1 1 1	-	1 2 10 6	2 3	1 9 1
	Malignant neoplasm, oesophagus	3 1 2 3	8 6 27 37	6 5 16 38	6 2 23 34	13 6 30 51	1 6 13 29	1 1 16 12	2 1 13 17	9 4 16 19	2 1 4 12	7	5 1 14 18	1 1 6 14	12 9 47 63	4 3 9 22	3 2 16 24
1)	Malignant neoplasm, larynx	1	2 21 11 7 7	2 11 14 7 6	3 1 13 16 5	3 2 9 26 9 3	4 1 12 13 4 4	2 4 5 4	2 5 2 3	3 1 12 4 10 3		2 7 4 9	4 1 5 5 6 4	4 2 1	7 26 17 17 19	7 7 4 3	2 10 10 8 3
8)	Malignant neoplasm, bone (including jaw-bone) Lymphosarcoma, reticulosarcoma F Hodgkin's disease M	- - - 1	3 5 3	2 3 2	6	2 2 7 1 2 4		1 -	4 2 1	1 1 1 1 1 1 1 1	2	1 -			5 1 7 3 5 4	1 2 3	1 1 2 2 3 1
1)	Thyrotoxicosis		1 1 1	1 1	2 4	1 2 1 2	1 1	_ _ 1 1	- 2	1 1 2		1 1	1	2	1 7 6	=	= 1
	Rheumatic fever { M F Chronic rheumatic heart disease	_ _ 2 5	2 1 16 36	- 4 12			9 14	_ 2 10	4 9	10 12	-49	- 10 14	1 9 17	- 1 6	1 17 40		— 11 28
(1) (1)	Hypertension without mention of heart Pneumoconiosis and chronic interstitial pneumonia	1 1 -	15 28 6 1	16 28 2	23 24 1	24 24 3 1	15 11 1	7 4 —	10 7 —	15 11 1 1	2 7 —	16 16 1	14 14 2	1 7 —	43 45 3	6	11 19 1 2
(1) (4)	Ulcer of stomach $\dots \begin{cases} M \\ F \end{cases}$ Appendicitis $\dots \begin{cases} M \\ F \end{cases}$		5 5 1 2	5 9 2 1	9 5 2 2	7 10 7	8 6	2 4 4	5 3	8 6 2 1	4	6 5 1	5 2 —	2 4 1	15 8 4 3	2 2	5 3 2 1
(5)		1 -	7 10 3 2	2 5 3 4	15 5 1	3 11 5 4	3 3 5	3 1 1	5 3 4	2 8 4 4	3	3 4 —	6 4 2 2 2	5 2 1	14 23 4 5	4 4 1	3 5 1
(7) (1) (2) (3)	Cholelithiasis, cholecystitis		1	2 2	1	6 -	1	3	2	4 -	4	2 3	2 1 -	1	1 2	_	1 -
	Rheumatoid arthritis and { M allied conditions { F	-	1 2	1		8	-	_	3	3	1 1	=	1 2	-1	1 2	1	3 1
	Birth injury $\begin{cases} M \\ F \end{cases}$ Postnatal asphyxia and $\begin{cases} M \\ K \end{cases}$ atelectasis $\begin{cases} M \\ F \end{cases}$		4 4 22 11	7 3 5 4	11 7 8 6	3	6 2 4 2	1 1 1 2	1	6 4 7 6	1' -4 1	3 4 4 4	2 3 6 2	- 1 3	5 4 7 3	1 3 2	3 4 5 2
	Pneumonia of newborn { M F } Ophthalmia, pemphigus, { M sepsis of newborn } F		1 3 1	3 1 1	1 2	2 3	2 1		1 2	3		-	1	1 1	2		1 -
	Haemolytic disease of newborn	-	- 6 7	12 7	2 2 18 13		- 6 3	1 1 1 1	1 3	_		3 2	1 8 2	1 1	2 3 11 7	1 2	5
	Senility without psychosis { M F } Ill-defined and unknown { M F } cause	-	2 4 - 2	1 8 -	1 8 2 1	6 8 -	3	1	5	2	1 1	-	-	1 =	102	4	4 1

-																	
	Registrar General's Abridged List	Barnsley	Barrow-in-Furness	Bath	Birkenhead	Birmingham	Blackburn	Blackpool	Bolton	Bootle	Bournemouth	Bradford	Brighton	Bristol	Burnley	Burton upon Trent	Rury
1	respiratory F	2 1 1	4 1	3 3 1	13 3	68 25 7 3	3 6 1	9 4 1 2	12 2 —	5 2	7 1 2	12 12 1	6 4 - 2	18 9 3 2	1	1	
3	Syphilitic disease M	1	1	_	1	15	2 2	2	1	2	1 1	4	4	4			
4	Diphtheria $\begin{Bmatrix} F \\ M \end{Bmatrix}$		1		1	9	2	1	4	1	1	1	2	3	_1	_	-
5	Whooping cough \(\int M \)	_		_	_	2		-		-	Manager of the Control of the Contro		1	1			
6	Meningococcal SM infections SF			1	1	2 1 4 3		1		_		1 1		-		-	
7	Acute poliomyelitis SM		-		-	1	_	_	_						_		Acres.
8	Measles $\dots \begin{Bmatrix} F \\ M \\ F \end{Bmatrix}$					1 1	-		1			1			_		1. 1. 2
9 10	Other infective, etc., { M diseases { F Malignant neoplasm: } M stomach { F	1 1 19 7	1 10 5	1 3 15 11	2 1 20 20	11 8 176 149	27 29	3 2 32 32 32	3 1 28 32	1 12 9	3 1 21 35	3 6 69 52	1 1 26 29	7 4 79 70	5 24 18	6 6	and last name
11	lung, bronchus M	24	30	24	58 17	494 67	54	62	71 11	28	82	126	84	196	32	22	2
12	breast $$ M	14	8	21	15	236	25	37	33	8	22 42	25 1 50	14 43	18 1 93	7 1 15	1 12	-
13	uterus F	5	7	5	15	90	15	22	7	7	19	38	22	39	10	4	93
15	Other malignant and SM lymphatic neoplasms F Leukaemia, SM aleukaemia F	38 35 4 3	41 27 3 2	45 48 2 5	73 69 3 3	570 549 28 29	48 60 1	97 99 5 7	91 86 4 4	32 33 1 3	110 124 6 9	178 165 3	112 125 6 8	252 201 10 19	49 48 2 2	44 23 3	33
16	Diabetes § M	1 3	4	4 2	3	22 52	5	6	6	1	4	13	3	11	4	1	1
17	Vascular lesions of M nervous system F	48 65	41 69	55 100	91	669 1,047	125 167	14 162 188	10 127 175	40 55	13 127 241	12 253 336	142 224	23 311 504	72 140	5 52 57	45 58
18 19	Coronary disease, angina	72 28 4 13	95 64 5 3	102 75 7 10	187 122 10 34	1,038 718 139 205	146 120 15 38	267 169 17 29	212 119 23 27	82 55 6 5	237 184 13 27	407 314 33 64	207 139 22 37	506 341 90 115	138 87 5 15	45 23 3 5	64 31 12 20
20	Other heart disease \ M	68 83	64 86	41 97	69 124 1	655	86 121	161 250	98	33	108	242	154	267	54 104	51	
21	Other circulatory disease F	20	8	26 37	36 26	214 252	20 33	40 80	155 46 57	48 13 23	246 38 55	343 49 83	268 60 87	444 109 155	104 25 33	45 16 13	63 92 25 39
22	Influenza $\begin{cases} M \\ F \end{cases}$ Pneumonia $\begin{cases} M \\ F \end{cases}$	7 8 17 23	2 2 25 26	2 3 28 53	8 11 52 59	132 160 450 422	10 7 34 36	16 21 36 32	19 15 53 54	4 5 35 26	9 14 42 56	63 48 150 184	8 10 49 48	36 45 110	7 8 17 22	5 1 11 4	13 9 15 18
24	Bronchitis M	50		28	77	596	60	87	100		69	170	64	113		23	
25	Other diseases of respiratory system \ F	25 4	25 2 5 1	11 13 4	34 15 6	286 69 28	35 13 5	44 10 7	47 19 8	49 17 3 2	29 12 10	84 12 15	27 17 5	64 35 15	47 22 7 8	8 3	35 18 5
26 27	Ulcer of stomach and duodenum	2 2 4 1	1 1 1 1 1	3 4 1 4	10 5 2 4	86 45 36 18	4 3 1 4	9 4 6 4	13 9 5	6 2 2 3	13 6 5 13	23 4 11 10	13 8 3 10	16 5 7 12	3 1 3 4	7 1	5
28	Nephritis and M nephrosis	4	2	4		36	5	3	8	4		14	9	19		1	
29 30	Hyperplasia of prostate M Pregnancy, childbirth, F	3 2	6	3 7 2	3 5 3 1	41 76 6	8 14 1	11	8 3 3	1 1 2	5 5 17	13 13 2	8 7 2	11 24 2	3 7 6	3	9 5 10
31	abortion Congenital malformations F	2	1 4	3	13	71	7	2	14		2			29	3	8	3
32	Other defined and ill-defined diseases { F	35 30	23 26	3 2 33 49	5 59 75	64 423 508	7 9 67 64	88 101	11 70 97	5 7 42 43	67	13 123 168	6 5 72 117	21 131 183	3 2 47 80	3 46 65	3 3 22 41
33 34	Motor vehicle SM accidents	9 2 14	7 1 11	5 2 7	3	105	3 4	17	10	5	9 7	22 14	12 18	39 23	9 2 7	4 2 6	7 4 9
	(F	4	9	9	14	113 152	23 25	14 22	25 42	17 14	24 32	22 41	23 36	43 47	7	6	9 16
35 36	Suicide \{ M \ F \ Homicide, operations \} M	7	3	4 9	5	77 64	14 9 2	15 15 2	19 3 2	3 2	9	19 9	5	21 18	14	3	5
	of war { F		2	1	1	2	2	2	2			1	3	1			-

_											_						
	Registrar General's Supplementary Abridged List	Barnsley	Barrow-in-Furness	Bath	Birkenhead	Birmingham	Blackburn	Blackpool	Bolton	Bootle	Bournemouth	Bradford	Brighton	Bristol	Burnley	Burton upon Trent	Bury
	Infectious hepatitis M Malignant neoplasm, M mouth and pharynx F	4	1 1	- 4 1	1 4 4	4 1 39 9	3 3		1 4 1	_ 1 2	1 4 1	1 4 10 7	1 -4 3	1 1 12 9	1 2	4	1 1 2
_	Malignant neoplasm, oesophagus	1 2 10 14	4 2 11 8	1 1 12 17	5 2 18 24	27 20 162 239	1 1 23 26	4 10 28 39	9 2 27 38	2 1 9 13	6 4 34 49	9 8 55 69	3 5 33 53	12 6 59 71	5 1 15 20	12 9	2 11 14
i) 5)	Malignant neoplasm, larynx	1 3 5	2 5 4 3	10 3 3 3	4 1 11 6 4 3	15 3 59 92 42 17	9 3 4 2	1 1 13 20 6 4	1 5 12 6 2	2 6 5 3	2 1 8 22 7 2	5 4 25 35 10 4	5 12 16 11 2	7 20 35 22 16	1 9 7 6 2	1 2 4 2 1	1 3 4 2 2
3)	Malignant neoplasm,	1	1 1 2	1 1 -	1 1	11 6 23 9 13		2 1 1 2 3	1 1 2 4 2	_ 	1 4 5 3 2	2 1 2 1 2	1 1 3 2 2	1 4 7 4 4	1 - 3	1	1 1 -
(1)	Thyrotoxicosis { M F F Multiple sclerosis } M F		1	1 1	1 1	1 5 10 16	2 	- - 2	2 - 1 1	1 1	1 5	1 4 2 5	1 1 1 3	4 - 2 3	1 - 1 3	12	
	Rheumatic fever $$ $\left\{ egin{array}{l} M \\ F \\ Chronic rheumatic heart \\ disease \\ \\ \end{array} \right\}$	 8 15	5 4	_ 4 10		79 110	11 10		12 19		1 10 30	1 13 34	- 8 15	31 49		1 2	6 9
	Hypertension without mention of heart Pneumoconiosis and chronic interstitial pneumonia	4	1 2 2	9 9 4 —	10 7 1	82 93 10 1	5 12 	6 12 1	10 7 4	5 8 - 2	10 9 5 2	11 18 3 2	8 7 1	22 45 3 —	10 2 —	5 5 1	6 5
	Ulcer of stomach $$ M F Appendicitis $$ M F	1 1 —	<u></u>	1 3 2	3 2	39 30 7 4	1 2 1 2	4 3 1 1	7 6 2 4	2 2 1	9 5 1 2	16 2 2 2	8 6 2 3	10 2 4 1	1	5 1 1	2 1 2
5)		1 4 2	3 2 1	1 1 1	6 3 1 1	29 46 23 11	8 3 2 4	7 4 3 4	11 10 3 6	2	6 8 2 1	6 15 11 1	9 10 3 6	1	1 5 1	2 2 3 4	4 -
7) 2) 3)	Cholelithiasis,			2	1	8 25 1 1	1 - 1	34	1	1 1 -	8 -	3 4 1 —	1	6			- - -
	Rheumatoid arthritis and Mallied conditions F	_		2	1 2	2 21	3	1 1	3	1	5	3 4	2				<u></u>
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	1 1		3 3 3 1	1 3 3 2	41 26 47 31	2	3	3 4 10 4	5	6 1	19 6 22 18	1 4 6 6	8 5 11 10	1 3	2	
	Pneumonia of newborn { M F }	1	1	1	2 2	1	1	2	2 1	-		3 7 —		5	1 2	<u></u>	<u>-</u>
	Haemolytic disease of newborn	11 3	1 2	23	5 7	6	9	3	- 1	1 1 8	1	1 2 4 3	57	9	1	1 3	1 1 3 6
	Senility without psychosis { F F F F F F F F F F F F F F F F F F	1 3	1 -	10		65	22		14	3	5 17 1	10 23	17	3 7 1	18 29 —		

-																
	Registrar General's Abridged List	Canterbury	Carlisle	Chester	Coventry	Croydon	Darlington	Derby	Dewsbury	Doncaster	Dudley	Eastbourne	East Ham	Exeter	Gateshead	Gloucester
1 2	Tuberculosis,		3	3	14 10 1	16 8	2 1	9	2	4 3 1	10	6	8	4 4 1	15 4 1	5
3	Syphilitic disease M		-	_	7	5	2	2		2	1	_	1	2	2	3
4	Diphtheria $\begin{cases} F \\ M \\ F \end{cases}$		1		3	3		1	=	1		1	=		=	1
5	Whooping cough M			_	_		_	-	_	_	-			-	-	-
6	Meningococcal M infections	_	_	_	-			1	1		1	_	1	1		1
7 8	Acute poliomyelitis $$ M F M easles $$ M F	_					1			1 2					1	
9 10	Other infective, etc., M diseases F Malignant neoplasm:	1 6	2 1 19	1 9	2 2 38 27	2 3 32	1 2 15	1 22	12	<u></u>	1 15	2 1 8	1 2 21	14		2 1 17
11	stomach \F		6	8		30	12	15	7	10	10	10	10	11	14	12
12	lung, bronchus M F breast M	12	27	26	94	136	37	50 9 2	16	29	26	30	62	33	53	19 3
13	uterus F	5	11	11	33 25	51 16	14	18	9	19	7 3	22	20	16	18	13 1
14 15	Other malignant and { M Iymphatic neoplasms { F Leukaemia, } M aleukaemia { F	21 12 1 3	37 34 6 5	30 30 3 1	119 86 8	149 167 8 14	51 35 6 1	62 69 3 4	35 21 1 2	38 46 1	27 28 2	44 48 2	53 49 2 5	51 42 4	48 53 2 3	25 4 38 4 2 -
16	Diabetes § M	-2	1 4	3	7	5	3	3 8	1	5	_	_		_	1	1
17	Vascular lesions of M nervous system F	2 22 39	41 91	3 2 39 59	11 152 179	9 149 294	77 124	88 119	61 55	69 75	7 34 51	60 111	5 7 46 93	50 111	6 84 82	2 46 50 5
18 19	Coronary disease, angina	26 28 4 5	119 63 5 18	72 47 7 14	326 146 39 33	316 229 20 48	109 61 10 3	199 115 7 17	90 53 9 10	97 60 13 8	66 31 9 12	96 86 8 11	135 74 6 10	99 58 8 21	113 76 10 7	59 7 49 5 3 7
20	Other heart disease \ M F	15 24 17	57 81	30 56	114 128	95 202	57 71 17	103 149	39 53	52 69	32 54	76 133	74 95	70 108	67 92	64 4 87 7
21	Other circulatory disease F	15	10 21	12 15	39 43	47 95	22	28	19 20	69 32 28	13	16 30	21 22	17	92 17 27	14 1
22	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	3 7 7	7 4 14 9	1 29 13	24 15 83 74	29 35 81 94	5 3 23 12	8 6 50 101	13 5 19 21	6 6 28 14	9 8 31 14	4 9 17 29	11 11 34 27	6 14 14 20	5 4 40 35	3 6 23 23 15
24	Bronchitis \ M	12	19 14	22	85 32	114 60	35 13	61 16	43 21	45	37	20	51 27	14	52 31	40 3. 10 1
25	Other diseases of M respiratory system F	3	2 3	22 7 5 3	23 10	7 7	4 2	5	2 3	6 3	6	5 4 3	12 2	16 6 2	10	1 -
26	Ulcer of stomach and duodenum {M	2	7 2	6	13 5 2 3	18	5	14	1 2	1 2	8	5	12	9	11	4 3
27	Gastritis, enteritis and diarrhoea \{ F	_	7 2 1 2	1 3	2 3	6	5 3 3	5 5 3	1 2	2 1 5	1	3	1	5 2 1	5 4 5	3 3 1
28	Nephritis and M nephrosis	2	6	5	12	13	4 2	2	3 3	4	5	2 4 7	5	5	2 3	4 2
29 30	Hyperplasia of prostate M Pregnancy, childbirth, F abortion	-1	6	7	16	20	4 2 6 2	4	3	7	5	7	5 3 2 2 2	7 2	2 3 2 1	9 -
31	Congenital M malformations F	2	2 4	7 3	20 14	11 12	4 5 38	10 10	4	4 5	3	5 5 22 33	8 2	5	2 8	3
32	Other defined and ill-defined diseases F	2 8 13	34 35	3 22 30	100	116 129	48	64	31 26	48 45	14 14		33 45	24 54	58 58	27 32 2
33	Motor vehicle accidents	2 1 6 4	4 3 10 15	2 3 10 8	33 6 39 34	24 5 17 10	9 4 13 6	13 5 21 21	4 2 11 1	14 4 12 17	10 9 12	2 5 13 14	8 6 13 7	9 1 11 13	8 3 20 15	12 1 10 9
35	Suicide { M F	5	1 2	5	20 15	13 16	11	13	4 2	6	2	2 8	3 5	2	9	6
36	Homicide, operations M F	1			1	2	1		1	-1		1	_		í	

															_		
	Registrar General's Supplementary Abridged List	Canterbury	Carlisle	Chester	Coventry	Croydon	Darlington	Derby	Dewsbury	Doncaster	Dudley	Eastbourne	East Ham	Exeter	Gateshead	Gloucester	Great Yarmouth
9(1)	Infectious hepatitis \(\int M \)	1		_		1	1	_								1	
4(1)	Malignant neoplasm, M mouth and pharynx F	2	1	4	9	4 3	5	1 2	1	4	3	3 2	1 2	3	7	2	3 3
4(2) 4(3)	Malignant neoplasm, oesophagus	2 1 4 4	3 14 15	3 1 4 9	6 2 20 32	9 8 40 66	6 3 16 11	3 5 18 33	1 1 12 7	3 1 10 19	- 8 14	2 1 13 21	3 5 11 15	6 5 12 18	4 4 16 23	8 8	3 7 11
	Malignant neoplasm, {M larynx {F	1 1	_	3 1	7	5	2	4	1	_	1	1		_	3	1	1
3(1) 4(5)	Malignant neoplasm, cervix uteri Malignant neoplasm, M	1 4	2	6	18	10 18	3	5	1		2	4	6		3	4	5
4(6)	prostate Malignant neoplasm, bladder { M		2	3 2	8	20	4	6	4	2 2	3	3	9		1 2	2 2	5
4(7)	Malignant neoplasm, bone (including F		1		1 2	2 2	2	2							1	1 2	1
4(8)	jaw-bone) Lymphosarcoma, M		2		2	4	_	_	1	1		1			_	2	_
4(9)	reticulosarcoma F Hodgkin's disease M F			1	2 3	2	2	1	-	1	1	1 2 2 1	1 -	3	2	1	
2(1)	Thyrotoxicosis \{ M \ F		_	-1	-4			,	-1		_		_	-1	-1		=
2(2)	Multiple sclerosis M	1	1	1	5	2 4		1		1 1	1	1 3	1		1	_	4
	Rheumatic fever $\dots M$				2	-	_	-1	_	_	1	1		_	_		and the same
0(1)	Chronic rheumatic heart M disease	1 2	7	2 4	10 28	7 28	2 3	7 9	3 9	5 9	12	3 10	10 11	3 11	9	7	
1(1) 5(1)	Hypertension without mention of heart Pneumoconiosis and chronic interstitial pneumonia	9 3 —	4 7 —	5 2 1	9 8 9 1	11 20 —	4 3 1	6 5 1 1	4 7 1	14 10 —	4 8 2	3 11	9 7 2	10	5 6 -3	7 3 —	2 3 1
6(1)	Ulcer of stomach $\dots \begin{cases} M \\ F \end{cases}$		4	3	9	9	2	8	-1	1	4	2 2 1	11	3 3	4	3	3
2(4)	Appendicitis M		1	1	3 5 2	4	2	1 3	1	1		1	5	2	2	1	
	Intestinal obstruction and hernia , . { F	2	1 3	5	7 9	7	1	5 5 7 2	1 2 1	3 5	_1	2 5 3	3 5 2	3 2 2	2 3	4 3	2
2(6)	Cirrhosis of liver $ \ldots \begin{cases} M \\ F \end{cases} $	_			1 3	3	2		1	2	_	3		3	1	all control	
2(7) 0(1)	$ \begin{array}{c} \text{Cholelithiasis,} \\ \text{cholecystitis} \\ \text{Maternal sepsis (not} \end{array} \\ \begin{cases} \text{M} \\ \text{F} \\ \end{array} $	_	5	1	3	2 7	1 1 2	2	2	2 2			_	4 2	3	3	1
0(2)	abortion) Toxaemias of pregnancy F	and the same of th	_		_			_		_	_		1				
	and puerperium AbortionF		-		-		_	_	_	-		<u></u>	1	_	1		
	Rheumatoid arthritis and $\begin{cases} M \\ F \end{cases}$	1	1		1	6	=			2	1	_	1	2	4	1	1
	Birth injury \ M F Postnatal asphyxia and \ M	1	7	1	14 6 8	3 2 8 7	4 5 6	4 3 10	2 2 6	3 -5	4 2	2 1 2 2		2 4	1 2 6 3	2	$\frac{1}{1}$
	atelectasis \ F Pneumonia of newborn \ \ M	, î	3	1	4			3	1	1	2 2	2	2		3		
	Ophthalmia, pemphigus, M		5 2		1	3 2 —	1	2		2	1	-	1				1
	Haemolytic disease of (M		wordend	-	1	5			1				1		MILITARY OF THE PARTY OF THE PA		1
2(13)	Immaturity (without Mother disease peculiar F to early infancy)		7	1 6 3	17 18	9	2 3	7 2		4		2	7 4	1	7 2	5 5	2
	Senility without psychosis F F F F F F F F F F	4	1	1 2 -3	15 —	40 28 —	11 14 1 1	3 8 1	1 2 1	10 7	1		8	13 —	10 6 -4	6	5

	Registrar General's Abridged List	Grimsby	Halifax	Hastings	Huddersfield	Ipswich	Kingston upon Hull	Leeds	Leicester	Lincoln	Liverpool	Manchester	Middlesbrough	Newcastle upon Tyne	Northampton	Norwich	Nottingham
1 2	Tuberculosis, {M respiratory F	11	_6	8 2	10 2	5 4 2 1	27 10	40 12 4	9 5	6 1 1	79 30 3	19		24		7	19
	Tuberculosis, SM other F	1	-	1	-		1	2	1	_	1	4		2		1	2
3 . 4	Syphilitic disease M F Diphtheria M	5	1	1	1	2	3 2	10	4	2	17 5 —		3 3	7 3		1	4
5	Whooping cough M							1						1	_	_	
6	Meningococcal Minfections	=	=	=		_	1 1	1	=		1 1	1			=		
7	Acute poliomyelitis M	1	_	=		_	_				1			=			1
8	Measles $\begin{Bmatrix} M \\ F \end{Bmatrix}$			=	1	_	1	1			1	1		1	_	=	1
9 10	Other infective, etc., diseases F Malignant neoplasm: M stomach F	2 17 10	2 24 21	1 11 10	1 20 19	3 1 30 13	2 4 73 34	4 5 102 81	3 58 44	1 13 8	9 9 138 112	12 103	2 31 21	1 1 57 40	1 18 16	1 3 16 12	4 55 41
11	lung, bronchus M	40	47 5	42 6	52 10	44 9	150 26	252 51	107 17	30 6	360 78	399 56	68 14	139 22	40 2	56 4	144
12 13	breast M F uterus F	16		20	22 20	20	1 47 24	92 55	64 26	16	1 103 61	135 64	23 10	49 12	1 17 8	21 13	61 39
14	Other malignant and \(\int M \)	60	49	44	64	60	153 147	256	144	33	391	323	67	177	69	92	156
15 :	lymphatic neoplasms \ F Leukaemia, \ M aleukaemia \ F	49 1 3	51 3 1	70 1 7	70 1 4	58 6 3	147 10 10	269 19 7	136 5 5	37 2 —	348 21 18	312 18 19	66 4 5	132 3 7	47 3 5	59 3 7	130
16	Diabetes {M	1 7		2 2	5 5 97	1 5	13	16 19	8	1 7	14 26	12 42	3 9	5 18	3	2 7	13
17	Vascular lesions of nervous system F	69 74	91 116	60 154	97 156	63 113	159 231	327 479	269 394	52 66	500 624	477 683	119 152	241 293	102 103	60 114	273
18 19		103 66 14 33	13	79 8	107	103 97 8 18	272 209 33 43	679 459 36 71	280 197 29 68	91 53 5 12	841 496 71 139	59	163 100 10 13	352 216 33 34	134 119 24 15	140 86 14 21	261 169 43 49
20	Other heart disease M	37 48	65 104	180	128	61 92	180 258	217 357	150 304	47 62	367 547	473 702	81 112	119 201	84 134	80 105	202
21	Other circulatory disease \{ F	25 32	17 25	24	30 46	24 39	49 69	100 117	64 61	11	100 125	193	30 36	87 83	17 22	19 42	78 68
22	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	3 4 29 21	9	8	28	3 7 36 26		41 24 198 259	47 33 63 85	2 3 38 32	55 42 341 404	55 203	2 6 44 34	10 8 71 65	15 17 19 18	7 6 74 61	25 28 90 103
24	Bronchitis $\left\{ egin{array}{ll} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	45 16	20	33	36		143 72	359 139	121 61	21 10	418 221	262	49 32	144 76	64 18	35 21	200 92 32 20
25	Other diseases of respiratory system		5	6	6	9	22	29 36	18	5 2	58 28	42	6	20 10	5	9	20
26 27	Ulcer of stomach and duodenum Gastritis, enteritis	3 3	3 2		1 3	5 1 1	12	11	17 9 6	1	62 22 16	24 18	7 4 3 2	23 11 7	8 4 2 3	8 3	1:
28	and diarrhoea \(\)F Nephritis and \(\) \(\) M	1	4	3	3	3			7	2	27	17	1	10	i	4	20
29 30	nephrosis F Hyperplasia of prostate M Pregnancy, childbirth, F	1	4	5	18	4	16 39		13 20 —	7 7 2	28 29 34 4	20 33	9	14 8 3	6	1	
31	abortion Congenital Malformations Other defined and M	9 4 31	6 28	3 28	7	4 5 45	18 23 109	34 30 192	10 17 104	5 3 37	56 66 305	30	6 14 61	17 19 114	46	4 8 29	14 19 13 14
	ill-defined diseases \(\) F	34	59	61	78	51	126	272	127	40	374	405	81	141	45	57	
34	Motor vehicle accidents	11 3 12 6	17	3 6	19	2 9		38 23 49 50	24 15 25 34	5 5 7 11	71 33 92 95	80	21 8 32 13	29 18 32 23	6 3 14 9	8 2 10 20	4: 1 3: 3:
35	Suicide $$ M	5 4			14	8 10	32 24	31 22	22 12	6	32 22	60 34	14 11	16 12	5 9	13	2 2
36	Homicide, operations of war F		1	_	1	_		4	3		4 2	9	1 2	2		2 1 1	

			17101	JE 21		111/1140	и. С		50100	ughio -							
	Registrar General's Supplementary Abridged List	Grimsby	Halifax	Hastings	Huddersfield	Ipswich	Kingston upon Hull	Leeds	Leicester	Lincoln	Liverpool	Manchester	Middlesbrough	Newcastle upon Tyne	Northampton	Norwich	Nottingham
	Infectious hepatitis MF Malignant neoplasm, MM	2			6 2		1 11 6	- 2 13	1 2 4 5	1 3	4 5 22 6	2 18 6	3 4	9 3	5	4	1 4
(2)	mouth and pharynx F Malignant neoplasm, oesophagus F Malignant neoplasm, J M intestine and rectum F	4 1 16 20	2 2 19 22	3 1 4 25	4 3 24 29	4 2 16 22	14 3 48 69	15 15 67 112	7 3 42 55	2 2 5 10	25 14 94 155	13 15 91 129	3 1 17 21	12 4 57 50	3 21 23	7 5 20 15	14 3 37 53
(1)	Malignant neoplasm, Iarynx		1 11 9	1 6	3 15	1 5 4	3 2 17	6 1 36 27	3 1 16 24	2 2 5	11 41 60	11 5 44 45	11 19	4 4 7 23	2 4 5	3 5 16	$\frac{10}{29}$
(5) (6)	Malignant neoplasm, M prostate Malignant neoplasm, M bladder F	8 2 4	2	6 5	8	5 3	9 4	26 10	9 4	1	31 13	19	13 7	14 7	8	9	9 5
	Malignant neoplasm, bone (including jaw-bone) Lymphosarcoma, reticulosarcoma	$\frac{1}{3}$	1 1 1	3 2	1 2 1 2	2	2 1 5	5 2 5 5	3 2 5	2	5 7 9 11 10	7 3 7	1	2 3 3 2 3	3 2	2 2 2	6 1 2
(1) (2)	$ \begin{array}{cccc} & & & & & \\ & & & & \\ & & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ &$	1 1	1 3	3	2 -1 3 1	- - 2 1	- - 5 4	2 7 3	- 2 3	1 2 1	8 4 8	1 3 10 3	1 2	1 3 5	1 1 1	1	3
(3) (1)	$ \begin{array}{cccc} \textbf{R} \textbf{heumatic fever} & \dots & \left\{ \begin{matrix} \textbf{M} \\ \textbf{F} \end{matrix} \right. \\ \textbf{Chronic rheumatic heart} & \left\{ \begin{matrix} \textbf{M} \\ \textbf{M} \end{matrix} \right. \\ \textbf{disease} \dots & \dots & \left\{ \begin{matrix} \textbf{F} \end{matrix} \right. \\ \end{array} $	1 1 1 5	 9 14		1 11 13	- 7 8	1 17 27	2 1 42 79	1 12 24	3	1 2 54 117	1 2 45 90	6 14	1 9 24	4 9	1 8 13	2 17 29
(1) (1)	Hypertension without mention of heart Pneumoconiosis and chronic interstitial pneumonia	10 —	1 6 1 —	9 8 —	7 9 3 1	9 10 2 —	5 18 4	26 45 3 2	26 12 —	10 —	29 29 5 1	48 41 3 2	6 8 —	29 26 3 1	4 4 1	3 18 1 1	20 30 3 1
	Ulcer of stomach $\dots M$ Appendicitis $\dots M$ F	1 2	2 2 1 1	2 4 1 1	2 2 2	3 1	8 6 3	10 10 14 6	5 7 2	4 3	25 12 8 3	14 19 1 2	2 1 1 2	11 6 2 1	3 2 2	3 1 —	16 9 2
(5) (6)	Intestinal obstruction and hernia $\left\{ \begin{array}{ll} M \\ F \\ \end{array} \right.$ Cirrhosis of liver $\left\{ \begin{array}{ll} M \\ F \\ \end{array} \right.$	1 2 1	1 1 1 3	6 5 2	1 5 1	4 4 2	10 12 5 5	14 24 9 10	11 7 4 9	5 3 —	21 20 11 11	23 33 15 7	2 7 1	4 9 5 8	9 7 1	5 1 2 1	9 7 5 8
(7) (1)	Cholelithiasis, cholecystitis	2 1 1		5	3 6	2 2 —	1 6 1	6 8 1	5 4	1 1 1	23 —	6 14 3	.1 1	1 5 1	1 3		6 4 -
(2)	Toxaemias of pregnancy and puerperium Abortion	1	Garage Article				_	2 2	_ _ 1	_	1 2	2		1 			1
	allied conditions \F Birth injury ∫ M	_	4	3	3	4	4	10 10 15	5	2 2 1	23 32 15	16 24 19	9	i 9 6	1 2	1	5 8 6
	Postnatal asphyxia and atelectasis	5 2	1	- 2 1	1 7 2	4 2 1	19 10	9 20	8 5 2	1	56 37	27 20	9 2 4 2	17 2	2 7 4	1 2 1 1	23 13
	Pneumonia of newborn {	1	3	/	1 1 1	=	5 5	3 1	5 2 —		10	9 7 1	5 2	4 1 1	<u>i</u>	1	2 3 —
	Haemolytic disease of newborn Framaturity (without other disease peculiar to early infancy)		1 1 3 5		4 8	- 4 6	17 17	5 2 25 24	 2 7 9	3 3	5 31 24	2 2 35 22	15 14	- 7 11	4	1 2 3	9 4
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	4 8 —	2 3 —	$\frac{\frac{2}{16}}{1}$	5 14 1	3 10 1 1	3 7 —	12 20 1	8 17 2	11 11 1	16 32 1 2	51 94 1	7 17 2	10 19 4	2 2 1	6 23 1	18 26 3 1

1 Tuberculosis, respiratory M 9 7 11 18 4 7 4 1 10 25 51 10 17 2 Tuberculosis, other M 1 - - 1 1 1 1 2 3 6 12 1 7 2 Tuberculosis, other M 1 - - 1 1 1 1 2 3 6 12 1 7 3 Syphilitic disease M 2 1 4 2 - 1 2 2 7 1 4 4 Diphtheria M -	1-Sea	
2 Tuberculosis, other		South Shields
other \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	8 6 1	9 2 2 1
4 Diphtheria \{\begin{array}{cccccccccccccccccccccccccccccccccccc	- i	
5 Whooping cough M 1 1 1 1 1 1	1 1	3 2
6 Meningococcal M 1 - 1 - 1		
infections (F 1 1 1	1 =	1
7 Acute poliomyelitis { M		=
9 Other infective, etc., M 1 - 5 5 - 3 1 6 - 3 - 2 diseases	3 1	2
diseases	2 1 41 14 19 18	2 1 28 15
11 lung, bronchus M 39 43 58 98 56 52 23 27 47 103 262 37 88 12 10 9 4 7 13 24 1 21	79 32 20 5	46 5
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	40 28 14 14	14 10
14 Other malignant and M F 46 54 113 111 50 59 45 43 37 76 229 49 86 15 Leukaemia M F 5 5 2 5 2 2 2 4 7 3 5 9 2 5	87 44 115 83 8 1 5 1	80 57 3 6
16 Diabetes M 2 3 8 6 4 2 5 3 2 2 13 1 1 7 5 9 9 5 5 4 4 3 9 20 3 7 7	1 2 5	2 5 82 99
17 Vascular lesions of M 113 54 158 152 83 83 108 59 90 97 358 53 106 nervous system F 151 120 218 230 114 127 102 86 85 173 469 77 131	110 83 224 141	
angina F 66 97 149 178 97 95 79 51 62 105 380 62 133 19 Hypertension with AM 11 8 36 21 10 11 10 7 7 11 40 13 31 heart disease F 15 13 51 34 14 21 8 12 18 24 86 14 30	262 138 189 104 29 5 36 15	128 62 11 17
20 Other heart disease M 101 28 121 176 68 68 80 46 48 110 277 38 97 F 181 51 177 271 114 121 111 69 81 194 462 57 142 111 69 81 194 462 57 142 111 69 81 194 462 57 142 111 69 81 194 462 57 142 111 69 81 194 462 57 142 11 11 69 81 194 462 57 142 11 11 69 81 194 462 57 142 11 11 69 81 194 462 57 142 11 11 69 81 194 462 57 142 11 11 69 81 194 195 195 195 195 195 195 195 195 195 195	96 58 188 147 51 29 78 37	53 54 16 27
disease	8 6	
23 Pneumonia M 48 36 75 77 39 48 40 25 26 56 123 35 46 40 36 44 27 21 71 123 24 40	10 9 59 14 61 14	6 2 46 39
24 Bronchitis \ M \ 96 \ 46 \ 52 \ 104 \ 62 \ 42 \ 70 \ 37 \ 86 \ 143 \ 288 \ 41 \ 72 \ 25 \ Other diseases of \ M \ 17 \ 8 \ 11 \ 11 \ 6 \ 11 \ 6 \ 7 \ 11 \ 13 \ 38 \ 3 \ 9	55 61 31 21 9 5	35 20 8 5
respiratory system. \ F 5 1 8 4 5 8 1 6 2 8 17 1 9 26 Ulcer of stomach \ M 9 6 10 19 8 7 3 6 4 13 24 7 23	11 3	
26 Ulcer of stomach	8 1 3 2 9 4	7 1 3 6
28 Nephritis and nephrosis	7 10 9 3 14 16	3 4 7
abortion		
31 Congenital M 5 5 10 11 12 7 1 3 9 7 19 2 11 malformations F 6 3 11 10 15 5 4 6 5 6 23 4 10 32 Other defined and M 65 30 97 96 38 48 46 26 45 72 167 25 86 ill-defined diseases. F 69 54 110 135 71 56 68 30 57 100 191 28 85	1 3 10 2 48 39 95 79	8 5 52 39
33 Motor vehicle	8 8 7 2 24 8 36 24	3 22 12
35 Spicide (M 15 11 17 19 7 5 7 9 8 11 32 2 11	12 10 17 9	6 5
36 Homicide, operations M 1 2 - 1 2 - 1 - 1 2 - 1		-

			IAB	LE Z	<u>co</u>	ntinu	ed. C	ounty	boro	ughs							
	Registrar General's Supplementary Abridged List	Oldham	Oxford	Plymouth	Portsmouth	Preston	Reading	Rochdale	Rotherham	St. Helens	Salford	Sheffield	Smethwick	Southampton	Southend-on-Sea	Southport	South Shields
(1) (2) (3) (4)	Infectious hepatitis Malignant neoplasm, Mr mouth and pharynx Malignant neoplasm, SM noesophagus Malignant neoplasm, SM intestine and rectum Malignant neoplasm, SM larynx Marynx Marynx	- 1 2 4 1 20 23	-1 -3 2 3 12 18 2	1 1 12 4 8 5 32 41	1 2 6 1 1 4 26 40 6 1	5 2 4 2 17 15		1 5 1 4 5 16 18		3 4 2 7 4 19 16 2	- 4 3 5 31 21 4 2	 8 8 8 11 4 79 92 5 2	1 1 1 2 4 10 18	- 6 1 4 4 27 31	2 4 1 1 4 4 19 44	- 1 1 2 6 14 26	
(1) (5) (6) (7) (8) (9)	Malignant neoplasm, cervix uteri Malignant neoplasm, prostate Malignant neoplasm, bladder	11 11 8 — 1 — 1	4 6 3 3 - - 1 1	17 16 10 5 2 1 2 2 4	14 18 15 5	12 8 5 1 1 1 1 2 2	9 13 4 1 — — 2 2	8 11 5 1 2 -	11 7 2 2 1 1	9 6 7 2 - 2 - 1	10 22 2 3 	31 34 19 9 2 5 6 5 4	2 4 - 3 - 1 2	14 9 9 2 1 1 1 2 3	6 11 11 3 2 1 1 4 3	11 6 4 1 2 1 1 1	8 14 5 1 1 1 1 - 2 3
(3)	Thyrotoxicosis	2 2 3 3 - 9 12	4	1 5 1 1 7 20	2 1 2 1 1 1 14 20	1 3 1 - 8 21		3 1 3 - 10 12	5 13	- - 1 2 · 1 - 7 12	1 2 1 - 14 31	2 1 2 3 6 -1 40 70		2 1 1 - 6 18	4 	1 2 1 3 - 5 9	1 - 1 - - - 2 10
(1) (1) (4)	Hypertension without mention of heart Fneumoconiosis and chronic interstitial pneumonia Ulcer of stomach	8 10 11 4 3 3 1 1	1 1 1	13 19 1 1 1 7 3 4	10 14 — 10 17 — 1 7 9	3 2 1	11 8 1 1 1	7 9 1 - 1 2 2 2 - 8	5 3	1 2 1	13 9 1 1 7 4 1 —	37 54 11 1 12 5 3 3	3 8 2 - 1 - 1	13 3	14 18 1 2 9 5 1 1	10 6 - 4 - 2 1	3 -3 1
(1) (2) (3)	and hernia	6 2 1 4 4 1	3	5 3 2 -	1 4 -	6 1 2 6 - 1 -	3	8 5 2 2 2 —	1 2 1 1 1 - 1	1 3 1	1 5	10 6 10 7 5 —	1 2 4 1 1 3	10 7 - 1 4 - -	8 3 4 2 2 2 -	5 3 2 4 1	3 3 1 — —
(9) (10) (1) (11)	Birth injury { M F Postnatal asphyxia and atelectasis { F Pneumonia of newborn F Popthalmia, pemphigus, M sepsis of newborn { F F Pneumonia of newborn { M F Pne	8 5 1 9 4 1 1	2 1 2 2 1 —	3 2 8 3 1	1 6 2 1 15 8 3	2 1 4 3 1 2	7 2 3 4 —	1 4 3 1 2 - 1	8 3	1 4 5 5 5	2 2 5 3 1 3 9 1	2 9 14 3 6 2 —	1 2 1 2 1 1 1 1	1 6 6 7 7 7	3 4 2 1 4 3 1	1 5 3 1 1 1	1 2 4 1 1 1 1 -
(13) (14)	Haemolytic disease of newborn Immaturity (without of the disease peculiar of the disease o		1 1 3 3 3	2 2 14 13 8 19	1 2 2 1 1 15 26		3 9 1 1	1 3 — 6 14 1	1 1 3	1 4 3 8 9	1 1 4 7 19 29 2	1 2 16 21 4 10 —		1 7 2 5 1 3	4 3	3 1 8 17 3	2 8 2 5 5

			1		1		1	1		1				-	-		
	Registrar General's Abridged List	Stockport	Stoke-on-Trent	Sunderland	Tynemouth	Wakefield	Wallasey	Walsall	Warrington	West Bromwich	West Ham	West Hartlepool	Wigan	Wolverhampton	Worcester	York	Cardiff
1	Tuberculosis, {M respiratory { F	6	34 11	14	4	3 4	7	13	7	12	7 4	8	6	8 2 3	4	6 7	19
2	Tuberculosis, SM other	1	11 2 3	_1	1	_	1	_		_	1	1	1	-	_	=	
3	Syphilitic disease MF	5	4	2	_	1	2 2	2	1		1 2	1	1	1		2	
4	Diphtheria $\cdot \cdot \cdot \begin{cases} M \\ F \end{cases}$	=	_		-	_		-	-		-			-	-	-	-
5	Whooping cough \{ M \ F	1		_		-					-		-1			_	-
6	$\begin{array}{cccc} \text{Meningococcal} & & \left\{\begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix}\right. \end{array}$	-	_	-		_	_	1	-	-	-	-					-
7	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1	_ _ 1			_		<u>-</u>		_	=	1		_		
9	Other infective, etc., {M diseases {F		2		1	1 1	3	3	3		1	1		1	-	2	
10	Malignant neoplasm: { M stomach	27 25	66 43	34 34		14 12	11 14	22 18	13 13	17 16	34 25	14 11	22 18	27 20	6	12 7	
11	lung, bronchus $\ldots \begin{cases} M \\ F \end{cases}$	54 10	118 18	80 10		21 4	44 13	52 7	42 3	38 4	88 10	29 3	34 6	60 12	25	40 8	
12	breast $\left\{ egin{array}{ll} \mathbf{M} \\ \mathbf{F} \end{array} \right.$		54 21	27 18	12	1 11 6	15 14	22	9 10	14 9	34 11	10 10	11	31 15	12	19 14	
13 14	Other malignant and \(\int M \)	76	135	90	31	24 25	46	51	37	41	68	36	43	62	36	43	109
15	lymphatic neoplasms \ F Leukaemia, \ A aleukaemia \ F	75	139 10 5		2	25 4 1	51 3 4	46 3 3	36 2 4	34 1 1	72 6 3	28 4	42 2 2	52 2 6	32 2 2	47 2 6	10.
16 17	Diabetes \{\begin{array}{c} M \ F \ \end{array}\right\} Vascular lesions of \\ \begin{array}{c} M \ F \ \ M \ \ E \ \end{array}\right\}	141	161	111	6 48	1 4 39 54	- 1 76 111	1 3 58 81	4 3 46 65	3 2 44 93	4 3 66 117	4 6 50 65	1 5 52 81	1 9 106 133	1 3 53 52	7 1 75 136	12
18	nervous system \(\) F Coronary disease, \(\) M	179	260 268	228	79	77	167	119	102	86	148	69	92	121	72 36	140	
19	angina F Hypertension with heart disease F	119	179 20 23	159 15	43	48 6	119 11 22	78 17 22	57 7 9	47 10 12	89 6 21	71 15 10	54 6 9	86 15 21	36 8 10	87 12 40	4.
20	Other heart disease $$ M	144	132 230	108	46	44 76	64 89	68 102	30 52	34 58 20	91 136	36 48 20	46 77	116 140	56 66	112	170
21	Other circulatory disease M		72 80	22	19	8 10	19 16	23 20	19 13	20 16	46 33	20 17	17 13	25 24	13 12	24	
22	Influenza $\cdot \cdot \begin{cases} M \\ F \end{cases}$	2 6			1 2	8 5	10 8	15	1 -22	20 6	17 20	4	5 5 17	31 31 76	3 4	3 5 42	10
23	Pneumonia $\cdot \cdot \cdot \begin{cases} M \\ F \end{cases}$	21 36	64 55	64 47		18 10	18 43	43 27	33 26	30 18	49	37 28	18	76 61	27 20		
24	Bronchitis {M F	44		41	7		39 18		21	52 21	76 43	38 21	65 23 17	89 32 8	29 18		5
25	Other diseases of respiratory system { M		58 13			6 2	13		6	7 4	10 2	6	4	3		2	
26 27	Ulcer of stomach and duodenum Gastritis, enteritis and diarrhoea	10 6 5 7		5 4	3	8 1 1 3	12 2 1 4	_	9 2 3 5	4	17 2 4 5	8 1 3 2	9 1 - 1	11 5 4 2	4 2 1 3	4 4 4 6	1
28	Nephritis and \(\int M	6 8		2		-6	6	11	3	3	8 7	1 5	2 4	2 5	3 2 1	10 5	
29 30	Hyperplasia of prostate M Pregnancy, childbirth, F		16		5 1	4	5				7 8 —	1 5 2 1	6	11	1	5 2 1	20
31	abortion Congenital malformations { M	11		12			8			6 5	5 8	3 5 36	5 4	5 8	5 3 33	7 7	1 2
32	Other defined and ill-defined diseases. F	70 106	107	82	31	25	46	53	45	47	52 61	36 35	33 44	57	33 46	38 41	
33	Motor vehicle { M accidents	17 5	11		3		8	3	3	12	15 3	6 5	5 3	2	3 7 13 15	4 2	1
34	All other accidents M		27 34	28	12	19			18 6			5 12 11	16 8		13	12 17	3
35	Suicide $\ldots \begin{cases} M \\ F \end{cases}$	6 9 2	23 17	18			3 6		5 5	9		5 5	8 3	5 2	1 2	4	1
36	Homicide, operations M	2	2	3			, 1		1		1	_	1	1		4	

								,or ou	P11/2							
Registrar General's Supplementary Abridged List	Stockport	Stoke-on-Trent	Sunderland	Tynemouth	Wakefield	Wallasey	Walsall	Warrington	West Bromwich	West Ham	West Hartlepool	Wigan	Wolverhampton	Worcester	York	Cardiff
Infectious hepatitis	2 2 2 2 25 26 6	- 6 4 10 10 47 46	6 3 22 35	5 - 1 2 9 10		2 1 5 4 2 3 15 14	4 3 2 2 2 2 2 17	2 1 3 2 2 1 10 11	1 2		1 1 1 1 12 12 12	3 2 5 21 3	- 4 2 3 3 10 21	- 3 3 - 2 11 9	- 1 - 4 2 13 18	
larynx	1 12 10 7 1	3 2 16 19 8 5	13 21 5 1	8 4 2 2	- 6 3 - 2 1		3 6 2 2 1	8 4 4 —————————————————————————————————	6 4 4	-2 8 10 7 8 3	3 7 2 3 3	3 3 3 1	1 6 14 5 2	2 1 5 8 2 —	2 10 8 5 -	2 10 14 5 6 3 1
jaw-bone)) Lymphosarcoma,	5 2 2 1 4	1 3 2 3 1 3	4 -4 -1 -2 1			1	3 1 - 1 1 1	1 1 1 1 - 3	1 1 1	3 1 1 3 1 —	3 1 2 2 2		2 1 4 1 ————————————————————————————————	2 1	1 2 1	1 4 2 -1 1 3
) Rheumatic fever	10 23 8 4 1	1 19 41 17 20 43 3	14 19 4 11 1	- 8 5 1	5 4 2 1 1	4 11 4 2 3 1	1 8 14 7 9 1	1 5 12 4 4 -	3 7 4 6 3	11 21 18 11 1	1 4 6 10 8 1	5 14 7 5 9	1 14 15 9 10	7 3 5 3 1	4 8 6 5	19 27 19 27 14 21 2
) Ulcer of stomach \ M F F) Appendicitis \ M F) Intestinal obstruction and hernia \ F F) Cirrhosis of liver \ M F	11 7 3 2	9 16 3 6	5 3 4 2 8 8 4 2	2 1 1 1 2 1	$\frac{3}{2}$ $\frac{4}{3}$ $\frac{3}{2}$	2 2 9 4 2	4 3 2 1	4 1 - 4	4 2 3 1 3 1	7 1 2 7 6 2 4	2 - 2 3 1 - 1	3 - - 2 1 2	9 3 1 1 2 2 1 3	3 2 4 5 1 2	3 3 3 2	7 6 2 - 5 6 2 7
Cholelithiasis, Cholecystitis	3	3 3 -	1 2 1 1	1 1 - 2	1 1 3	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 -	4	2		1		1 3 -		1 1 -	1 6 - - - 1 7
anieu conditions [F] Birth injury M F D) Postnatal asphyxia and M atelectasis F Pneumonia of newborn M F I) Ophthalmia, pemphigus, M sepsis of newborn F	5 2 6 6	7 2 9 6 3 -	6 1 8 5 5 2 -	1 4 5	3 1 1 2 2	1 4 4 3	2 2 8 3 2 1	2 6 3 5 1 1	1 2 10 1 2	1 3 2 3 7 2 4 1	2 1 3 1	3 4 2 2 2 1 1	8 4 2	1 2 -1 1 1 1	1 4 2 2 2 - 4 1 -	7 10 5 23 10 2 1
2) Haemolytic disease of Mewborn F 3) Immaturity (without Mewborn F to early infancy) 4) Senility without psychosis MEF 5) Ill-defined and unknown MEF 6) Ill-defined are unknown F	12 41	- 1 11 8 8 15 -	2 5 12 6 1	2 2 1		1 3 5 16	1 9 3 5 5	2 1	15 22 1	7 7 7 9 9	1 2 4 4 4 -	1 5 2 9 18	1 5 5 5 12 16 1	2 2 2 8 14 1		2 3 6 5 9

	TABLE	21-	Conti	писи	Cou	ity D	oroug	ins an	u au	1111115	Tatire	Cou	littes				
	Registrar General's Abridged List	Merthyr Tydfil	Newport (Mon.)	Swansea	Bedfordshire	Berkshire	Buckinghamshire	Cambridgeshire	Cheshire	Cornwall	Cumberland	Derbyshire	Devon	Dorset	Durham	Ely, Isle of	Essex
1	Tuberculosis, \(\int M \)	4	11	18	7	12	21	4	43	12	18	26	27	8	76.	2	79
2	respiratory	1	2 1 1	3	7 5 2	8 3	6 3 3	2	11 2 1	8 2 3	-6 1	8 4 1	9 4 4	6 2	22 6 3		2
3	Syphilitic disease M	2	2	_	8	5 2	3	1	11	10		5	4	3	17		2
4	Diphtheria $$ $\begin{cases} F \\ M \\ F \end{cases}$		1	_	3		3	2	3	_	_		-		_		2:
5	Whooping cough \ M			_	-				-	_			-	-	_	-	1 -
6	Meningococcal M F M F F F M F F F	1	1	1	1	1	2		1 3	1		4 2	_	_	2		
7	Acute poliomyelitis \ M F							-			_	_		1	2	_	
8	Measles $\begin{cases} M \\ M \end{cases}$		1	_	1	1	1		1	_	1	1		1	2		
9	Other infective, etc., {M diseases } F	-1		1 2	10	1 2	3 5	4	10 15	2 3	1	8	8 6	4 5	5		19
10	Malignant neoplasm: { M stomach	8 12	16 16	40 32	62 27	50 35	61 56	37 14	177 144	47 61	41 31	134 72	115 92	36 39	231 165	17 10	298 234
11	lung, bronchus { M	17 1	37	72 8	107 14	133 23	151 23	55	311 52	95 14	53 10	221 29	199 46	107 23	341 42	21 3	768 113
12	breast M	-8	19	28	64	64	80	1 41	165	1 74	25	1 122	121	82	138	16	36
13	uterus F	7	8	17	32	28	39	15	67	35	19	58	61	30	88	8	130
14	Other malignant and SM lymphatic neoplasms	26	74 51	83 81	187 164	161 164	212 197	97 82	462 445	229 195	103 109	384 330 30	386 354 19	193 191 11	524 390 29	58 53	808
15	Leukaemia { M F	3 4	3	9 6	13 10	13 10	22 14	82 2 2	22 22	11	4	14	11	12	18	2	4:
16 17	$ \begin{array}{cccc} \textbf{Diabetes} & \dots & \dots & M \\ \textbf{F} & & & \\ \textbf{Vascular lesions of} & & & M \\ \textbf{nervous system} & \dots & \textbf{F} \end{array} $	2 2 56 74	3 3 70 87	2 7 136 159	13 13 256 310	5 10 197 329	18 6 229 343	3 4 123 237	19 38 711 995	17 22 290 439	6 7 195 250	26 29 532 627	21 27 438 738	10 15 233 334	20 49 748 851	5 7 59 93	989
18 19	Coronary disease, angina { M F } H ypertension with heart disease { F } F	82 37 10 8	132 65 12 12	240 107 29 32	347 183 52 54	339 244 24 30	440 280 38 51	166 130 11 27	1,075 641 73 138	440 244 39 75	313 166 22 32	779 411 59 67	712 476 70 94	400 242 21 42	1,113 715 103 107	88 63 10	1,188
20	Other heart disease \(\) M	37	88	101	163	207	241	118	.565	356	213	510	497	245	498	90	958
21	Other circulatory disease F	64 18 26	119 22 18	173 45 43	257 59 57	289 82 91	290 63 90	147 48 55	903 223 271	562 75 83	225 54 40	206 216	711 154 156	364 93 118	650 236 208	86 23 28	1,51 40: 43
22	Influenza § M	2	6	11	37 30	32	26	23	48	21	27 21 28	38 46	38 63	43	33 37	5 2	130
23	Pneumonia $$ $\begin{cases} F \\ M \\ F \end{cases}$	18 16	9 15 14	12 34 29	77 81	46 87 117	32 163 156	15 53 50	231 209	13 72 71	28 34	151 171	114 136	36 70 88	245 181	52 46	583
24	Bronchitis $\left\{ \begin{smallmatrix} M \\ F \end{smallmatrix} \right\}$	41 7	48 17	84 34	126 50	91 54 27	161 71 22	62 21	349 144	62 26	61 22 24	334 132	146 82	72 29	400 116	32 13	692 276
25	Other diseases of respiratory system { M	12 2	15 5	15 6	28 13	27 11	22 17	11	53 28	27 14	24 7	56 21	42 27	16 18	80 33	3	131
26	Ulcer of stomach and duodenum { M	_2	3	7 2	11 9	22 8	30 17	9 7 6	67 24	15 14 7	8 14	46 17	23 25 14	19 14	52 24	5 7	118
27	Gastritis, enteritis and diarrhoea \{ F	1	2	7 2 3 1	8 17	4 14	6 20	6 4	15 18	7 15	3 5	12 24	14 17	6 16	18 18	1	51 42 53
28 29 30	Nephritis and nephrosis	5 2 9	2 3 13	11 9 15 3	10 7 26 3	15 14 24 1	18 8 34 2	10 3 20 1	39 38 77 4	36 31 58 4	10 9 7	40 25 42 5	26 29 83 3	18 18 42 2	40 44 72 6	1 13	53 50 117
31	abortion Congenital \(\int M \)	3	8	8	14	22	20	14	61	17	12	45	24	12	70	6	84 86
32	malformations \ F Other defined and \ \ M ill-defined diseases . \ F	3 44 46	10 40 73	11 61 83	158 172	25 149 167	26 158 188	8 69 85	41 440 593	15 186 220	11 119 131	46 305 354	22 270 376	14 128 159	65 434 481	50 46	712
33	Motor vehicle SM accidents F	_3	16 2	14 4	42 13	36 20	57 16	23 11	93 26	27 7	25 7	68 26	46 21	38 13	92 33	8	152 41
34	All other accidents M	11	21 17	13 10	42 28	47 43	56 54	31 30	99 92	31 63	35 24	103	83	32 34	133	12 5	148 147
35	Suicide $\dots M_F$	5 2	5	10 8	24 15	19 12	26 16	14 8	52 37	21 18	8 5	49 29	53 24	16 14	62	3 2	90 83
36	Homicide, operations M F		2	_	1		1 2		2	1 2	1	1 5	1 2	_1	9		2

	TABLE 2	1	ontinu	ied. (Count	y bor	oughs	and	admi	nistra	tive c	ounti	es				
ı	Registrar General's Supplementary Abridged List	Merthyr Tydfil	Newport (Mon.)	Swansea	Bedfordshire	Berkshire	Buckingbamshire	Cambridgeshire	Cheshire	Cornwall	Cumberland	Derbyshire	Devon	Dorset	Durham	Ely, Isle of	Essex
	Infectious hepatitis M F Malignant neoplasm, M	2 2	4	5	1 6 7	5 3	1 1 7 2	7	2 2 20 18	1 8 6	1 7 5	2 3 21 8	4 3 20 4	2 1 12 5	1 4 36 16	_ 4 1	1 6 48 23
	mouth and pharynx \ F Malignant neoplasm, oesophagus F Malignant neoplasm, f M intestine and rectum F	3 3 9 7	5 1 31 20	7 8 29 28	10 5 42 53	9 6 47 62	10 8 67 75	5 1 30 31	27 27 128 162	10 17 55 71	9 3 31 41	19 14 133 112	31 17 104 144	12 15 61 71	16 15 163 136	3 3 15 28	42 23 234 287
3(1) 4(5)	Malignant neoplasm, M Iarynx	4 6	3 2 5 10 6	4 1 9 4	3 1 20 37	$\frac{2}{17}$ 29	5 2 22 26 15	4 10 9 8	16 47 57 32 14	1 1 19 50 27	2 13 8 6	12 1 47 50 31	8 4 37 76 21	6 1 21 23	22 7 64 67 33	1 3 11 4 2	25 6 75 155 90
	bladder \ F Malignant neoplasm, bone (including jaw-bone)	1 -	3	1 1	2 2	- 2	5 3	6	7 6	5 2	3 2 2	17 5 5	13	11	24 9 4	2 —	33 8 8
` '	Lymphosarcoma, reticulosarcoma F Hodgkin's disease M F	- 1 -	1 1	3 1 3 3	6 4 6	3 5 3 1	7 5 3 3	3 3 1	13 10 14 4	8 4 5 6	1 1	4 6 13 4	7 4 8 4	6 3 3 4	11 10 12 6	2	21 26 31 14
	$ \begin{array}{cccc} Thyrotoxicosis & \ldots & \prod\limits_{F} M \\ Multiple \ sclerosis & \ldots & \prod\limits_{F} M \\ \end{array} $	1 1	1 1	1 1 1	3 1 3	4 1 7	1 3 3 5	2 1	2 7 8 15	3 4 3 8	2 1 1	2 5 5 8	1 4 5 12	- 6 - 2	1 3 7 11		2 5 15 17
` ′	Rheumatic fever $$ $\left\{ egin{array}{l} M \\ F \end{array} \right.$ Chronic rheumatic heart $\left\{ egin{array}{l} M \\ disease \end{array} \right.$	_ 4 6	_ 6 13	- 13 21	1 11 28		30 35	- 6 13	2 1 37 103	1 1 14 31	- 9 19	2 4 31 74			55 85	3 6	4 3 83 170
	Hypertension without mention of heart Pneumoconiosis and chronic interstitial pneumonia	9 7 8 —	6 7 —	15 19 3	18 18 3 1	23 26 4 2	12 13 4 5	3 15 —	54 69 8 4	25 31 15 3	8 15 7 1	61 62 10 3	47 48 2 —	20 25 —	60 47 37 4	7 6 —	134 134 9 5
	$ \begin{array}{lll} \text{Ulcer of stomach} & \dots \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ \text{Appendicitis} & \dots & \dots \right\} \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ \end{array} $	$\frac{2}{2}$	1 1 1 1	6 2 1 3	6 8 2 4	9 6 2	14 13 4 1	5 5 3 2	31 19 7 6	10 10 - 2	3 9 1 1	16 12 5 6	13 20 5 3	8 12 2 1	14 19 8 5	3 5 1 1	54 28 13 10
2(5) 2(6)	Intestinal obstruction and hernia	1 2 2 3	1 4 2 3	2 6 1	6 15 6	14 7 2	7 19 6 5	4 5 3 2	26 32 17 15	10 20 8 4	6 5 2 2	23 23 13 7	28 19 8	13 4 2 3	18 24 8 15	3 - 2 1	46 44 20 22
	Cholelithiasis, cholecystitis	3 1 —	2 2 1	1 2 —	1 2 —	3 6 —	11 —	1	5 21 —	7 16 2 2	2 2 —	6 8 -	10 12 1	5 4 —	13 21 1	2	16 29 —
0(3)	Abortion F Rheumatoid arthritis and f M allied conditions f F	- 2			2 2 5	2 5	1 5	1 4	- 6 10	1 4	 2 4		- 4 18	11 5	2 3 14	1	2 6 27
	Birth injury	4 2		5 2 4 2	5 7 11 11	11 3 8 8	3 15	1	35 18 35 30	2 2 6 3	7 3 9	14 10 33 16	9 6 22 6	3 3 6 6	23 18 26 15	2 1 5	50 26 63 27
	Pneumonia of newborn { M F P P P P P P P P P P P P P P P P P P	-	1 1	1 1	6 3	2	5 2 1		7 6	4	1 4	12 9 —	2	2 5	12 6 2	1	20 12 2
	Haemolytic disease of SM newborn SM F	-	1 7	7	1 2 18	3		_	10 5	1	1 2	2 3		<u>1</u> 8	3 3 58		19 13 44 47
2(14)	other disease peculiar { F to early infancy} Senility without psychosis { M F } Ill-defined and unknown { M F } cause	10	3	14	19	10	5	5	136 218 5	37	36 67 3	60 55 2	37 135 2 4	24	81 103 6 3	9	88 165

		_							1	1	Coun				1	ı	i	
	Registrar General's Abridged List		Gloucestershire	Hampshire	Herefordshire	Hertfordshire	Huntingdonshire	Kent	Lancashire	Leicestershire	Lincolnshire (Parts of Holland)	Lincolnshire (Parts of Kesteven)	Lincolnshire (Parts of Lindsey)	Middlesex	Norfolk	Northamptonshire	Northumberland	Nottinghamshire
1 2	Tuberculosis, respiratory	{M F M	13 11 4	27 6 1	7 2	31 16 2		80 29 5	128 35 5	12 6 4	6	6 2	8 3	88 28 5	12 6 2 3	17	15 5 2 2	19 5 3 3
2	other	(F	2	2	1	2		7	8	1	1	1	2	6		-	2	3
3	Syphilitic disease Diphtheria	{M F M F	6	5	1	3	1	18 5 —	36	5 1 —		2	2	32 16 —	1	2	3	6
5	Whooping cough	∫ M	-	1	_			-	-	-	_	_			_		-	
6	Meningococcal infections	} F M F	1 2 1	2 2		_	_	1 5 1	7 3	1			2	3	1 2		2	3
7	Acute poliomyelitis	$\begin{cases} M \\ F \\ M \end{cases}$	3	2 2		2		2 2 3	2 3 2					6 1 1 1				1
9	Other infective, etc., diseases	∖F {M F	4 3	14	2	5 9	1 1	20 22	26 16	5	1	3	3 5	24	3 7	4 7	7 4	3
10	Malignant neoplasm: stomach	${M \atop F}$	49	96 67	19 19	97 76	14 8	256 202	424 342	63 48	15 15	31 10	40 30	323 292	76 38	33	66	102
11	lung, bronchus	{M F	135 24	247 43	17 13	271 42	29 3	719 129	780 112	112 14	23	29 10	90 13	1,092 175	113	82 9	159 25	187 19
12	breast	${M \atop F}$	88	121	30	141	16	338	399	55	13	16	61	519	89	48	74	98 37
13	uterus	F	46	50	14	62	26	938	1,082	31 189	56	71	186	1,169	237	25 153	43 246	298
14 15	Other malignant and lymphatic neoplasms Leukaemia, aleukaemia	${\mathbf{F} \atop \mathbf{F} \atop \mathbf{F}}$	218 185 12 5	391 324 23 19	59 58 4 2	346 338 20 18	36 31 3 1	910 53 46	1,008 1,008 52 59	170 11 13	35 4 2	59 6 5	148 7 11	1,183 61 65	216 17 6	138	211	247 12 12
16	Diabetes	. { M F	9 17	16 26	5	20 30	2	44 73	51 131	11 18	4 2	3	10 20	42 93	15 24	18	5 31	10
17	Vascular lesions of nervous system	. {м F	278 463	473 668	86 114	400 647	35 49	1,082 1,543	1,829 2,516	262 328	97. 83	78 139	230 297	1,048 1,760	260 402	184 245	418 506	381 528
18 19	Coronary disease, angina Hypertension with heart disease	$\begin{cases} M \\ F \\ M \\ F \end{cases}$	518 311 55 50	801 500 84 86	127 73 13 19	701 452 62 117	67 53 4 8	179	2,742 1,651 238 314	364 233 46 56	89 61 10 7	149 71 17 10	392 235 44 48		384 237 37 56	312 182 33 34	618 354 40 65	521 287 65 83
20	Other heart disease .	. { M	363 505	454 689	111 146	370 580	39 65		1,538 2,391	259 326	89 81	114 153	254 247	947 1,695	349 429	194 324	363 459	500
21	Other circulatory disease	. { M F	111 121	160 184	27 31	131 183	15 12	434 522	530 668	94 92	25 47	37 32	82 77	534 704	132 157	65 60	108 98	123
22	Influenza	$\begin{cases} M \\ F \\ M \end{cases}$	52 67 111	47 63 204	24 10 51	51 77 242	12 9 12	133	196 228 589	24 29 69	10 8 16	23 21 54	21 24 58	199 172 691	45 42 150	32 33 64	24 22 126	30 23 124
23	Pneumonia	· { M F	116	202	43	257	17	548	570	70	28	45	53	714	147	64	89	82
24	Bronchitis	$\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$	139 55	199 72	43 23	227 105	13		537	114 48	38 16	15		980 443 145	94 52 11	118 47 17	187 66 30	254 90 42
25	Other diseases of respiratory system.	${}_{\cdot}{}_{F}^{M}$	42 14	45 26	11	35 26	3	87 53	170 74	23	5	6 3			11	5	16	23
26	Ulcer of stomach and duodenum .	. { M	22 20	52 18	11 3	51 20	1 2 1	127 52	62	29 10	11	3 2	13 5 10	156 91	16	20 7	36 17	1 8
27	Gastritis, enteritis and diarrhoea .	${M \choose F}$	11 24	6	3 3	18 20	1 4	27 48		10		2	10 10		3 12	7 7 7	9	13
28	Nephritis and nephrosis	{M F	23 16	31 21	6	27 19	6		100 97	34 19		3 6	11 15		22 17	12 6		25
29 30	Hyperplasia of prostat	te M	23	49	16 1	46				19 4		10	34	142	44	30	34 6	
31	abortion Congenital	∫M	24	44	8	39	6	87		16	10	8 2	16		22 15	20 16	22 27	31
32	malformations Other defined and ill-defined diseases.	. } F M F	30 160 209	317	12 61 70	37 298 359	52 59	71 613 832	969	27 163 215		54	160	790	144	114 124	218 226	232
33	Motor vehicle accidents	${M \choose F}$	52 23 52 54	115 19	15 2 16	69 21	10	42	101	49 10	3	19 5 28	38 10	79	6	22 8	50 12	17
34		. { M F			21	93 96		175	330	51 40	7	17	26	249	48	30 39	65	56
35		$\left\{egin{array}{c} M \\ F \end{array}\right\}$	26 23	26 25	10 6	48 31 2	2	97 56			4	4 2	27 11		11	21 12	2	3
36	Homicide, operations of war	. { M	1	3	-	4		6			_	_	3	9			1	3

		IAI	ole .	21-0	ontin	иси.	Aumi	IISH A	tive	count	103						
l	Registrar General's Supplementary Abridged List	Gloucestershire	Hampshire	Herefordshire	Hertfordshire	Huntingdonshire	Kent	Lancashire	Leicestershire	Lincolnshire (Parts of Holland)	Lincolnshire (Parts of Kesteven)	Lincolnshire (Parts of Lindsey)	Middlesex	Norfolk	Northamptonshire	Northumberland	Nottinghamshire
` ′	Infectious hepatitis $\begin{cases} M \\ F \end{cases}$	3	3 3	1	3	_1	5	7 6	1 3	_	1	1	8			1	1
(1)	Malignant neoplasm, M mouth and pharynx F	9 6	24 7	2	22 9	3	31	57 36	15 8	2	6	1 7 2	47 29	6	4	11	17 8
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	14 2 59 56	23 15 106 105	4 6 15 15	24 19 84 132	1 2 7 5	52 42 231 309	77 55 316 370	8 5 58 65	15 21	3 1 22 26	10 10 48 60	51 45 329 418	16 8 63 85	3 37 44	8 13 76 92	15 2 87 80
(4)	Malignant neoplasm, {M larynx F	4 3	3 4	3	8	1	2 9	22 11	4	2	1 2	3	21	8	1	2	7 3
	Malignant neoplasm, F cervix uteri	27	31	10	32	8	89	122	23		4	17	106	22	11	28	18
	Malignant neoplasm, M prostate Malignant neoplasm, \(\int M \)	32 14	73 36	10	56 25	5	174 91	154	25 15		12	23	144	17	28 15	28	40 25 7
	bladder {F	ii	15	3)	25 17	3	37	44	4	-	2	4	53	10	5	8	7
	Malignant neoplasm, { M bone (including jaw-bone)	2	6	aparagraphic.	7	1	14 9	15 14	3			3 2	13	5		5	2
		5 3 5 7	12 6 12 5	1 1 1	11 10 8 4	3	27 20 27 13	20 9 28 19	10 7 1		3 1 —	3 1 2 2	33 26 35 20	5 3 1 1	3 2 1	5 1 12 1	7 5 4 5
2(1)	Thyrotoxicosis \{ M		-8	3		_	11	27		_	_	3	3 12	-2	-3	2	2 2
2(2)	Multiple sclerosis	4 7	4 12		2 6 11	1	9 29	27 14 25	10	1		1 5	18 33	3	5	4 9	3 4
2(3)	Rheumatic fever \ M		1	2		<u>-</u>	_	4	1			_	3	April and a	1	1	1
0(1)	Chronic rheumatic heart M disease F	23 36	20 44	10 10	34 61	4	77 139	124 268	17 31	6	4	22 16	111 210	18 31	12 19	23 33	37 57
	Hypertension without mention of heart Pneumoconiosis and chronic interstitial pneumonia	24 26 17 1	49 50 6 3	10 3	52 49 5 1	5 4 1	141 124 7 6	161 144 57 5	33 31 2	. 7	16 10 —		195 252 19 11	30 24 1	26 19 3 1	32 22 7 1	56 34 5
6(1)	Ulcer of stomach \ M F	13 10	26 11	2	28 16	1	60 34	66 45	10		2 3	5 3	88 56		7 5	12 10	11 3
2(4)	Appendicitis \ M F	5 2	7 8	4	5		34 15 9	45 23 12	723		1	5 3 5 2	15 12	4	3	1 2	9
2(5) 2(6)	Intestinal obstruction and hernia	9 21 4 5	21 21 10 10		21 26 7 11	2	13	79 85 24 31	10 16	5 2	5 2	- 4	73 67 23 31	10 13 4 5	4 2 1 4	8 14 7 6	21 15 9 9
2(7) 0(1)	Cholelithiasis, cholecystitis	2 9	7 15	2 4	6	4	15 27	21 52 1	. 4	2	1 2	6	21 41 4	7	9 6	7 10 2	3 13 1
0(2)	abortion) Toxaemias of pregnancy F	_		1	1	_	1	5		-		_				2	1
0(3)	and puerperium Abortion F	1			1	-	2	3	_	-			3		_	1	
2(8)	Rheumatoid arthritis and $\left\{ \begin{array}{ll} M \\ F \end{array} \right.$	3	12 12	2	11	3	5 30	17 41	10	2 1	1 2	5	7 30	4 5	1 7	2 9	7
	Birth injury $\begin{cases} M \\ F \end{cases}$	12	17 17	4	15		26 10	57 18	15			16 5	45 36	5	3 2 17	10 14 20	14 13 16
2(10)	Postnatal asphyxia and Matelectasis F	14	35	4 2 2 6	22 11	2	39 26	86 70	8	5 5	1 2 2 3	5 5	66 51	11	17 5	20	16 19
	Pneumonia of newborn { MF	2 3	6		7 5	2	12	28 17	1	1 2	1	4	9 10	3	5	1 4	6
2(11)	Ophthalmia, pemphigus, M sepsis of newborn F		1		3		2	2	_		-	1	1 2	_		1	_
	Haemolytic disease of newborn	2 18 14		1	28 28 12	1 2 5	7 7 68 44	9 10 68 69	9	1 -2	_	1 2 16 7	7 8 74 63		1 3 5	1 3 15 8	4 2 21 7
	Senility without psychosis { M F F S S S S S S S S S S S S S S S S S	40	98	18			187	147 314 9 5	33 70	3 22 45 -		62	47 100 5 9		7 13 3 2	$\frac{31}{36}$	2

	Registrar General's Abridged List	Oxfordshire	Peterborough, Soke of	Rutland	Shropshire	Somerset	Staffordshire	Suffolk, East	Suffolk, West	Surrey	Sussex, East	Sussex, West	Warwickshire	Westmorland	Wight, Isle of	Wiltshire	Worcestershire
1	Tuberculosis, \(\int M \)	7 1	3	1	14	18	69	10	5	59		20	24 12	_	2		
2	respiratory F Tuberculosis,	1 1	1		$\frac{3}{1}$	11 7 6	10 5	6		26 5 12	11 2	5	1		1	1	7
3	Syphilitic disease M	4	2	_		6	9	2	_	27	7	4	7 2	2	1	5 2	5
4	$\begin{array}{cccccccccccccccccccccccccccccccccccc$			-	1	2	3	4		15	5	3					<u>-</u>
5	Whooping cough \{ M	-		_	_	-	1	_	_			_		_	-		
6	Meningococcal	2	=	=	1	1		_		4	=		1	=	=	2	2
7	Acute poliomyelitis \ M F	1		_			-		_	1	_		_	=		1	
8	Measles M		_1	_		1	2 3	_	_	4 3	1		1			2	1
9	Other infective, etc., {M diseases {F	4 2	1	_	2 2 35	9 13	9	3	1 2	18 15	6 5	7 8	6 4		1	5	4 5
10	Malignant neoplasm: M stomach F	19 21	12	5	35	97 68	141 101	36 24	2 22 11	199 168	59 55	55 48	80 65	2 10 4	17 8	65	64
11	lung, bronchus M	62 11	24	5	73	159 32	281	79 14	42 4	610 125	172 43	181	198 34	20	39 8	130 13	19
12	breast $\left\{ egin{array}{c} F \\ M \\ F \end{array} \right\}$	28	14	3	51	111	159	50	24	352	102	114	108	17	17	70	72
13	uterus F	15	6		28	48	60	22	7	113	37	37	48	7	13	15	
14	Other malignant and SM lymphatic neoplasms	97 78	36 33	12 4	182 130	303 254	430 349	152 128	75 71	772 797	255 276	282 269	273 237	37	53 59	177 189	245 197
15	Leukaemia, M aleukaemia { F	5	1	_	8 4	15	27 31	2 7	5 4	50 45	16	14	15 19	3	2	12 14	
16	Diabetes	3	2 5	1 2	11 11	17 24	27 41	10 14	3	29 56	10 21	11	11 20	1 5	1 6		13
17	Vascular lesions of M nervous system F	129 156	45 81	19 18	241 308	374 605	619 719	162 217	86 118	784 1,388	310 554	328 574	321 444	77 109	93 139	257 326	319 376
18 19	Coronary disease, angina \ F Hypertension with heart disease \ F	216 121 16 21	80 41 1 1	24 18 1	339 195 43 31	553 386 57 87	846 457 73 101	273 174 29 19	127 82 12 16	1,592 1,106 108 205	475 355 35 71	503 374 33 63	534 308 60 70	101 74 4 11	141 75 11 29	395 247 31 39	417 259 47 63
20	Other heart disease \(\) M	122 137	36	20	216	360	607	212	107	756	303	331	296 416	40	108	347 414	324 427
21	Other circulatory SM disease SF	137 37 41	33 13 20	23 6 5	304 52 65	581 159 171	849 145 188	250 68 85	113 27 40	1,446 335 476	568 112 182	600 121 152	416 116 129	85 16 19	173 20 25	107 76	427 85 84
22	Influenza $\begin{cases} M \\ F \end{cases}$	16 17	3	3 4	40 37	47 52	135	16 35	23 33	201 212	38 47	31	63 48	2	12	32 36	56 40
23	Pneumonia M	70 68	16 16	12 12	78 50	116 133	224 198	53 58	32 37	440 561	127 143	146 151	166 162	11	50 34	108 104	126 128
24	Bronchitis $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	56 20	30 5 7	4 2 2	109	145 65	435 143	53 22	36 20	517 220	130	120 49	196	11	35 11	112 50 20	211 57 19
25	Other diseases of respiratory system { M	16 7	7 5		20	53 14	74 34	16 7	8 5	76 64	28 24	32 14	55 20	4	6 7	12	8
26	Ulcer of stomach SM and duodenum F	13	5	2	11	46 22	62 29	14 6	9	49	27 20	39 10	37 21	4 2	9	23 13	26 13 3 15
27	Gastritis, enteritis M and diarrhoea F	13 3 2 5	3	1	3 4 12	22 17 19	24 20	4	3 4	42 57	8 27	11	11	4 2 3 2	1 8	11	
28	Nephritis and nephrosis	13 2 11	1 2		12 8 22	26 16	33 31	6	5	44 35	15 15	10 19	25 17	1	6	18 15	19 17
29 30	Hyperplasia of prostate M Pregnancy, childbirth, F	11	6	2	22	54 3	71	25	13		28	44	43	5	6 7 2	37	29
31	abortion Congenital M malformations F	12 11	3	1	9 17	22 30	37 49	9	8 5	79 66	20 12	13 15	37 33	4 4	1 2	28 25	26 25 157
32	Other defined and ill-defined diseases. F	80 74	41 40	11 9	139 158	260 350	427	68 106	47 44	559	147 219	148 232	213 268	27 46	48 59	210 227	209
33	Motor vehicle SM accidents F	36 8	10	6	36	43 15	101 36	26 6	19 7	116 66	39 16	33 13	81 18	10	6	56 18	39 16
34	All other accidents M	33 24	12 9	4 2	40 23	63	126 95	42 41	12 16	133	46 74	33 63	65 100	8	12 14	34 30	
35	Suicide $\ldots \qquad \begin{bmatrix} M \\ F \end{bmatrix}$	6	4 5	2	30 11	35 31	61 44	15	9	80 80	31 25	26 22	49 20	1 2	7	27	35 12 2
36	Homicide, operations M of war F	1		_	4	1 2	3	3	1	7 3	5		5		1	1	

		IAI	JLE A	-1	ontini	ieu. F	xuiiiii	usua	uve c	ountr	-5						
	Registrar General's Supplementary Abridged List	Oxfordshire	Peterborough, Soke of	Rutland	Shropshire	Somerset	Staffordshire	Suffolk, East	Suffolk, West	Surrey	Sussex, East	Sussex, West	Warwickshire	Westmorland	Wight, Isle of	Wiltshire	Worcestershire
	Infectious hepatitis \ M F F Malignant neoplasm, mouth and pharynx \ F				1 13 6	1 4 10 7	3 22 14	1 1 9 4	- 1 3 1	4 6 32 19	1 1 15 3		1 1 18 6		1 1 1	1 1 7 3	1 1 17 5
	Malignant neoplasm, oesophagus	10 4 24 21	2 4 10 12		12 8 50 47	21 10 88 90	12 15 125 122	13 8 48 46	6 2 29 28	37 29 195 241	12 12 60 104	10 6 74 94	16 9 78 85	2 1 10, 13	7 1 17 24	9 2 45 68	12 8 71 73
1) 1 5) 1	Malignant neoplasm, larynx	$\frac{1}{8}$ 14	1 -4 3 5 1	5	3 3 18 34 10 3	5 1 28 54 25 5	11 41 70 37 12	5 2 13 29 13 4	3 1 6 12	20 4 66 124 82 37	7 4 20 41 27 11	17 1 21 55 31 15	8 4 22 31 20 13	- 4 3 7 3	1 1 9 12 2 1	17	$\frac{2}{22}$ 37 26 4
8)	Malignant neoplasm, bone (including jaw-bone) Lymphosarcoma, reticulosarcoma redudgkin's disease M	1 1 1 -1	1 1 1 1 2		3 2 3 5 3 2	4 4 5 7 2 4	3 5 10 5 9 2	1 3 3 2 1	1 2 3 —	12 9 20 20 13 17	6 3 7 8	8. 10 3 3	4 3 4 8 7 9		1 1	3 1 5 5 4 3	3 3 4 5 1 3
	$ \begin{array}{cccc} \text{Thyrotoxicosis} & \dots & \dots \left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right. \\ \text{Multiple sclerosis} & \dots \left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right. \\ \end{array} $	2 1 3	- <u>1</u>		1 1 1 1	3 2 1 6	1 2 4 5	1 1 10	2 1 1	1 6 18 28	1 3 4 7	1 2 5 4	3 4 6 10	1 - 1	1 2 1 1	1 2 3 9	4 2 2
ľ	$ \begin{array}{cccc} \textbf{Rheumatic fever} & \dots & \left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right. \\ \textbf{Chronic rheumatic heart} & \left\{ \begin{matrix} \mathbf{M} \\ \mathbf{M} \end{matrix} \right. \\ \textbf{disease} & \dots & \dots & \left\{ \begin{matrix} \mathbf{F} \end{matrix} \right. \\ \mathbf{F} \end{array} $	99				2 25 47	2 42 87		5 8	60 142	$\frac{1}{23}$	- 12 31	2 1 31 42		5 5	1 1 24 35	1 22 31
	Hypertension without mention of heart Pneumoconiosis and chronic interstitial pneumonia	11	2 4 1	1 1 —	22 22 6	47 40 16 2	52 55 25 1	16 25 1		109 134 5 2	20 41 4 2	31 46 1	38 34 23 1	2 4 1	10 2 —	23	2
	Ulcer of stomach	10 1 1	2 2 1	1 1	2 2 4 1	26 15 5 3	29 16 9 5	8 5 4	3 2	44 36 17 13	17 12 2 1	12 5 4 4	16 16 4 1		1 2	- 7	7 3
(5) (6)		1 4 4 4 2	3	1 2	7 10 1 3	25 19 9 3	25 18 15 9	7 6 2 2	3 1 2 2	56 39 14 18	13 24 8 7	16 18 7 7	12 22 9 5	2	2	1 22 15 5 3	11
(7) (1) (2) (3)	Cholelithiasis, cholecystitis		1 -		2 5 -	7 13 1 1	8 19 1	5	4	14 28 1	39	1 10 1	5 14 1 1	2 5 —	- 1 	10 -	13 -
2(8)	Rheumatoid arthritis and $\left\{ \begin{array}{ll} M \\ F \end{array} \right.$	1 -	1	=	2	7 6	4 15		1 3	5 16	2 8	3 10	11	_	3	7	6 9
	Birth injury $\begin{cases} M \\ F \end{cases}$ Postnatal asphyxia and atelectasis $\begin{cases} M \\ F \end{cases}$	1 7	771	1 1	10 4 14 8	7 18	40 14 38 30	2	77 2	21 21 46 28	3 2 4 4	3 5 8 3	8	1	3	14 6 11 - 5	6
	Pneumonia of newborn { F F F F F F F F F F F F F F F F F F	1 -	1		1 2 1	4 6 —	15 9 3 1	1	1	7 7 2	3 1		2		-	4	
	Haemolytic disease of newborn	1 10		-			5 3 26 18	6	3 2	8 42 25	1 4 3	2 2 12 10	3 5 25 14	2		2 1 1 3 17 1 12	12 12 15
	Senility without psychosis { N F F F F F F F F F F	1.	2 12 23		31 43 1 1	130	135	14		53 181 1	17 48 3	15 44 1		16 —	14	49 4 84 4 3	20 58 —

		11	ARLE	21	conti	nued.	Adm	inistr	ative	coun	ties						
	Registrar General's Abridged List	Yorkshire, East Riding	Yorkshire, North Riding	Yorkshire, West Riding	Anglesey	Brecknockshire	Caernarvonshire	Cardiganshire	Carmarthenshire	Denbighshire	*Flintshire	Glamorganshire	Merionethshire	Monmouthshire	Montgomeryshire	Pembrokeshire	Radnorshire
1 2	Tuberculosis, SM F respiratory	1	25 7 1	88 31 10	4 2	4	26 2 2	4	9 4 1	12 3 2	9 2	73 14 2 3	4	30 7 3 2	4	6 2 1 2	1
	other\F	2	1	19	1	-	-		3		5	9		6	and and	2	_
3	Syphilitic disease $$ M F M	7	5	6	1	1	3 2		1	1		4				_	_
5	Whooping cough \ N	ı		_	-	-				-				-		-	_
6	Meningococcal SM F			2 2 4	1		1	1	1	2		3		1			_
7	Acute poliomyelitis $$ $\left\{ \begin{matrix} N \\ F \end{matrix} \right\}$ Measles $$ $\left\{ \begin{matrix} N \\ F \end{matrix} \right\}$	-		1 5 1		distriction of the second								1 1			
9	Other infective, etc., {N	1 2	6	20	3 1	3	3 2 45 32	_	1	3	1	12		4	1	2	_
10	Malignant neoplasm: { N	21	68 50	318 250	13 9	1 9 5	1	26 12	42 40	58 29	34 26	148	12	67 57	11 8	26	3 5
11	lung, bronchus \{ \bar{Y} \}	11	112 22	556	16	16	37 13	15	60	68 6 2	61	229	14	100	13	36	2
12	breast $\dots \begin{cases} M \\ F \end{cases}$	38	66 27	263 161	14	10 2	26 8	10	30 10	39 22	28	100	5 2	51	7 7	20	3
14	Other malignant and \(\) \(\)		188	839			73	26	84	102	86	380	16	195	31	52	13
15	lymphatic neoplasms { F. Leukaemia, aleukaemia	118 1 11	183 13	729 46 30	25 32 	21 1 1	76 3 5	43	77 7 5	109 3 5	65 5 4	306 24 15	28 2 2	123 6 6	17 1 3	43	11
16	Diabetes $\dots \{ \{ \} \}$		11 18	47 88	1 4	4 2	2	-3	6 14	3	4	15 39	2	5 13	4	3	-
17	Vascular lesions of nervous system	A 201	296	1,261	76 75	37	126	51	146 215	152 221	107 208	554 703	38 64	244 265	53 63	82 104	23 17
18 19	Coronary disease, angina	7 171 VI 18	280 31		70 25 5 10	42	89	76 53 7 15	245 128 17 28	215 120 16 25	185 108 19 25	967 523 100 96	41 19 6 5	408 202 46 62	52 28 5 7	141 67 10 21	23 24 3 2
20	Other heart disease	M 168			54 77	63 74	85 165	67 88	119 141	120 209	78 98	504 629	34 58	268 335	41 56	35 60	22 18
21		M 62	76	391	13 20	18	57	18 12	60	35 47	33 39	216 194	16 17	. 82	8	31 27	9
22		VI 25	21	131 160	833	8	15	6	5 11	15 14	10	64 57	7 5 3	31 16	7	12	5
23	Pneumonia {]	M 52 F 45	89 68	392 398	6	10		7 12	38 25	40 41	38 31	164 155	5	71 32	8	16 19	5
24	(1	M 84	43		12 14	2	51 21	14	65 19	64 32	55 25	424 141	16	215 82	7	27	3 2
25	Other diseases of respiratory system	M 13	177	122 38	1	13	12	3	74	18 4	14 5	184 21	3	47 7	5	4	_
26 27	and duodenum \	M F M F	1 26 5 10 8 9	53 34	2	2 2 2		5 2 1	7 5 3 5	9 2 4 4		45 11 11 14	5 1 2	23 10 14 10	3 1 —	10 2 —	1 1 -
28	nephrosis \	M 1: F 1 M 3	3 22 1 9 1 33	68 65 104	12	3 3	3 3 8 17	5 6 8	8 8 27	11 6 23	8 8 13		3	19 12 39	3 2 9	8 8 10	1 8
30	Pregnancy, childbirth, abortion	F	1 2	10	1	-	- 1			annua.	1	4	1	3	-	1	-
31	malformations } Other defined and	M F M 8 F 11	7 20 9 19 5 153 3 170	65 666	3	1 2 1 24 7 41	51	3 26	79		11 66		18			11 7 43 59	14
33 34	accidents \	M 2 F M 2	5 44 5 14 9 59	254		3 2 8 12	2 3	3	35	26	5 24	27 158	1 8		5		-
2.4	S. Swieide	F 3	6 5			7	1 12			19				34 17			-
35	Homicide, operations	M 1 F 1 M - F -	7 3:	3 107 7 79 3 11		3	1 12			77	5 2		4	14	3	2 1 1	-
-						-											-

^{*} The figures for this area include 5 deaths (3M, 2F) (including 1M death from tuberculosis of the respiratory system) in a Polish General Hospital which could not be transferred to the area of residence.

256

		TAE	LE 2	1	mumi	uea. F	Zuiiiii	iisti a	iive c	ountie	23						
	Registrar General's Supplementary Abridged List	Yorkshire, East Riding	Yorkshire, North Riding	Yorkshire, West Riding	Anglesey	Brecknockshire	Caernarvonshire	Cardiganshire	Carmarthenshire	Denbighshire	Flintshire	Glamorganshire	Merionethshire	Monmouthshire	Montgomeryshire	Pembrokeshire	Radnorshire
9(1)	Infectious hepatitis { M F	_	1 1	7 2			1	_	_1			4	=	2		1	
4(1)	Malignant neoplasm, Mmouth and pharynx F	5 3	7 7	41 20	1 2	1	6	1	2 3	4	5	22 10	1	7 5	3	3	3
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	7 4 44 53	10 9 61 63	34 18 270 259	1 5 11 11	$\frac{3}{14}$	4 4 28 29	2 4 11 16	11 11 23 30	6 11 30 35	8 10 28 24	31 17 127 103	3 5 4 9	16 6 66 49	2 1 8 6	1 14 13	1 6
	Malignant neoplasm, larynx	3 1 19	5 1 16	22 11 112	<u>-</u>	1	<u>3</u>	1 1 6	5 8	3 1 12	1 2 10	9 4 37		3 3 15	3	1 6	<u>-</u>
	cervix uteri Malignant neoplasm, M	25	32	113	5	2	8	3	13	10	16	37	1	25	71	9	2
4(6)	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	8 5	13 5	67 25		_	5 2	1 2	, 6	7 5	7	25 8	2	14	1	2	1
4(7)	Malignant neoplasm, {M bone (including jaw-bone)		3	19 19			2 2	2	2 1		_	6	_	3	=	2	
4(8)	Lymphosarcoma, reticulosarcoma { M	1 1	8 5 3	15 12	616;rmh	1	1	_	1	2	_	5	_	5	_	1	-
(4(9)	Hodgkin's disease $\dots \begin{Bmatrix} M \\ F \end{Bmatrix}$		3	13 13	1		1	1	2	-	-	13 9	_	1	_!	1	_
	Thyrotoxicosis $\cdot \cdot \begin{cases} M \\ F \end{cases}$	2	3	3 8	. 1	1	_	_	-1	3	3 2	1 6 5			-	1	1
32(2)	Multiple sclerosis $ \begin{Bmatrix} M \\ F \end{Bmatrix} $	2 4 2	3 1 7	6 20	3	1	1		3 1	1	1	8	1	2		3	
32(3)	Rheumatic fever $\cdots \begin{Bmatrix} M \\ F \end{Bmatrix}$		_	3 4		-	_	_		1	1	1		3	_	1	_
20(1)	Chronic rheumatic heart { M F	8 9	12 23	109 171	6 6	5 8	6 8	2 10	14 22	11 23	11	57 97	4 5	21 31	3	2	3
21(1) 25(1)	$ \begin{array}{c} \text{Hypertension without} \\ \text{mention of heart} \\ \text{Pneumoconiosis and} \\ \text{chronic interstitial} \\ \text{pneumonia} \end{array} \begin{array}{c} M \\ F \\ \end{array}$	10 10 1	19 28 2 —	112 113 33 4	7 9 1	6 6 11 —	19 18 6	5 5	19 24 47	13 15 5	10 17 7	65 58 139 1	7 8 1	23	2	8	3 2 -
26(1)	Ulcer of stomach $\dots \begin{cases} M \\ F \end{cases}$	7 3	14 5	44 31	-1	1 2 2	4	1 2	5 5 2	4 2 2 5	7 4	23	2	12	1	6	1
32(4)	Appendicitis $\dots \begin{cases} M \\ F \end{cases}$	4	4	15 11	_		1	1	1	5	_	6 9 5	_	2	3		-
32(5) 32(6)	$ \begin{array}{c} \text{Intestinal obstruction} \\ \text{and hernia} \\ \text{Cirrhosis of liver} \end{array} \cdot \cdot \cdot \left\{ \begin{array}{c} M \\ F \\ M \\ F \end{array} \right.$	10 6 4 1		36 32 18 16	3 4 -	2 3 -1	4 4 1	3 1 1 1	9 3 -4	10 9 5 1	5 3	28 16 10 7	1 1	14 12 7 6	2 2 2	2 4 1 1	
	Cholelithiasis, cholecystitis	1 3 1	4 7 1	23 43 1	3		3 3 1	1 2	2 8	3 4	2	12 23 1	1	5 4		3	=
30(2)	abortion) Toxaemias of pregnancy F and puerperium		_	4	1	_	_	-	-	_	-			_		-	-
	Abortion F	. —							_	_		_	-	1	1	1	
32(8)	Rheumatoid arthritis and $\begin{cases} M \\ F \end{cases}$	4	4	10 26	1		2	1	2	3 2	1	2 19	2		2	2	
	Birth injury \{\begin{align*}M \ F \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	5 3 4 5	10 9	26	1 1 2 2	2	1 2 5 3	3 2	6	8	4 3	22 10 59	_	11 5 17	2 3	2	_
32(10) Postnatal asphyxia and atelectasis $\left\{ {\mathop{\mathbf{F}}\limits_{}^{\mathbf{M}}} \right\}$	5	12 9	60 46	2	2 2 2	3	1	6	9	6 5	33	2 1	13	1	-	1
	Pneumonia of newborn { M F	-	3 4	20 14	-	=	- 3	1		1	_3	9	_	2 3		1	_
32(11	Ophthalmia, pemphigus, { M sepsis of newborn { F	1 -	-					_	-	-1		-		_			
32(12	Haemolytic disease of SM newborn { F	1	3 2 20	10			1	_	1		1	1	=	3		1	_
32(13	i) Immaturity (without SM other disease peculiar F to early infancy)	8 3	20 17	57 45	2	2	5	3	8	5	3	32 22	3			3	4
	S) Senility without psychosis { M F F F F F F F F F F F F F F F F F F	51		83 162 2 2	12	18		10	$\frac{17}{27}$		12 -3	94 148 6 2	11 —	13 27 1	14 11 —	15 1	3 7 —

Note. 1 Totals for any period made up from this table will differ from the corresponding figures shown in other tables (except Table 16) which are tabulated according to date of registration.

2 Deaths occurring in the year but which were registered after 31st March of the following year are excluded.

3 See explanatory notes.

ICD No.	Causes of death	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec
	ALL CAUSES $\cdot \cdot \begin{cases} M \\ F \end{cases}$	29,414 27,871	32,474 31,301	28,795 27,893	21,902 21,100	20,625 19,466	18,012 17,282	17,891 17,484	17,802 16,665	17,260 16,443	19,526 18,264	21,810 20,974	24,33
001-138	I Infective and parasitic Miseases	495 215	473 221	483 193	364 169	321 172	269 135	273 139	261 152	282 115	263 154	313 143	33 17
001-008	Tuberculosis of respiratory \{ M \\ system \\ \dots \\ \dots \\ \frac{1}{2} \\ \dots	331 96	320 97	321 92	217 64	198 55	149 51	161 62	159 73	165 49	162 67	209 59	22
010	Tuberculosis of meninges & \ M central nervous system \ F	6	4 2	6 5	7 3	4 5	3	4	2 3	4 2	5 2	3 2	200
011	Tuberculosis of intestines, {M peritoneum, and mesenteric glands	2 2	4	1 2	_1	1	1 2	1 2	1	2 1	1	2 2	T
012, 013	Tuberculosis of bones and $\{M\}$ joints $\{M\}$	1 6	5 8	7 5	<u>-</u>	3 5	5 2	6 5	1 2	3	1 5	2 4	
014-019	Tuberculosis, all other forms {M	12 4	7 9	6 4	12 9	13 10	7 6	5 2	1 6	10 4	4 11	5	
020-029	Syphilis and its sequelae $$ $\begin{cases} M \\ F \end{cases}$	79 48	50 39	53 30	58 28	50 38	52 25	40 17	48 22	43 20	50 22	53 18	5 2
030-039	Gonococcal infection and other venereal diseases { F	_1	_3	4	4		2	3	2	_1	2		5
040	Typhoid fever $$ $\left\{ {\mathop{_{F}}^{M}} \right.$	_	_	_		_	_	_		_1	1 1		1 1
041	Paratyphoid fever M			_		_	_	_	_	_	_	_	
042	Other Salmonella infections $\{M\}$	_2		1	2 2	2	1 1		4	2 3	3 2	2	i.
044	Brucellosis (undulant fever) $\begin{cases} M \\ F \end{cases}$			_			_	_	_	_		_	-
045	Bacillary dysentery $\dots \begin{Bmatrix} M \\ F \end{Bmatrix}$	1	2 2	1	2	2 2	2 2	1 2	_		_	3	1)
048	Unspecified forms of dysentery {M	_	_	_		_	_	_	_	_	_		-
049	Food poisoning (infection { M and intoxication} { F		_	_	_1					=		_1	-
050	Scarlet fever $$ $\left\{ egin{array}{ll} M \\ F \end{array} \right.$			_	_	_	_	_	_	_			-
051	Streptococcal sore throat $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	3	2	2 2	_2	1		_1	_	_		1	-
052	Erysipelas $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$		1 1		_	_	_		1	_	1		-
053, 054	Septicaemia, pyaemia, and {M bacterial toxaemia {F	3 3	4	6	2	4 3	5	1 2	4	5	1 3	2 5	
055	Diphtheria $\binom{M}{F}$	_	_		_	_	_	_	_		_		-
056	Whooping cough $\binom{M}{F}$	2 3	4	1 2			_	_1	_	2	_	1	-
057	$ Meningococcal infections \begin{cases} M \\ F \end{cases} $				9 7	4 10	5 2	_5	6	4 5	4	4	11
061	Tetanus $\binom{M}{F}$	_1	1	_1		1	2	3	1	3 2	2	2	_
070	Vincent's infection $ \begin{cases} M \\ F \end{cases} $		_	_	_		_	_	_1	_	_		-
072	Leptospirosis { M icterohaemorrhagica (Weil's disease)	=	_1	_1	_2	_1	_1	_1	_		_1	_	1
080	Acute poliomyelitis $\left\{ \begin{array}{ll} M \\ F \end{array} \right\}$	6	1	2	3	3	3	8 5	3	5 2	1 4	3	4
081	Late effects of acute poliomyelitis {M	1	_1	-1	1	1 1	-1	3	1	_1	-1	1 2	4

			IADL		COMM								
ICD No.	Causes of death	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
82		5 3	5 2	9 2	7	2 6	5	4 3	5 4	3	1 6	3 5	6
183	Late effects of acute infectious encephalitis $\left\{ egin{matrix} M \\ F \end{array} \right.$	9 6	5	14	7 5	4 5	3 2	4 4	5	9	3	4 5	2
)84	Smallpox $\cdot \cdot \left\{ \begin{smallmatrix} M \\ F \end{smallmatrix} \right.$	_		_	_	_	_	_	_	_	_		
085	Measles $\cdots \begin{Bmatrix} M \\ F \end{Bmatrix}$	3 4	9 10	11	10 10	6	2 4	4	2	1		=	1
086	Rubella (German measles) ${M \choose F}$	_	_	_		=	_		_	_	_		_
087	Chickenpox $\cdots {M \choose F}$	1	_	1 3	2	2	1	_	1	_	2	2	1
088	Herpes zoster $\cdots \begin{Bmatrix} M \\ F \end{Bmatrix}$	1 2	2	1 3	2 3	1 2	1 3	2 3	3 4	4	1 2	1 5	1 2
089	Mumps $\cdots {M \choose F}$	1	1		_	=	_	_	1	_			_
092	Infectious hepatitis $\cdots \begin{Bmatrix} M \\ F \end{Bmatrix}$	7 14	11 15	16 13	7 12	12 7	13	10 11	9 15	11 10	9 12	6 11	8 11
093	Glandular fever (infectious M mononucleosis)		1	1	_	_	_	_	=	_	1	_	_
096	Other diseases attributable \{ M \\ to viruses \qquad \dots \{ F \}		2	_	1	2 2	1		_	1	2	1 2	2
00-108	Typhus and other rickettsial { M diseases	_	1	=	material in the second	_	_	_		_	_	_	_
10-117	Malaria $\cdot \cdot \cdot \left\{ egin{matrix} M \\ F \end{smallmatrix} \right.$	I	_		_	=	-		_	1		_	_
mainder 001-138	All other diseases classified { M as infective and parasitic { F	8 3		7 8	6	5 4	5 7	5	8 4	6	6 4	4 5	8 7
40-239	II Neoplasms $\cdots \in {N \choose F}$	4,578 3,981		4,397 3,851	4,171 3,659	4,342 3,899	4,125 3,663	4,281 3,898	4,279 3,813	4,319 3,735	4,524 3,874	4,457 3,952	4,611 4,006
40-148	Malignant neoplasm of Shuccal cavity and pharynx	1 102		107 46	103 48	100 55		94 51	105 54	112 35	103 57	107 52	102 54
150	Malignant neoplasm of oesophagus { F	1 111	115 89	111 64	94 68	122 69	112 75	118 80	115 67	97 97	128 85		121 76
151	Malignant neoplasm of stomach	701 502		683 525	634 497	681 552	633 521	626 539	663 492	690 465		678 520	680 540
52-154	Malignant neoplasm of intestine, incl. rectum \{ \bar{\text{M}}	4 590		571 669	550 649			569 740	600 666				583 704
55, 156	Malignant neoplasm of biliary passages & of liver \(\)	A 82		75 105	66 104				74 109	62 87			109 113
157-159	Malignant neoplasm of Malignant neoplasm of Malignant pancreas, peritoneum, & Hunspecified digestive organs	1 193			214 165				158 191				197 179
160	Malignant neoplasm of Nose, nasal cavities, I middle ear, and accessory	M 12		15	7 9				5			5 5	10 15
161	sinuses Malignant neoplasm of larynx	M 58	61								11 40	10	
162-165	Malignant neoplasm of lung SI and bronchus, trachea, I mediastinum, and of thoracic organs (sec'd'ry)	1,613 27	1,523 232	1,487 231	1,390 224	1,493		1,497	1,465 246	1,509 244	1,622 243	1,599 3 268	1,588 231
170	Malignant neoplasm of breast	M 77	7 4 767										778
171-174	Malignant neoplasm of uterus	F 33	2 311	345	330	33	320	336	332	334	349	326	373
175, 176	Malignant neoplasm of other and unspecified female genital organs	F 28	6 28:	300	28	7 29	7 283	29:	289	267	31:	2 279	294
177	Malignant neoplasm of prostate	м 30	30	302	28:	2 30	1 259	28	7 291	7 276	31	7 335	323
178, 179	Malignant neoplasm of other and unspecified male genital organs	М 2	21 30	0 24	2	5 2	7 2	4 2	2	7 3:	5 3	2 31	32

ICD No.	Causes of death	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
180	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	63 39	47 30	55 35	61 39	51 37	72 45	56 34	59 38	54 45	60 33	62 38	6
181	Malignant neoplasm of \{ M \\ bladder and other urinary \{ F \\ organs	173 69	167 81	183 88	155 80		139 76	174 70	150 68	170 78	174 78	190 80	16
190, 191	Malignant neoplasm of skin $\begin{cases} M \\ F \end{cases}$	38 49	38 34		35 33	39 27	27 40	36 30	32 37	34 46	35 35	39 46	4
193	Malignant neoplasm of \{ M \\ brain and other parts of \{ F \\ nervous system	91 77	101 55	78 67	89 66	81 73	85 75	90 65	89 81	84 54	93 74	79 66	8
196	Malignant neoplasm of \(\) M bone (including jaw bone) \(\) F	34 24	23 23	24 27	27 22	22 16	20 15	23 19	43 28	26 23	34 20	23 22	3
201	Hodgkin's disease $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	38 39	41 26	46 19	38 27	51 22	44 22	46 33	40 27	53 25	48 28	40 30	5
204	Leukaemia and aleukaemia $\left\{egin{array}{c} M \\ F \end{array}\right.$	115 103	110 98		111 81	92 116		94 94	112 105	98 86	115 103	94	14
Remainder of 140-205	Malignant neoplasm of all \int M other & unspecified sites, \int F incl. other neoplasms of lymphatic and haematopoietic tissues	183 198	170 171	175 180	177 164	158 192		181 191	143 183	171 196	153 207	157 211	17
210	Benign neoplasm of buccal M cavity and pharynx F		_	_	1	_			0-pt-00-	_		_	24 4
211	Benign neoplasm of other M parts of digestive system F	2 1	1	_1		1 2	2	1	4	2 2	3	5 2	
212	Benign neoplasm of FM respiratory system		4	_1	5	1	2		1	2	_2		П
213	Benign neoplasm of breast $\begin{cases} M \\ F \end{cases}$				_		_	_			_		-
214-217	Benign neoplasm of female F genital organs	20	8	12	14	14	20	9	30	16	14	12	i
218	Benign neoplasm of male M genital organs		_		_							1	i i
219	Benign neoplasm of kidney \(\) M and other urinary organs \(\) F	12 5	4		7 3	6 2	4 2	7	6 2	4 2	5 2	6	ı
220-222	Benign neoplasm of skin $\begin{cases} M \\ F \end{cases}$	_					_	special control of the control of th	_		1		١.٠٠ يا
223	Benign neoplasm of brain & M other parts of nervous F system	19 15	10 19		12 11	8 17	8 12	10 18	11 16	11 17	4 17	13 17	1
224-229	Benign neoplasm of all M other and unspecified F organs and tissues	3 10	9		7 7	8 9	6 9	4 7	9 4	6	. 7 5	4 6	ı
230-239	Neoplasm of unspecified M nature F	13 18	18 21	23 14	20 17	25 16	18 16	16 18	15 23	18 21	12 14	25 15	2 2
240-289	III Allergic, endocrine M system, metabolic, and F nutritional diseases	269 404	241 473	211 360	147 326	172 281	130 238	129 300	126 264	122 234	141 263	168 315	16 36
241	Asthma $\left\{ egin{array}{lll} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	82 71	74 99	64 66	45 60	47 55	33 44	35 64	22 55	32 23	31 42	29 50	3 5
Remainder 240-245	Other allergic disorders $\dots \left\{ egin{matrix} M \\ F \end{array} \right.$			_	1	1 2	1	2 2			1 1		_
250	Simple goitre $\dots \left\{ egin{array}{ll} M \\ F \end{array} \right.$			3	1	3	1		1	_1	2	_1	
251	Non-toxic nodular goitre. $\left\{egin{array}{c} M \\ F \end{array}\right\}$	3		_2			_	2 4		2		_	
252	Thyrotoxicosis with or M without goitre F	4 30	7 47	5 20	3 29	6 29	4 20	3 23	5 17	6 14	3 21	5 18	2
253, 254	Other diseases of thyroid M gland F	8 39	6 46	7 21	3 26	4 16	223	3 15	2 18	2 16	2 12	7 28	2
260	Diabetes mellitus $\left\{ egin{array}{ll} M \\ F \end{array} \right\}$	142 210	124 228	107 219	67 173	91 148	75 126	66 164	78 146	57 139	83 151	102 182	100 210
270-277	Diseases of other endocrine M glands F	12 18	11 12	15 11	5 11	5 10	5	6 10	6 9	10 15	8	7 12	1

ICD No.	Causes of death	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
D-286	Avitaminoses, and other M deficiency states	6	3 10	3 2	9	5 7	2 3	1 7	2 2	4 5	5 7	8 8	3 4
287	Obesity, not specified as of \(M \) endocrine origin \(\ldots \) \(F \)	7 18	2 18	4 14	4 12	1 7	3 7	1 8	8	2 13	1 12	2 10	6 23
288	Gout $\binom{M}{F}$	2	3	_1	2	3		_2		1	1	_	_
289	Other metabolic diseases $\begin{cases} M \\ F \end{cases}$	6 5	11	3 4	9	9	6	8	2	7	4	7 5	2
0-299	IV Diseases of the blood \{ M\} and blood-forming organs \{ F\}	79 125	72 138	72 115	64 115	50	57 129	62 	68 81	53 83	43 93	73 107	64
190	Pernicious and other hyperchromic anaemias F	25 52	22 56	25 46	14 60	11 51	15 54	19 45	30 38	21 42	13 38	20 54	13 45
91	Iron deficiency anaemias M (hyperchromic anaemias) F	10 16	5 28	11 19	9	6 20	6 29	4 23	16 11	4 16	8 12	10 11	10 19
2,293	Other anaemias	26 34	29 30	22 24	23 24	19 20	22 27	21 23	13 20	19 14	13 24	27 26	22 37
4-299	Other diseases of blood and \{ M blood-forming organs \{ F	18 23	16 24	14 26	18 12	14 10	14 19	18 20	9 12	9	9	16 16	19 9
0-326	V Mental, psychoneurotic, M and personality disorders F	32 64	40 67	37 46	28 36	34 63	18 36	25 55	21 46	25 57	36 49	27 61	35 63
0-309	Psychoses $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	24 49	29 55	24 37	18 29	24 54	11 32	16 43	19 36	18 46	21 39	18 52	29 48
0-326	Psychoneuroses, and dis-{M orders of personality, in-{F cluding mental deficiency	8 15	11 12	13 9	10 7	10 9	7 4	9 12	10	. 11	15 10	9	6 15
0-398	VI Diseases of the nervous M system and sense organs F	3,710 5,096	3,663 5,220	3,475 4,687	2,788 3,862	2,661 3,702	2,334 3,314	2,305 3,279	2,274 3,152	2,187 3,173	2,446 3,424	2,730 3,892	3,034 4,389
0-334	Vascular lesions affecting M central nervous system F	3,463 4,784	3,380 4,921	3,185 4,413	2,585 3,635	2,437 3,448	2,146 3,100	2,104 3,056	2,085 2,937	1,992 2,956	2,237 3,191	2,503 3,696	2,800 4,118
40	Meningitis, except menin- gococcal and tuberculous			and a second									
40-0	H. influenzae $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	3	4	3 2	1			4	2		2	3	2 2
40-1	Pneumococcus $$ M	12 5	8	11	3	4 2	4 2	4 2	5 7	7 7	6	8	7 7
40.2	Due to other specified \{ M \\ organism \ldots \ldots \frac{1}{4} \\	2 2	2	3	3 4	3	6 2	1	2 3	6 2	7 2	3 2	4 5
40-3	Unspecified cause $\dots \begin{cases} M \\ F \end{cases}$	3 6	2 2	4 7	2 5	1	4 7	5 4	3 2	4	2 2	1 2	5 5
11-344	Other inflammatory diseases \(\) M of central nervous system \(\) F	14 13	18 14	22 13	11 6	13 9	11 6	9 5	12 9	12 10	8 14	14 6	20 6
345	Multiple sclerosis M	34 50	30 64	40 48	36 51	30 49	20 53	23 36	20 37	18 43	24 34	34 35	30 49
350	Paralysis agitans	72 98	76 106	76 87	56 83	50 82	53 54	62 79	49 79	53 64	55 78	60 58	62 86
51, 352	Cerebral spastic infantile M paralysis, and other cere- F bral paralysis	27 41	45 56	29 37	27 25	28 39	15 21	20 25	26 19	15 25	15 21	25 20	20 26
353	Epilepsy $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	31 33	30 18	5 36 23	26 21	43 26	32 24	20 23	27 24	25 19	28 25	24 24	24 21
54-357	Other diseases of central M nervous system F	31 47	47 28	45 37	29 23	33 33	31 33	39 32	26 27	37 39	45 44	42 30	40 46
365	Erythroedema polyneuritica { M F		1	and the second	_		_		_	=	_	1	_
60-364, 66-369	Other diseases of nerves and \{ M \\ peripheral ganglia \\ \dots \{ F \\ \}	2 3	1	3 1	3 2	5 2	5 4	3 6	2 5	3 2	2 3	1 2	5 3
70-379	Inflammatory diseases of M eye { F	=	=	=	_		-	-	=	_	1	-1	1
80-389	Other diseases and con-{M ditions of eye {F	1 5		2 3		3 2	2 4	4 3	5 1	2	2 2	2 6	1 5
90-398	Diseases of ear and mastoid \{ M\\ \text{F}			16 9	7 3		5 4	7 7	10	15	12 2	10	13 10

ICD No.	Causes of death	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	De
400-468	VII Diseases of the circu-{M	10,991	10,618	9,724 10,213	7,938 8,084	7,700 7,257	6,572 6,261	6,228 6,260	6,249 5,885	6,054 5,884	7,032 6,698	8,086 7,981	9,
400-402	Rheumatic fever $\left\{ \begin{smallmatrix} M \\ F \end{smallmatrix} \right\}$	10	4 12	5 8	5	7 9	8 2	1 2	3 2	5 5	1 4	2 4	
410-416	Chronic rheumatic heart \{ M \\ disease \ldots \ldots \ldots \ldots \ldots \ldots \ldots \frac{1}{4} \\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	275 512	278 560	242 462	207 393	223 366	178 293	175 338	146 269	175 274	183 351	195 381	2
420	Arteriosclerotic heart dis-{Mease, including coronary F disease	5,677 3,667	4,937 3,350	4,832 3,157	4,278 2.603	4,291 2,503	3,778 2,235	3,540 2,189	3,592 2,106	3,447 2,210	4,075 2,535	4,655 2,988	5,1 3,2
421	Chronic endocarditis not \{ M \\ specified as rheumatic \dots \{ F \\ \}	160 180	178 178	148 167	118 120	126 110	107 94	109 95	89 92	107 97	107 110	128 123	1
422	Other myocardial degeneration $\dots \begin{cases} M \\ F \end{cases}$	2,414 3,572	2,597 3,785	2,259 3,440	1,572 2,644	1,438 2,303	1,126 1,900	1,083 1,892	1,081 1,814	1,081 1,737	1,201 1,912	1,408 2,323	1,7
430	Acute and sub-acute endocarditis \dots $\begin{cases} N \\ F \end{cases}$	15 12	17 13	15 11	17 11	13 9	14 7	21 6	14 11	18 8	18 11	14 5	
431	Acute myocarditis not Specified as rheumatic \ F	12 6	13 11	11 7	1 7	· 2	4 6	4 10	6 2	7 5	6 5	3	
432	Acute pericarditis specified \{ M \\ as non-rheumatic \dots \{ F \\ \}	1 2	1	1	<u> </u>	_1		_1	1		_1		
433	Functional disease of heart $\begin{cases} M \\ F \end{cases}$	238 359	258 407	221 416	161 286	164 242	123 215	109 227	119 178	100 156	125 203	142 267	1 3
434	Other and unspecified diseases of heart \{ \begin{array}{c} M \\ F \end{array}	401 425	489 50 9	408 434	282 328	242 258	210 227	194 244	191 196	193 224	219 232	262 280	3 2
440-447	Hypertensive disease $ \ldots \begin{cases} M \\ F \end{cases} $	956 1,191	957 1,307	831 1,086	655 894	598 758	519 679	513 666	503 623	493 603	554 686	631 820	6
450	General arteriosclerosis $\dots \begin{cases} M \\ F \end{cases}$	533 734	607 745	473 699	380 537	377 473	302 419	293 386	294 379	246 349	291 376	368 475	4 5
451-456	Other diseases of arteries $$ M	162 142	152 110	129 129	157 106	135 95	122 68	103 66	106 76	99 86	157 100	157 125	1
460-466	Diseases of veins $\cdot \cdot \begin{cases} M \\ F \end{cases}$	135 183	128 176	147 193	105 144	82 123	80 111	80 138	99 134	77 128	91 171	117 184	1
467	Other diseases of circulatory { M system	2 2	2 2	3				1	5 2	4	3 2	2	
468	Certain diseases of lymph M nodes & lymph channels F		1 1	_		1 2	_1	_1	1	2	_	2	
470-527	VIII Diseases of the res- { M F irratory system	5,400 3,532	9,405 6,982	6,814 5,323	3,089 2,055	2,081 1,350	1,530 1,015	1,422 940	1,468 910	1,400 797	1,934 1,128	2,779 1,699	3,3 2,0
470-475	Acute upper respiratory M infections M	9 5	6 10	4 7	5 2	6 2	1 3	2 4	4 7	7 2	4 8	6	
480-483	Influenza $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	105 95	1,803 1,829	1,553 1,597	240 247	35 29	12 12	4 8	13 16	10- 10	33 23	45 54	1,4
490	Lobar pneumonia $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	218 188	337 285	214 203	158 115	111 72	76 77	69 55	79 47	80 59	112 70	153 109	10
491	Bronchopneumonia $ \ldots \begin{cases} M \\ F \end{cases} $	1,249 1,386	2,215 2,331	1,679 1,853	818 856	657 663	456 500	456 494	445 480	435 399	551 554	732 753	9:
492	Primary atypical MF	14 12	23 14	15 25	9 9	9	8 2	11	4 4	3	12	12 12	Ì
493	Pneumonia, other and unspecified {M}	86 67	102 116	92 77	43 51	44 45	36 48	23 39	37 17	28 30	45 33	58 43	1
500	Acute bronchitis $\left\{ \begin{array}{ll} M \\ F \end{array} \right\}$	279 286	412 447	228 294	106 114	52 53	25 31	31 25	32 29	37 25	62 48	96 105	12
501	Bronchitis unqualified $\dots \begin{cases} M \\ F \end{cases}$	139 169	231 232	153 153	75 65	43 48	35 27	22 16	22 27	22 28	42	53 67	7
502	Chronic bronchitis $\left\{ \begin{array}{ll} M \\ F \end{array} \right\}$	2,828 1,139	3,739 1,463	2,486 941	1,357 465	928 330	683 211	637 209	624 204	622 175	860 264	1,355	1,66
510	Hypertrophy of tonsils and M adenoids	_2		1	1		1	2 2	1	1 1	1 2	1	
511-517	Other diseases of upper { M F	4 3	7	11 2	5	5	2 3	4 2	8 3	3	2 7	6 7	
518-522	Empyema, pleurisy, and pneumothorax { M	28 51	48 72	43 45	26 44	18 34	32 47	17 27	36 25	19 22	25 32	19	3

			IAD		-con	ипиеи							
ICD No.	Causes of death	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
23, 524	Silicosis and occupational M pulmonary fibrosis F	102	94 2	77 1	58 3	46 1	26 1	27 1	39	32	44	47	63
525	Other chronic interstitial $\left\{ egin{array}{ll} M \\ pneumonia \end{array} \right.$ $\left\{ egin{array}{ll} F \\ \end{array} \right.$	19 13	21 17	23 11	14 10	12 7	6	13 6	10 6	8 11	14 4	12 9	17 9
526	Bronchiectasis $\ldots \begin{Bmatrix} M \\ F \end{Bmatrix}$	160 74	181 117	132 78	98 42	58 37	73 32	53 25	69 33	42 16	64 27	99 45	105 56
527	Other diseases of lung and M pleural cavity F	158 41	186 46	103 35	76 29	57 20	58 13	51 23	45 12	51 12	63 12	85 24	92 22
30-587	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	783 737	763 698	812 619	645 608	617 553	550 511	533 530	562 569	468 558	612 570	656 590	731 614
30-539	Diseases of buccal cavity $\left\{ egin{array}{ll} M \\ and oesophagus \end{array} \right\}$	7 12	11 12	13 18	4 11	7 14	8	3 13	7 18	2 14	10 10	10 12	15
540	Ulcer of stomach $$ $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	169 120	172 113	19 0 99	121 78	113 70	78 62	109 56	87 49	75 69	97 70	112 76	134 95
541	Ulcer of duodenum $\dots \begin{Bmatrix} M \\ F \end{Bmatrix}$	200 66	199 56	185 58	142 51	121 30	101 30	86 35	99 35	88 36	125 36	143 43	140 40
542	Gastrojejunal ulcer $\ldots \left\{egin{matrix} M \\ F \end{array}\right.$	2	1	5	7	3	3	2	5 2	3	6	7	6 2
543	Gastritis and duodenitis $\ldots \begin{Bmatrix} M \\ F \end{Bmatrix}$	3 5	3 6	3	2 9	_4	¹ 5 4	_1	4	3	1 6	2	2 5
544	Disorders of function of $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	1	2	_			_	1 3	_1	_	_	1	
545	Other diseases of stomach $\left\{ egin{array}{ll} M \\ and duodenum & \dots \end{array} \right\}$	6 4	5 2	5 2	4 5	3	3	4 4	4 2	4 3	6	8	4 4
550-553	Appendicitis $\ldots {M \choose F}$	41 33	31 25	40 23	39 17	40 22	32 20	30 22	39 22	28 20	35 19	37 25	36 25
60, 561	Hernia of abdominal cavity ${M \choose F}$	72 91	67 86	63 86	63 60	53 68	60 70	46 56	54 58	45 55	47 63	62 64	74 81
570	Intestinal obstruction, with- { M out mention of hernia { F	63 71	55 72	73 60	52 67	46 55	57 50	69 53	68 68	46 63	60 62	46 59	74 51
571	Gastro-enteritis and colitis, { M except ulcerative, age 4 { F weeks and over	17 37	38 39	33 25	31 25	25 35	22 32	21 30	27 26	29 26	33 35	35 27	43 28
572-578	Other diseases of intestines $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	63 107	59 103	66 79	72 100	57 96	66 91	55 100	55 106	45 106	61 89	6 6 97	74 102
580-583	Diseases of liver $\binom{M}{F}$	69 58	61 61	60 53	55 72	79 48	58 42	5 9	47 65	44 58	58 65	62 63	63 64
584-586	Diseases of gall bladder and \{ M \\ biliary ducts \cdots \text{F}	36 101	33 82	52 82	31 78	47 73	39 6 9	30 89	38 89	37 73	50 86	33 90	42 74
587	Diseases of pancreas $ \left\{ egin{matrix} M \\ F \end{array} \right. $	35 30	26 39	27 30	22 33	19 40	18 28	17 24	27 25	19 34	23 22	32 28	24 33
590-637	X Diseases of the genito- urinary system $\left\{ egin{array}{c} M \\ F \end{array} \right\}$	716 332	684 386	638 329	589 298	588 304	513 280	507 279	515 282	501 265	508 277	543 326	595 316
590	Acute nephritis $\begin{cases} M \\ F \end{cases}$	9	7 5	8 5	4	6	4	6	5.	4 3	7.4	4 3	8 5
591-594	Chronic, other and un- M specified nephritis F	216 175	174 203	183 169	172 127	178 144	127 131	142 137	141 116	111 110	122 118	140 147	146 132
600-609	Other diseases of urinary SM system F	114 142	126 164	127 140	115 149	108 133	131 131	96 123	96 147	99	123 142	117 153	114 167
610	Hyperplasia of prostate M	366	365	314	287	288	245	257	264	282	250	272	322
611-617	Other diseases of male M genital organs	10	12	6	11	8	6	6	9	5	6	10	5
520, 621	Diseases of breast $\begin{cases} M \\ F \end{cases}$	_1	=	_	=			1	=	-1			
522-626	Diseases of ovary, Fallopian F tube, and parametrium	1	2	2	5	-	2	5	4	6	3	2	4
530-637	Diseases of uterus and other F female genital organs	11	12	13	13	19	9	12	10	12	10	20	7

			1111	LILI MA		iniucu							
ICD No.	Causes of death	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
640-689	XI Deliveries and compli- F cations of pregnancy, childbirth and the puer- perium	31	17	27	27	18	30	27	29	20	24	16	2
640	Pyelitis and pyelonephritis F of pregnancy	1				_	1		_	_	_	_	
641	Other infections of genito- F urinary tract during pregnancy					_		- American	-	1		_	-
642	Toxaemias of pregnancy F	7	4	5	5	3	7	6	2	3	5	3	-
643-649	Other complications of F pregnancy	4	4	6	3	3	5	4	5	3	_	3	•
650-652	Abortion F	6	1	2	4	1	1	2	6	3	8	2	
660-678	Delivery F	6	4	11	9	9	10	10	8	7	5	6	
680	Puerperal urinary infection F without other sepsis		-	_	and the second of		_		_		_		-
681, 683	Sepsis of childbirth and the puerperium, and pyrexia of unknown origin during the puerperium	3	1		1	1	1	2	2		1		2
682	Puerperal phlebitis and F thrombosis	1	2	2	2		_	2	5	2		1	4
684	Puerperal pulmonary F embolism	1	-	1	1	-	4	1		_	1	1	1
685, 686	Puerperal toxaemia F	2		-	1	1	1		_	1	_	_	1
687	Cerebral haemorrhage in F the puerperium		1	_	_		_	_			2	-	1
688, 689	Other complications of F puerperium	_		-	1		_	_	1		2	-	-
690-716	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	21 28	15 29	12 30	10 18	10 37	11 19	18 26	10 20		14 23	13 12	20
690-698	Infections of skin and $\left\{ \begin{matrix} M \\ Subcutaneous \ tissue \end{matrix} \right.$	10 5	7 12	9 10	5 4	5 14	4 4	9	3 4	5 8	5 12	9	11
700-716	Other diseases of skin and M subcutaneous tissue F	11 23	8 17	3 20	5 14	5 23	7 15	9 17	7 16	14 8	9 11	4 10	16
720-749	XIII Diseases of the bones M and organs of movement F	69 143	66 135	59 128	57 126	39 92	48 99	45 102	38 81	45 86	42 92	50 124	117
720, 721	Acute arthritis $\dots \left\{ egin{array}{ll} M \\ F \end{array} \right.$	2 2	1 2	1 5	1	1		1 2	1	1	2	2 2	1
722	Rheumatoid arthritis and $\{M\}$ allied conditions $\{F\}$	24 86	21 64	17 74	22 72	19 4 9	14 53	17 58	19 53	17 54	15 51	18 70	68
723	Osteo-arthritis (arthrosis) & M allied conditions F	9 24	33	15 17	10 20	7 21	15 18	6 17	7 9	9 14	6 17	9 28	10
724, 725	Other and unspecified forms $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	2	1 2	1 1			_	1	1	_	=	3	- 2
726, 727	Muscular rheumatism, and $\left\{M\right\}$ rheumatism unspecified $\left\{F\right\}$		1	1	2	_1	_		_1	1	1	=	=
730	Osteomyelitis & periostitis $\begin{cases} M \\ F \end{cases}$	4	3	1	7 3	1 7	2 1	2 3	2 4		5	3 2	4
731-749	Other diseases of musculo- M skeletal system F	30 29	31 30	23 30	15 31	11 14	17 25	18 20	8 14		14 22	18 19	24
750-759	XIV Congenital M malformations M	262 240	208 213	215 207	206 202	217 212	171 200	230 171	196 176		202 201		19
750	Monstrosity $\dots \left\{ egin{array}{ccc} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	6 11	13	2 6	4 12	4 11	5 11	3 4	4 8		5 11	6 10	1

ICD No.	Causes of death	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
751	Spina bifida and meningocele {M	44 42	19 35	17 36	29 30	24 37	20 31	38 27	20 24	23 40	21 39	21 34	21 37
752	Congenital hydrocephalus $\begin{cases} M \\ F \end{cases}$	17 23	23 26	17 26	21 27	25 29	17 11	20 21	21 25	14 14	21 22	19 24	21 28
753	Other congenital malforma- { M tion of nervous system { F and sense organs	12 5	7 8	7 6	3	11 8	4 7	4 7	4 5	5 4	2 8	5 4	4
754	Congenital malformations M of circulatory system F	98 103	102 93	103 76	83 67	97 72	71 77	93 69	87 80	94 56	98 75	89 77	83 77
755	Cleft palate and harelip $\ldots \left\{ egin{matrix} M \\ F \end{array} \right.$	_	_1	3	4	1	_1	1		-	_	1	
756	Congenital malformations $\left\{ egin{array}{ll} M \\ of \ digestive \ system \end{array} \right.$	31 26	14 18	27 15	21 17	20 21	26 23	30 13	24 6	19 17	23 13	18 11	22 14
757	Congenital malformations { M of genito-urinary system { F	29 12	17 11	24 19	21 29	19 17	15 19	21 18	17 17	19 20	22 19	29 22	18 22
758	Congenital malformations { M of bone and joint { F	4 2	6	3	4 2	_1	3	4 2	2	1 4	3 5		4 6
759	Other and unspecified con- M genital malformations, F not elsewhere classified	21 16	16 5	15 19	16 9	16 16	12 18	17 9	17 7	17 13	7 9	15 15	15 15
760-776	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	517 399	485 318	491 333	456 303	482 351	430 302	470 290	434 277	395 298	418 309	445 302	494 337
760	Intracranial and spinal M injury at birth M	91 48	73 53	95 37	90 58	84 46	77 37	74 46	67 39	52 40	75 49	70 42	83 33
761	Other birth injury $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	19 12	25 16	21 9	15 14	17 9	23 11	15 12	27 13	20 15	20 16	20 12	24 12
,762	Postnatal asphyxia and atelectasis { M	142 103	130 87	137 103	145 82	149 111	121 87	148 83	141 90	120 75	130 80	143 85	139 84
763	Pneumonia of newborn $\ldots \begin{cases} M \\ F \end{cases}$	55 49	54 32	57 36	35 15	38 26	28 18	38 20	30 27	18 18	20 19	32 13	38 33
764	Diarrhoea of newborn $$ M	3	8 2	1	2	1	3	1	2	3		_1	4 2
765-7 69	Other infections of newborn $\left\{ egin{matrix} M \\ F \end{array} \right\}$	12 13	9 5	11 7	9 7	10 5	5 7	14 5	5	10 12	11 3	5	9
770	Haemolytic disease of newborn	16 17	18 13	13 18	14 8	19 14	17 10	16 16	16 13	20 19	9	12 16	15 18
771	Haemorrhagic disease of M newborn F	24 13	9 6	14 7	11 3	9 7	8	12 5	5 8	11 8	7 13	9 10	10 2
772 , 773	Nutritional maladjustment M and ill-defined diseases F peculiar to early infancy	18 8	20 6	14 15	13 17	14 9	12 9	13 5	15 9	15 14	17 9	13 10	24 15
774-776	Immaturity unqualified $\hdots \hdots \hdot$	137 133	139 98	128 100	122 99	141 123	136 112	139 98	126 75	126 96	129 105	140 111	148 132
780-795	XVI Symptoms, senility M and ill-defined conditions F	365 630	356 578	314 573	235 452	190 401	182 340	165 340	175 282	137 285	168 331	205 436	219 439
780-7 89	Symptoms referable to systems or organs M	9	8	6	5	5 5	6	5	5 7	6 2	4 2	6 11	4 7
792	Uraemia unqualified $\left\{ egin{array}{ll} M \\ F \end{array} \right\}$	3	3	1	1 3	1 2	4 2	1 2	1	2	4	_1	4
794	Senility without mention of M psychosis F	348 617	342 561	305 563	226 444	180 393	167 333	153 330	163 271	125 277	152 323	197 423	213 428
90, 791, 93, 795.	Ill-defined and unknown { M causes of mortality { F	5	3 5	2 1	3 2	4	5 4	6	6	4	8 5	1 2	

ICD No.	Causes of death	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec
E800-E999	XVII Accidents, poisonings M & violence (external F cause)	1,127 921	1,129 910	1,041 859	1,115 760		1,072 710	1,198 737	1,126 646	1,056 660	1,143 754	1,062 821	1,2
E800-E802	Railway accidents $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	26 1	22 3	19 3	19 4	18	18 4	20 3	12 1	23 3	24 1	20 4	
E810-E825	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	306 122	264 79	256 97	332 117		318 125	434 173	363 127	378 129	466 164	422 167	5: 2:
E830-E835	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	7	3	7	.6	12 1		4	4	_8	6	4	
E840-E845	Other road vehicle accidents $\left\{egin{array}{c} M \\ F \end{array}\right.$	10 4	8 4	10 4	9 4	8 4	4 2	10 3	7 6	8	16 3	11 8	
E850-E858	Water transport accidents M	10	11	10	_2	19	22	26 1	14 3	5	10 1	_8	
E860-E866	Aircraft accidents $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	5	2	2	2	4	2	10	_5	12	- 8	3	
E870-E895	Accidental poisoning $ \ldots \begin{cases} M \\ F \end{cases} $	99 112	69 94	52 93	49 60	49 41	41 39	21 41	42 35	37 37	37 44	50 79	3
E900-E904	Accidental falls $\begin{cases} M \\ F \end{cases}$	198 370	232 410	200 352	164 279	182 263	153 236	154 253	148 238	154 229	154 293	165 274	18
E910-E936	Other accidents $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	189 151	213 136	199 104	202 83	189 84	205 80	251 71	234 72	183 71	143 74	148 79	20 10
E940-E959	Complications due to medi- { M cal & surgical procedures { F	_1	1	-1	2	1	1	2 2	2	_	1 2	1	-
E960-E965	Late effects of injury and M poisoning Y	18 3	13	8	13 1	17 2	17 4	10 2	13 2	9	11	12	
E970-E973	Suicide by poisoning $\left\{ \begin{array}{ll} M \\ F \end{array} \right\}$	166 123	175 141	162 151	184 156	168 124	161 174	134 137	152 120	143 137	175 128	127 162	14 12
E974	Suicide and self-inflicted M injury by hanging and F strangulation	40 5	35 5	37 8	38 13	45 14	46 8	30 14	34 9	36 15	30 10	28 10	3
E975	Suicide and self-inflicted M injury by submersion F (drowning)	13 13	25 16	31 22	30 22	24 22	21 12	25 18	25 12	11 16	15 10	14 12	1 2
E976-E979	Suicide by other and un- {M F	37 4	50 6	40 11	53 3	44 5	48 12	55 8	62 8	42 5	33 13	42 13	4
*E980- E985	Homicide and injury pur- M posely inflicted by other F persons (not in war)	2 13	7 13	8 9	10 17	8 10	10 13	12 11	9 12	7	14 9	7 9	
E990-E999	Injury resulting from opera- { M tions of war { F		_										-

^{*} The number of deaths assigned to this cause which occurred in 1958 and were registered after 31st March 1959 were: Aug. 1F, Dec. 3M, 1F. These numbers should therefore be added to those shown in this table in the Review for 1958.

TABLE 23. Stillbirths by sex and legitimacy (with ratio per 1,000 total births), 1959

England and Wales, standard regions, Wales, conurbations, London A.C., City of London, metropolitan and county boroughs; urban and rural aggregates in each administrative county

A	Legit	imate	Illegit	imate	T-1-1	Stillbirths
Area	М	F	M	F	Total	per 1,000 total births
	SUMMA	RY				
ENGLAND AND WALES	7,669	7,158	573	501	15,901	21
Regions and conurbations Northern Tyneside Conurbation Remainder of Northern	669 178 491	594 160 434	40 12 28	47 13 34	1,350 363 987	22 22 23
East and West Ridings West Yorkshire Conurbation Remainder of East and West Ridings	701 281 420	660 255 405	48 24 24	49 21 28	1,458 581 877	21 21 21
North Western South East Lancashire Conurbation Merseyside Conurbation Remainder of North Western	1,282 465 312 505	1,183 415 284 484	97 43 20 34	73 34 14 25	2,635 957 630 1,048	23 23 22 24
North Midland	616	612	44	39	1,311	21
Midland West Midlands Conurbation Remainder of Midland	905 436 469	835 411 424	57 30 27	49 25 24	1,846 902 944	23 23 23
Eastern	584	517	29	25	1,155	19
London and South Eastern	1,440 1,042 398	1,353 1,004 349	162 136 26	140 120 20	3,095 2,302 793	18 18 19
*Southern	418	383	33	27	861	18
*South Western	520	472	27	28	1,047	20
Wales (including Monmouthshire)	534 399 135	549 427 122	36 23 13	24 19 5	1,143 868 275	26 27 24
Urban/Rural aggregates:						
Conurbations	2,714	2,529	265	227	5,735	20
Urban areas with populations of 100,000 and over Urban areas with populations of 50,000	1,021	974	84	78	2,157	22
and under 100,000	586 1,834 1,514	555 1,723 1,377	41 104 79	41 81 74	1,223 3,742 3,044	21 22 20

^{*}Constitution changed. See explanatory note 12.

TABLE 23—continued

Area	Legit	imate	Illes ma	giti- ite	Total 1	Still- irths per ,000	Area	Legit	imate	Ille; ma	giti- te	Total	Still birti per 1,00
	M	F	M	F		otal irths		M	F	M	F		tota birtl

LONDON A.C., CITY OF LONDON, METROPOLITAN BOROUGHS AND COUNTY BOROUGHS

EONDON A	.C.	, CII	1 OF	LONI	JOIN,	WEIN	OPO	LITAN BOROUGHS AND COUNTY BOROUGHS
London A.C		451	467	92	75	1,085	19	
City of London		-	_		_	-		County boroughs —continued
								Dudley 18 11 — 1 30
Metropolitan boroughs:								East Ham 16 8 1 25
Battersea Bermondsey		11 7	17 6	6	2	36 14	17 16	Exeter
Bethnal Green Camberwell		32	8 27	1	2	15 64	18 20	Gloucester
Chelsea		1 1 1	13	3		5	7	Halifax 17 9 2 1 29
	!	16	13 7 16	1 3	3 1 2	30 13 37	24 20 20	
		12	31	10		22 77	16 24	Huddersfield 18 27 5 3 53 Ipswich 18 19 2 2 44 Kingston upon Hull 63 60 4 5 132 Leeds 73 81 10 5 169
Hammersmith		18	20	5	6	49	24	Leeds 73 81 10 5 169 Leicester 33 46 4 7 90
Holborn		14	9	2 2 7	1	26 4	16 18 19	Lincoln 9 13 — 22
		44 13	42 31	5	5	98 55	19 18	Liverpool 193 157 12 11 373 Manchester 143 127 14 17 301
Lambeth Lewisham		35 29	38 30	10	9	92 63	19 18	Newcastle upon
Paddington		14 14	14 13	2 7 1	9	44 34	19	Newton 16 10
		1	5	3	1	10	14	Norwich 14 24 - 1 39
Shoreditch	: :	10 9	18 7 15	4	2	34 17	14 28	Nottingham 51 44 5 10 110 Oldham 27 18 3 1 49 Oxford 11 12 1 1 25
Stepney	::	11 17	14	1 2	1 2 2	28 35	18 19	Plymouth 45 30 4 1 80 Portsmouth 25 31 4 2 62
***	•	10 52	40	5	3	100	20	Preston 16 21 3 4 44
Westminster		7 21	6	3	3	19	20	Reading 21 18 1 2 42 Rochdale 25 19 4 1 49
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				Ĩ		72.	-1	Rotherham 10 17 1 1 29 St. Helens 40 28 3 — 71
County boroughs		2,529		214	195	5,259	22	Salford
Barrow-in-Furness	::	10 17	11	1	1	30	16 28	Smethwick 12 9 — 21
Birkenhead		17 33 194	32 192	1 2 18	2 1 15	28 68	28 23 25 21	Southend-on-Sea
D1 11		194	192	2	2	419		South Shields 31 21 — 3 55
Blackpool Bolton		22 15	18 23	1 3	1	41	23 23 17	
Bootle		13 17	29 19	6	1	44 43	22 25	Sunderland
		65	47	4	6	122	23 19	Wakefield 10 12 — 22 Wallasey 18 19 2 1 40
Bristol		62 9	14 62 10	1 2	4	131	19 19 16	Walsall 28 28 2 1 59 Warrington 13 13 2 1 29
70		16	11	-		21 27	28	West Bromwich 26 21 2 2 51
Canterbury		10	12	1	1	24	24 13	
Carlisle		16 12	10	1	1	28 23	13 20 22 20	Wigan
Crowdon		62 30	42	5	4	113		Wolverhampton 24 27 4 2 57 Worcester 9 10 — 2 21 York 22 17 — 1 40
D 1		30 11 28	16 21	1 2	2	67 28 52 24	17 21 25 26	Cardiff
		7	13	3	4	24 31	26 26 20	Merthyr Tydfil
								Swansea 33 36 2 - /1

TABLE 23—continued

Area	Legitimate	Illegiti- mate	Total Still-births	,	Legitimate	Illegiti mate	Total Still-births per 1,000 total
	M F	M F	births		M F	M	F births

ADMINISTRATIVE COUNTIES

Note. The following figures relate to aggregates of urban districts (including municipal boroughs, but excluding county boroughs) and of rural districts in each administrative county.

				Julity	ooroug	,113) a1	10 01 10	arar u	stricts in each admin	ustrative	count;					
Bedfordshire Berkshire Buckinghamshire	••	U.D. R.D. U.D. R.D. U.D. R.D.	43 27 20 35 37 45	44 17 14 40 31 38	3 2 3 4 4	2 1 1 3 2 1	92 45 37 81 74 88	19 21 17 16 19 21	Shropshire	R.D. U.D.	25 38	5 30 20 33 33	3 1 1	- 1 2 1 1	7 62 48 73 79	20 26 20 19 20
Cambridgeshire Cheshire Cornwall	• •	U.D. R.D. U.D. R.D. U.D. R.D.	12 12 120 32 32 32 22	10 14 120 25 38 29	2 7 2 3	2 1 2	22 28 249 60 75 51	16 17 22 19 28 23	Suffolk, East Suffolk, West	R.D. U.D. R.D. U.D.	62	45 39 10 18 7	5 3 2 1	6 2 - - 2	303 106 21 35 16 26	25 26 13 18 20 20
Cumberland Oerbyshire Oevon	•••	U.D. R.D. U.D. R.D. U.D. R.D.	17 25 63 73 29 30	17 17 59 73 31 35	2 2 5 4 1 2	2 1 1 5 —	38 45 128 155 61 67	23 19 23 24 18 18	Sussex, East Sussex, West	R.D. U.D. R.D. U.D.	27 21 17	21 17 23 15 32 21	6 1 -1 2 2	7 1 2 1	277 45 45 35 72 47	15 16 19 16 20 22
Dorset Durham Ely, Isle of	••	U.D. R.D. U.D. R.D. U.D. R.D.	26 12 140 50 12 5	24 12 133 54 16 4	1 4 13 2 —	4 6 4 —	55 28 292 110 28 9	20 15 24 21 31 17	Westmorland Wight, Isle of		52 38 2 2 6 4	50 32 3 2 9	3 3 -	3 3 1 1 1	108 76 6 5 17 4	16 20 13 9 18 17
Gloucestershire Hampshire	• • • • • • • • • • • • • • • • • • • •	U.D. R.D. U.D. R.D. U.D. R.D.	246 32 33 51 64 55	192 29 25 41 68 44 14	6 1 2 2 1	9 1 2 2 4 3	453 63 62 96 136 103	18 15 22 18 16 19	Worcestershire	R.D. U.D.	55 34 13	34 32 64 24	1 1 3	2 1 1 1 1	68 61 123 59	18 17 25 29
Herefordshire Hertfordshire Huntingdonshire	•••	U.D. R.D. U.D. R.D. U.D.	5 14 87 41 8 12	14 14 86 31 3	6 2 1	2 2 1	19 30 181 76 13	20 27 18 19 19	Yorkshire, N.R Yorkshire, W.R.	U.D. R.D. U.D. 2	21 49 36 06 1 82	23 36 27 51 88	5 1 5 4	1 4 2 12 6	45 94 66 374 180	27 24 22 19 22
Kent Lancashire Leicestershire		R.D.	185 47 347 47 34	182 48 327 46 35	17 3 19 3 5 2	19 3	19 392 103 712 99 74	23 17 23 19 24 21	Anglesey Brecknockshire Caernarvonshire	U.D. R.D. U.D. R.D. U.D. R.D.	5 6 2 8 11 8	9 3 4 12 10 5	1 2 - 1	=	15 10 8 20 21 15	36 21 32 32 32 21 23
Lincolnshire (Holland) Lincolnshire (Kesteven) Lincolnshire (Lindsey)		R.D. U.D. R.D. U.D. R.D. U.D. R.D.	5 8 10 14 33 30	38 11 9 18 29 31	1 - 3	1 1 5 1	81 14 20 20 32 70 63	23 21 26 21 23 23 22	Cardiganshire Carmarthenshire Denbighshire	U.D. R.D. U.D. R.D. U.D. R.D.	5 3 13 19 10 18	4 2 11 15 14 17	1 3 4	1 1	9 7 24 34 28 39	39 13 28 22 22 22 26
Middlesex Norfolk	re	U.D. U.D. R.D. U.D. R.D.	239 6 55 29 13	241 10 50 26 21	28 1 2	24 6 2 1	532 16 112 57 37	16 12 23 21 17	Flintshire Glamorganshire Merionethshire	U.D. R.D. U.D. R.D. U.D. R.D.	15 13 27 47 2 2	16 7 26 40 3 3	5 3	1 7 1	32 20 265 91 5	26 18 30 26 19 15
Northumberland Nottinghamshire Oxfordshire		U.D. R.D. U.D. R.D. U.D. R.D.	68 16 69 29 7 19	63 15 71 31 7	3 1 6 3 -1	4 1 1	138 33 147 63 14 33	21 20 21 20 15	Montgomeryshire	U.D. R.D. U.D. R.D.	78 6 5 8	74 12 2 5	2	2	156 18 7 13 22 21	33 19 25 30 24
Peterborough Soke of		U.D.	10 2	11	1	_1	23	20 14		R.D. U.D. R.D.	10 1 3	9 1 1 1	1	1	21 2 4	24 28 24 22

TABLE 24. Deaths at various periods in the first year of life by legitimacy Death rates per 1,000 live births, 1959

					All infa	ants				
Area				Dea	ths				Dea per 1 liv bir	,000 /e
	Under 1 day	1-6 days	1-3 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Total under 1 year	Under 4 weeks	Total under
ENGLAND AND WALES	5,677	4,492	1,712	1,813	1,583	794	558	16,629	16	22
Regions and conurbations: Northern	481 121 360	404 123 281	173 56 117	152 43 109	1 50 52 98	79 19 60	41 14 27	1,480 428 1,052	18 19 18	25 27 25
East and West Ridings West Yorkshire Conurbation Remainder of East and West Ridings	564 260 304	406 147 259	171 69 102	214 84 130	1 59 73 86	84 29 55	65 26 39	1,663 688 975	17 17 16	24 25 24
North Western South East Lancashire Conurbation Merseyside Conurbation Remainder of North Western	938 360 247 331	732 240 190 302	310 108 88 114	322 111 87 124	314 123 76 115	116 46 27 43	71 31 10 30	2,803 1,019 725 1,059	18 17 19 17	25 25 26 25
North Midland	423	363	132	139	143	71	52	1,323	15	22
Midland West Midlands Conurbation Remainder of Midland	592 293 299	543 271 272	1 72 92 80	1 86 89 97	191 103 88	96 55 41	60 29 31	1,840 932 908	17 17 16	23 24 23
Eastern	389	329	114	109	98	55	47	1,141	14	19
London and South Eastern Greater London Remainder of South Eastern	1,243 968 275	924 705 219	315 234 81	352 269 83	273 212 61	167 114 53	115 86 29	3,389 2,588 801	15 15 14	20 20 19
*Southern	342	189	92	107	75	33	45	883	13	19
*South Western	357	260	94	115	88	45	35	994	14	19
Wales (including Monmouthshire)	348 258 90	342 263 79	139 102 37	91 26	92 71 21	48 37 11	27 15 12	1,113 837 276	20 20 18	26 27 24
Urban/Rural aggregates:										
Conurbations	2,249	1,676	647	683	639	290	196	6,380	17	23
Over	745	617	218	254	224	117	80	2,255	16	23
under 100,000	433 1,227 1,023	342 1,031 826	121 402 324	141 437 298	116 350 254	68 176 143	41 124 117	1,262 3,747 2,985	16 16 15	22 22 20

^{*}Constitution changed. See explanatory note 12 and Appendix C.

$\left\{ \begin{array}{l} \text{England and Wales, standard regions, Wales, conurbations,} \\ \text{urban and rural aggregates outside conurbations} \end{array} \right.$

			1	Legitin	nate in	fants							Illegit	imate i	infants				
				Death	s			li	ths 1,000 ve ths				De	eaths				Dea per 1 liv bir	,000 /e
Under 1 day	1-6 days	1-3 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Total under I year	Under 4 weeks	Total under	Under 1 day	1-6 days	1-3 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Total under 1 year	Under 4 weeks	Total under 1 year
5,247	4,228	1,617	1,709	1,493	749	542	15,585	16	22	430	264	95	104	90	45	16	1,044	21	27
458 114 344	351 118 263	166 53 113	147 41 106	145 51 94	76 18 58	38 14 24	1,411 409 1,002	18 19 18	25 27 24	23 7 16	23 5 18	7 3 4	5 2 3	5 1 4	3 1 2	3	69 19 50	22 23 22	29 29 29
519 241 278	388 141 247	1 60 65 95	202 80 122	1 48 68 80	82 28 54	64 25 39	1,563 648 915	16 17 16	24 25 23	45 19 26	18 6 12	11 4 7	12 4 8	11 5 6	2 1 1	1	100 40 60	22 18 25	30 25 33
886 338 238 310	691 225 177 289	288 100 83 105	299 102 81 116	294 113 71 110	111 46 26 39	70 30 10 30	2,639 954 686 999	18 17 19 17	25 25 26 24	52 22 9 21	41 15 13 13	22 8 5 9	23 9 6 8	20 10 5 5	1 4	1	164 65 39 60	21 18 22 25	30 26 31 35
393	339	126	134	137	65	52	1,246	15	22	30	24	6	5	6	6		77	20	26
534 260 274	512 249 263	1 66 88 78	1 79 85 94	185 101 84	94 53 41	58 27 31	1, 728 863 865	16 16 16	23 23 23	58 33 25	31 22 9	6 4 2	7 4 3	6 2 4	2	2	112 69 43	25 27 21	29 32 25
368	313	110	106	92	51	46	1,086	14	19	21	16	4	3	6	4	1	55	16	21
1,102 845 257	B56 648 208	289 212 77	319 243 76	249 196 53	1 52 101 51	113 84 29	3,080 2,329 751	14 15 14	20 20 19	141 123 18	68 57 11	26 22 4	33 26 7	24 16 8	15 13 2	2	309 259 50	21 22 16	27 28 25
324	173	89	97	72	31	43	829	13	19	18	16	3	10	3	2	2	54	16	23
328	248	90	-111	86	41	33	937	13	19	29	12	4	4	2	4	2	57	20	25
335 247 88	327 253 74	133 98 35	115 89 26	85 64 21	46 35 11	25 13 12	1,066 799 267	20 20 18	26 27 25	11 2	15 10 5	6 4 2	2	7	2	2	47 38 9	22 24 18	30 36 18
2,036	1,558	601	632	600	272	190	5,889	16	23	213	118	46	51	39	18	6	491	22	28
683	578	204	238	211	103	78	2,095	16	23	62	39	14	16	13	14	2	160	20	28
405 1,152 971	322 979 791	113 383 316	135 422 282	101 336 245	65 171 138	39 123 112	1,180 3,566 2,855	16 15 15	22 22 20	28 75 52	20 52 35	8 19 8	6 15 16	15 14 9	3 5 5	2 1 5	82 181 130	20 22 17	29 27 24

			30				Da	ays			1 day
Area	Total under 1 year	Under 30 minutes	minutes and under 1 day	Total under 1 day	1	2	3	4	5	6	and under 1 week
$ \stackrel{\mathbf{z}}{\underset{\mathbf{z}}{\overset{\mathbf{z}}{\Rightarrow}}} \left\{ \begin{array}{cccc} \mathbf{All infants} & \dots & & \\ \mathbf{F} & \mathbf{P} & \\ \mathbf{P} & & \end{array} \right. $	9,454 7,175 16,629	406 327 733	2,754 2,190 4,944	3,160 2,517 5,677	941 627 1,568	812 481 1,293	468 291 759	221 149 370	145 113 258	136 108 244	1,76
Legitimate F	8,880 6,705 15,585	359 278 637	2,569 2,041 4,610	2,928 2,319 5,247	879 591 1,470	764 460 1,224	447 270 717	204 140 344	136 109 245	133 95 228	1,66
$\begin{bmatrix} \mathbf{P} \\ \mathbf{E} \\ \mathbf{E} \end{bmatrix}$ [Illegitimate $\begin{bmatrix} \mathbf{P} \\ \mathbf{F} \\ \mathbf{P} \end{bmatrix}$	574 470 1,044	47 49 96	185 149 334	232 198 430	62 36 98	48 21 69	21 21 42	17 9 , 26	9 4 13	3 13 16	
Regions and conurbations:											
Northern Tyneside Conurbation Remainder of Northern	1,480 428 1,052	55 16 39	426 105 321	481 121 360	1 37 38 99	1 25 37 88	59 21 38	30 7 23	15 4 11	38 16 22	
East and West Ridings West Yorkshire Conurbation	1, 663 688	60 29	504 231	564 260	1 50 54	1 04 32	67 26	40 18	23 10	22 7	40 14
Remainder of East and West Ridings	975	31	273	304	96	72	41	22	13	15	25
North Western South East Lancashire Conur-	2,803	119	819	938	235	216	139	69	39	34	73.
bation	1,019 725 1,059	55 39 25	305 208 306	360 247 331	83 65 87	63 48 105	41 36 62	30 24 15	9 12 18	14 5 15	24 19 30
North Midland	1,323	54	369	423	114	111	59	33	26	20	36
Midland	1,840 932 908	89 48 41	503 245 258	592 293 299	1 86 88 98	1 66 86 80	85 40 45	37 22 15	31 17 14	38 18 20	54: 27 27:
Eastern	1,141	47	342	389	120	85	64	26	21	13	329
London and South Eastern Greater London Remainder of South Eastern	3,389 2,588 801	169 137 32	1, 074 831 243	1,243 968 275	344 264 80	261 197 64	147 108 39	77 61 16	50 40 10	45 35 10	924 70: 219
*Southern	883	46	296	342	80	47	33	13	10	6	181
*South Western	994	50	307	357	96	74	40	18	17	15	260
Wales (including Monmouthshire) Wales I (South East) Wales II (remainder)	1,113 837 276	44 35 9	304 223 81	348 258 90	106 79 27	104 77 27	66 55 11	27 21 6	26 20 6	13 11 2	342 263 79
Urban/Rural aggregates:											
Conurbations	6,380	324	1,925	2,249	592	463	272	162	92	95	1,676
Areas outside conurbations: Urban areas with populations of 100,000 and over Urban areas with populations of	2,255	107	638	745	225	188	96	45	33	30	617
50,000 and under 100,000 Urban areas with populations of	1,262	51	382	433	119	100	63	25	21	14	342
under 50,000	3,747	136	1,091	1,227	341	310	183	77	59	61	1,031
Rural districts	2,985	115	908	1,023	291	232	145	61	53	44	826
March Quarter	4,810	196	1,221	1,417	403	332	208	108	75	82	1,208
June Quarter September Quarter	4,103	184	1,289	1,473	391	338	192	103	67	68	1,159
June Quarter	3,631	163	1,201	1,364	392	303	164	78	55	50	1,042
December Quarter	4,085	190	1,233	1,423	382	320	195	81	61	44	1,083

^{*}Constitution changed. See explanatory note 12 and Appendix C.

	Week	s				Months												
0	1	2	3	Total under 4 weeks	1	2	3	4	5	6	7	8	9	10	11			
5,883 4,286 0,169	477 398 875	249 231 480	200 157 357	6,809 5,072 11,881	612 409 1,021	440 352 792	343 286 629	273 253 526	254 174 428	179 162 341	116 113 229	122 102 224	121 93 214	101 76 177	84 83 167			
5,491 3,984 9,475	455 374 829	236 216 452	191 145 336	6,373 4,719 11,092	577 379 956	421 332 753	319 272 591	258 241 499	242 161 403	162 152 314	112 107 219	120 96 216	118 91 209	96 74 170	82 81 163			
392 302 694	22 24 46	13 15 28	9 12 21	436 353 789	35 30 65	19 20 39	24 14 38	15 12 27	12 13 25	17 10 27	4 6 10	2 6 8	3 2 5	5 2 7	2 2 4			
885 244 641	82 27 55	51 19 32	40 10 30	1,058 300 758	80 19 61	72 24 48	61 13 48	57 27 30	32 12 20	37 10 27	21 6 15	21 3 18	12 2 10	21 8 13	8 4 4			
970 407	83 34	48	40 18	1,141 476	116 49	98 35	73	49 20	37	37	25	22	26	23	1 6 5			
563	49	31	22	665	67	63	36	29	21	26	15	14	13	15	11			
1,670	151	92	67	1,980	181	141	133	105	76	52	29	35	32	17	22			
600 437 633	55 43 53	31 26 35	22 19 26	708 525 747	66 46 69	45 41 55	48 40 45	44 26 35	31 10 35	23 12 17	11 5 13	12 10 13	12 3 17	8 4 5	11 3 8			
786	68	37	27	918	81	58	49	55	39	29	24	18	19	15	18			
1,135 564 571	88 47 41	48 25 23	36 20 16	1,307 656 651	106 51 55	80 38 42	73 42 31	58 29 29	60 32 28	43 19 24	29 20 9	24 16 8	12 10	26 10 16	12 7 5			
718	56	32	26	832	58	51	40	31	27	22	12	21	19	12	16			
2,167 1,673 494	165 117 48	91 71 20	59 46 13	2,482 1,907 575	208 158 50	144 111 33	99 76 23	91 76 15	83 60 23	72 49 23	46 31 15	49 34 15	39 32 7	40 27 13	36 27 9			
531	46	23	23	623	67	40	34	25	16	15	11	7	18	10	17			
617	46	25	23	711	58	57	33	28	27	15	17	13	15	7	13			
690 521 169	90 68 22	33 22 11	16 12 4	829 623 206	66 54 12	51 37 14	34 28 6	27 20 7	31 23 8	19 16 3	15 12 3	9 5	12 5 7	6 1 5	9			
3,925	323	189	135	4,572	389	294	256	222	161	124	83	83	74	65	57			
1,362	108	63	47	1,580	131	123	95	74	55	55	35	27	28	24	28			
775	53	44	24	896	81	60	46	39	31	31	17	20	18	11	12			
2,258	223	96	83	2,660	245	192	128	114	108	78	55	43	46	35	43			
1,849	168	88	68	2,173	175	123	104	77	73	53	39	51	48	42	27			
2,625	267	144	117	3,153	328	293	229	190	149	115	73	84	71	65	60			
2,632	206	115	81	3,034	245	177	151	118	95	70	47	39	50	41	36			
2,406	200	109	77	2,792	205	124	91	90	78	56	53	45	37	27	33			
2,506	202	112	82	2,902	243	198	158	128	106	100	56	56	56	44	38			

TABLE 26. Infant mortality from certain causes, 1959.

Deaths of infants under one year and various sub-divisions of the first year, and deaths of illegitimate infants


England and Wales, standard regions, Wales conurbations, urban and rural aggregate outside conurbations

of the first year, and deaths of illegitimate infants See explanatory									outside conurbations								
Total under 1 year	Under 4 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Illegitimate under I vear				
16,629	11,881			794	558	1,044	2,222	750	neumo 580	nia (49 513	240	763)					
1,480 428 1,052	1,058 300 758	43	52	79 19 60	41 14 27	69 19 50	216 57 159	73 21 52	52 8 44	56 17	23 6 17	12					
1,663 688 975	1,141 476 665	214 84 130	159 73 86	84 29 55	65 26 39	100 40 60	250 108	78 32	69 33	52 21	31 13	20					
2,803 1,019 725 1,059	1,980 708 525 747	322 111 87 124	314 123 76 115	116 46 27 43	71 31 10 30	164 65 39 60	416 163 102 151	134 57 29 48	106 37 35 34	118 45 27 46	35 14 8 13	23 10 3 10					
1.323	918	139	143	71	52	77	171	70	37	. 40	17	7					
1,840 932 908	1,307 656 651	186 89 97	191 103 88	96 55 41	60 29 31	112 69 43	290 170 120	101 57 44	72 38 34	68 42 26	30 20 10	19 13					
1,141	832	109	98	55	47	55	153	59	38	31	17	8					
3,389 2,588 801	2,482 1,907 575	352 269 83	273 212 61	167 114 53	115 86 29	309 259 50	381 306 75	122 97 25	106 89	74 61	50 40	29 19	1000				
883	623	107	75	33	45	54	112	40	35	19	9	9					
994	711	115	88	45	35	57	123	41	37	23	15	7					
1,113 837 276	829 623 206	91 26	92 71 21	48 37 11	27 15 12	47 38 9	110 83 27	32 23 9	28 22 6	32 24 8	13 11 2	5 3 2	١.				
6,380	4,572	683	639	290	196	491	906	293	240	213	101	59					
2,255	1,580	254	224	117	80	160	300	97	79	71	35	18	1				
1,262	896	141	116	68	41	82	183	66	47	43	20	7	1				
3,747 2,985	2,660 2,173	437 298	350 254	176 143	124 117	181 130	487 346	165 129	135 79	109 77	47 37	31 24	1				
389	Br 23	onchit 116	is (500-	-502) 56	46	20	30111						2				
21 10 11	1	6 2 4	8	4 3	2		41 17	5 2	14	10	9	3	ı				
57 8 49	2 1 1	19 1 18	17 2 15	11 2 9	8 2 6	1	41 12 29	6 2 4	16	13 6 7	4	2					
50 5 26 19	3	17 1 6 10	20 2 13 5	8 2 3 3	1	1	64 19 17 28	14 2 4 8	16 5 4	20 6 5	8 3 2	6 3 2					
42	2	12	19	6	3	2	17	1	4	6	2	4					
28 15 13	1	3 1 2	15 8 7	3 1 2	6 4 2	1	29 21 8	4 2 2	7	10 6 4	7 5 2	1					
25	_	7	8	3	7	_	21	2	5	6	4	4					
93 74 19	6 5	29 24 5	32 25 7	15 11 4	11 9	13 11 2	38 24 14	2	15	9 4	4	8 7	4				
37	5	9	15	2	6	Ĩ	19	4	6		4	3					
16		6	7	2		1	9		3	3	1	2	_				
20 16 4	2 2	8 5 3	7 6	2	1		22 15	6	4	4	7 5	1					
138	11	35	52	22	18	12	110	13	37	31	14	15	9				
35	1	12	9	8	5	1	1	7			8	4	6				
88 72	4 2	34	30	12	8	4 2	68 45	14	17 15	22	8	7 4	6 3				
	16,629 1,480 428 1,052 1,663 688 975 2,803 1,019 725 1,059 1,323 1,840 932 908 1,141 3,389 2,588 801 883 994 1,113 837 276 6,380 2,255 1,262 3,747 2,985 389 21 100 111 57 8 49 50 526 19 42 28 153 74 19 37 16 20 16 4	16,629 11,881 1,480 428 476 705 665 1,141 688 725 1,059 747 1,323 918 1,840 1,307 932 651 1,141 832 2,588 1,907 5,75 883 623 794 1,113 829 837 276 656 6,380 4,572 2,255 1,580 1,262 896 3,747 2,660 2,173 817 100 11	16,629 11,881 1,813 1,480 4,72 1,141 1,019 7,747 1,24 1,323 1,840 6,51 9,74 1,141 1,141 882 1,97 2,588 1,276 2,660 2,588 2,255 1,580 2,660 2	10 10 10 10 10 10 10 10		See explanatory notes See explanatory notes See explanatory notes See See	December Provided Provided	December Property Property	December Part December De	December Process Pro	December Process Pro	The color of the					

			LE 20		umue	ea							
Total under 1 year	Under 4 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)
((001 - 13)	3, 340,	470-4	83, 513	origin 8, 519,			Accide				focatio	n
464	127	81	96	84	76	24	327	41	102	133	32	19	27
44	13	6	11	10	4	- 15	55	13	12	23	5	2	1
14 30	5	4 2		1 9	, 4		35	9	8	11 12	1 4	2	1
56 24 32	10 3 7	13 6 7	13 5 8	10 3 7	7 3	3 1 2	30 22 8	3 2 1	13 8 5	7 7	4 2 2	3 3 —	2 1 1
76 30 17 29	23 6 8 9	15 9 3 3	6 4 8	10 5 1 4	10 4 1 5	6 1 2 3	61 34 5 22	1 1	19 6 13	32 22 4 6	5 3 1 1	3, 2 —	7 3 1 3
48	11	6	10	- 11	10	3	28	4	5	15	2	2	3
50 23 27	16 5 11	11 6 5	7 4 3	11 6 5	5 2 3		40 21 19	3 2 1	18 4 14	17 14 3	2 1 1		2 1 1
34	12	9	4	2	7	1	14	2	4	7		1	1
87	27	14	16	18	12	8	43	6	12	16	7	2	7
59 28	21	8	10	10	10	. 2	28 15	5	3	9 7	3 4	2	5 2
21	. 6	5	3	3	4		22	1	8	7	2	4	1
23	2		9	4	8	_	10		5	3	1	1	
25	7	2	5	5	6	3		7	6	6	4	1	3
7	1	î		2	3	ĩ	8	3		3	ĭ	1	
167	51	36	30	26	24	10	130	14	31	67	11	7	11
64	14	10	16	13	11	5	32	2	12	9	.7	2	4
33	4	6	13	7	3	3	26	4	10	9		3	4
123 77	40 18	17 12	20 17	25 13	21 17	3		15 6	27 22	30 18	8	3	7
							1 051			birth	(760,7	61)	112
1							1	1	- î				4
88 205	60 143	11 28	18	5	3	2 6	33	33 121	1				1 3
296	187	53	26	16	14	19	183	183				_	10
179	119	25	15	10	11			101		_	_		6 4
579 188	368	108 36	65 21	24 7	14	26 10		302 124					11
161 230	104 145	31 41	15 29	10	1 8	6 10	73	73 105		_		_	3 5
303	181	52	35	21	14	10	149	148	1	ananens	_		12
369 178 191	234 123 111	54 24 30	16	25 11 14	14 4 10	16 11 5	135	244 135 109		_		_	12 9 3
221	140	32	25	12	12	5	116	116			_		5
704 515	438 317 121	117 83 34		38 26	31 22 9	43 31 12	287	358 287 71					40 37 3
								1					6
216	126	43	23	17	7	6	109	109	_		_		8
244 172 72	148 99 49	50 39	19	12 10 2	7 5 2	10 8 2	92	92 33	_				4 4
1,247	791			65	38			734				-	59
100	000	0.0		27	22	24	226	224					- 00
				į	ì			1	2		-		20
													20
				40	26				_				6
	464 44 14 30 56 24 32 76 30 17 29 48 50 23 27 34 87 59 28 21 23 25 188 7 7 167 64 33 123 77 (C 3,398 293 888 205 296 117 179 579 188 161 230 303 369 178 191 221 704 515 189 173 216 244 712 72 1,247 465 242 785	Other of (001-13) 699 464 127 44 13 14 30 5 56 10 24 3 322 7 76 23 300 68 129 99 48 11 500 16 23 5 27 11 34 12 87 27 59 21 28 6 23 2 25 7 18 6 4 14 33 4 123 40 77 18 Congenit 3,398 2,128 293 80 205 143 296 187 117 188 119 111 21 140 704 438 515 317 111 221 140 704 438 515 317 189 121 173 103 216 126 244 148 515 317 189 121 173 103 216 126 244 148 515 317 189 121 171 103 216 126 244 148 515 317 189 121 171 103 216 126 244 148 515 317 189 121 173 103 216 244 148 515 317 189 121 173 103 216 244 148 515 317 77 791 465 280 242 153 785 469	Description Page Page	Description Property Prope	The content of the	The late of the	Section Color Co		Section Sect		Cother diseases of interties origin (E921—E93) September 1 September 2 Septemb		

*See footnote to page 274.

			IADL	JE 20		nunue	a							
Area	Total under 1 year	Under 4 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)
		ostnatal	asphy	xia, at	telectas	sis (762	2)	I	Iaemol	ytic dis	ease o	of newb	orn (7	70)
ENGLAND AND WALES Regions and conurbations:	2,709	2,686	18	4	1		179	360	355	4		1	_	12
Northern	174	173			_	_	8	23	23					
Tyneside Conurbation	62	62			_		4	5	5	_	-		_	_
Remainder of Northern	112	111	-	1			4	18	18		annih.		******	
East and West Ridings	263	262		disperie	1		11	33	33	_	-		_	3
West Yorkshire Conurbation	127	127				_	8	16	16					1
Remainder of E. & W. Ridings	136	135		Dansero	1	_	3	17	17			_	_	2
North Western	490	486				_	31	67	65	2	_			1
S.E. Lancashire Conurbation Merseyside Conurbation	173 157	172 156		-		_	15	26	25 11	1	_	-	_	
Remainder of North Western	160	158		THE REAL PROPERTY.			9	11 30	29	1	-		_	1
	210	1					1				- 8"			
North Midland	219	215	3	1	_		20	25	25	-	- market		-	-
Midland	282	281	1	-			21		35	_		1		2
West Midlands Conurbation Remainder of Midland	141	140	1	-	_		12		19		-	1	-	2
Remanider of Wildiand	141	141		NAMES OF THE PERSON.			9	16	16				and the last of th	
Eastern	179	178	3		·		10	37	37	-	-	-		1
London and South Eastern	548	543	3	2			49	88	87					
Greater London	439	435	2	2			43		70	i				3
Remainder of South Eastern	109	108	1				6		.17					1
*Southern	152	149	3				9	20	20					
							1							
*South Western	151	150	1	-	-	_	7	15	15		-			_
Wales (including Monmouthshire)	251	249	2				13	16	15	1			_	_
Wales I (South East)	201	199	2		-		7	12	11	1				
Wales II (remainder)	50	50	_			-	6	4	4		_	-	-	-
Urban/Rural aggregates:			i							-				
Conurbations Areas outside conurbations:	1,099	1,092	5	2	-		91	149	146	2	-	1		7
Urban areas with populations of										1				
100,000 and over	358	353	4	1			24	37	36	1		-		-
Urban areas with populations of 50,000 and under 100,000	177	175	1		1		12	25	24	1	-			1
Urban areas with populations			*		^				24	1				
under 50,000 Rural districts	596 479	590 476	5	1	_		33	87	87	-				2
Rurai districts		maturity		inted v	with dis		19	62	62)				
			y infan				0)		I	mmatu	rity (7	74-776)	
ENGLAND AND WALES	3,299	3,288	9	1)		1	221	2,884	2,852	28	4			225
Regions and conurbations: Northern	265	265					13	279	276	2	1			17
Tyneside Conurbation	74	74		-			6	59	59			-		15
Remainder of Northern	191	191					7	220	217	2	1	-		15
East and West Ridings	305	305		****			13	306	302	3	1	_	_	26
West Yorkshire Conurbation Remainder of E. & W. Ridings	137	137					7 6	121	119	1	1		-	7
Remainder of E. & W. Ridnigs	168	168					0	185	183	2	-			19
North Western	603	599	3	-		1	33	428	423	5				28
S.E. Lancashire Conurbation Merseyside Conurbation	230 191	227 191	2	-		1	16	146 97	142	4				10
Remainder of North Western	182	181	1				8	185	184	1	_			14
North Midland	281	270						.70	176					11
		279	*				27	179	176	3	-			
Midland	365	365		-	_		23	287	282	4	1		-	28
West Midlands Conurbation Remainder of Midland	159	159		terotoro.	_		15	126 161	124	1	.1			13
T					1									
Eastern	185	185					5	209	208	- 1				15
London and South Eastern	647	646	1		*******		65	659	653	6				70
Greater London Remainder of South Eastern	538 109	538 108			-		55 10	487	482	5				61
Remainder of South Eastern	109	108	1				10	172	171	1				9
Southern	198	197	1				16	138	137	1				9
South Western	177	177					12	213	210	2		i		14
							12	213	210	-	•			
Wales (including Monmouthshire)	273	270	3			-1	14	186	185	1	-			7
Wales I (South East) Wales II (remainder)	213 60	210 60	3	agentime.			8	143	142 43	1				
							ا ا					1		
Urban/Rural aggregates: Conurbations	1,376	1,373	2			1	109	1,036	1.023	11	2			99
Areas outside conurbations:	1,370	1,575	-			1	100	1,030	1,023	11	2			
Urban areas with populations of 100,000 and over	436	433	3				2.7	124	417	-	1			31
Urban areas with populations of	430	433	3				37	424	417	6	1			
50,000 and under 100,000	218	218		-			14	237	237		-	-		18
Urban areas with populations under 50,000	693	689	3	1			37	662	657	4	1			45
Rural districts	576	575	1				25	525	518	7				32
*See footnote to page 274.				27	76	†Inc	luding			shown	elsev	where i	n this	table.



England and Wales

TABLE 27. Causes of death at various ages under five years, 1959

	4	267 206 203 155		40	1			1-	11			- 1	9 %	1 1	11	11	
S			11	-12							1 (- 13			1 1	-
Years	-2	348	11	20 4	11	11	11		11	11	11	11		11	11	11	
	3	570	6161		1 1		11		11	11	7	11	24	1 1	1 1	-	2
	0	9,454	44	77	-		11	21		-	2	9.6	84	1	4	4	7
	9-11	306	-	-1	11						NW		15	1-		1	7
	8-9	417	3.	12	11	11	11	11			121	121	13	William I		11	-
Months	3-5	870 713		- 1	-			7			1-		17		1 1	7	7
4	1-2	1,052	-	American de la composition della composition del	11		1	1, 100	- Company		11		13	1	Manager 1	3	60
	0	6,809			11	11							40			11	T
	т.	200							TI		1-	П	71	П	11	11	T
S3	7	249	П		-	11			1		1.1		1	11	11	11	Т
Weeks		477 398	11	11	11	T	11		11		1	11	-1	TI	11	11	T
	0	5,883	1	TT		11	11		1=		71	-1	12	11	11	11	1
N.S	1-6	2,723		11		T	11	11	1-	11	71	-1	72		T	TT	T
Days	0	3,160	11	11	11	11			П		11		Land of the land o			11	T
Total under	years	10,845	77	118	[7]			mm			0,∞	44	104		11	21.0	60
			. { FM	: { F	a, { F	. {F	· SM	· FR	· {FM	. (F	Z.	· {FM	· {F	· FM	· {FM	F.	N.
Causes of death		ALL CAUSES	Tuberculosis of respiratory system .	Tuberculosis of meninges and central nervous system	Tuberculosis of intestines, peritoneum, \(\) M and mesenteric glands	Tuberculosis of bones and joints	Tuberculosis, all other organs	Disseminated tuberculosis	Syphilis and its sequelae	Gonococcal infection and other venereal diseases	Infectious diseases commonly arising $\left\{ M \right\}$ in intestinal tract	Dysentery, all forms	Other bacterial diseases	Scarlet fever	Diphtheria	Whooping cough, without mention of pneumonia	Whooping cough, with
ICD	·		800-100	010	011	012, 013	014-018	019	020-020	030-039	040-049	045-048	050-064	020	055	0.990	056-1

2	11	11		2	-	1 2	11	11	7=	11	77	44	110	11	5.	m 4
2	TI			11	97	-1	m	11	-			644	19	11	4 m	40
2	H	11		7-	50	1-	90.60	11				41	16	11	4-	71
00	T			14	940	3.7	40 40			П	- 2	35	19	7-	9	- 8
П		160			11	3 1	12	11		11	14	44	13		-4	3 =
2	The state of the s	11		11	3	-2	8		-			13	73	-	100	12
3		1			471	1-	S	11		11	-	98	4		-	-
I					200		-3		-	П	1	10	UW		11	
I	TI	-			7						2	10	40	1=		11
1	11	1-		-	- Control of the Cont				TT	TT	7	8	26	11	1	T=-
Ī				-		11	-			and the same of th	-	77	=		11	TT
		11		11	11	11										11
-	11	11	11			11		**************************************			6	many dent	-	11		T
-	11	-	11	11	11	11			П		7	40 00	77		1-	1-
1	11	1-		11				11	11		-	44				T
I					11	11				11	1	-4			7-	1
57		m	m N	NO	25	10	25		40		23	203	77	m 74	13	15
LF	· FM	. {FM	· {F	· (F	FM	· (FM	· FE	· FR	· (F	· L	(F)	· FE	FE	· FR	· FM	· { FM
:	nia	of meningococcal		including late	s, in-	f pneu-					iseases			l peri-	ary .	
	occaen	eningo		cludin.	encephalitis, in-	on of	iia .	les) .			asitic d	•	·	organs and peri-	o urina	
	ningoc				ence ects .	menti	uomna	measl	:		id para	:	sms	organs	l genit	kidney
coccaemia	Chronic meningococcaemia	Other forms infection	·· sn	omyeli	ate eff	ithout	ith pn	erman	:	:	tive ar	:	neopla		breast and organs	180 of
202	Chron	Other	Tetanus	Acute poliomyelitis, effects	Acute infectious encep	Measles, without mention of pneumonia	Measles, with pneumonia	Rubella (German measles)	Chickenpox	Mumps °	Other infective and parasitic diseases	Neoplasms	Malignant neoplasms	of digestive toneum	of breast and genito urinary organs	18
	057.2	057-3	061											150-159	170–181	
				080, 081	082, 083	082.0	085-1	980	087	680	Rem. of 001-138	140–239	140-199	150	170	

TABLE 27—continued

1 2	dead of control	Total	Da	Days		Weeks	sks			M	Months				Y	Years		
Š.	Causes of death	years	0	1-6	0	-	2	3	0	1-2	3-5	8-9	9-11	0	-	2	en .	4
140–199	Malignant neoplasms—continued of eye	4-1		11						11				11		e-	-	11
193	of brain and other parts of M nervous system	39			-		1	years	71	7-	-2	m	cim	01	0,00	900	9	oo 4
195	of endocrine glands $\left\{ \begin{array}{lll} M \end{array} \right.$	10			11		-	and the second	11	-1		1-	1-	000	4 W	m 		1-1
	195.0 of suprarenal { F	10			11				11			11	1-	00	4 W	m		11
	195·1 of parathyroid { F			11	Table (Market)		11	11	11		- Calendaria		and the second			11	11	1.1
	195.2 of thymus $\dots \qquad \left\{ \begin{array}{lll} M \\ F \end{array} \right.$			11		America		11	11	11	11		1	-	11		11	П
	195·3 of pituitary \cdots $\left\{ F_{\overline{F}} \right\}$			11			11		11	11		11	11			11	11	11
196	of bone $\left\{ \left\{ F\right\} \right\}$	2		11	11	11		1			11	TT		11	-	П	-	11
197	of connective tissue $\left\{ \left\{ \right. \right\}$	4C	1	annotes:		1	11	tandaman managam managaman managaman managaman managaman managaman managaman managaman managaman managaman managaman managaman managaman managam managaman managaman managaman managaman managaman managaman managaman managaman managaman managaman managaman managaman managam managaman managaman managaman managaman managaman managaman managaman managaman managaman managaman managaman managaman managam managaman managaman managaman managaman managaman managaman managaman managaman managaman managaman managaman managaman managam managama managama managama managama managa managa managama managa managa managa managa ma managa ma managa ma ma ma ma ma ma ma	-	-		T	11		1-	14		1-
200-205	Leukaemia, aleukaemia and Mreticuloses	74	11				-		11	13	76	4	V14	11.8	22	15	23	32
200	lymphosarcoma and reticulo-	9 2	11		and	S Access	11		11			TT	П	11	Desired		mm	
204.0	lymphatic leukaemia $\cdot \cdot \left\{ \begin{smallmatrix} M \\ F \end{smallmatrix} \right\}$	600		and the same of th		11	11	11	11	and the second		-1		-1	11	1-	-1	
204·1	myeloid leukaemia { M		11	11	11	and the second	11		11	11		П	11	11	1=		11	- 1
204.2	monocytic leukaemia { M	66	11	11	11	11	11	11	11		11	11	11	T	-	11	e -	1-
Alder J.	And professional to the same and the same and the construction of									C		-		0	C	10	15	26

1	240-245	Allergic disorders $\{M\}$	15	11	11	11	11		П	- 11	- 1		11		, w.v.	יי יי	- 10	5	1 40
Diseases of other endocrine glands	250-254		70	12	П	12	11	11		7	1-	1	11		I ~	·	1		
Anaemias	260	Diabetes mellitus $\binom{M}{F}$	04		TT	-		-1		-	1-	1-	lan j	Į) == 0	10		-	
Avitaminoses and other metabolic. {F} active rickets active rickets {M} ———————————————————————————————————	270-277	Diseases of other endocrine glands { M	17	ოო	23	95	24		-	20	· ·	40	-	-	17 1	1 10		1	
active rickets	280-289	metabolic	114	11	1-	1-	1-	1-	-1	«	· m-	1 -0	-		3 91	4			
Anaemias	283	:	- Andrews	11	11	11				.	11	1	-		-	4	١ ١	4	
Anaemias	286-0		1-		T	11	11	. 11				11	- I		Parameter State of St	1-			
Montal, psychoneurotic, and person-	290-293		10		TI		11	11	11			14		1-	- 4	. 10	m	-	
Mental, psychoneurotic, and person-	294-299	and blood-	12 5	1	1-		11	11	-		-1		- 1	-		4		4 pm	
Vascular lesions affecting central F 22 24 4 3 1 8 Vascular lesions affecting central F 22 24 4 4 3 1 1 Inflammatory diseases of central F 22 1 1 1 1 1 1 1 1	320-326	tic, and person-	223	71	44	94	32	TT	1-	00 00	77	w.m		-	1 22	-4	1 14		
Vascular Jesions affecting central {M 22 1	325		22	77	44	9	778		1-	00 00	77	3.00		- 1	22 41	4	. 14		
Inflammatory diseases of central M 124 10 10 7 8 22	330-334	central	27	11				11	11	-	40	10	7	12	E 6		, maj m	7-	
The meningitis, except meningococcal M S4 S2 S4 S4 S4 S4 S4 S4	340-345	of central	.124	1-	3	01	0 7	∞4	40	22	0,00	01	<u>4</u> ∞	13		15	00 47	' 'V' ''	
Other diseases of central nervous {M	340	~	84		∞ N	w 71	90	00 m	4.0	25	14	27 %	00 4	∞ ©		0 6	4-	· ~-	
cerebral spassic infantile paralysis $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$ 25	150-357	nervous {	81	11	2	5		11	11	9	96	12		, woo	24 4	00%	16	. = .	
epilepsy $\binom{M}{F}$ $\binom{M}{F$	351		25			11	11	11			20	44	777	14	11	, N.C.	4 m	n	
	353	:	36	11	4	4		11		4			7-	m 74	01	m vn	Ø M	9 1	

TABLE 27—continued

ICD	Causes of death	Total	Days	ys		Weeks	ks			Z	Months				Ye	Years		
No.		5 years	0	1-6	0	-	- 7	m	0	1-2	3-5	6 8 9	9-11	0		- 2		4
390-398	Diseases of ear and mastoid process $\left\{ F \right\}$	36						NW	0.60	78	- 00 m	99	- 5	29	8		7	-1
Rem. of 330–398	Other diseases of nerves and sense { F organs	m vn					TI	П	11	1-		1	-1	77	160	1-		-
400-402	Rheumatic fever $\binom{M}{F}$	14	11	TI		and the second	- Company	-	II	1-	1-	1-	11	6	11	11	TT	
410-434	Diseases of the heart $\{M\}$	16	1 2		c/m	11	-	TT	mm	4-	0.00	-2	-1	11	60			1-
440-468	Other diseases of the circulatory (M system	7	1-		-	-	160		- 2	11		1-	11	77	11	-1	-1	1 2
470-475	Acute upper respiratory infections $\left\{ M \right\}$	25 21		-	-1	11	1-	11		7-	00	00	10	11	3.7	40	NU	46
480-483	Influenza $\binom{M}{F}$	58		14	2		71-	-1	44	11 8	10	111	vo m	34	700	7.7	m 01	63
490	Lobar pneumonia M	41		1	11			11	- Control of the Cont	10	13	40 m	44	30	41		- 3	-3
491	Bronchopneumonia M	906	11		11	11	11	TT	11	294	241	122	44	730	106	32	20	9
492–493	Primary atypical, other and unspecified pneumonia	94	11		-	11	11			30	23	13	970	75	11	w4	079	77
500–502	Bronchitis $\binom{M}{F}$ Other diseases of respiratory system $\begin{cases} F \\ Y \end{cases}$	274 213 54 52	1 04	-00-	1000	4600	2111	L40	40278	73 43 11	. 81 67 10 13	31 4 7	37778	218 171 39 35	33 4 %	64	00004	Nome
518	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	-0	manufacture of the second			1-11	1111	1111	1-11	1-11	-m	161-	1-11	-0 -	1111		11-1	111
530-539	Diseases of buccal cavity and Moesophagus	5		1	-			11	2	1 2	11	1	П	ω4	11	-		77

	15:0		, .																
- 1	89		The same and		The same of the sa	44		97	9	-	-7	1	1	1	11	1	-11	11	11
		-21	2	11	-	9	1-	1 9	1 9	3-	11	T	T	1	-1	+	1-		
TI	24	-	777	777		72	11	96	41	4-	6	T	1	-	-		7.7	-1	
11	99	e	L ==	6	4	30	71	9	13	71	94	1	-	1		4-1	77	14	11
22	4 %	75	30	16	111	158	9.60	63	50	15	24	red	-	-	40	14	14	16	50
T	-	77-	5	4	-1	21		mm	44		-		T	1	-	-	กก	-	
-	-		710	710		22	-	9	7	200	m 71		-	-			ოო		
11			128	827		29	-	22	18	20	4-		1	-		1=	40	-	
2	-73	10	r 4	-7	40	35	7-	13	00	4	3	1	-	-	٦١		vs m		
1.8	-	65 44	~ ~	-	94	Name of the last o	4-	18	14		98	_	1				7	-	50
TI		4	11	11		-	7	14	4		NW		-	1	11				
1	and the second	mm		11			11	-7	12		6	1		1		11	1-	1-	
1-	1-	-4	mm		77	11		9	40		-		1	T			11		777
3	-	51	24	11	40	11	-	12	12		12			-	11		1-	11	48
2	-	10	v4	11	411	-11		==	9		14	_	_				-		23.8
1	1)	6.9						Lord											
	1 1	39	1 1		11	1 1	-	17	1			1						1 1	98
53																			
	17	81 50	41 29	21 19	16	201	120	986	85	22	34	7	7	-	78	v4	16	1.0	50
{ F	{F 17	(M 81 50	(M 41 29	(F 21	(F 6	(F 201 (F 125	(F 6	(F 95	(F 85	(M 22	M 34	M 2	M 2			-FM		FM S	
um, { ^M		{ M 81 50	.{™	{M 21 19 19		t {F		: \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\			{M 34	M 2	: M	:	₩¥.		: {\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		{F 30
odenum, { F		{M	men- {M	{M 21 19		t {F	: { F	: \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\			{F	. M	: M	gans F	₩¥.	: { F. M.	of K	{ M	
nd duodenum, {F		{M	men- {M	$\dots \qquad \dots \left\{ \begin{matrix} M & 21 \\ F & 19 \end{matrix} \right]$		t {F	: { F	: \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\		{ M	{F	. M	: M	tal organs F	₩¥.	\sup_{\cdot} $\left\{ egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	of K	{ M	
ach and duodenum, $\{F\}$	$\cdots \cdots \left\{ \stackrel{M}{F} \right\}$	cavity {F	men- {M	{M	$\binom{M}{F}$	colitis, except M	testines and {F	: \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\		{ M	{F	. M	: M	e genital organs F	₩¥.	n and sub-	and organs of F	periostitis { M	
44	$\cdots \cdots \left\{ \stackrel{M}{F} \right\}$	cavity {F	men- {M	{M		colitis, except M	testines and {F	: \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\		{ M	{F	. M	: M	emale genital organs F	₩¥.	n and sub-	and organs of F	periostitis { M	
-	$\cdots \cdots \left\{ \stackrel{M}{\mathbb{F}}$	cavity {F	men- {M	{M		colitis, except M	testines and {F	: \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\		{ M	{F	. M	: M	s of female genital organs F	₩¥.	n and sub-	and organs of F	periostitis { M	. : { H
ch		{M	.{™	intussusception {M 21	$\binom{M}{F}$	t {F	: { F	galibladder and \(\int \)			Other diseases of urinary system $\dots \in \mathbb{R}$ 34	Diseases of male genital organs M	redundant prepuce and phimosis M	Diseases of female genital organs F	and subcutaneous { K	\sup_{\cdot} $\left\{ egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	of K	{ M	{F
44	$\cdots \cdots \left\{ \stackrel{M}{\mathbb{F}}$	cavity {F	men- {M	{M		colitis, except M	testines and {F	: \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	{ F	{ M	{F	. M	: M	620-637 Diseases of female genital organs F	₩¥.	n and sub-	and organs of F	periostitis { M	. : { H

TABLE 27—continued

No. Spina bifida and meningocele 752 Congenital hydrocephalus 753-0 Congenital cataract 753-1 Other congenital malformations of nervous system and sense organs 754-0 Tetralogy of Fallot	and meningocele		5	-		-	-		1						0			-	
	d meningocele		years	0	1-6	0	-	7	т г	0	1-2	3–5	6 8 9	9-11	_		7		4
	Irocephalus aract	ŽĽ,	293	38	39	99	46	35	22	171	55 70	34	14	13	287 379	5	3.11	1-	-
	aract	· FE	217	32	39	53	23	7	700	85 114	38	34	19	16	189	13	200	7.0	777
	9-	· {FM	11	11	11			11		11	11		11	11	11	11	11		1 1
	ther congenital mailormations of nervous system and sense organs.	AH.	52	125	40	220	3.		-6	12	70	77	4	40	25	14	00 m	e ==	44
	allot	· FR	282	1-	71-	777	777	-1	-	04	30	44	m4	m (1)	22	10	m (1	24	2
754-1 Patent ductus a	Patent ductus arteriosus (Botalli)	Z.	36	910	10	222	m	m vn	71	20	∞4	40	ω −	70	35	-2	1-	11	1 1
754·2 Interventricular sep	r septal defect	Ž.	28	N4	91	21	rn 00	-7	7	222	11	00	7.2	44	689	mm	-2	77	12
754-3 Interauricular septal defect	septal defect	· FM	53	w.m	110	21		7-1	- e	25	12	10	715	-74	39	77	-1	TT	11
754.4 Fibroelastosis cord	cordis	MH	36	m	00 4	114	-1	es=	-	16	8	06	3	m	202	ma	-1	7=	11
754.5 Other and unsp	Other and unspecified malformations of heart	Z.	464	43	149	176	35	24	14	252 201	93	37	24	10	428 339	16	00 00	9.4	m C1
754.6 Coarctation of aor	faorta	Z	23	-2	41	400	715	7	E -	17		71	77	1-	222	TI	11		11
754.7 Other circulato	Other circulatory malformations	· FE	82 55	0100	28	19	55	100	mm	30	90	100	7=	N.W.	76	m=	7-	-1	11
755 Cleft palate and harelip	d harelip	E F E	111	m	w4	04	-77	-1	TI	000	7-1	-1	11		11	11	11		11
756.0 Congenital hyperstenosis	Congenital hypertrophic pyloric stenosis	₹	20	-1	11	-1	1-		71	4 m	15	1-	11	T	4	-1	TT	11	11

-		11	2		11	11		11			32	11	11		11	
			3 2		-1	-				11	1 3		1	4		
1	20	<u>س</u>	67	1	41	w4	3.7	TI	TT	10	26	mN	211	90	551 333	378 196
_			4	11	11						19	T	11	-		11
I	11		- 2	-		1				11	77		11	-2		
T	11		40					11	11	1	∞ ∞	1-	11	3.1	11	11
1	61		10	diament .	11			11	T	-7	40	7-	1	97	2	
- j	17	16	46	11	41	w4	9 1		11	75	100		10	81	551 331	378
T		1-	8	TT	11	11		11						-	20	77
1	-		4	11	11	1-		T		-		-	-	40	5.7	71
, 1		1-	0 1	11	11	7	-1		THE RESERVE TO SERVE	m	7		1=	200	27	17
1	14	1-	28		41	3.0	2			NW	18	11	V) 00	72 63	512	357
1	71	1-	00	11	2	12		11	П	m	97	11		23	274	197
T	12		19		40		2 ←			71	27.80		41	48	238	160
1	21	16	75		7.0	m vo	3.7	11		10	36	m21	111	96	551 333	378
M	N. F.	MH.	(FM	Z.F.	Z.	Z.	M.	(FM	(F)	(FM	Z±/	(F)	ZH.	NH.	M.F.	ZE
Undescended testicle	Polycystic disease of kidney	Congenital malformations of external genital organs	Other congenital malformations of genito-urinary system	Congenital dislocation of hip	Chondrodystrophy	Congenital malformations of skull	Brittle bones	Cervical rib	Congenital abnormalities of lumbo-	Other congenital malformations of bone and joint	Congenital malformations of respiratory system	Congenital malformations of skin	Congenital malformations of muscle	Other and unspecified congenital mal-	Intracranial and spinal injury at birth, without mention of imma-turity	Intracranial and spinal injury at birth, with immaturity
757.0	757-1	757-2	757-3	758.0	758·1	758-2	758.3	758.4	758.5	758.6	759.0	759·1	759.2	759.3	760.0	760.5

TABLE 27—continued

	4	11	11	1.1	1.1	1.1	11	11	11	11	11	1
		11	11	11	11	11		11	T			ĺ
Years	2			11	11	11	П	TI	11	11	11	1
	-		11	11	П		11	11	11	11		į
	0	1111	132	582 375	1,063	312 209	133	10	24	-1	-	3
	9-11		11		11	11	TT		TI	П	Ţ	T
	8-9		TT	-		11	11	1 1	11	11	11	1
Months	3-5		11	ا ع	1						11	-
A	1-2		11	9 00	62			11				İ
	0	1111	132	572 367	1,062	312	133	25	24	-		3
	3	-1		74	- 3	32	00 VN	OM	m 71		11	-
eks	2		1-	7	70	51 45	12	37	12			2
Weeks	1		41	7	16	57	22	9=	10	-	-	-
	0	110 75	130	561 361	1,037	154	93	mm		11	1 1	-
Days	1-6	27	39	233	449	138	82 49	mm				-
Da	0	83	91	328	588 404	16	==	11		11		I
Total	5 years	111 75	132	582 375	1,063	312	133	25	04	-	-	3
		(F)	L. L.	(F	· {FM	· { FM	· {F	· FR	. F.	. (F.	. F.	CM
Causes of death	1000000	Other birth injury, without mention of immaturity	Other birth injury, with immaturity	Postnatal asphyxia and atelectasis, without mention of immaturity	Postnatal asphyxia and atelectasis, with immaturity	Pneumonia of newborn, without mention of immaturity	Pneumonia of newborn, with immaturity	Diarrhoea of newborn, without mention of immaturity	Diarrhoea of newborn, with immaturity	Ophthalmia neonatorum, without mention of immaturity	Ophthalmia neonatorum, with immaturity	Pemphions neonatorum without
ICD	No.	761.0	761.5	762.0	762.5	763.0	763.5	764.0	764.5	765-0	765.5	766.0

11	11	П	11	11	11	11		11	11	11	9	11	11	11
TT	11		11	11	11	11		П	11	П	П			
11	TI	П	TI		11		11	11	11		П			11
TI					11		11	11			П			11
2	13	-2	00 40	96	11	77		50	04	11	11	40	118 129	L 80
1	11	11		11	11		11			TI			11	
11	11	11			11	11	-	11	11	TI	1 1	11	11	11
11	11	11	-				11	11	11	11	1 !	11	11	
11	-2		11	11	11		11			11				
1	18	-2	00 VO	7m			11	50	04		11	40	117	94
11	6	-					П		-		11	11		
11	7m	==	1 1	-		-	П	1-		11			77	
1.	04	1-						1-					vo m	1-
11	L4		∞ v∩	777		1-		39	∞ 4			40	109	96
11	94	11	с-	-	11	T		21	4	11	11	777	30	96
11	-		24	-77	11	1-		22	40			0m	93	11
7	19	17	00 KJ	NW		71	11	50	04		11	40	118	5
$\{F$	· {F	Z.	(F	(F	Z F	(F	(F	(F	(F	(F)	(F)	(FM	(F	NE NE
ty .	out	-mi	to	to len-	to ten-	to	to to	to vith	to to	to rity.	toxo-	other nia,	ion	ig :
h immaturity	with	with im-	attributed to	attributed to without men-	attributed to without men-	attributed to	attributed to maternal tox- ntion of im-	attributed to	attributed to with immatur-	attributed to	ed to	ed to	ment	Jo uc
immi	oorn,	born, v	attrib incy"	attrib witho	attrib	attrib	attrib mate tion	attrib	attrib ith ir	attrib h im	ribute	ribute nal to	out or im	entic
with	newb	ewbc	C:				ers giffed h	00		.2	sattr	s attr	with tion	out m
psis,	of fimn	of n	sord of pr	Sord	sord	isord osis,	sord speci	sord	sorde	sord	order	order fed m	osis, affec	withd
cal se	sepsis on o	epsis rity	al di lemia	al di mal c	al di nal	al di lasm	al di or ur	al di emia	al di nal d	al di nal ru	al discosis,	al disc	blast	erus,
Umbilical sepsis, wit	Other sepsis of newborn, without mention of immaturity	Other sepsis of new maturity	"toxaemia of pregnancy" without	Neonatal disorders maternal diabetes,	Neonatal disorders maternal rubella,	Neonatal disorders attributed to toxoplasmosis, without mention of important and the contract of the contract	Neonatal discrete attributed to other or unspecified maternal toxaemia, without mention of im-	maturity Neonatal disorders "toxaemia of pre	Neonatal disorders maternal diabetes,	Neonatal disorders maternal rubella, w	Neonatal disorders attributed to toxoplasmosis, with immaturity	Neonatal disorders attributed to other or unspecified maternal toxaemia,	with immaturity Erythroblastosis, without mention of nervous affection or immaturity	Kernicterus, without mention of immaturity
Un	Off	Ott	Ž	Z	Z	Z	Z Z	Z	Z	Z	Z	Z	Ery	Ke
767.5	0-892	768-5	0.692	769-1	769-2	769-3	769-4	769.5	9.69.	1.697	8.692	6.697	770.0	770-1

TABLE 27—continued

								-					-					ı
ICD No.	Causes of death	Total under	Days	ys		Weeks	ks			2	Months					Years		:
		years	0	1-6	0		7	8	0	1-2	3-5	8-9	9-11	0	-	7	60	4
770.2	Erythroblastosis, with disorder of Miver other than icterus gravis, F				- Land	11		TT						11				111
770.5	without mention of immaturity Erythroblastosis, without mention of neryous affection but with im-	34	25	16	34	77	11	11	343	-	11			4%				
9.02	Maturity Kernicterus with immaturity	15	11	10	10	64	21	11	\$5.00	11	11			500				1
7.077	Erythroblastosis with disorder of { M liver	11		11	11		11				11	11	11	11				
771.0	Haemorrhagic disease of newborn, {M without mention of immaturity {F	82 50	20	50	42	00 m	60	11	81	77	1 1	11	1-	205	11	11	11	
771-5	Haemorrhagic disease of newborn, {M with immaturity {F	45	122	39	41	mm		П	45	-	-		11	24	11			11
772.0	Nutritional maladjustment, without M mention of immaturity F	6		- Company	11	11	II	П	П	8	-		П	1 8	11	TI		
772.5	Nutritional maladjustment, with im- { M maturity	-	11		11	11	11	П	data	П		11	11	11				
773.0	Ill-defined diseases peculiar to early fm infancy, without mention of im-	53	17	26	43	40		T	48	200	12			30				
773.5	Ill-defined diseases peculiar to early { Minfancy, with immaturity { F	127	484	56	120	4=	77		125	12	11			127	11		11	11
74	Immaturity with mention of any {M other subsidiary condition	76	36	22	52	. ww	w w	П	26	12	14			76			11	11
9//	Immaturity unqualified { M	1,532	1,002	358	1,481	33	8 13	-4	1,529	13	11	11	11	1,532	11	11	11	-
180-795	Symptoms, and ill-defined conditions { M	112	95	-1	1.0	11		1-	7		23	71	TT	13	1-			11
780.2	Convulsions {M	60	11	-1	-1	11	-	11	-1	11	1-		11	77	11	-1		
785.3	. Youngton	. Committee	- interest	Comment of the	- month		The same of	-	and and a	-								

000	28	27	23	1	40	25	10	1	77	1	15	11	71	11	22 13	4-	00	4.00	22	1
10	40	37	32	3=	94	32	1-00		-1	11	15		160	T	23	24	0,00	41-	32	
	38	34	25	നന	10	51	∞∞	40	40 m	11	27	11	m 71		31	12	97	10	46	
	33	29	27	0.4	47 00	31	41	9,0	18	11	00 m	11	w4		34	97	4-	110	48	
	0,40	00 40	-6	77	13	244	10	3=	188	30	-4	14	10		100	10	-2	4 ∞	240 188	
	-2	2-	11	4	4-	071	с =	-74	127	1-	11	11	1 60		4-	77	1-	2100	140	
	7	71	11	11	14	26		11	120	11	11	11	-2	11	е	-4	-1		24	
	20	m (4)		11	20	87	411	1-	81		11	-	mm	11	w4	91	7	77	86 56	
		-	1-	11	m 71	53	7-	-	502	1-			-3	-	90		7	1-	54	
			=	11	1-	56	1-		23	30	3.	-	m 00	11	m 71	-1		1-	56 51	
_			1-		11	~ 100	11		00 F		11		1-	11			11		00 00	
	11	11	-		1-	97			m 74	-1	11	-	12	1		-	11	11	44	
			TT	11		77		11	97			-11	1-	-	11		11	11	3.7	
3.		11				32	-		91	28	3.1	1-	w4				-	1-	37	
				-		9			40				77		-		11	11	V) 30	
	-	11		1		30	1=		77	27	3	1=	777	-	1		11	[32	
	1 1	1 1	0100	1 1	11		0)0	1 1				1		1 1	1 1	11	1 1			
	148	135	112	100	338	404	32	11	213	30	25	7	18	1 1	135	37	35	43	388	
	₹ E	(FM	₹ F	\F\	NH.	Z.L	(FR	ZH.	(FM	(F)	(FR	ZH.	\ F⊠	(FR	Z _H	Z'H	N.	NH.	₹ F	
	:	nts	:	:	:	:	nd	ance,	: :	ier :	-qns	rical ··	in- war)	:	;	ure)	and	:	:	
	:	traffic accidents	:	:	:	:	by fire and combustible	ed by hot substance, quid and steam	ogjns	infants under	and su	redical and surgical	sely of in	:	:	fract	men	;	:	
		ffic a					by f	y hot	ical .	nfant	ing a	al an	ourpo on (no			skull	abde.	,		
	its .	e tra	an .	ing .	٠	•	sed	sed by quid	echar	of	owni	redic.	ury p	•	•	ding	hest,	٠		
	cider	ehicl	lestri	oison	alls	nts	t cau	t caus	tal m	care of a	tal dr	e to n	d inj	:	:	exclu	y of	:	:	
	ort ac	Motor vehicle	to pedestria	ntal p	ıtal f	ccide	Accident cau explosion	Accident caused by hot substa corrosive liquid and steam	Accidental mechanical suffocation	Lack of care 1 year of ag	Accidental drowning mersion	its du	de an	iolen	S	jury (injur :	:	njurie	
	Transport acciden	Me		Accidental poison	Accidental falls	Other accidents	Ac	Ac	Ac	Lac	Ac	Accidents due to m intervention	Homicide and injury purposely inflicted by other person (not in war)	Other violence	Fractures	Head injury (excluding skull fracture)	Internal injury of chest, abdomen	Burns	Other injuries	
		E810- E825	7				9	7	E921- E925	9	6					856 F				
	E800-E866	E81	E812	E870-E895	E900-E904	E910-E936	E916	E917	E92	E926	E929	E940-E959	E980-E985	Rem. of E800-E999	N800-N829	N850-N856	098N-098N	N940-N949	Rem. of N800-N999	
	H			E	E3	E3						E3	E3	Re E8	Ž	ž	Ž	Z	22	

TABLE 28. Weekly notifications of certain infectious diseases and deaths from certain causes, 1959

Week

Original notifications (including Port Health Districts)

Acute

Deaths*

ended	(or	hoic	000		ing	eria		polion	nyelitis	50	ಜ	nia	
	Enteric (ctyphoid) fever	Paratyphoic fever	Meningoco	Scarlet	Whooping cough	Diphtheria	Measles	Para- lytic	Non- paralytic	Food poisoning	Influenza	Pneumonia	
Jan. 3 10 17 24 31	1 1 1 1	2 9 37 43 8	25 25 24 40 31	1,150 770 1,103 1,430 1,396	584 532 508 657 860	4 5 5 4 1	18,179 15,144 12,675 13,709 18,064	23 26 21 14 20	8 17 5 4 1	154 148 107 200 171	21 41 33 55 54	842 773 802 875 817	
Feb. 7 14 21 28	- 2 4 2	10 3 6 11	28 30 27 35	1,392 1,218 1,247 1,207	761 709 575 540	2 5 2 5	22,227 25,200 26,461 25,006	12 11 10 7	6 2 2	129 120 107 148	144 455 1,121 1,572	986 1,374 1,951 2,121	
Mar. 7 14 21 28	<u>-</u>	6 5 9 16	37 28 30 21	1,208 1,239 1,082 1,001	500 588 535 502	3 5 3 2	23,552 22,792 23,364 19,554	9 11 8 14	1 3 4	112 126 131 110	1,400 907 594 428	1,810 1,384 1,066 956	
Apr. 4 11 18 25		17 22 3 4	28 20 23 23	916 691 671 769	608 616 613 710	2 2 3 4	25,268 22,884 17,698 14,474	6 14 12 10	3 5 3 11	117 366 112 283	294 207 116 58	820 746 640 494	
May 2 9 16 23 30	2 7 4 —	10 3 4 7	22 19 24 18 24	920 1,016 997 743 677	874 649 611 465 550	3 3 2 3	14,333 15,737 18,206 17,520 17,010	16 5 19 18 23	4 8 16 3 6	257 285 244 208 280	37 21 23 8 9	416 450 500 337 427	
June 6 13 20 27	1 2 2 4	7 3 3 4	18 17 22 21	970 927 927 819	619 627 658 722	1 .4 20 15	14,813 13,543 10,927 11,127	31 18 27 27	11 4 5 15	271 437 298 259	5 6 5 6	358 332 342 323	
July 4 11 18 25	4 3 3 5	4 5 10 4	17 15 16 21	904 784 781 804	699 631 688 694	20 11 6 2	10,139 8,851 8,558 7,127	31 31 21 35	22 16 22 18	222 293 421 246	3 3 1 1	299 356 304 342	
Aug. 1 8 15 22 29	3 3 8 5	3 10 17 19	13 17 8 16 15	641 465 369 329 265	710 616 798 777 863	6 2 3 —	6,185 4,611 4,036 2,782 1,854	35 23 28 34 19	23 17 18 24 17	305 250 340 250 328	2 5 7 1 7	298 298 296 369 341	
Sept. 5 12 19 26	6 9 9 4	42 20 14 18	13 6 20 17	248 303 402 531	873 896 718 786	2 6 5 6	1,249 855 686 687	26 26 19 22	18 12 14 13	415 292 293 243	7 4 1 5	286 326 265 334	
Oct. 3 10 17 24 31	5 2 4 4 5	7 9 6 4 6	11 23 21 15 13	606 870 918 948 982	645 485 502 546 454	2 1 5 6 2	796 822 959 1,019 1,039	23 19 18 18 18	11 9 5 10	269 230 248 179 195	5 7 11 19 16	320 394 356 373 369	
Nov. 7 14 21 28	3 8 3 3	9 4 1	14 17 10 20	1,024 1,062 1,382 1,463	569 641 714 699	3 8 21 13	1,196 1,071 1,003 1,174	12 21 11 11	2 3 5 5	177 147 206 201	22 22 24 18	417 476 544 603	
Dec. 5 12 19 26	3 2 2 1	1 1 3 4	26 16 20 14	1,418 1,537 1,334 1,004	740 672 561 374	5 17 7 2	1,113 1,128 1,083 951	11 5 4 1	$\frac{2}{2}$	190 193 377 164	19 22 19 17	518 590 594 482	
Totals	148	478	1,074	47,860	33,524	277	550,441	929	436	11,854	7,888	32,092	
		(Corrected	notificatio	ons (exclud	ding Por	t Health D	Districts)	,			Deaths	
Totals‡	119	376	745	47,914	33,252	102	539,447	732	289	9,964	7,862	26,592	
* The	weekly de	aths are c	ompiled f	rom retur	ns furnish assificatio	ed by R	egistrars o	f Births a	and Deaths	3.			_

† Classification of Diseases (7th Revision 1955), ‡ These totals are for the period 1st January to 31st December.

Final numbers after correction (including original cases in Port Health Districts)*

Diseas	ses			1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959
nteric (or typhoid) fever			311	236	206	135	101	122	193	136	125	147	123
ratyphoid fever				582	293	1,095	1,039	353	548	876	440	310	200	379
ague				sacrouth			_				_	_		_
nolera					_		-				-		_	armen .
eningococcal infe	ction			943	1,150	1,390	1,327	1,354	1,246	1,126	1,168	1,016	836	746
arlet fever			• •	70,667	65,889	48,744	67,261	61,180	43,026	32,619	33,103	29,547	38,853	47,919
hooping cough				102,816	157,781	169,441	114,869	157,842	105,912	79,133	92,410	85,018	33,404	33,253
iphtheria				1,890	962	664	376	266	173	155	53	37	80	102
ysipelas				8,270	7,650	5,936	5,999	5,999	5,375	4,614	4,382	3,589	3,293	3,203
phthalmia neonat	orum			2,229	1,935	1,762	1,788	1,772	1,684	1,771	1,515	1,483	1,304	1,179
ysentery				4,538	17,286	28,590	14,535	18,426	31,858	36,718	49,009	28,910	38,107	35,626
alaria (contracted Wales)	d in En	gland a	and	4		1	_	†3		-	_	1	_	
elapsing fever				_		2		1		-		1	1	2
nalipox	• •	• •		(2) 19	(1) 8	27	135	. 30				4	(1) 6	Seleven
leasles				385,935	367,725	616,192	389,502	545,050	146,995	693,803	160,556	633,678	259,308	539,524
c. Poliomyelitis (p c. Poliomyelitis (p			}	5,982	5,565 2,195	1,529 1,085	2,747 1,163	2,976 1,571	1,319 641	3,712 2,619	1,717 1,483	3,177 1,667	1,419 575	739 289
c. Encephalitis (ir c. Encephalitis (p			}	49	186 67	202 110	113 91	166 92	118 101	150 118	173 106	172 155	171 119	140 140
yphus fever				(7) 7	1	‡3	‡1	‡1	§1	‡1	1	_	_	_
neumonia (acute p influenzal)	primary 	and ac	ute	34,561	30,663	43,259	31,736	37,214	26,562	27,930	25,460	32,732	22,323	26,816
uerperal fever and	i pyrex	ia		4,724	4,132	7,418	12,351	12,718	12,239	12,109	11,682	11,834	10,814	10,699
ood poisoning				?	7,508	5,799	5,872	10,376	9,001	12,719	10,998	9,180	8,801	9,971

* Cases notified in Port Health Districts are not corrected for subsequent changes of diagnosis. When these notifications relate to quarantine diseases, they are distinguished in this table in brackets alongside the figures in which they are included.

1 case unconfirmed.

The Puerperal Pyrexia Regulations 1951, which came into operation on the 1st August 1951 and which apply throughout England and Wales including London, contain a revised definition of puerperal pyrexia. From the 1st August 1951 puerperal fever was no longer separately notifiable in London.

Cases of certain infectious diseases notified, by sex and age, 1959 TABLE 30.

England and Wales, standard regions, Wales, conurbations, and urban and rural aggregates

outside conurbations

Unknown L 799 71 M 20004 25 and over 245 5 10 **63** 74 26 1020 000 44 188 24 11 13 32 8 61 25 M 23 67 23 394 21 7 14 156 32 06 26 26 22 32 00-45 15-207 21 21 9 17 487 33 36 13 23 **4**84 53 Z 2,601 13,386 13,640 2,999 3,245 78 78 129 ,248 **4**€ 2 2 2 2 400 H 0 **827** 634 193 359 **429** 161 268 Z 5,166 619 632 455 923 1,894 ,273 621 652 696 452 349 103 H 5 5,066 1,850 628 Z 8688 **213** 90 123 102 686 384 Œ Scarlet fever 4 2,917 365 139 226 1,125 195 195 106 246 430 252 121 131 2808 Z 1.904 20 20 84 84 334 H Final numbers after correction, 3-2,263 69 312 125 187 000 481 366 115 **78** 666 12 338 871 Z 1,129 81 82 82 82 71 21 50 **05** 40 65 233 0449 468 148 L 2-1,358 13 **8** 8 8 8 8 582 543 53 45 Σ 383 19 18 45 17 15 48 L 200 **51** 448 3550 **\$**27.80 84 27 27 27 24 23 724 174 Z 200 184 83 38 14 H 9 370 **2**0000 36 96 0 19-Z ,184 274 910 3,656 1,267 779 ,610 6000,6 3,278 675 ,067 2,203 2,038 ,103 2.278 ,073 ,687 472 23,701 All ages 3,346 24,213 9,224 Σ Urban areas with populations of 50,000 and under 100,000 Urban areas with populations of 100,000 and Remainder of East and West Ridings South East Lancashire Conurbation Merseyside Conurbation Wales including Monmouthshire)
Wales I (South East) ENGLAND AND WALES (excluding Port Health Districts) Remainder of North Western West Yorkshire Conurbation West Midlands Conurbation Areas outside conurbations: Remainder of South Eastern Remainder of Northern London and South Eastern Remainder of Midland Tyneside Conurbation Area Regions and conurbations: Wales II (remainder) East and West Ridings Urban/Rural aggregates: Greater London South Western .. North Midland .. North Western

11

292

-	52		m ~ -	40	N)	ru 4	M	15	-	L/I	r 000	00	-	7 16 20
İ	30	M-0	~~~	44	-	m m	H)	9 9	ļ	M		9		127
Î	214	= ~ ~	4 40	100	12	2 ∞	20	2347	19	31	10	59	25	54
Ì	9	m 01-	4-10	101	4	4 − w	0	<u>•</u> ∞	m	0	W=0	18	9	23
	123	4 4	= 1.4	2000	7	200	91	% % % % % %	10	7	10 W C/I	56	17	25 18
İ	73	40-	m m	• mm	8	9 00	7	21 13 8	0	10	444	78	7	118
	999	31 10 21	70 27 43	108 38 29 41	19	76 422 37	74	131 97 34	40	53	2 ∞ =	243	19	36 109 217
	613	30	45 111 34	28 28 28 38	59	2 4045	70	83 83 39	4	62	30 19 11	205	70	32 106 200
	6,587	623 196 427	576 241 335	1,341 480 435 426	528	972 654 318	479	1,172 777 395	271	422	203 1111 92	2,783	731	364 1,427 1,282
	6,046	523 163 360	495 193 302	1,335 462 423 423 450	515	857 563 294	391	1,094 675 419	212	417	207 88 119	2,479	009	343 1,376 1,248
gh	1,976	251 85 166	151 63 88	455 163 158 134	168	257 176 81	104	334 219 115	72	129	34	864	238	124 421 329
ing cough	1,892	22 9 90 139	998	434 159 126	178	264 177 877	97	298 201 97	20	101	333	844	217	122 396 313
Whooping	2,072	97 97 174	85 89 89	507 175 160 172	129	283 191 92	109	366 264 102	26	111	60 14 19	972	235	119 437 309
	818,1	210 63 147	139 000 70	477 156 196 125	129	243 155 88	93	317 220 97	19	105	25 19	859	203	105 346 305
1	2,135	238 84 154	218 101 117	517 167 205 145	154	273 169 104	90	394 266 128	62	135	30 24 24	992	282	110 439 312
	2,000	222 73 149	156 78 78	513 198 196 119	140	254 177 77	Ξ	368 269 99	26	117	63	166	243	98 393 275
-	1,832	170 55 115	156 76 80	486 156 208 122	135	249 153 96	98	347 262 85	62	83	46 27 19	910	243	112 330 237
	1,736	204 81 123	24 522 72	436 172 157 107	12	233 146 87	Ξ	295 230 65	57	108	36 19	93	229	107 320 242
	1,636	76 76 101	81 86 86	404 145 159 100	= 3	234 161 73	78	277 212 65	52	8	282 282 282 282	834	196	91 309 206
	1,683	125 125	150 71 79	415 150 156 109	4	200 136 64	88	287 218 69	20	102	39	790	226	115 314 238
-	17,293	1,170 1,170	1,540 687 853	3,866 1,343 1,370 1,153	1,312	2,383 1,564 819	1,073	3,120 2,150 970	640	1,063	519 291 228	7,721	2,029	3,567 2,997
	5,959	1,612 542 1,070	1,284 547 737	3,720 1,344 1,307 1,069	1,290	2,128 1,398 730	786	2,827 1,920 907	539	1,029	548 292 256	7,058	1,802	3,300 2,868
		:::	: : :	::::	٠		1		•	•	:::	:	Urban areas with populations of 100,000 and over	under 100,000 Urban areas with populations under 50,000 Rural districts
	:	:::	st and West Ridings West Yorkshire Conurbation Remainder of East and West Ridings	South Western	:	:::	:	:::	:	:	.re)	:	f 100,0	under
	GLAND AND WALES (excluding Port Health Districts)	:::	sst and West Ridings West Yorkshire Conurbation Remainder of East and West	South East Lancashire Conur Merseyside Conurbation Remainder of North Western	:	idland Conurbation West Midlands Conurbation Remainder of Midland	:	istern	:	:	Wales (including Monmouthshire) Wales I (South East) Wales II (remainder)		ions of	tions
	VLES lth D	ons and conurbations: orthern Tyneside Conurbation Remainder of Northern	gs onur t and	shire batio	:	idland West Midlands Conurb Remainder of Midland	:	Condon and South Eastern Greater London Remainder of South Eastern	:	:	onmo ist) er)	rban/Rural aggregates: Conurbations Areas outside conurbations:	pulat	opulat
	W. Hea	rbatio nurba f No	Ridin nire C f Eas	: anca Conur f Non	:	ds C	:	uth E	:	:	ng Me th Ea	egate	th po	o ith p
	ANI Por	te Co	West orksh	East 1 side (dland	fidlar der o		nd So		stern	Sou (Sou I (ren	aggr ions utside	sas wi	00,00 eas w ricts
	AND	Northern Tyneside Conurbation Remainder of Northern	East and West Ridings West Yorkshire Con Remainder of East a	North Western South East Land Merseyside Com Remainder of N	North Midland	Midland West M Remain	Eastern	ondon and South E Greater London Remainder of So	*Southern	South Western	ales (including Monn Wales I (South East) Wales II (remainder)	Rura urbati	rban area	under 100,000 Urban areas wit Rural districts
	ENGLAND AND WALES (excluding Port Health Di	Regions and conurbations: Northern Tyneside Conurbatio Remainder of Northe	East	N	Nor	Mid	East	Lon	*Sou	*Sou	Wal	Urban/Rural aggregates: Conurbations Areas outside conurb	d of	Curbin

* See footnote to page 292.

TABLE 30—continued

	All ages		0	-	1		2-		3-		4		5-		10-		15-	25 an	25 and over	Unknown	uwo
Area	M	Ĭ,	M	Ľ,	M	F	M	H	M	F	M	F	M	F	M	M	II.	M	I	M	(III
									-	Diphtheria	eria										
ENGLAND AND WALES (excluding Port Health Districts)	Į,	<u>.</u>	_		m		_	1		-	4		30	<u>=</u>	0		-	7	00		
Regions and conurbations: Northern Tyneside Countration Remainder of Northern	-		111	1 1										111		111		- -			111
East and West Ridings West Yorkshire Conurbation Remainder of East and West Ridings	m m	4 0	- Vertical and the second	111	-								111	7	- -		- -	- -	- -		111
North Western South East Lancashire Conurbation Mereyside Conurbation Remainder of North Western	- -	m-0								1111				- -			- -	1111			
North Midland	_			1	-	1			-	1	-	T	_	1	1				-	1	1
Midland West Midlands Conurbation Remainder of Midland	4 €	4 4			111	111		111				111	m m	n 0		111			4 14		111
Eastern		1	-	1	-	1	-		_			T		1				-	1		1
London and South Eastern	39	35			128	111					mm		25	252	∞ ∞	99	401			111	111
*Southern		2		1	1	1		-	1		1		-	-	-	-	-	-	neen .	The same of the sa	1
*South Western	_	m	-	-	1	-	and the same of th	-	}		-		1	1			-	1	~	1	1
Wales (including Monmouthshire) Wales I (South East) Wales II (remainder)		111	111				111	111			111					111	111	111	111	111	111
Urban/Rural aggregates: Conurbations Areas outside conurbations:	41	39		-	- 7	1	=	-	1	-	<u>г</u>	T	25	27		7			-	1	1
Urban areas with populations of 100,000 and over Urban areas with populations of 50,000 and	- N	7		-				1			(mag)	T	4	м	1				<u>w</u>		1
Urban areas with populations under 50,000	3	- 1	11	11	1	1	11	11	11	-	1 1	11	17		1-	1 1	11		- 1		1 1

^{*} See footnote to page 292.

TABLE 30—continued

Area ENGLAND AND WALES (excluding Port Health Districts) Regions and conurbations: Northern Tyneside Conurbation Tyneside Conurbation Remainder of Northern South East Lancashire Conurbation Remainder of East and West Ridings North Western South East Lancashire Conurbation Remainder of North Western Midland West Midland West Midland West Midland West Midland West Midland West Midland West Midland West Midland West Midland Western *South Eastern *South Western *South We	All age Market M	314 F F 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	S	H	N N N N N N N N N N	F	8 4444 4 1 - F2- 8 4 1 1 - F2- 8 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		# 1	M M M M M M M M M M	F 4 4 4 7 2 2 2 2 2 2 3 3 2 1 1 1 1 2 2 2 2 2 2 3 3 3 3	M	2 4 4 2000 u 400 F 400 8 u	M			0 - 1 - 400 40 w - - w w 04 b - 4	25 and over M M F F and over M M F F and over M M F F and over M M M M M M M M M M M M M M M M M M M		M F F
Urban/Rural aggregates: Conurbations. Areas outside courbations: Urban areas with populations of 100,000 and over Trans areas with populations of 50,000 and under 100,000 Urban areas with populations under 50,000 Rural districts	206 26 73 73 52	126 56 25 64 64	371 2 3	∞ E -40	765 6 30	332 6 21	10 10	4 0 004	<u> </u>	18 4 12 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	× 1 100	36 13 5	8 2 1 1 8	0 0 850	2 4 664	6 4 14 1	£ 1 22 4	13 13 13 13 224 7 7 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9		1 111

		-														ı		ı	ı	
	All ag	ages	0-		1-		2-		3-		4	-5-		10-		15-	25 a	25 and over		Unknown
Area	M	[L	M	H	M	F	M	M	日	M	ഥ	M	ഥ	M	F	M	M	H	Z	14
								Acute	Acute poliomyelitis (non-paralytic)	litis (nor	-paraly	ic)							_	
ENGLAND AND WALES (excluding Port Health Districts)	168	121	м	и	4	In .	<u>e</u>	7	10 7	8	60	- 19	34	24	61	4	8	21 21		1
Regions and countbations: Northern Tyneside Conurbation Remainder of Northern	4 4	m m		111		- -	- -				111	n lu	- -		111		- -	111	111	
East and West Ridings West Yorkshire Conurbation Remainder of East and West Ridings	89 4 4	00 L						- -	7	7	- -	m 21=		m = 0	-1-			111	m m	111
North Western South East Lancashire Conurbation Merseyside Conurbation Remainder of North Western	∞ 4₩И	<u>N</u> ww4			4	m -0		N- -			- -	₹ ₩==	4	n	4 4					1111
North Midland	6	ın	-	1	1	2	1	_	1	1	-	I	T	-	_	-	7	-		1
Midland Conurbation Remainder of Midland	⊘ №4	N C/m						1	- -		- -	m ∼~		- -		- -	-	- -	7	
Eastern	21	00	1	1	T	1	4	_	2 1	7	1	4	4	4	7	_		4	-	1
Condon and South Eastern Greater London Remainder of South Eastern	78	53 43 10	441				NO-		123	P 50 C	m (1-	28 28 1	20 19 1	914	100	► ₩4	0 44	210	97.0	111
*Southern	24	7	-	-	T	-	T			m		12	m	4	4	_	е е	m	7	-
*South Western	6	=	1	1	1	1	1	_	-		1	4	7	I	_	_	m	7	-	1
Wales (including Monmouthshire) Wales I (South East) Wales II (remainder)	mm	7	1 1							- -			come yard		- -	- -		- -	111	111
Urban/Rural aggregates: Conurbations Areas outside conurbations:	82	54	7	_	4	7	7	7	7 3		3	35	21	6	00	4	40			1
Urban areas with populations of 100,000 and Over Urban areas with nonlations of 50,000 and	31	22			1	1	7			4	7	13	- 2	9	40	- 2	- 9		3	1
under 100,000 Urban areas with populations under 50,000 Rural districts	23	25				m	4/4	100	177	-40	m	460	700	≃ 40 W	- 10	- E 4	191	-40.40	111	111
* See footnote to page 292,												THE REAL PROPERTY AND ADDRESS OF THE PERSON NAMED AND ADDRESS	The second secon				-	art		_

TABLE 30—continued

	All ages		9		-5		15-		45-		65 and over	ver	Unknown	own
Area	M		M	F	M	F	M	F	M	F	M	F	M	L
							Enteric or	Enteric or typhoid fever	ver					
ENGLAND AND WALES (excluding Port Health Districts)	49	70	7	7	®	•	25	34	0.	20	1			
Regions and conurbations: Northern Northerd Conurbation Remainder of Northern	m ⊷ ∨	m m		- -	- -	- 111	7	4 10					111	1 1 1
East and West Ridings West Yorkshire Conurbation Remainder of East and West Ridings	<u>=</u> ~∞	4 4	m m	TO THE STATE OF TH	21-1-	- -	W CHW		-	- -		- -	111	1
North Western South East Lancabine Conurbation Merseyside Conurbation Remainder of North Western	m -0	10 m l cd		4 0	- -	1111	- -		- -	2 13				1111
North Midland	-	m		-		1	- Updame	_	1	_	manuscour.			
Midland West Midlands Conurbation Remainder of Midland	m N-	104 -					8	M		M M				111
Eastern	7	7	1	1	-	-	7	4		7	1		1	1
London and South Eastern	33.0	7 7 8 8 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	44	m () =		21-1-1	27.5	© ∞	4 40	IU AU				111
*Southern	LO	00		1		-	IO.	m		m				
*South Western	m	9		T	7	1	1	m	-	m	1			
Wales (including Monmouthshire) Wales I (South East) Wales II (remainder)	111		111		111		111					TIT		111
Urban/Rural aggregates: Conurbations Areas outside conurbations:	23	33	4	4	6	7	12	19	4	100				'
Urban areas with populations of 100,000 and over Urban areas with populations of 50,000 and	∞	10		T	-	Amel	9	7	-	2	1	1	1	•
under 100,000 Urban areas with populations under 50,000 Rural districts	4 8 9	9	1 2	127	100	12	142	400	m 07]	0,000		-		11

	All	All ages		9	-5-		-	15-	45-	.!	65 an	and over	Cul	Unknown	1
Area	M	ц	M	H	M	H	M	H	M	F	M	Ц	M	F	1
						щ	Paratyphoid fever	fever							
ENGLAND AND WALES (excluding Port Health Districts)	157	219	32	39	42	09	825	74	21	28		_	11		_
Regions and conurbations: Northern Typeside Conurbation Remainder of Northern	0.00	13.38	4 ⇔ ∞		u lu	चंसल	7	rv ⊶ 4	n n	m m		. (- I I I		
East and West Ridings West Yorkshire Conurbation Remainder of East and West Ridings	13	11	w w	4 4	7	9 014	.⊘ 4∨1	w w	- -	m m			N(1)		111
North Western South East Lancashire Conurbation Merseyside Conurbation Remainder of North Western	20 20 4	20 20 13	44	⊙ ∞4∞	L 200	69-01		4∞014	40 0	E 67 1	-1-1	-1-1	4-16		1111
North Midland	4	7	-		m	m		1	1	2	Tables 1			-	ī
Midland West Midlands Conurbation Remainder of Midland	ru l v	<u>w</u> .v∞	4 8	~~~	2 2	m m	- -	L ,		- -			1 1 1		
Eastern	m	12	-	_	_	2	2	4	1	m				1	i
London and South Eastern Greater London Remainder of South Eastern	55 41 13	6	₹ #	- 9	814	18 8 10	13.9	16	m m	N4-	and the second s		90		111
*Southern	9	7		_	7	шини	-	- '	2		_				1
*South Western	28	40	64 W			2 2	7 = 7	6	6	(0)	-	1 1	1 1	•	-
Wales II (remainder)	180	30	- 2	C) 4	00	mon	0.0	40		-	1-	11			-
Urban/Rural aggregates: Conurbations	74	82	16	15	22	18	29	31	ν.	6	7		- 6		1
Urban areas with populations of 100,000 and over	14	26	9	00	6	6	3	∞			-			1	1
under 100,000 Urban areas with populations under 50,000 Rural districts	35 23	79.	1001	15	m 00 0	622	12.0	27		200			<u> </u>	111	1-1
* See footnote to page 292.												-	-	-	, ,

TABLE 30—continued

	All ages		9		1-		2-	6		4		5	- Differential	10-		15-	25 an	25 and over	Unknown	1 MMC
Area	M	M	1 F	M	F	M	H	M	F	M	F	M	H	M	M	1	M	T	M	L
								N	Meningococcal infection	occal in	fection									
ENGLAND AND WALES (excluding Port Health Districts)	438	307	126 103		90	38	=	30	4	23	<u>m</u>	65	44	25	25	26 2	29 44	35	-	7
Regions and conurbations: Northern Tyneside Conurbation Remainder of Northern	45	22 6 E1	7 4 =	0 /v @	8000			6 − 0	n 0	- -		4 4	N N	m=0		m m	1 1 2	- -		111
East and West Ridings West Yorkshire Conurbation Remainder of East and West Ridings	42 16 26	3 5 1 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9	8-1-	4//	2 4-1	mm	2 2	4 €	man and a second	4 ∞-	- -	N4-	1 1 10	4 4	400	m -0	m m	m ~	111	-
North Western South East Lancahire Courbation Merseyside Courbation Remainder of North Western	₹ 888	71 29 111 31	22 11 7 1 1 1 1	111 111 111 111 111 111 111 111 111	0 0000	<u>w</u> 0€4	m0=	4	-11-	▶ 40-	9 0-0	& UNN	2 4 4	90-0	10 010	m m	2-12	r 4=0		
North Midland	29	24	6	9	3	2	T	m	7	T	1	9	9	-	7	_	100		I	1
Midland West Midlands Conurbation Remainder of Midland	30 30 26	38 27 11	25 01 10 10 10 10 10 10 10 10 10 10 10 10	13.67	∞ 24	444		4	m 0-		100	L 40	m 4	8	111	n 0	4-6			
Eastern	26	17	6	-	_		-	9	I	1	-	4	7	-	-	7	. 7		1	1
London and South Eastern	777	51	18 1 1 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	2 40	001	200		7	444	9 50 ←	6 4-	188	2==	10000		►w0	100	90	1	111
*Southern	61	12	IO.			70	-	T	-	1	T	7	7	-	1	_	6 2	7	1	1
*South Western	72	12	4	2	6	-	Ţ	T	1	2	T	-	-	7	٣		2	7	1	~
Wales (including Monmouthshire)	22 15	20 15 5	000 0	100	100		mm	1		. 2		441	- -	111	40	m =0	400			
Urban/Rural aggregates: Conurbations Areas outside conurbations:	190	142	96 56	6 26	6 20	21	V)	11	4	15	7	33	16	00	12	9	8 13	14	-	1
Urban areas with populations of 100,000 and Urban areas with nonvitations of 50,000 and	55	32	20	-	9	Γ	1	7	2	m	7	61	00	-1	7	7	4 11	7	T	1
Under 100,000 Urban areas with populations under 50,000	35 105 53	25 70 38	8 9 27 25		0 6	4 00	14.		mme	14.	3	18	40	99	44	1 1	1 2 12	77	11	1

-		77	111		4	.4	n 0	2	च ल्ल	2	7		m	2	€ = «
		8			ma -								m	-	11
		470			700 700 700 700 700 700 700 700 700 700										101
		298			40 115 18								114		14 68 65
		786			88 31 121 455								291		67 158 140
		189			888 40 252 233								286		121
	las	4			51 10 23								153	57	37
	Erysipelas	361	22		47 119 21								147		8821
		54			► m=m								22	11	222
		54		9 m m	9 0100	4	040	0	∞ ∧ 4	_	9	Nee	15	7	127
		20	-1-	-	4 - -	M	40-		m=N	-	6	2	3	4	100
		21		4 -0	m m	2	Ma VO	_	100		m	was a	12	S	0 0
		1,768	7 100 00	205 87 118	212 81 30 101	137	173 90 83	160	449 339 110	89	164	2000 2000 2000	949	273	149 361 339
		1,433	83 21 62	194 92 102	187 77 44 66	112	169 92 77	123	317 251 66	62	611	67 50 17	577	213	294 266
		ENGLAND AND WALES (excluding Port Health Districts)	Regions and conurbations: Northern Tyneside Countbation Remainder of Northern	East and West Ridings West Yorkshire Conurbation Remainder of East and West Ridings	North Western South East Lancashire Conurbation Merseyside Conurbation Remainder of North Western	North Midland	Midland West Midlands Conurbation Remainder of Midland	Eastern	London and South Eastern Greater London Remainder of South Eastern	*Southern	*South Western	Wales (including Monmouthshire) Wales I (South East)	Urban/Rural aggregates: Conurbations	Urban areas with populations of 100,000 and	under 100,000 Urban areas with populations under 50,000 Rural districts

CIIKIOWII

M F

All ages

* See footnote to page 292.

TABLE 30—continued

	Alla	ages	9		1		2-	-	3-		4		20		10-	_	15-	25 and	lover	Unknown	nwo
Area	M	F	Z	H	M	F	M	F	M	H	M		M	F	4	Σ	Œ,	M	H	M	<u>L</u>
										Dysentery	ry										
ENGLAND AND WALES (excluding Port Health Districts)	17,614	17,998	812	746	1,470	1,180	1,603,1	,332	1,334 1,	1,167	1,231	1,009 5,	5,065 4,	4,292 1,8	1,884 1,528	834	1,578	3,173	4,866	208	300
Regions and conurbations: Northern Tyneside Conurbation Remainder of Northern	780 166 614	782 191 591	39	31	8 999	61 20 4 11	78 19 59	55 16 39	49 15	43	52 11 41	48 35 35	199 46 153	200 47 153	82 67	65 36 111 5 54 31	45 48 48 48	120 120	212 47 165	0 0	m m
East and West Ridings West Yorkshire Conurbation Remainder of East and West Ridings	2,907 1,523 1,384	2,992 1,583 1,409	108	157 86 71	274 169 105	228 146 82	280 159 121	234 132 102	250 150 100	226 125 101	98 80 80	833.8	733 356 377	687 2 347 340 1	258 17 110 8 148	77 117 82 57 95 60	263 1111 1111	568 301 267	780 420 360	58 15 43	7 00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
North Western South East Lancashire Conurbation Merseyside Conurbation Remainder of North Western	2,650 1,007 448 1,195	2,662 990 396 1,276	18 422 33 433 433	31 38 38	277 94 75 108	203 78 72 72	313 119 57 137	264 98 52 114	260 97 51 112	89 85 85	221 94 32 95	82 23 76	747 283 104 360	204 204 86 293	75 75 37 110	73 90 21 22 93 39	217 77 30 110	356 152 37 167	649 229 74 346	4 2 4	30 30 49
North Midland	1,616	1,743	45	80	911	84	128	8 =	901	102	102	92	486	434	205	171 87	151	315	503	26	30
Midland West Midlands Conurbation Remainder of Midland	2,255 656 1,599	2,259 699 1,560	122 35 87	34	165 54 111	154 51 103	215 52 163	184 49 135	30 130	147 41 106	162 422 120	130 94 94	700 201 499	596 2 175 421	238 II	56 34 118 58	345	387 148 239	571 2222 349	- 4	1.0
Eastern	545	524	=	00	22	8	31	32	27	11	28	91	120	14	89	57 76	9	133	181	ю	2
London and South Eastern Greater London Remainder of South Eastern	4,057 3,379 678	4,297 3,609 688	177 164 13	162 150 12	331 292 39	280 253 27	340 285 55	284 231 53	281 239 42	271 242 29	301 255 46	223 L 194 L 29	269 I. 245 245	830 210	341 104 38 38 38 38	398 172 330 140 68 32	376 322 54 54	723 630 93	1,215 1,043 1,72	8 000	48 14 34
*Southern	019	631	13	61	33	29	45	40	33	34	3	40	215	162	84	74 45	64	16	153	4	9
*South Western	655	614	18	91	39	30	23	39	21	39	39	77	192	129	94	69 37	64	124	189	6	12
Wales (including Monmouthshire)	1,539 1,501 38	1,494	7001	62 61 1	120 4	89.4	116	80 80 70 80	115	2 6 4 4	113	88 % 8 4 C1	404 394 10	347 339 8	67 1. 88 10	70 82 67 82 3	139	328	413 399 14	co ∞	
Urban/Rural aggregates: Conurbations	7,179	7,468	389	352	710	109	169	578	582	534	532	431 2	2,014 1	689'1	638 5:	559 287	7 631	1,290	2,035	46	200
Urban areas with populations of 100,000 and	3,927	3,972	201	187	360	245	416	324	339	289	299	241 1	,084	936	423 3.	345 169	362	618	1,012	18	31
Orban areas with populations of 50,000 and under 100,000 Urban areas with populations under 50,000 Rural districts	1,220 3,265 2,023	1,282 3,389 1,887	44 116 62	54 103 50	87 209 104	69 178 87	107 245 144	87 230 113	98 210 105	68 184 92	80 220 100	75 185 177	350 ,055 562	291 917 459	142 377 304 2	293 138 214 156	4 130 3 267 5 188	225 598 442	387 883 549	44	4 149 58

п	T.		1	111	111		1	111	-	111	l	ļ	111	1	1	
Unknown	M		1			1111	The second secon	TTT				1	111	1	1	111
er	П	-					1 -		ţ			1	111		-	
65 and over	M		1						1		1				-	
-	l l		ın	- -	-1-		_		_	1	- Marie Mari	1		-	7	112
45-	M		•	- -			_		_	m m	1		111	m		10-
	H	infective)	80	W W W		7 17	_		m	N m M	1	-		7	1	
15-	M	Acute encephalitis (infective)	Ē	9 57	M==	10 0	m	m =R	'n	N4-	1	7		13	40	04L
allinations della	H	Acute e	4	No.		мнен	7	- -	1	441		1	- -	6		6
5-	M		32	00-		r e 4	7	n N	m	P 004	Deline .	1		17	7	000
	L		12	- -	4	4	M		1	mm	1	and the same of th	111	7	7	7=2
-0	M		21	997		9110	_	mm	1	44	I	l		16	1	-00
	T.		20	200	m =0	PW44	7	4 €	TO TO	= 62	1		- -	25	2	1082
All ages	M		06	23 4	m Cl	100	7	0 44	•	39.69	_	7	1 400	49	7	18
-			:	:::	:::	::::	:	:::	:	:::		:	:::		P :7	B :0 :
	Area		stricts)	:::	East and West Ridings West Yorkshire Conurbation Remainder of East and West Ridings .	ashire Conurbation urbation orth Western	:	idland West Midlands Conurbation Remainder of Midland	: :	astern th' Eastern	:	:	nouthshire)	nn/Rural aggregates:	Urban areas with populations of 100,000 and	Urban areas with populations of 50,000 and under 100,000 Urban areas with populations under 50,000 Rural districts
			ENGLAND AND WALES (excluding Port Health Di	Regions and conurbations: Northern Tyneside Conurbation Remainder of Northe	East and Wes West York Remainder	North Western South East Land Merseyside Con Remainder of N	North Midland	Midland West Midla Remainder	Eastern	London and South E. Greater London Remainder of Sou	*Southern	*South Western	Wales (including Monn Wales I (South East) Wales II (remainder)	Urban/Rural aggregates:	Urban areas	Urban areas with under 100,000 Urban areas with Rural districts

* See footnote to page 292.

TABLE 30—continued

	All ages	MATERIAL PROPERTY OF	9		-5		15-		4	45-	65 and over	l over	Unknown	lown
Агеа	M	F	M	H	M	H	M	H	M	H	M	ц	M	ц
						Acute enc	ephalitis (p	Acute encephalitis (post infectious)	(sn					
ENGLAND AND WALES (excluding Port Health Districts)	80	09	61	11	39	<u> </u>	4	61	7	ın		I	_	
Regions and conurbations: Northern Tyrascide Conurbation Remainder of Northern	540	> 40	******		HA	1	- -	444	m m	- -				111
East and West Ridings West Yorkshire Conurbation Remainder of East and West Ridings	N 4 =	4 ∞		~	40-	n 0						111	111	111
North Western South East Lancashire Conurbation Merseyside Conurbation Remainder of North Western	0 /10	7-	4- -		ru 4		- -			- -				
North Midland	<u> </u>	m con	lu <	- 4-	- 100	7 7	_ m		1 1				1 1	1 1
West Midlands Conurbation Remainder of Midland Eastern	0 F	א מיר	t N	-m m	1m 4	- 2	3	- m		undata.				
London and South Eastern Greater London Remainder of South Eastern	780	8 4 4	44	m 27-	= 62	N 4	mm	8 ~ =	40	8	and the second	Topic State		
*Southern	0 6	7 6	-	-	, e	4 4	- m	m	7				_	1 1
Monmouthshire) East)	rv 4 ⊢				4 ∞-									
Urban/Rural aggregates: Conurbations Areas outside conurbations:	%E	23	12	9	17	ν.	3	10	2	7		1	1	
Over Over Urban areas with populations of 50,000 and under 100,000	13	12	7 7	9 -	9 -	8	(C) ==	- 1	3					1 1
Urban areas with populations under 50,000 Rural districts	15	13	22	1	7 8	7	2180	44	2	1	11	IT	-	1 1

Area	M	H H	M	F	M	F	M	F	M	H	M	II.	M	F
							Acute pneumonia	monia						
ENGLAND AND WALES (excluding Port Health Districts)	14,356	12,450	1,838	1,568	1,610	1,416	2,890	2,622	4,641	3,096	3,247	3,605	130	<u> </u>
Regions and conurbations: Northern Typeside Conurbation Remainder of Northern	921 424 497	749 341 408	156 77	131	101 45 56	88 443 423	191 76 1115	181 86 95 95	279 136 143	160 96	93.88	186 83 103	13	• 10
East and West Ridings West Yorkshire Conurbation Remainder of East and West Ridings	2,089 939 1,150	1,771 842 929	383 204 179	333 155 178	219 90 129	189 87 102	392 169 223	321 154 167	631 257 374	396 166 230	459 214 245	517 271 246	en vo	5 00
North Western South East Lancashire Conurbation Merseyside Conurbation Remainder of North Western	1,665 657 411 597	1,410 512 394 504	249 128 66 55	67 63 69	27. 44. 45. 85.	154 55 45 54 54	318 1112 87 1119	306 99 89 118	541 201 130 210	378 152 104 122	355 138 79 138	384 135 90 159	20 20	8 4 E I
North Midland	964	763	124	7.1	108	103	219	152	291	178	211	246	=	13
Midland West Midlands Conurbation Remainder of Midland	2,002 1,026 976	1,593 852 741	256 132 124	250 118 132	1113	144 68 76	417 201 216	349 191 158	675 395 280	387 228 159	448 213 235	443 235 208	20000	20 8 17 8
Eastern	1,097	1,014	138	108	149	124	229	222	327	245	243	297	=	10
London and South Eastern Greater London Remainder of South Eastern	3,302 2,608 694	3,049 2,342 707	234 234 53	234 44 44	383 277 106	360 275 85	649 510 139	641 500 141	1,200 993 207	831 646 185	760 586 174	904 666 238	23 8 15	35 21 14
*Southern	572	575	44	59	89	16	011	118	150	128	175	174	4	ະກ
*South Western	974	016	101	6	115	101	220	192	290	239	236	276	12	=
Wales (including Monmouthshire) Wales I (South East) Wales II (remainder)	770 565 205	616 423 193	100 82 18	22	83 62 21	65 51 14	108	93	257 195 62	112 42 42	179 115 64	178 110 68	9 mm	10 (10)
Urban/Rural aggregates: Conurbations	6,065	5,283	843	702	209	573	1,155	1,119	2,112	1,360	1,318	1,480	30	49
Urban areas with populations of 100,000 and	2,248	1,922	349	331	246	206	392	347	728	483	516	544	17	11
Urban areas with populations of 50,000 and under 100,000 Urban areas with populations under 50,000 Rural districts	2,719 2,439	2,357 2,063	144 283 219	232 213	108 332 317	99 266 272	207 536 600	189 530 437	243 853 705	211 550 492	177 667 569	231 737 613	2348	36

* See footnote to page 292.

TABLE 30—continued

	All ages	ges	9		5-		15-		45-		65 and over	over	Unknown	nwo
Area	M	F	M	II,	M	F	M	Ŧ	M	IT.	M	í,	M	14
						Food p	Food poisoning							
ENGLAND AND WALES (excluding Port Health Districts)	4,764	5,200	1,006	867	1,029	893	1,474	1,887	750	831	315	570	190	152
Regions and conurbations: Northern Tyneside Conurbation Remainder of Northern	221 25 196	20 20 194	89 113 76	60	2 7 4 0 2	5	99	4 67	32 27 27	322	10	20		m m
East and West Ridings West Yorkshire Conurbation Remainder of East and West Ridings	325 164 161	368 175 193	100 59 41	102 522 50	39 88	32 32 24	39 42	102 58 44	48 15 33	34 34 34	22	35	N-0	• •
North Western South East Lancashire Conurbation Merseyside Countbation Remainder of North Western	619 205 143 271	701 277 136 288	152 441 63	109 32 35 42	36 38 45	38 38 43 43	198 67 39 92	261 110 47 104	110 42 14 54	127 50 13 64	80141	23 6 31	12 12	82 24 4
North Midland	223	217	20	42	40	33	28	71	31	25	6	0_	35	36
Midland West Midlands Conurbation Remainder of Midland	477 296 181	539 387 152	82 32 50	75 34 41	82 47 35	62 32 32	136 78 58	86 86 54	378 34 34	33 6	110	198	m -0	
Eastern	373	422	73	99	80	70	127	152	59	89	19	45	15	21
London and South Eastern	1,746 1,426 320	1,956 1,611 345	325 285 40	294 258 36	326 237 89	350 242 108	610 543 67	809 709 100	305 272 33	331 32 32	92 73 19	93	888 16 72	37 10 27
*Southern	210	194	36	30	74	25	19	83	26	4	7	=	•	4
*South Western	220	253	īo.	39	26	46	09	108	29	34	9	21	00	L 1
Wales (including Monmouthshire)	350 320 30	336 294 42	8 40∞	50	154	103	1 89	777	4 4 8 8 8 8 9 8	N 4	1	3 8 8	0 L &	<u>7</u> 4∞
Conurbations	2,247	2,606	478	421	401	380	692	1,014	376	425	205	332	100	34
Urban areas with populations of 100,000 and	629	716	181	143	132	123	133	226	95	104	25	62	63	58
Urban areas with populations of 50,000 and under 100,000 Urban areas with populations under 50,000 Rural districts	282 806 800	324 809 745	89 169 89	79 153 71	51 148 297	35 131 224	93 234 245	125 280 242	34 128 117	139 102	322	24 97 97	95	518

		,		- 1-	4. w -	8 1==	m	400	7	₩ C1	m	4	4 .∞−	œ	7	200
2	4		30	1		3										
3.6	M		43		- N.	NU-0	4	m-N	2	30 mm	In	•	M Cl m	12	8	471
-	4		540	31 111 20	29	24 28 23 23	. 26	37 24 24	36	112 112 56	24	44	217	239	57	46 1117 81
	Z		1,847	127 49 78	158 73 85	323 74 167 82	82	4	011	537 428 109	105	107	102 102 55	853	251	125 357 261
	1	1	1,552	55 63	115 53 62	334 57 196 81	96	102 57 45	16	430 325 105	76	92	98 67 31	743	192	113 282 222
	Z	1	5,638	413 1411 272	500 230 270	1,116 288 524 304	333	532 320 212	797	1,501 1,220 281	799	336	379 247 132	2,723	798	408 1,019 690
-	4		3,591	272 107 165	262 115 147	730 173 350 207	223	331 192 139	208	921 744 177	190	228	226 148 78	1,681	465	250 698 497
1	M	piratory	4,757	364 139 225	422 221 201	833 203 378 252	292	534 326 208	172	1,263 1,047 216	246	266	266 1189 77	2,314	651	339 918 535
		Tuberculosis, respiratory	2,383	224 97 127	81 81 112	464 158 192 114	158	243 147 96	132	586 484 102	= 3	130	109 31	1,159	310	172 461 281
	II.	ubercul		52 64 88	63 .03	309 112 81 81	20	208 141 67	122	486 93	04	6	35	979 1	277	144 350 282
	Z	4	2,032	11 0 8	900		=	X 2								
-	H		645	68	28 28 28	88 31 29 26	47		33	137 113 24	33	42	7. 7.1	269	104	130 130 91
	M		109	34 34	4 224	% 77 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	49	88 36 36	4	97	23	32	10 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	266	98	45 128 76
	Ľ,		372	32 13 19	24 17	25 12 12 12	22	52 37 15		85 16	61	61	30°8 80°8	182	41	32
	M		377	33 12 21	2 10 10 10	23 11 115	23	388	20	10 00 11	24	23	243	188	43	28 77 43
	ഥ		9,113	746 303 4443	675 290 385	1,786 461 861 464	575	860 501 359	515	2,346 1,865 481	458	559	593 418 175	4,281	1,171	666 1,774 1,221
0	M		15,295	1,145 427 718	1,319 621 698	2,731 730 1,245 756	933	1,554 941 613	822	4,105 3,371 734	773	889	1,024 705 319	7,335	2,111	1,093 2,859 1,897
_	ī		:	:::	:::	::::	:	:::	:	:::	:	:	:::	:	put	
			:	:::	···		:	:::		:::	:	:	:::	:	000,000	50,000 a der 50,
			icts)	:::	st and West Ridings West Yorkshire Conurbation Remainder of East and West Ridings	orth Western South East Lancashire Conurbation Merseyside Conurbation		ion	: :	ern	:	:	hshire)	::	ns of 10	f jo suc
	Area		LES h Distr	ion hern	s nurbat and W	hire Co pation th Wes		nurbat	:	istern th East	:	:	st) er)	S:	pulatio	pulatic opulati
	A		WA) Healt	rbation nurbat f Nort	Riding nire Co	Conurt		nds Co		outh Ea	:		ng Mo uth Ea maind	regate	rith po	with po 000 with po
			D ANI	ons and conurbations: orthern Tyneside Conurbation Remainder of Northern	sst and West Ridings West Yorkshire Conurbation Remainder of East and West	rth Western Shire Conurl South East Lancashire Conurl Merseyside Conurbation Remainder of North Western	fidland	idland West Midlands Conurbation Remainder of Midland		ndon and South Eastern Greater London Remainder of South Eastern		Vestern	ales (including Monn Wales I (South East) Wales II (remainder)	ral agg	areas w	rban areas with under 100,000 rban areas wit ural districts
			ENGLAND AND WALES (excluding Port Health Districts)	Regions and conurbations: Northern Tyneside Conurbation Remainder of Northe	East and West Ridings West Yorkshire Com Remainder of East an	North Western South East Lan Merseyside Cor Remainder of N	North Midland	Midland West Rema	Fastern	London and South Eastern Greater London Remainder of South Ea	*Southern	*South Western	Wales (including Monmouthshire) Wales I (South East) Wales II (remainder)	Conurbations	Orber	Urban areas with populations of 50,000 and under 100,000 Urban areas with populations under 50,000 Rural districts
				Re								ľ		D		

Unknown

65 and over

25-

^{*} See footnote to page 292.

TABLE 30—continued

		-														-
	All ages		9		5-		1.	15-	25-	,	45-		65 and over	over	Unknown	own
Area	M	1	M	Ĭ.	M	F	M	F	M	F	M	F	M	14	M	II.
					7	uberculos	sis of mer	ninges and	Tuberculosis of meninges and central nervous system	vous syster	8					
ENGLAND AND WALES (excluding Port Health Districts)	133	601	37	22	79	39	<u>a</u>	24	- E	=	91	9	NO.			7
Regions and conurbations: Northern Tyneside Conurbation Remainder of Northern	5 40	5 7 9	יא אי	- -	7	10 m ct	400	m 2	8	(4 mm mm		7			and the second s	
East and West Ridings West Yorkshire Conurbation Remainder of East and West Ridings	= 9%	10 10	400	ија	M OW	►w4		m m	70	- -	111	111				
North Western South East Lancashire Conurbation Merseyside Conurbation Remainder of North Western	2 00 m &	0000	N ← € =	9 07	40/0	∞ 4∞=	w4 -	w -0	N 4 -	deside provide	7 7	n 0	-11-			1111
North Midland	12	9	T	1	4	-	2		m	4	2	1	1	T	- Control	1
Midland West Midlands Conurbation Remainder of Midland	4 87	2 00	n n	m CI —	4	0-V	- -	•40	10 m m		2	m m	111			- -
Eastern	00	4	m		m	2	_	1		1	T	1	-	1	1	-
Condon and South Eastern	22 21 1	522	9 0	m = ≈	m m	m m		6 m m	mm	70	en m	70	m 01-			111
*Southern	I/O	4	2	-	1	_			2		-	-	Τ			ł
*South Western	<u>E</u>	9	m	-		4	m		I/s	T	7	T	1	1	1	!
Wales (including Monmouthshire)	13	L 004	mm	₹ 0	mm	401	400		400	-1-	mm	111	111			
Urban/Rural aggregates:	48	46	16	7	6	17	4	10	13	6	4	00	7	=		I
Urban areas with populations of 100,000 and	18	21	8	9	_ <u>\$</u>	7	4	9	-	-	7	1	-		dage	1
Urban areas with populations of 50,000 and under 100,000 Urban areas with populations under 50,000 Rural districts	12 24 31	7 16 19	m 1- 9	N4w	ww4	U\0	127	.040	m 0 00		- NWN	11-	1		111	0
	_	-	-											-		

* See footnote to page 292.

					- Annua											1
	All	ages	9		2		15-	1	25-		45-		65 and o	over	Unknown	vn
Area	M	H	M	IL	M	H	M	L	M	H	M	H	M	H	M	
								Tuberculo	Tuberculosis, other forms	orms						
ENGLAND AND WALES (excluding Port Health Districts)	1,139	1,489	19	58	154	159	230	306	398	527	209	272	76	121	IO.	9
Regions and conurbations: Northern Tyneside Conurbation Remainder of Northern	83 27 56	124 47 77	9 000	и	9 77 7	322 6	26 172 142	30	22 7 7 1 1 5 1 5 1	23. 23. 24.	<u>7</u> 00	23 7 16	-1-	= ~ ~		111
East and West Ridings West Yorkshire Conurbation Remainder of East and West Ridings	122 55 67	127 59 68 68	<u>5</u> 4%	L 100	<u>m</u> 40 00	20 7 13	2 0 51	28 112 116	26 29 29	37 20 17	<u>7</u> ∞4	13 14 14	M Cl m	0 17 cs		
North Western	27. 27. 60	55 48 69	= 0.04	= 240	0000	26 7 2 4 1	<u>∞</u> ∞99	34 16 7 11	200	20 20 20	78 11 14 14 17 18	6 000	<u>m</u> m0100	1 000	TITI	4 4
North Midland	87	135	9	7	4	17	17	28	36	48	9	32	7	12	_	-
Midland West Midlands Conurbation Remainder of Midland	86 86 54	151 61 90	► €4	7	<u>u</u> r. 2	10	28 10 10	36 17 19	67 21	58 18 40	2 022	2 4∞	400	= 50		
Eastern	59	66	M	4	6	<u>=</u>	6	15	91	14	2	91	4	6	-	prop
London and South Eastern Greater London Remainder of South Eastern	268 208 60	352 271 81	60 00	200	22 7	212	53	78 53 25	90 081 18	106 23 23	34 18	80 13 13	7 46	31	-1-	→ 0
*Southern	62	75	7	2	7	in	=	<u></u>	61	3	4	12	00	= :	-	(
*South Western	90	132		N.	20	= ,	17	25	22	38	22	34	•	9 !	1	· ·
Wales (including Monmouthshire) Wales I (South East) Wales II (remainder)	106 69 37	122 78 44	▶ 4€	401	<u>4</u> 0.0	& OM	9000	<u>•</u> 00	2==	31	19	16	_ ∞ m	100	111	₹ ℃₩
Urban/Rural aggregates:	438	541	25	23	47	49	93	119	180	661	69	102	23	46		m
Areas outside conurbations: Urban areas with populations of 100,000 and	159	196	00	00	19	17	39	42	20	65	78	39	14	25	=	Į
Urban areas with populations of 50,000 and	254	102	111	12	32	43	12 50	588	31	36	58	19	23	38	[m	160
Urban areas with populations under 50,000 Rural districts	211		15	13	20	43	36	63	09	107	40	20	10	28	T	10

* See footnote to page 292.

TABLE 31. Cases of certain infectious disease (including, for England and Wales only, 100,000 population)	isease	s notified, case rates	d, 1959 ites per	~~~ 6.16		See ex	planator	See explanatory notes.		Eng c c	England and counties, cand rural a	and Wales, county	s, ate	tandar d me	standard regions, nd metropolitan is outside conurbat		iles,	conurbations, s, and urban	bations, urban	s, m
			noitos				The same of the sa				Acute poliomyelitis		Acute encephalitis	itis	(lezuəi			Tubero	Tuberculosist	
Area	Enteric (or typhoid) fever	Paratyphoid fever	Meningococcal inf	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	simisthiqO murotsnoən	Dysentery	Measles	Paralytic	Non-paralytic	Infective	Post-infectious	Acute preumonia dimi bus yraming)	Puerperal pyrexia	Food poisoning	Respiratory Магінаст	Meninges and C.N.S.	Other
1	2	3	4	5	9	7	00	6	10	11	12	13	14	15	16	17	18	19	20	21
	1			(a) Nu	(a) Numbers o	originally notified	v notifie	q								-				
ENGLAND AND WALES (including Port Health Total	Districts)	ts): 485	1,074	48,129 33,468	3,468	269	3,229	1,188 3	39,825 5	539,820	927	444	152	137 2	27,187 10	10,709	12,503 2	24,892	248	2,664
(excluding Port Health I	142	482	1,073	48,124 3	33,467	269	3,227	1,188	39,811	539,743	921	444	152	137 2	27,177 10	10,709	12,496 24	24,736 156	248	2,661
on	1 9	29	75 18 57	2,279 560 1,719	3,431 1,150 2,281	m m	161 38 123	23	2,020 685 1,335	53,881 17,606 36,275	5	<u>n</u> -4	37 27 10	411	805 805 913	450 1119 331	681 130 551	1, 903 734 1,169	25 11 14	218 47 171
East and West Ridings	18	38 12 26	88 26 59	5,609 2,232 3,377	2,865 1,256 1,609	28 9 19	411 184 227	3822	6,561 3,152 3,409	58,491 21,651 36,840	388	21	L w4	∞ ≈ 4	4,097 1,707 2,390	778 255 523	713 293 420	2,014 917 1,097	24 9 15	250 118 132
*North Western South East Lancashire Conurbation Merseyside Conurbation Renainder of North Western	01	80 40 30 30	69 38 67	7,487 2,581 1,589 3,317	7,655 2,714 2,697 2,244	233	403 157 75 171	222 56 1111 55	6,596 2,531 1,542 2,523	65,752 25,655 111,687 28,410	58 69 54	30	25 6 4 115	0 30	3,084 1,176 806 1,102	1,779 698 707 374	2,416 782 934	4,679 1,225 2,202 1,252	45 11 115 115	308 96 79 133
North Midland	9	80	76	4,485	2,600	m	249	25	3,652	31,918	30	6	4	7	1,717	314	430	1,513	61	223
Midland	90%	<u>∞</u> 2.00	280 233 47	4,227 2,002 2,225	4,515 2,966 1,549	4 8 8	346 185 161	503 450 53	4,789 1,484 3,305	59,679 28,058 31,621	34	57 47 10	400	21 12	3,644 1,922 1,722	1,056 609 447	1,137	2,456 1,469 987	133	291 150 141
Eastern	6	19	46	4,607	2,098	-	286	30	1,148	52,277	65	40	<u>8</u>	4	101,2	762	1,122	1,344	13	159
London and South Eastern Greater London Remainder of South Eastern	5	358	197 171 26	12,267 9,394 2,873	5,957 4,083 1,874	150 150	773 594 179	229 217 12	9,076 7,538 1,538	28,007 87,196 40,811	297 260 37	145 145 29	35	35	6,396 4,986 1,410	3,365 3,365 591	4,181 3,425 756	5,498 5,269 1,229	35	625 483 142
‡Southern	12	00	31	2,575	1,189	М	147	28	1,443	36,986	95	52	7	6	1,146	520	446	1,240	0	138
‡South Western	12	91	62	2,908	2,099	72	284	43	1,302	36,615	63	79	6	-2	1,901	731	537	1,453	20	122
Wales (including Monmouthshire) Wales (South East) Wales (remainder)	100	61 19 48	47 33 14	1,680 1,311 369	1,058 584 474	111	130	23	3,224 3,143 81	12,512 3,625	<u>13</u>	0 % %	7	1 0	1,373 989 384	363 255 108	833 83	1, 636 1,133 503	24 19	228 145 83
Urban/Rural aggregates: Conurbations Areas outside conurbations:	19	165	555	18,358	14,866	217	1,233	859	16,932	191,853	467	222	77	59 1	11,402	5,753	6,087	11,816	95	1,00,1
Urban areas with populations of 100,000 and	20	115	154	6,661	3,863	35	497	149	8,398	65,868	133	78	15	23	4,453	1,783	1,727,1	3,313	40	360
Urban areas with populations of 50,000 and under 100,000 Urban areas with populations under 50,000	23	117	192	3,980 10,203 8,922	1,920 6,878 5,940	7.001	235 660 602	62 72 46	2,980 7,367 4,134	41,918 127,000 13,104	53 158 110	21 69 54	222	24	1,755 5,073 4,494	928	2,069	1,757	18 44 51	182 585 533

			itoəl					1,			poliomy	elitis	ncepha	litis	zuə		e de	Tuberculosis	losist	
Area	Enteric (or typhoid) fever	Paratyphoid fever	Meningococcal int	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia murotanoan	Dysentery	Measies	Paralytic	Non-paralytic	Infective	Post-infectious	Acute pneumonia (primary and influ	Puerperal pyrexia	Food poisoning	Respiratory Meninges and C.N.S.		Огрег
1	2	3	4	S	9	7	50	6	10	11	12	13	14	15	16	17	18	19 20	-	21
*ENGLAND AND WALES (excluding Port Health Di	h Districts	s):		(b) Fi	(b) Final numbers aft	bers aft	er corre	ection												1
Total Rates (per 100,000 population).	110	376	745	47,914	13,252	102	3,201	1,179	35,612	539,447	733	289	50	140	16,806 1	0,699	9,964 2	4,408	242 2	2,628
Dogions and converbations											-									

AND WALES (excluding Port Health Districts):	Health 1	District	s):		(b) I	(b) Final numbers after correction	mbers a	fter corn	ection					
r 100,000 population)	: ;:	119	376	745	47,914	745 47,914 33,252 2 106 73	102	3,201	1,179	35,612	102 3,201 1,179 35,612 539,447 0 7 3 1,189	733	289	50
conurbations:	:	9	26	67	2.266	3.339	-	162	22	1.562	53.797		,	3.5
de Conurbation	:::	- 50	212	47	1,715	1,149	-	122	193	1,205	17,602	w 4	1	926
West Ridings orkshire Conurbation	: :	20 6	3.	76	5,564		-	399	933			4.0	<u>9</u> v	*0 ~
nder of East and West Ridings	: :	12	000	45	3,344	1,590	9	220	37			182	=) eo

4,		64 mm	7 -	~	~	_	6 4~	_	7	24.7	6	3,0	52	
7-	26 11 15	15.0	5474	<u>~</u>	15	12	999	0	-	480	94	39	6000	Marin Carlos Marin
54,406	1,891 730 1,161	1,994 911 1,083	4,517 1,191 2,106 1,220	1,508	2,414 1,442 972	1,337	6,451 5,236 1,215	1,231	1,448	1,123 1,123 494	11,616	3,282	1,759 4,633 3,118	
7,704	435 45 390	693	1,320 482 279 559	440	1,016	795	3,702 3,037 665	404	473	686 614 72	4,853	1,345	606 1,615 1,545	
24	451 120 331	812 256 556	1,783 704 706 373	314	1,048 604 444	749	3,945 3,249 696	217	719	361 253 108	5,639	1,816	923 1,525 796	
2000	1,670 765 905	3,860 1,781 2,079	3,075 1,169 805 1,101	1,727	3,595 1,878 1,717	2,111	6,351 4, 950 1, 401	1,147	1,884	1,386 988 398	11,348	4,170	1,710 5,076 4,502	
20	780	v ~4	0 0 7	4	21 20 21	4	32	٥	12	9 %-	57	25	25	
20	26 9	4 mm	25 10 12	7	27.2	13	228	-	(4)	- -	74	12	21 26	
407	7	1.5	27 7 9	80	4	29	1000	38	20	w 4	136	53	44 40 40	
24	74 6 4	23	28 28 04 05 05	29	29 18 11	63	254 220 34	7.6	42	<u>u</u> r.0	332	118	137	Table.
1,189	53,797 17,602 36,195	58,551 21,713 36,838	65,702 25,622 11,672 28,408	31,893	59,626 28,033 31,593	52,204	87,175 87,175 40,794	36,962	36,599	16,144 12,503 3,641	191,817	998'59	41,800 126,803 113,161	o pue
78 1,189	1,562 357 1,205	5,899 3,106 2,793	5,312 1,997 844 2,471	3,359	4,514 1,355 3,159	1,069	8,354 6,988 1,366	1,241	1,269	3,033 2,953 80	14,647	7,899	2,502 6,654 3,910	† See note at end of Table
, m	22	60 233 37	222 57 1111 54	25	444 53	30	228 216 12	28	4	22 1	854 1	149	68 68 46	+ See
7,50	162 40 122	399 179 220	399 158 74 167	249	342 182 160	283	766 590 176	151	283	130	1,223	486	232 655 605	
0		N =0	4-6	_	0 1	-	4 4	m	4	111	08	12	031	bation
73,22	3,389 1,149 2,240	2,824 1,234 1,590	7,586 2,687 2,677 2,222	2,602	4,511 2,962 1,549	2,055	5,947 4,070 1,877	1,179	2,092	1,067 583 484	14,779	3,831	1,910 6,867 5,865	Conur
106	2,266 551 1,715	5,564 2,220 3,344	7,466 2,580 1,574 3,312	4,470	4,177	4,606	12,220 9,353 2,867	2,571	2,899	1,675 1,310 365	18,233 1	6,624	3,960 10,181 8,916	Western 1, Mersey Conurbation
24	67 200 47	76 31 45	150 63 33 54	53	94 57	43	128 128 24	3	37	1202	332 1	87	60 175 191	stern 1,
-	26 21	<u>2</u>	427	=	13.5	10	811	00	12	68 20 48	156	40	114 47	North We
	9=0	2 8 8 8	∞-ω = 4	m	1000	6	442	13	6		56	18	1171	
: ,:	***	:::	::::	:	:::	:	:::	:	:	:::	: •	and 	:::	ind Wales
::	:::	lings		:	:;:	:	:::	:	:	:::	: 8	50.000	50,000	gland a
on)::	:::	ust and West Ridings West Yorkshire Conurbation Remainder of East and West Ridings	orth Western South East Lancashire Conurbation Merseyside Conurbation Remainder of North Western	:	:. ion ::	:	: :	:	:	shire)		Over over the populations of 100,000 and Over Urban areas with populations of 50,000 and	under 100,000	* Smallpox cases notified: Final—England and
Rates (per 100,000 population)	ution "	West Yorkshire Conurbation Remainder of East and West	South East Lancashire Conur. Merseyside Conurbation . Remainder of North Western	:	Midland West Midlands Conurbation Remainder of Midland	:	ndon and South Eastern Greater London Remainder of South Eastern	:	:	Wales (including Monmouthshire) Wales I (South East)	an/Rural aggregates: onurbations freas outside conurbations:	pulatio	pulation	ied: Fin
,000,C	ons and conurbations: orthern Tyneside Conurbation Remainder of Northern	t Ridin thire C of Eas	Lancas Conur	:	idland West Midlands Conurb Remainder of Midland	:	of Sou	:	:	ales (including Monmout Wales I (South East) Wales II (remainder)	conur	vith p	od ith	s notif
er 100	nd con inde C	y West	Vestern East syside inder	Tidlan	Midla	:	ndon and South E Greater London Remainder of Sou	:	estern	I (So)	al agg	reas v	100,00 reas w stricts	x case
lates (1	Regions and conurbations: Northern Tyneside Conurbation Remainder of Northern	East and West Ridings West Yorkshire Conurb. Remainder of East and	*North Western South East Lancar Merseyside Conur Remainder of Nor	North Midland	fidland West Rema	Eastern	Condon and South Eastern Greater London Remainder of South East	Southern	South Western	Vales (i Wales Wales	Urban/Rural aggregates: Conurbations Areas outside conurb	over rban a	under 100,000 Urban areas with po Rural districts	mallpo
	Re	44	*	4	2	H	1	S‡	S++	>	Gran C	נ נ	DA	* +

979 355 525 525

311

^{*} Smallpox cases notified: Final—England and Wales 1; North Western 1, Mersey Conurbation 1. ‡ Constitution changed. See explanatory note 12 and Appendix C.

TABLE 31—continued

is+	Other	21		4-	7	7-		Mm Her	~	_	1 2
Tuberculosis	Meninges and C.N.S.	20		4 − €	-11-	m ='0		m 4	4		10 CI (C)
Tub	Respiratory	19		181 151 40	230 74 522 104	95 95 61	31.24	282 282 103 103 72 72 181 181	186 115 71	189 56 66 67	314 62 147 105
	Food poisoning	18		=22	20 20	60 182 182	15	22.5.3.7.2.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0	380	8 27 7 7 7 7 7 7	25.23
	Puerperal pyrexia	17		204 204 11	27 14 10 17	144	2 [∞] 4	183 27 22 77	808	75 ∞ 4 €	45 10 10
(lasma)	Acute pneumonia (primary and influ	16		237 195 42	275 105 49 121	235 133 102	51 24 27	235 126 126 135 135 135 144 147 147	13 68 68 68	34 47 45	415
litis	Post-infectious	15		401	0= 0	-1-	4 14	"	100		
Acute encephalitis	Pufective	14		-1-		111		6 0-14-0		-1-1	2 0
	Non-paralytic	13		441	4- -	4 14		m m	4		7
Acute poliomyelitis	Paralytic	12		10.00	m m			100 LC C	010		~ 086
	Measles	=		4,676 2,662 2,014	2,032 2,032 2,097 5,950	5,647 2,511 3,136	4,791 2,168 2,623	3,195 1,497 1,497 317 904 477 9,682 2,128	2,462 1,432 1,030	4,734 1,350 1,498 1,886	7,879 1,501 3,284
	Dysentery	10		3088	348 54 81 213	30	363	70 171 171 144 176 176	32 14 14	251 231 4	13
	simlshindO murotsnoon	6		10	4	- -	~~~	W4 4	1	7	W (1/4)
	Erysipelas	00		29	130	229	<u>5</u> 40	22.33 x 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	5 174	= 440	72 282 288
	Diphtheria	7		111	1111	m m					
	Whooping cough	9		138 138 37	209 70 36 103	208 1114 94	170 49 121	424 424 69 55 53 598 853	92 31 61	18 22 96 96 96	472 59 234
	Scarlet fever	5		320 201 119	783 114 243 426	520 254 266	261 87 174	1,458 409 109 109 109 109 109 109 109 109 109 1	190 137 53	319 63 132 124	1,244
noiton	Meningococcal infe	4			4 Cim	10 CI (C)		# 17 1 0 E1	2 00-	13 (1)	1200
	Paratyphoid fever	3		m ci —			-	-		4	2
	Enteric (or typhoid) fever	2			m m	- -	m-0		n	m 0	2 2
				:::	::::	:::	:::	::::::	: :::	::::	:::
			e):	:::	::::	:::	:::	::::::	: :::	::::	:::
			outhshir	:::	::::	:::	:::	::::::	: :::	::::	:::
	Area	1	ENGLAND (excluding Monmouthshire):	Bedfordshire Total M.B.s and U.D.s Total R.D.s	Reading C.B	Buckinghamshire Total M.B.s and U.D.s	Cambridgeshire Cambridge M.B Total R.D.s	Total C.B.s. Total C.B.s. Chester C.B. Stockport C.B. Wallasey C.B. Total M.B.s and U.D.s.	wall	Cumberland Carlisle C.B Total M.B.s and U.D.s Total R.D.s	Derbyshire Derby C.B Total M.B.s and U.D.s
			ENG	Bedfo	Berkshire Read Total Total	Bucki	Camb	Cheshire Tota Birke Ches Stoc Wall	Lota Cornwall Tota Tota	Cum	Derb

4°5 7 11°9	8 8-E112 4:	7 10 00	4 -622029	72 466 399 7 188	\$ 240111	10 mm	24 9
HH MHH	6 0004-4-1 01		4414141	F 2021	N 4 -W-	111	4 00
156 93 75 92 41 41	950 477 477 123 132 141 36	236.4	248 248 248 263 286 386 386 386 386 386 386 386 386 386 3	222 222 38 123 123	81 306 306 97 179 179	21188	959
25 36 13 19 19 19	6 00 4 4 1 1 2 1 1 2 1 2 1 2 1 2 1 2 1 2 1 2	× 504	487 487 487 485 485	192 173 171 2	85 20 20 20 20 20 20 20 20 20 20 20 20 20	10 m 01	123
76 56 38 128	287 215 215 30 30 132 132 26	0 ww.	481 112 112 365 104	267 140 106 34 39 39	24 169 169 1119 232 232	m -0	8000
165 129 220 103 87	1,017 600 17 154 177 10 288	129 37 34	1,554 315 42 140 133 1,123 1,123	612 403 379 24 88 121	261 062 064 041 08	36	307
400	€0-NU-	mm	m- -0		M- - -		NHH
	2 2 2 - 0		== - ∞ 1	m = 0	-11111-		
<u> </u>	7	1 -1-	% 400 <u>7</u> 4	4400	277		90
4- u U	11 11 17 19 19 19 19 19 19 19 19 19 19 19 19 19	4 44	8 w- 44w	7== -	6 0 6 0 8 0 7 0 8 0 9 1		18 8 8 8
3,916 1,588 2,291 3,351 1,718 1,633	26,592 10,481 729 1,534 2,697 4,195 1,326	4,589 1,771 1,435 336	36,649 7,446 1,961 2,769 25,044 4,159	12,582 6,310 5,346 964 2,471 3,801	5,026 5,026 1,401 1,980 6,101 4,145	2,004 1,181 823	12,352 9,167 3,185
88 88 88 77	495 154 154 177 77 20 3	105	1,161 304 23 23 778 778	356 339 17 17 222	278 278 18 239 170 196	39	258 125 133
UW4 44	0001 110 0	1 111	2 4 - 60	16	∞ 4		100
12 18 18 12 12 12 13	38 10 10 10 10 10 10 10 10 10 10 10 10 10	21 40 4	126 126 126 126 21	558	227 272 150 1190 1190	-29	70 64 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
6.0 am im							
148 200 161 27 134	2,165 583 47 214 75 242 5	21.1 11.2 99	1,013 258 212 212 21 211 118	673 294 233 61 115 264	518 234 25 38 171 164	4 81 76	154 174
263 192 216 216 130 97	443 443 1119 49 489 489 489	206 139 81 58	3,832 850 146 473 231 2,681	710 336 259 77 120 254	885 492 492 230 181 248 145	176 93 83	664 445 219
0 = 100 N	86 4 E 8 4 Z	- 4 4	<u>=</u> ∞-∞22-	<u>w</u> 040w4	<u>4</u> 000000		80
2 -	<u>E</u> - - 4	00	2 2	N N N	M- - -		mm
	4 0 0		100 100	10 mmm Cl	P 04	111	
::: :::	: ::::::	:::::	: ::::::	::::::	::::::	:::	:::
::: :::	: ::::::	:: :::	: ::::::	::::::	::::::	:::	:::
:::::::	: ::::::	:::::	: ::::::	::::::	::::::	:::	:::
U.D	Durham Total C.B.s Total C.B.s Gateshead C.B. South Shields C.B. Sunderland C.B. West Hartlepool C.B.	Total M.B.s and C.D.s Fly Isle of M.B. and U.D.s Total R.B. and U.D.s	Essex Total C.B.s East Ham C.B. Southend-on-Sea C.B. West Ham C.B. Total M.B.s and U.D.s Total M. B.s	Gloucestershire Total C.B.s Bristol C.B. Cloucester C.B. Total M.B.s and U.D.s Total R.D.s	Hampshire Fotal C.B.s Bournemouth C.B Portsmouth C.B Southampton C.B Total M.B.s and U.D.s Total M.B.s and U.D.s Total M.B.s and U.D.s	and U.D	Hertfordshire Total M.B.s and U.D.s Total R.D.s
D D	Д	国		9	Д.	т.	1

	is†·	Other	21		5 2054	237 136 14 44 44	. r.e.±8.e.c.	U.00 4 w − i o	18	4022	4 10	€ C1 L
	Tuberculosis†	Meninges and C.N.S.	20	111	n n	200-00-	1 / 4==	2111	0 ==	4-0-	111	111
	Tul	Respiratory	19	35	865 14 694 157	3,980 2,944 433 443 577	1,633 476 51 48	130 130 14 14 150	889	226 134 44 484	2000	41 16 25
		Food poisoning	18	25	326 261 65	1,170 686 9 80 101 138	160 97 171 31	mmmm4	372	30 × × × × × × × × × × × × × × × × × × ×	13	*8 C/M
		Puerperal pyrexia	17	00	224 10 207 7	1,600 1,440 99 98 3	629 468 31 32	18 18	105	96		5 24
	(lsznət	Acute pneumonia (primary and influ	16	00 65 41	844 16 589 239	2,559 1,528 1,528 45 44 177	36 451 312 312 922	200 820 887 887 887 887	930	235 83 43 109	75	135 92 43
	alitis	Post-infectious	15		4 4	8 2	-	11-111	-	1111		
	Acute encephalitis	Infective	14		4 4	40 6	- -	- 2	4-	2- 4		
		Non-paralytic	13	TIT	9 9	8 0-1 E	114111	-11111	00 ⊶			111
	Acute poliomyelitis	Paralytic	12	-1-	10 E	3.11118	2 2 2	20 10-6	39			-
		Measles	=	676 328 348	21,378 180 15,500 5,698	20,198 27,707 247 442 1,500 1,797 382	591 135 6,299 7,044 1,175 1,503	2,206 910 1,554 637 488	3,548	4,832 418 2,715 1,699	1,255 647 608	1,541 519 1,022
ed		Dysentery	10	-	653 7 506 140	4,903 2,625 641 61 237 36	48 37 407 501 159 336	41.48 V.	1,958	93	326 246 80	122
-continued		ophthalmia murotanoan	6	TII	0 0 -	217 209 37	1 1 4 4 5 1 8	11-1-1	47 M			
5		Erysipelas	00	400	922	322 172 172 195 2	7 33 33 4 5 7	4 x 2 v v v v	135	38 21 7 10	25 20 19	o mo
ABLE		Diphtheria	7			40	11-111	11-111	41	.	111	TIT
7		Whooping cough	9	51 53	1,714 8 1,330 376	6,369 3,754 13 45 92 100 302	1,488 1,148 18	76 77 91 113 33 63	2,385	679 154 211 314	=1=	50 50 50 50 50 50 50 50 50 50 50 50 50 5
		Scarlet fever	2	35	2,063 39 1,629 395	5,995 3,487 65 150 187 262 71	964 973 640 171 319	242422	2,184	613 261 132 220	2 04	137
	noitoalt	Meningococcal in	4	111	12 5 5 5 5 5 5 5 5 5	7.40 1.10 1.10 1.10 1.10 1.10 1.10 1.10 1	122 122 1	4444A	47	4 500		401
	ل	Paratyphoid feve	3	TII	20 18 7	36	1311	101111	242			-
	-	Enteric (or typhoid) fever	2		4 4	0v-		- -	- 1	- -		
-				:::	::::	::::::	::::::	::::::	::	::::	:::	:::
				:::	::::	::::::	:::::	:::::	::	::::	:::	:::
				:::	::::	:::4:::	::::::	::::::	::	::::	:::	:::
		Area	1	Huntingdonshire Total M.B.s and U.D.s Total R.D.s	Canterbury C.B. Total M.B.s and U.D.s Total R.D.s	*Lancashire Total C.B. Barrow-in-Furness C.B. Blackburn C.B. Blackbool C.B. Botton C.B.	Burnley C.B. *Liverpool C.B. Manchester C.B. Oldham C.B.	Rochdale C.B St. Helens C.B Salford C.B Southport C.B	Total M.B.s and U.D.s Total R.D.s	Leicestershire Leicester C.B. Total M.B. and U.D.s Total R.D.s	Lincolnshire (Parts of Holland) Total M.B. and U.D. Total R.D.s	Lincolnshire (Parts of Kesteven) Total M.B.s and U.D.s Total R.D.s
1					¥	1				7	3	i :

7 01 11	226 1	6	44200	2000 14	22 122 188 158 16	51200000	0,00	134	97-1986	27 8 11 8	30
1-40	17	-	1-11-1	-4-	m-	4		90	111111	- -	7
84964	2,812	71	44 44 76 44 76 76 76 76 76 76 76 76 76 76 76 76 76	84 424 134 134 27 252	172 155 124 149 57 58	189 142 142 144 145 146 146 146 146 146 146 146 146 146 146	80	1,128 1,128	000 000 141 81 81	32 67 42	498 267
33 745	2,026	25	108	26 26 19 158 158	65 40 67 87 10	116 27 27 8 16 648	15	431	5 2222 2	50 11 11	16
# 12 w	1,666	1	121 36 36	26 1122 53 308	1112 143 139 19	52 33 88 99	852	891 891	411 111 100 7 116	73 53 18 2	32
100	1,914	82	51 20 10 10 10 10 10 10 10 10 10 10 10 10 10	252 274 477 108	60 112 108 37 66	144 222 80 131 18 266	140	1,317	428 252 267 267 267	274 69 1111 94	169
- Control Cont	71	-	11-111	1 1 1 1 1 1 1 1 1 1	- -	9 4		11	4		10
- -	=			- -	-0	- -		7	- -	ru 14w	7
2-	64	7	- -	1 2 2 3	-004-11	9171 9	1-	58	4		
-0	146	Ξ	19-0-0	ผนงนนน	L 00 Z E = 1	#2000E		44	10 Mara W	4	TI
754 1,117 1,326 2,393	27,969 21,21	702	635 729 1,322 416 805 885	898 637 1,592 825 344 139 1,382	2,391 2,613 2,613 1,166 250	595 1,029 1,344 3,212	1,801	21,561 21,561	4,926 1,445 435 1,010 1,026 2,455	4,656 202 3,161 1,293	7,365
1,051 64 382 179	3,571	167	101 35 1111 62 114 454	249 168 148 179 28 316	110 209 273 25 62 62 46	135 56 341 87 33 403	21 76	1,344	163 76 10 60 60 83	361 153 143 65	442 159
6	191	_	1-011-	254 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	1 1 1 20 1	1 0	10	<u>∞</u> ∞	<u> </u>	- -	NN
22.62	239	00	10 11 17 7	0.0408018	9897776	28277388	10	138	\$ 22224	35 111 16	33.2
	74	_	11/18	111-140		11101		ta season			
223 15 1111 92	1,607	32	45.00 44. 41. 41. 41. 41.	36 36 36 37 37 4 4 158	83 121 229 49 15	46 28 111 111	35	1,004	299 1112 110 110 180	404 81 175 148	326
157 60 234 155	2,622	71	£ 441 6 4 4 4 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	41 68 166 102 37 242	54 177 303 37 78 19	60 97 78 329	101	2,665 2,665	263 263 253 472 474	448 134 175 139	140
1-66	69	7	-0 -	-u∞uu4v	10-0-	1 0015	7	22	0 04	0 0	136
11-1	53	7	4	1110	100m	1 18 1	7-	17		ullu	40
	8	1	1 2 1 -	111221	4 60	1 2 4	w	7	4 0 0		
::::	::	:	::::::	::::::	::::::	:::::	::	::	:::::	::::	::
	::	:	:::::	::::::	::::::	:::::	::	::	::::::	::::	::
-conti	::	:	:::::	::::::	:::::	:::::	::	::	::::::	::::	::
Lincolnshire (Parts of Lindsey)—continued Grimsby C.B	London A.C City of London	Metropolitan borougns: Battersea	Bermondsey Bethnal Green Camberwell Deptford Finsbury	Fulham	Kensington Lambeth Lewisham Paddington Poplar Si. Marylebone	St. Pancras Shoreditch Southwark Stepney Stepney Wandsworth	Westminster Woolwich	Middlesex Total M.B.s and U.D.s	Norfolk Great Yarmouth C.B. Orwich C.B Total M.B.s and U.D.s Total M.B.s and U.D.s Total R.D.s	Northamptonshire Total M.B.s and U.D.s Total R.D.s	Northumberland Total C.B.s
I	7							2	Z	Z	2 +

Sis			1								
Tuberculosis	Meninges and C.N.S.	20		1111	:		111	4/4	4 6	= 00-4-110	1 6
Tub	Respiratory	19	221 46 204 27	529 258 184 87	146 66 24 56	25 3	3-1	81 28 28	219 35 1111 73	888 470 1025 69 69 69 69	342
	Food poisoning	18	91 41	229 151 45 33	28 15	וטיח	99	11	51 10 27	100 111 122 147	52
	Puerperal pyrexia	17	121	327 322 8	527	ru nu	4 0	96	33 0 84 1 4 2 2 9	224 122 139 139 139	19
(lsznəi	sinomusad stuad inni bas yrsmirg)	16	166	353 128 128 36	56 4 69	4 % ∞	20 20	279 115 164	329 60 78 191	1,133 88 33 171 269 29	379
te alitis	Post-infectious	15	- 00	m m		111	111	7	1111	n4 w -	1
Acute encephalitis	Infective	14	1181	441			117	4 4		m= -	
	Non-paralytic	13		4 4		- -		m 01-	w 121-	9- -	4
Acute poliomyelitis	Paralytic	12		4016	-11-			4-6	F = 0	Fx E	1 4
	Measles	111	5,728 1,637 7,235 1,197	6,122 1,852 2,496 1,774	4,191 1,117 725 2,349	212 212 58	247 15 232	3,923 2,034 1,889	6,399 173 2,496 3,730	21,553 9,367 1,015 3,400 1,432 1,432	9,302
	Dysentery	10	157	786 285 421 80	130 90 31		!	53	32 31 25	933 331 192 71 71	534
	Ophthalmia murotanoen	6	7	4-0-	21 T			m=n	m m	87.911100v	7
	Erysipelas	00	23 6	40 118 10 10	40-0	1	- -	2 700	52 6 115 31	8 €4480000	29
	Diphtheria	7							-	~	1
	Mhoo gaiqoodW	9	218 108 108 226 58	546 208 169	105 40 3 62	46 1	20 20	171 55 122	433 130 274	1,672 912 35 140 140 526 526 527	809
	Scarlet fever	S	133	1,343 510 665 168	259 94 12 153	4	4 00	281 182	579 101 273 205	245 117 70	619
noitoel	Meningococcal in	4	121	3 40w	40 0		The second secon	20 ← 4	9 9	8 m 4 4 4 1 1 1 1 1	20
	Paratyphoid fever	8	6 1	9 -00	m 07 -				-11-		9
	Enteric (or typhoid) fever	2	1	7- -		111	H	- -		40 =0	1
			::::	::::	::::	:::	:::	:::	::::	:::::::	:
			::::	::::	::::	:::	:::	:::	::::	::::::	:
			::::	::::	::::	:::	:::	:::	::::	:::::::	:
	Area	1	humberland—continued Newcastle upon Tyne C.B. Toremouth C.B. Total M.B.s and U.D.s. Total R.D.s.		: :C	:::	:::	 S.C	: :s::	: :mi : : : : : : : : : : : : : : : : :	D.s
	- A		ontinu B. Tyn id U.J	. ia:	. ig :	of M.B.	:::	: d: C.)	:: :: :: 0.1	rent (nd U.J
			humberland—continued Newcastle upon Tyne C Tynemouth C.B. Total M.B.s and U.D.s. Total R.D.s.	ire am C. B.s an	.B. B.s an D.s	rborough, Soke of Peterborough M.B. Total R.D.s	o.	pshire Total M.B.s and U.D.s Total R.D.s	Bath C.B Total M.B.s and U.D.s Total R.D.s	Total C.B.s. Total C.B.s. Burnon upon Trent C.B. Smethwick C.B. Stoke-on-Trent C.B. Walsall C.B. West Bromwich C.B.	Total M.B.s and U.D.s
			berla ccastle emou al M.J	amshi tingh al M.J	oxford C.B. Total M.B.s Total R.D.s	rborough, So Peterboroug Total R.D.s	and Oakham U.I Total R.D.s	re M.	C.B	ordshire Total C.B.s Burton upon Smethwick C Stoke-on-Tre Walsall C.B. West Bromwil	al M.
			Northumberland—continued Newcastle upon Tyne C Tynemouth C.B. Total M.B.s and U.D.s. Total R.D.s.	Notitughamshire Nottingham C.B. Total M.B.s and U Total R.D.s	Oxfordshire Oxford C.B Total M.B.s and U.D.s Total R.D.s	Peterborough, Soke of Peterborough M.) Total R.D.s	Rutland Oak Tota	Shropshire Total N Total F	Somerset Bath Tota Tota	Staffordshire Total C.B.s Burton upon Smethwick C Stoke-on-Tre Walsall C.B. West Bromw Wolverhamp	Tota
			Ž	ž	ő	Pe	Ru	Sh	So	St	

5 Other

17	2 000	o 4		65 13 45	2 07747179	127	115 115 83 32 29 16	10 m mi	6 50	32 13 19	2022	27 113 6 6 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	
07	M-1-	٠.		9 000		7	n o o m m m			4 €0=	w -0	40 -	
61	33.44	2 00	122	725 133 541 51	257 130 78 23 29 96 31	79	1,160 891 704 187 192	26 112 114	35 25 10	65 65 53	248 80 80 35 136 32	241 184 37 20	
10	101 800	777	04-	469 67 211 191	28 28 10 17 17 17	36	766 639 552 87 109 18	- California	12 4 4	39	F 2244	E 448	
/1	26	17	12	576 35 540 1	215 126 73 29 24 28 31	76	682 561 488 73 18 103	40		88 65	% 2 23 4	109	
0.1	147	8 1	4 13	951 92 794 65	314 1116 63 63 448 1111 877	38	1,189 1,189 1,189 348 298 170	4-0	36 26 10	88 70 28	255 254 80 254 86	560 448 43 69	
CI	-11-	-	·	4 4	111;111		E 174 0	111	and the second		- -	- -	
1.4	7	-		ru 4-			999	- -					
CI	-11-	-		⊙ ω4∞	rn na	F0100	m 000		The second secon	- -	- -		
14				<u>ज</u> ल∞ल	₹20001 M4	m 01=	∞∞ ~ -	and the second	-	611		- -	
1.1	1,502 336 433	1 062	1,130	24,780 3,898 18,145 2,737	3,196 1,969 1,969 484 743 3,474	5,335 3,584 1,751	24,611 16,380 11,791 4,589 6,018 2,213	210 43 167	681 314 367	4,459 2,171 2,288	7,535 1,650 564 1,086 4,250 1,635	4,985 1,426 1,361 2,198	
101	123 36 36 36		9	1,443 535 802 106	2284	166	2,488 2,488 855 1,633 1157	2 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	12 4 7	264 125 139	390 390 390	1,585 1,113 466 6	And the second of the second of the second of
7	- -	-	- -	0101	9ma ==a	70	4424 425 66 90			N CICE	2 4 4 / ℓ /	Mall	
0	2000	2 2	103	96 73 33 33 33	38 113 10 122 178 7	7 1 8	200 1166 1137 29 26 8	4	700	12.7	231 127	28 71 47	
,	111	l .				1.11	90 0					4011	
0	53 23 23	1 0	73	615 252 341 22	407 118 118 116 221 163 89	198 151 47	2,275 1,938 1,431 507 234 103	10	114	272 183 89	293 444 144 198 198 51	537 477 34 26	
2	318	104	165	2,153 358 1,576	518 227 181 10 36 190 101	273 156 117	1,650 1,130 203 344 176	13 23 26	n 4 €	434 230	650 117 104 104 1122	285 285 285 285	
÷	m c	0 6	1 m	1372	40 0-1	1 00	2573. 273. 3000		=1=	9 mm	• ∞	9 F0	
2			-	ru 4-	w a	2 27	r-1007		7	7	4-1-4-	44	
7		1		4	ПППП		444					w == €	
	1:::	:	:::	::::	::::::	. : : :	::::::	:::	:::	:::	::::::	::::	
	:::	:	:::	::::	::::::	:::	:::::::::::::::::::::::::::::::::::::::	:::	:::	:::	::::::	::::	
	:::	:	:::	::::		:::	::::::	:::	:::	:::	::::::	::::	
The second secon	olk, East Ipswich C.B Total M.B.s and U.D.s	s.	s.s and U.D.s	Croydon C.B Total M.B.s and U.D.s	S. C.B	s.s and U.D.s	wickshire Total C.B.s. Birmingham C.B. Coventry C.B. Total M.B.s and U.D.s. Total R.D.s.	morland V. Total M.B.s and U.D.s Total R.D.s	ht, Isle of Total M.B.s and U.D.s Isle of Wight R.D.	shire Total M.B.s and U.D.s Total R.D.s	Cestershire Total C.B.s Worcester, C.B. Total M.B.s and U.D.s Total R.D.s	sshire, East Riding Kingston upon Hull C.B. Total M.B.s and U.D.s Total R.D.s	and of Table.
	Suffolk, East Ipswich C. Total M.B	Total K.L	Suffolk, West Total M.B.s and U.D.s Total R.D.s	Surrey Croydon C.J Total M.B.s Total R.D.s	Sussex, East Total C.B Brighton C.B Eastbourne C.B Hastings C.B Total M.B.s and U. Total R.D.s Total R.D.s	Sussex, West Total M.B.s and U.D.s Total R.D.s	Warwickshire Total C.B.s. Birmingham C.B. Coventry C.B Total M.B.s and Total R.D.s.	Westmorland Total M.B.s Total R.D.s	Wight, Isle of Total M.B.s and U Isle of Wight R.D.	Wiltshire Total M.B Total R.D	Worcestershire Total C.B.s Dudley C.B. Worcester, C Total M.Bs Total R.Ds	Yorkshire, East Riding Kingston upon Hi Total M.B.s and U	† See note at end of Table.

ist	Other	21	25 6 6 13	222 1117 244 544 66	₽ ₽ ₽	99	€ ∠ 51	4 6	= 1.4	49 m m	22 81 13
Tuberculosis	Meninges and C.N.S.	20	-11-	20 13		40		7 7		111	4-6
Tub	Respiratory	19	228 111 95 22	1,753 1,143 230 230 23 40 40	341 341 320 320 16	439	4 250	3 % m	99 56 43	20 00	39
	Food poisoning	18	168 87 61 20	300 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	167 157 62 62 14	212	m m	6 0-	31 26 5	111	NO AU
	Puerperal pyrexia	17	24 24 8.	626 334 20 30 30	23 183 67 245 16	45	111	4 12	74	- -	- -
(lszne	Acute pneumonia (primary and influ	16	199 72 71 56	3,300 2,298 124 598 3 26 23	153 656 38 624 12 41	747	N MM	2 24	32.8	8 8 0 1	93 62 31
te alitis	Post-infectious	15	M-22	87 4 1	- -	1-	111				
Acute encephalitis	- Svitostal	14	400	90	- 2	-	- -				TTT
	Non-paralytic	13	24-	<u>3</u> ∞ - 2	-11-16	9				111	
Acute	Paralytic	12	141	2040	21 21	<u>r</u> 4		- -		- -	
	Measles	==	6,464 1,841 2,215 2,408	53,566 29,154 1,317 4,123 625 1,421 151	1,797 8,694 1,292 7,814 7,60	15,938	633 193 440	158 25 133	789 437 352	26 32	320 109 211
	Dysentery	10	329 148 150 31	3,145 755 755 26 26	1,728 109 110 36	400	1 10	2-=	1282	mm	152 81 71
	Aphthalmia murotanoan	6	81-1	58 53 1 1 19	19111	4-		- -			-1-
	Erysipelas	00	88	371 205 7 41 6	50 20 4	119		6 64-	7		00 t
_	Diphtheria	7	1	10 63	1111	71	111	111		111	111
	Whooping cough	9	414 201 153 60	2,287 1,337 73 163 70 11 47	252525	635	88. 35. 35.	27 4 8	77 63 11	8 2 €	31 12 19
	Scarlet fever	2	357 129 132 96	2,155 2,713 499 70 70 122	173 620 161 438 33 258	,725 717	2 041	6 1 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	39	<u>2</u> ∞∞	4 224
noito	Meningococal infe	4	=44m	38672987	41-0 0	25 1		- -	401	111	400
	Paratyphoid fever	3	F-2-	20 50 1	-8 9	4κ	6 40	111	33.00		
	typhoid) fever	2		090-	- 8	4	III	111			
	Enteric (or										
			::::	::::::	::::::	::	:::	:::	:::	:::	:::
			::::	::::::	`::::::	::	:::	:::	:::	:::	:::
			::::	::::::	:::::	::	(hire)	:::	:::	:::	:::
	Area	1	D.s	::::::	:::::	D.s	WALES (including Monmouthshire) Anglesey Total M.B. and U.D.s	. s.	 5.c	D.s	
	4		iding 1 C.B. nd U.I			nd U.]	Monn i U.D	d.U.D 	pi	id U.I	.: ::
			rth R rough B.s ar D.s	est Ri C.B. C.B. V.C.B. r.C.B.	B. C.B.	B.s ar	iding B. and D.s	hire B. and	shire B.s an	B.s an	shire B.s ar J.s
			shire, North Riding Middlesbrough C.B Total M.B.s and U.D.s Total R.D.s	kshire, West Riding Total C.B.s. Barnsley C.B. Bradford C.B. Dewsbury C.B. Doncaster C.B. Doncaster C.B. Halifax C.B.	Huddersfield C.B. Leeds C.B. Rotherham C.B. Sheffield C.B Wakefield C.B.	Total M.B.s and U.D.s Total R.D.s	sey al M.]	Brecknockshire Total M.B. and U.D.s Total R.D.s	aernarvonshire Totai M.B.s and U.D.s Totai R.D.s	rediganshire Total M.B.s and U.D.s Total R.D.s	armarthenshire Total M.B.s and U.D.s Total R.D.s
			Yorkshire, North Riding Middlesbrough C.B. Total M.B.s and U.I Total R.D.s	Yorkshire, West Riding Total C.B.: Barasley C.B.: Bradford C.B.: Dewsbury C.B. Doncaster C.B.: Halifax C.B.:	Hun Lee Rot She Wal Yor	Tot	ALES (including Monmout Anglesey Total M.B. and U.D.s. Total R.D.s	Brecki Tot	Caernarvonshire Total M.B.s an Total R.D.s	Cardiganshire Total M.B.s Total R.D.s	Carmarthenshire Total M.B.s and Total R.D.s
			X	X			≥				

⊘ 4≀0	004 262 263 214 21 21	a 44	22 6 4 4 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	► ₩4	 j	111
4 4	0	111	4	-1-		111/
98 51 47	773 328 211 43 74 103	39 21 18	238 160 20	₩.00 L	26 15 11	2-3
No. A.	490 67 56 7 175 248	m m	116 10 79 27	111		
00/180	22, 108 122 196 196 181	-1-	2 22	111		111
22 26 47	245 245 245 412 60	<u>6</u> 40	2 1201	4 022	202	∾ 4
- -	44 44	111	- -			
111		111			TIF.	
		111		m m	distance of the second	
	m-	111	m m			
843 417 426	9,471 4,116 3,609 196 3,897 1,458	153 67 86	2,554 599 1,711 244	309 209	318 138 180	m m
∞ ∞0	2,323 1,110 1,084 1,084 1,053 1,053	111	466 193 243 30	- -	m =0	
-111	2 441 8		-1-1			1 1
P=9	388 38 36 36 94		16 16	N =0	89 47 49	111
JII			-	1.11	111	111
5 25	357 233 101 101 96 36 83 41	m m	135 135 5	27 63	0 .m0	
8 666	981 478 228 57 1193 392	2000	221 114 86 21	23	91 37	- -
'	% 00 400		NW61			
100	<u>w</u> 44 0	111	r 40	111		
111		111		111		
:::	::::::	:::	::::	:::	:::	:::
:::	::::::	:::	::::	:::	:::	:::
:::	::::::	<i>:</i> :::	::::	:::	:::	:::
7.D.s	.B	:::	 U.D.:	U.D.s	U.D.s	:::
and i	B S ydfil C S. and	o, o,	C.B	ire	s and	S S
Flintsbire Total M.B. and U.D.s Total R.D.s	Glamorganshire Total C.B.s Cardiff C.B. Merthyr Tydfil C Swansea C.B. Total M.B.s and Total R.D.s	Merionethshire Total U.D.s Total R.D.s	Monmouthshire Newport C.B Total M.B.s and Total R.D.s	Montgomeryshire Total M.B.s and Total R.D.s	Pembrokeshire Total M.B.s and Total R.D.s	norshire Total U.D.s Total R.D.s
Flint	Glamor To Ca Sw To	Merion To To	Monmo Ne To To	Montgo To To	Pembro To To	Radnorshire Total U.D Total R.D

Notifications of tuberculosis have for some years been recorded on annual returns submitted by local authorities to the Ministry of Health and figures have notifications of infectious diseases sent by Medical Officer of the Ministry of Health. In 1954 for the first time, weekly and quarterly returns of Figures derived from the quarterly returns of Theorems of infectious diseases sent by Medical Officers of Health to the General Register Office were extended to include tuberculosis notifications. The total of 627,278 cases recorded on these returns compares with a total of 27,100 formal primary notifications recorded on the annual returns to the Ministry of Health for 1959.

Note. The averages used for rainfall and rain-days are for the period 1916-50, while those for temperature and sunshine are for 1921-50.

	Air	temperat	ture	Rain	ıfall	Sun- shine	Air	temperat	ture	Rai	nfall	Su
District	Highest	Lowest	Difference from average daily mean	Percentage of average	Number of days difference from average	Percentage of average	Highest	Lowest	Difference from average daily mean	Percentage of average	Number of days difference from average	Percentage of
		Qı	uarter e	nded 31	st Marc	ch		Qua	rter end	led 30tl	n June	
England N.E. England E. Midland Counties England S.E.	64 65 65 66	°F 10 12 7 14	°F 0.6 0.4 0.4 0.3	67 81 88 84	-16 - 9 -10 - 9	112 116 110 121	82 84 84 84 83	°F 23 24 27 29	°F + 1.8 + 1.5 + 2.1 + 2.0	86 72 86 67	- 8 - 6 - 4 - 4	
England N.W. and North Wales	63	7	+ 0.1	60	12	123	81	20	+ 2.4	109	- 6	1
England S.W. and South Wales	63	8 .	-0.1	94	_ 5	106	81	29	+ 1.6	101	_ 1	1
Mean		_	0-3	79	-10	115			+ 1.9	87	_ 5	1
		Qua	arter en	ded 30t	h Septer	mber		Quart	er ended	1 31st I	Decemb	er
England N.E. England E. Midland Counties England S.E.	96 94 93 94	28 27 28 29	+ 2·1 + 2·2 + 2·4 + 3·0	38 55 46 38	-25 -16 -22 -20	126 131 136 139	80 82 83 83	15 16 16 19	+ 2·2 + 2·5 + 2·7 + 2·9	111 112 138 137	+ 8 + 6 + 9 + 9	10
England N.W. and North Wales	87	23	+ 2.5	48	24	134	79	14	+ 3.1	131	+ 7	11
England S.W. and South Wales	86	27	+ 1.8	60	—23	134	79	20	+ 2.3	147	+15	9
Mean			+ 2.3	47	22	133	_	_	+ 2.6	129	+ 9	10
			Yea	r 1959								-
England N.E. England E. Midland Counties England N.W. and	96 94 93 94	10 12 7 14	+ 1.4 + 1.4 + 1.8 + 1.9	75 82 92 87	-42 -25 -28 -22	114 118 119 120		1;			:	
England N.W. and North Wales England S.W. and	87	7	+ 2.1	88	35	121						
South Wales	86	8	+ 1.4	106	15	113						
Mean		-	+ 1.7	88	28	117						

Note. Since January 1953 the averages used for temperature and sunshine are for the period 1921–50. Since January 1958 the average used for rainfall is for the period 1916–50.

Year	Fall of rain in inches	Departure from average of 35 years (1881-1915)	Mean temperature of the air at sea-level	Departure from average of 30 years (1906-1935)	Mean daily sunshine	Departure from average of 30 years (1906-1935)
	ins.	ins.	°F.	°F.	hours	hours
1910 1911 1912 1913 1914 1915 1916 1917 1918 1919 1920 1921 1922 1923 1924 1925 1926 1927 1930 1931 1932 1933 1934 1935 1938 1939 1940 1941 1942 1943 1944 1945 1946 1947 1948 1949 1950 1951 1952 1953 1954 1955 1955 1956 1957	ins. 39.8 33.1 44.0 34.5 38.1 38.8 40.1 34.5 37.7 37.0 38.4 24.7 37.1 39.8 42.3 33.7 33.9 43.3 35.9 43.9 33.9 33.9 33.9 33.9 33.9 33.9 33	ins. +4·6 -2·1 +8·8 -0·7 +2·9 +3·6 +4·9 -0·7 +2·5 +1·8 +3·2 -10·5 +1·9 +4·6 +7·1 +2·1 +0·7 +8·1 -6·6 -1·7 +4·6 -1·7 +4·6 +3·2 +1·1 -2·1 -2·4 +0·1 -2·4 -2·8 +2·3 -4·3 -4·5·0 +8·5 -4·3 -4·5·0 -4·5 -4·3 -4·5 -4·3 -4·5 -4·5 -4·3 -4·5 -4·5 -4·3 -4·5 -4·3 -4·5 -4·5 -4·3 -4·5 -4·5 -4·3 -4·5 -4·5	F. 49·6 50·8 49·6 50·5 50·7 49·0 49·4 48·3 50·0 48·2 50·2 51·8 47·8 49·2 49·5 49·4 50·3 49·4 50·3 49·4 50·1 50·0 49·2 49·9 50·6 50·9 50·6 50·9 50·1 51·0 50·3 49·3 49·2 49·2 51·0 50·1 50·1	F. - 0·1 +1·1 - 0·1 +0·8 +1·0 - 0·7 - 0·3 - 1·4 +0·3 - 1·5 +0·5 +0·5 +0·6 - 0·3 - 0·6 - 0·3 +0·6 - 0·3 - 0·6 +0·3 - 0·5 +0·2 +0·9 +1·2 +0·8 +0·1 +1·3 +0·6 - 0·4 - 0·5 - 0·5 +1·3 +0·4 +1·7 +0·9 +0·6 -0·5 -0·5 -0·4 +0·6 -0·5 -0·5 -0·4 +0·9 +0·6 -0·5 -0·5 -0·4 +0·9	hours 3.87 4.59 3.35 3.61 4.27 4.10 3.61 4.03 4.08 4.01 3.66 4.02 3.87 3.75 4.09 3.77 3.61 4.12 4.52 3.84 3.60 3.53 4.42 4.08 4.13 3.56 3.46 3.53 4.42 4.08 4.13 3.56 3.46 3.97 4.18 3.67 3.90 4.25 3.73 3.81 3.83 3.97 4.12 4.63 3.94 3.98 4.10 4.04 3.52 4.47 3.88 4.04	hours - 0.08 + 0.64 - 0.60 - 0.34 + 0.32 + 0.15 - 0.34 + 0.08 + 0.13 + 0.06 - 0.29 + 0.65 + 0.07 - 0.08 - 0.20 + 0.14 - 0.18 - 0.34 + 0.17 + 0.13 + 0.18 - 0.39 - 0.41 + 0.18 - 0.39 - 0.41 + 0.02 + 0.22 + 0.42 + 0.47 + 0.13 + 0.18 - 0.39 - 0.49 - 0.11 + 0.02 + 0.23 - 0.28 - 0.05 + 0.30 - 0.22 - 0.14 - 0.12 + 0.02 + 0.17 + 0.68 - 0.01 + 0.03 + 0.15 + 0.08 + 0.08 + 0.08
1958 1959	41·6 32·0	+5·1 - 4·5	49·8 51·8	- 0·3 +1·7	3·52 4·63	- 0·44 +0·67

Month		Temperatu	re of the air		whose rec	ain in a gauge ceiving sur- 10 inches ne ground	regist	shine tered in ours		spheric ution
	Highest for month	Lowest for month	Mean daily value	Departure from average of 80 years	Total	Departure from average of 80 years	Total	Departure from average of 70 years	Maximum for month	Mean
	°F	°F	°F	°F	ins.	ins.	hours	hours	mg/m ₃	mg/m ₃
January	51.4	23.5	37.0	-2.7	2.13	+0.17	80.1	+38.3	1.900	0.246
February	61.2	29.5	40.3	0.0	0.09	-1.46	58.5	+0.1	1.100	0.187
March	60.8	35.8	46.4	+3.6	1.57	+0.03	108-8	+2.1	0.450	0.095
April	66.9	37.8	50-5	+3.0	2.04	+0.33	138-9	-10-3	0.300	0.069
May	79.0	37.6	56.1	+2.5	0.53	1.22	230-3	+32.8	0.100	0.053
June	79.3	43.5	61.5	+2.1	0.60	-1.38	239.7	+39.2	0.350	0.057
July	85.3	48.9	66.0	+3.3	1.57	0.81	290.4	+94.9	0.150	0.054
August	85-3	49.5	65.8	+4.0	1.13	-1.11	239.9	+54.9	0.250	0.080
September	81.0	41.7	61.3	+3.9	0.10	-1.89	212-1	+71.2	0.350	0.116
October	78-3	37.9	56-1	+5.8	1.87	-0.64	159.6	+66.4	0.500	0.101
November	59-2	28-4	46.0	+1.8	2.36	+0.02	58-1	+ 6.9	0.900	0.158
December	53.4	32.0	44.8	+4.1	3.07	+0.91	35.9	-1.4	0.450	0.138
Means	Charles	_	52.7	+2.6	sum 17·06	7·05	sum 1852·3	+395.1	_	0.113

Additional meteorological information may be obtained from the Monthly Weather Reports and Annual Report on the Meteorological Office, and the annual volume of the British Rainfall Organisation, published by Her Majesty's Stationery Office.

APPENDICES

Appendix A. Standardised Mortality Ratios (based on United Kingdom experience), age specific death rates and infant mortality rates from selected causes and estimated mid-year populations, 1959

ICD			S.M	1.R.		I	Death rate	s per m	illion p	opulatio	on	
ICD No.	Causes of death	Country	All	ages	All	ages	1	4	5	14	15-	-24
			М	F	M	F	M	F	M	F	M	F
	All causes	England and Wales Scotland Northern Ireland	99 112 102	118	13,010	10,969 11,348 10,283	1,324	808-8 1,057 941-0	433-8 474-8 429-0	308-4 287-9 396-3	1,034 906·5 817·2	444-6 493-5 347-1
001-008	Tuberculosis of respiratory system	England and Wales Scotland Northern Ireland	97 122 117	169		36·3 62·7 51·2	2·15 10·8	2.27	_	0.89 2.38		4.5 13.6 9.3
010-019	Tuberculosis, other forms	England and Wales Scotland Northern Ireland	91 152 194	129	14.0	8.08 10.4 12.5	12·9 32·4 34·8	9.07 5.65	2·54 4·54 7·40	2·66 _	2.07 14.3 8.79	5.4
020-029	Syphilis and its sequelae	England and Wales Scotland Northern Ireland	102 85 72	76	21.6	14·1 9·27 13·9					0.35	-
057	Meningococcal infections	England and Wales Scotland Northern Ireland	96 108 179	110	5.61		27·3 27·0 52·2	13.6 17.0 55.4	1.97 2.27	2.66	1.04 2.87	1.0
080	Acute poliomyelitis	England and Wales Scotland Northern Ireland	115	111 37	1.87	1·06 0·37	2·15	3.78	1.69	1.48	2.42	1.0
Rem. 001-138	Other infective and parasitic diseases	England and Wales Scotland Northern Ireland	96 106 195	126	28.5	22·5 29·3 34·6	45·2 59·4 52·2	34·8 67·8 36·9	12·1 4·54	15.6 11.9 7.77	7·94 8·61 17·6	6.9 10.9 18.8
140-148	Malignant neoplasm of— buccal cavity and pharynx	England and Wales Scotland Northern Ireland	99 112 101		59-3	26·1 32·3 29·1	0.72		1·13 	0·59 —	1·38 2·87	1.7.
150	oesophagus	England and Wales Scotland Northern Ireland	98 123 80	138	62·6 71·8 45·2	40·6 50·4 30·5	_				_	0.3.
151	stomach	England and Wales Scotland Northern Ireland	98 113 107		362·3 378·4 345·6	261·5 276·6 254·8				_	1.04 2.87	1-39
153	large intestine	England and Wales Scotland Northern Ireland	98 126 91	97 123 111	165·0 194·8 137·1	235·8 257·7 213·3		MARKET TO SERVICE AND ADDRESS OF THE PARKET TO S	0.28	_	1·73 —	0.65 2.7.
154	rectum	England and Wales Scotland Northern Ireland	101 93 96	99	139·8 117·5 118·1	110·7 94·9 74·8	<u>-</u> 17.4	salahanan masanan propagan			0.69	0.35
161	larynx	England and Wales Scotland Northern Ireland	101 92 92	99 86 20 0	29·4 24·5 23·3	7.66 5.93 12.5			-	_	Management of the Control of the Con	0.35
162, 163	trachea, bronchus, and lung	England and Wales Scotland Northern Ireland	101 104 58	122	830·8 784·9 405·4	122·6 137·9 94·2		0.76	0.56	0.59	3·45 - 8·79	2.08 5.45
170	breast	England and Wales Scotland Northern Ireland	97 121 115	101 100 77	3.21	370·5 330·7 231·3		_	_	Mileson United	_	0.69 —
171	cervix uteri	England and Wales Scotland Northern Ireland		103 85 62		108·7 81·6 54·0	mpropro-p matematics matematics	0.76	_		_	0.69
172	corpus uteri	England and Wales Scotland Northern Ireland		109 34 11		51·7 14·5 4·16			=	0·59 —	=	0.69
177	prostate	England and Wales Scotland Northern Ireland	100 98 98	=	164·0 145·5 145·8	_	0·72 —	_	=	=	0·35 —	-
181	bladder and other urinary organs	England and Wales Scotland Northern Ireland	100 106 65	100 108 65	91·9 89·0 52·5	40·6 37·8 20·8	1.44	0.76	=	=	=	_
204	Leukaemia and aleukaemia	England and Wales Scotland Northern Ireland	101 96 98	101 97 92	60·1 54·9 55·4	51·9 47·1 42·9	55·3 64·8 69·6	45·4 50·9 18·5	33·5 27·3 37·0	29·5 14·3 46·6	24-2 11-5 70-3	18·7 30·0 18·8
Rem. 140-205	Other malignant neoplasms	England and Wales Scotland Northern Ireland	98 114 114	118	400·4 432·5 409·8	500·6 543·5 480·6	51·7 64·8 69·6	46·1 84·8 36·9	31·8 50·0 37·0	31·6 28·6 62·2	65.6 51.6 61.5	41·2 46·4 9·38

F	35-4			Death r	ates per	million	n popul	ation					Deaths		
	35-4		Death rates per million population 85 and								1 ye		TOP		
F		4	45-	54	55-	64	65-	74	75–8	34	85 a		per thou		ICD No.
	M	F	M	F	М	F	M	F	M	F	M	F	M	F	
90·2 23·0 50·0	2,418 3,070 2,836	1,778 2,293 1,986	7,231 9,175 7,861	4,364 5,217 5,326	25.529	13.804	60.268	37.085	122,246 131,793 114,185	100,135	240,033 259,161 328,750	256,755	24·5 32·0 29·4	19·8 24·5 27·4	
33·0 88·3 54·3	72·7 140·2 146·7	43·5 106·5 90·3	140·6 184·7 261·2	45·5 92·0 114·5	324·5 396·1 257·2	53·1 92·1 97·5	528·2 561·4 641·7	86·3 100·4 82·0	492·4 477·7 489·1	96·7 120·9 77·2	400·0 229·8	88·1 —	0.01 0.02 —	0·01 0·02	001-008
5.44	7·43 15·2 12·2	5·32 8·63 22·6	11·4 20·9 24·9	6.68 11.1 34.4	13·4 12·0 64·3	11·7 23·0 27·9	18·6 28·1	17.5 33.5 20.5	30.6	30·7 40·3	22-2	15·5 — —	0.01	0·01 —	010-019
0.34	7·75 3·05 12·2	1.88 2.88	20·5 20·9 12·4	9·41 5·57	68·8 76·0 80·4	25·5 19·7 13·9	172·0 112·3 80·2	52·6 47·8 82·0	198·6 143·3 108·7	90·0 40·3 154·4	100.0	93·3 126·9 270·3	<u>0.00</u>	0·00 —	020-029
0.68	0.65 3.05 —		0·95 —		0·84 —	0·71 —	2·14 7·02 26·7	0.97 —	54.3	0.96		especialists securities reporters	0·10 0·10 0·13	0.07 0.12	057
2·38	1·29 —	1.56 2.88	0.32		0.42						=		0.00	_	080
8.84 5.70 21.7	16·5 18·3 24·4	14·1 17·3 22·6	27·1 29·8 62·2	15·8 19·5	41·1 48·0 16·1	33·3 46·0 27·9	37·8 70·2 133·7	31·2 43·0 41·0	74.7 111.5 217.4	47·9 50·4 77·2	211.1	155·4 270·3	0·16 0·18 0·88	0·14 0·31 0·60	Rem. 001- 138
.4·08 	9·05 9·15 —	7·82 8·63 11·3	31·2 38·7	23·1 22·3 45·8	90·3 60·0 96·5	48·5 82·2 55·7	284·1 308·8 347·6	79·4 95·6 123·0	699·5 987·2 543·5	147-5 261-9 193-1	911·1 804·1 2,917	202·1 317·1		_	140-148
1.02	7.75 15.2 12.2			20·9 25·1 22·9	127·2 180·1 80·4	64·0 62·5 69·6	331·2 364·9 427·8	141·3 200·7 123·0	643·5 748·4 326·1	301·7 533·8 270·3	855.6 1,379 1,250	409-3 634-3 270-3	_	arrente arrente	150
9·86 19·9	65·3 85·4 73·3	37·2 34·5 45·1	294·2 348·6 360·7	126·3 142·1 148·9	863·1 980·4 916·4	355·3 460·5 417·8	2,021	1,209	2,986 3,694 2,826		2,744 3,676 2,083	4,059	-		151
7·48 14·2	32·3 39·6 36·7	40·7 40·3 56·4	103·1 137·1 124·4	142·3 147·7 148·9	309·0 340·1 337·6	343·9 430·9 334·3	814·4 1,046 882·4		1,829 2,595 1,141	2,216	2,122 2,987 1,667	2,751 3,933 2,973	_		153
5·78 2·85	22.6 21.3 12.2	23·5 20·1 11·3	82·9 113·2 149·3	68·0 80·8 91·6	272·5 232·1 289·4	165·6 230·2 83·6	728-8 645-6 828-9	367·9 406·3 348·4	1,492 1,226 <i>815</i> ·2	805-6 574-1 617-8	2,298	444.0	_		154
0·34 —	4·85 —	2·19 2·88 11·3				15.9 13.2 41.8	142·8 154·4 133·7	24·9 19·1 41·0	263·2 191·1 163·0	35·4 30·2 38·6	300·0 229·8 416·7	57·0 63·4 270·3			161
10·2 14·2 10·9	181·9 170·7 183·4	46·0 74·8 79·0	911·7 1,031 572·1	146-6 167-2 160-4	3,013	335.5	4.225	540.1	3,211 2,850 1,467	467-4 564-0 424-7	1,378 1,608 416·7	367·9 507·4 810·8		_	162, 163
35·4 45·6 32·6	0·32 	200·6 235·9 158·0					12·8 21·1 26·7		23·8 15·9	1,390		2,192 2,474 810·8	= .		170
20·1 11·4		99.8 86.3 90.3		162·4 153·3 148·9		208·1 180·9 111·4	proloper strategy majorite	286·1 215·1 143·4		370·7 271·9 115·8	_	399·0 253·7	=		; 171
1.02	_	8-14		41·0 13·9		129·5 32·9 27·9		189.6 66.9		223·2 90·6 38·6	watersteen watersteen a	300·5 63·4 —	Accessed to a constant		172
_			15·8 17·9 12·4		154·1 144·1 112·5	=	882·2 884·2 1,043	=	2,696 2,611 2,337	_	3,446	5	_		177
1.02				16·7 16·7	203·6 224·1 128·6	59.8 65.8 55.7	506.8 561.4 427.8	144·2 133·8 82·0	882-9 955-4 380-4	308·4 402·9 231·7	1,100 1,149 416·7	513·0 317·1 270·3		_	181
20·1 14·2	40·4 18·3 36·7	27·9 23·0 11·3	41·0 68·5 12·4	45·8 50·2 57·3	105·4 104·0 48·2	77·1 55·9 69·6	191·3 252·6 160·4	128·2 124·3 163·9	314·1 191·1 326·1	183·0 251·8 77·2	200.0	145·1 126·9 270·3			204
83·0 71·2 76·1	175·1 219·5 244·5	194·7 198·5 180·6	431·1 560·2 422·9	488-3 574-1 561-3		1,19	4 1,95	8 2,060	2,416 2,484 2,391	2,320 2,830 2,851	2,600 3,102 3,756	2,86: 2,79 2,97.	0.04 0.04 3 —	0.00	205
	3-0 3-0	100 2,836 33-0 72-7 140-2	100 2,836 1,986 33-0 72-7 43-5 86-3 15-2 22-6 66-3 12-2 11-3 10-2 12-2 11-3 10-2 12-2 11-3 10-2 12-2 11-3 10-2 13-4 11-4 10-9 183-4 10-9	100	1,00	10-0	10-0	10-0	10-0	10.0	100	100	1300	1300 22,836 1,986 7,861 5,326 21,736 12,591 56,203 36,778 14,165 7,477 12,090 22,98 24,813 140,2 106,5 184,7 22,0 396,1 22,1 26,14 100,4 477.7 12,09 22,98 24,813 140,2 106,5 184,7 22,0 396,1 22,1 22,0 22,1 23,0 23,0 22,1 23,0 23,0 23,1 23,0 23,1 23,0 23,1 23,0 23,1 23,0 23,1 23,0 23,1 23,0 23,1 23,0 23,1 23,0 23,1 23,0 23,1 23,0 23,1 23,0 23,1 23,0 23,1 23,0 23,1 23,0 23,0 23,1 23,0	100

			S.M	.R.		I	Death rate	s per m	illion p	opulatio	on	
ICD No.	Causes of death	Country	All a	ages	All	ages	1-	4	5-	-14	15	-24
			M	F	M	F	M	F	M	F	M]
140-205	All malignant neoplasms and neoplasms of the lymphatic and haemato- poietic tissues	England and Wales Scotland Northern Ireland	100 108 86	99 110 98	2,356	1,929 1,911 1,543	109·8 129·7 156·5	93·7 135·7 55·4	67·4 77·2 74·0	62·9 42·8 108·8	98·4 68·8 140·6	69 84 28
260	Diabetes mellitus	England and Wales Scotland Northern Ireland	96 131 116	93 174 96	62.5	89·1 146·1 73·4	0·72 5·40		1·13 14·8	3.54 7.77	4·15 2·87 8·79	7 -
290-293	Anaemias	England and Wales Scotland Northern Ireland	96 139 92	96 139 93	35.3	47·2 58·2 36·0	2·15	4·54 5·65	1.41	2·07 15·5	3.11	NA KA KA
330-334	Vascular lesions affecting central nervous system	England and Wales Scotland Northern Ireland	98 123 98	97 131 111	1,412 1,623 1,280	1,883 2,155 1,673	6·46 5·40		4·79 6·82 7·40	7.14	13·5 22·9 35·1	10 27 37
345	Multiple sclerosis	England and Wales Scotland Northern Ireland	93 152 155	94 141 154	23.7	23·4 33·0 33·2	Married .	_			1·73 2·87	4
400-402, 410-416	Rheumatic fever and chronic rheumatic heart disease	England and Wales Scotland Northern Ireland	100 99 110	98 115 102		197.9 211.3 171.7	0·72 —	0·76 —	3·38 2·27 14·8	2.95 14.3 15.5	21·1 28·7 35·1	18 46 18
420	Arteriosclerotic heart disease, including coronary disease	England and Wales Scotland Northern Ireland	98 119 117	97 120 126		1,393 1,476 1,414	=	_	_ 7·40	_	2·76 5·74	2
421, 422, 430-434	Other heart diseases	England and Wales Scotland Northern Ireland	97 124 124	96 137 131	1,195 1,385 1,401	1,643 1,892 1,670	3.59 —	3.78 5.65	2·25 —	4·13 7·14 7·77	12·4 5·74 17·6	9
440-447	Hypertensive disease	England and Wales Scotland Northern Ireland	101 89 100	96	362·1 291·0 320·8	437·2 354·1 332·4	_		0.28	_	5·87 5·74	10
450-468	Other circulatory diseases	England and Wales Scotland Northern Ireland	99 110 99	110	342·3 346·0 310·6	393.9 359.3 256.2	2·87 —	_	1.41	1·18 2·38	6·56 2·87	5.
480-483	Influenza .	England and Wales Scotland Northern Ireland	102 73 113	77	178·1 116·3 176·5	168·7 108·6 163·4	15·1 37·8	12·8 22·6	8·46 4·54 7·40	9·74 7·14 23·3	18·7 8·61 8·79	16-
490-493	Pneumonia	England and Wales Scotland Northern Ireland	101 96 90	93	603·3 538·0 506·1	569·6 450·5 552·6	147.9 210.8 52.2	133-0 158-3 184-5	20·0 20·4	20·7 19·0 7·77	25·6 14·3 8·79	24- 19-
500-502	Bronchitis	England and Wales Scotland Northern Ireland	102 86 67	92	922·7 707·5 539·6	376·9 293·3 274·2	40-2 32-4 17-4	31·7 50·9 36·9	6·20 2·27 7·40	3·54 2·38	5·18 11·5	4. 5.
470-475, 510-527	Other respiratory diseases	England and Wales Scotland Northern Ireland	98 121 84	83	158·2 178·8 119·6	67·5 48·6 62·3	23·7 16·2 17·4	20·4 17·0 18·5	9.02	6·79 2·38	8·29 5·74	7. 5. 28.
540, 541	Ulcer of stomach and duodenum	England and Wales Scotland Northern Ireland	99 111 79	100 103 96	141·2 143·5 99·2	62·7 55·2 47·1	0·72 		0·56 —	0.30	2·76 5·74	1· 2·
550-553	Appendicitis	England and Wales Scotland Northern Ireland	98 128 70	99 115 81	19·6 24·5 13·1	11.5 12.2 8.31	9.33 27.0 —	12·1 11·3 18·5	9·58 15·9	5·31 4·76 15·5	7·60 22·9	1: 5:
560, 561, 570	Intestinal obstruction and hernia	England and Wales Scotland Northern Ireland	99 108 115	99 110 93	64·6 66·1 70·0	66·8 64·5 51·2	12·2 16·2 17·4	3.78	1·41 2·27	1.18	1·38 5·74	2.
543, 571, 572	Gastritis and duodenitis, enteritis and colitis (except diarrhoea of newborn)	England and Wales Scotland Northern Ireland	95 136 141	99 111 92	43·5 60·9 64·2	58·8 59·3 47·1	31·6 59·4 52·2	21·9 50·9 36·9	3·38 2·27 7·40	1·77 2·38	5.53 2.87 8.79	6. 10: 18:
581	Cirrhosis of liver	England and Wales Scotland Northern Ireland	93 163 117	92 149 217	28·2 45·7 30·6	24·9 36·7 48·5	2·15 —	0.76	1.69	1.18	2·07 2·87	2.
584, 585	Cholelithiasis, cholecystitis	England and Wales Scotland Northern Ireland	100 116 48	97 136 93	20·4 21·6 8·75	38·7 46·7 29·1		0.76		=	_	1.

Appendix A-continued

	Death rates per million population Deaths under 1 year															
ICD No.	sand	per thous		85 ar	4	75-8	4	65-	54	55–6	54	45-5	44	35-4	34	25-
	F	М	F	М	F	M	F	M	F	M	F	М	F	М	F	M
140-205	0.07 0.06 0.07	0·06 0·06	14,016 15,984 13,514	17,889 20,793 18,333	10,336 11,623 10,193	17,457 18,550 12,717	6,113 7,093 6,660	11,624 12,442 10,856	3,851	5,983 6,402 4,968	1,841 1,926 1,844	2,020 2,434 1,716	696·7 742·3 665·9	588-3	199·3 193·7 <i>130·4</i>	5·2 6·2 2·0
260	0.01 0.02 —	0.00	725·4 634·3 540·5	544-4	678·2 916·5 772·2	567·1 573·2 543·5	371·3 846·0 368·9	393-0	122·1 296·0 97·5	74·3 144·1 64·3	24·3 39·0 22·9	28·1 53·6 12·4	5.95 8.63 33.9	18·4 15·2	4·76 19·9	7·14 8·73 2·3
290-293	0·01 0·04 —	0.00 0.02	808·3 1,395 <i>1,081</i>	533·3 919·0 1,250	436·8 614·4 386·1	366·7 541·4 326·1	142·8 219·9 123·0	104·9 217·5 160·4	37·2 59·2 13·9	38·2 48·0 16·1	14·3 5·57 11·5	11·0 5·96	5·32 5·75 11·3	4.52	4.08 5.70	4.42
330-334	0·02 0·04 0·07	0.03 0.04 —	38,119 49,347 50,541	37,656 48,248 44,583	18,016 23,649 17,838	19,776 25,715 16,848	5,665 7,829 6,803	6,668 8,526 7,754	1,553 2,388 2,131	1,909 2,281 1,945	462·5 641·0 584·2	455·4 497·6 410·4	123·0 187·0 135·4	106·0 121·9 97·8	32·3 37·0 32·6	1·1 3·3 19·1
345	0·00 —	=	10·4 — —	11·1 229·8	13.4	18·7 15·9	32·2 57·4 82·0	26·4 70·2 53·5	46·4 75·6 69·6	33·2 60·0 64·3	54.9 78.0 57.3	33·4 59·6 62·2	33.8 60.4 101.6	25·2 9·15 24·4	12·2 8·55 10·9	7-82 20-4 24-6
400-402, 410-416	0·01 —	=	963·7 634·3 270·3	488·9 459·5 416·7	703·1 654·7 695·0	477·1 366·2 217·4	508·8 468·4 409·8	386·9 308·8 160·4	394·6 450·6 431·8	273·3 220·1 273·3	274·4 353·9 320·7	163·7 199·6 323·4	137·7 218·7 169·3	102·4 118·9 134·5	55·1 96·9 76·1	39.8 59.8 51.4
420		0.01	17,067 18,584 27,568	24,467 21,941 27,083	11,973 13,476 12,046	20,277 21,352 18,967	5,539 6,830 7,418	12,358 15,053 15,829	2,306	5,576 7,363 7,138	308·3 465·4 652·9	2,622	55·1 138·1 79·0	429·4 658·5 660·1	11·2 17·1	50·1 75·6 49·1
421, 422, 430-434	0·02 	0·02 —	63,218 93,175 88,108	61,133 78,920 95,000	17,016 23,327 21,429	19,849 24,585 22,717	3,162 4,512 4,816	4,306 5,691 5,535	555.6 878.2 849.6	858·1 1,196 1,061	112·3 203·4 263·5	181·0 259·2 373·1	39·1 66·2 22·6	60·4 70·1 61·1	13.9 14.2 21.7	21·1 5·82 61·4
440-447	_		7,078 6,596 8,108	6,689 6,548 7,500	4,135 3,747 4,170	4,287 4,076 4,837	1,493 1,429 1,373	1,737 1,418 1,551	384·3 394·7 390·0	641·5 556·2 562·7	97·1 114·3 57·3	186·4 157·9 186·6	27·5 25·9 22·6	58·5 36·6 36·7	7.48 17.1	15.6 14.5 24.6
450-468	0·02 —	0.00	12,953 16,301 10,541	13,678 19,184 18,750	3,792 4,210 2,973	5,173 6,067 4,620	888·4 898·6 717·2	1,377 1,291 1,444	213·7 190·8 320·3	358·9 380·1 273·3	68·3 69·7 91·6	94·0 59·6 87·1	23·2 34·5 22·6	25·2 27·4 36·7	14·6 19·9 10·9	8.49 17.5 24.6
480-483	0·09 0·21 0·27	0.14	3,788 3,615 5,135	3,933 4,021 8,333	1,309 906·5 1,776	1,740 1,465 1,848	486·8 296·3 594·3	845·8 456·1 882·4	146·5 125·0 153·2	305·6 212·1 209·0	52·8 30·7 45·8	94·3 47·7 62·2	28·5 20·1 11·3	33.9 12.2 36.7	19·4 19·9 10·9	20·4 17·5 12·3
490-493	1·76 2·56 2·34	3.13	15,762 12,305 18,378	18,822 14,360 21,667	4,839 4,049 5,637	7,480 6,003 6,413	1,340 1,338 1,701	2,288 2,386 2,166	335·8 348·6 473·5	715·8 724·3 401·9	108·3 131·0 194·7	216·7 202·6 136·8	58·2 37·4 22·6	70·1 85·4 36·7	32.6 19.9 32.6	35·0 29·1 49·1
500-502	0·47 0·21 0·13	0.39	7,870 5,899 7,838	13,589 7,582 8,750	3,146 2,629 2,625	9,019 5,621 5,163	1,161 1,161 1,189	5,126 4,112 3,182	381.5	1,958 2,017 1,576	91·7 114·3 171·8	410·9 554·2 335·8	29·7 31·6 33·9	53·3 100·6 48·9	8·16 11·4	11.9 17.5 12.3
470-475, 510-527	0.13 0.06 0.07	0.16	1,508 634·3 1,083	1,867 1,608 3,333	345·8 261·9 424·7	1,068 1,576 <i>923-9</i>	164·7 133·8 266·4	777-3 1,095 534-8	85·6 72·4 97·5	389·2 452·2 337·6	39·5 64·1 45·8	112·9 104·3 74·6	22·8 37·4	41·4 24·4 36·7	11.9	9·5 23·3
540, 541	0.01 —		1,104 1,015 540·5	1,833 1,838 2,500	536·4 392·8 540·5	1,370 1,353 <i>1,033</i>	179·8 196·0 245·9	671·7 729·8 561·5	68·6 92·1 41·8	309·8 304·1 209·0	28·8 58·5 11·5		7.82 5.73 11.3		2·7. 2·8. 10·9	8·8 17·5
550-553	0.01 0.07	0.01	82·9 253·7 —	255·6 416·7	67·0 70·5 —	108·7 191·1 54·3	34·6 28·7	74·2 42·1 80·2	13·8 16·4 13·9	30·6 48·0 32·2	5.77 5.57 11.5		5 2.88			7·8 5·8
	0.29		1,013	1,056 804·1 1,667	528·7 533·8 463·3	750-4 732-4 923-9	215·9 239·0 163·9	275·5 294·7 187·2	66·2 78·9 41·8	96·6 124·0 128·6	21·5 30·7 11·5	28·1 47·7 37·3	5 11.5	0 0 7	3 5.7	2·3 8·7 12·3
543, 571, 572		0.41 0.94 0.76	740.9 507.4 810.8	500·0 344·6 416·7	406·1 392·8 193·1	278·4 445·8 380·4	162.8 138.6 102.5	146·3 182·5 107·0	60·2 52·6 55·7	65·5 72·0 80·4	26·7 19·5 34·4	29·3 20·9 37·3	25.9	18.3	3 11.4	5·1 8·7 36·9
581	0.01	0.01	57.0	100·0 229·8	75·7 130·9 231·7	123·9 159·2 108·7	100·4 119·5 245·9	110·6 203·5 160·4	55·2 121·7 195·0	73·0 136·0 96·5	21.9 47.4 11.5	40·7 74·5 62·2	5.73			2.0
584, 585	=	2 0.00	580·3 1,33: 540·5	366·7 344·6	325·7 372·7 308·9	256·4 286·6 326·1	135·0 191·2 102·5	109·2 119·3	46·0 62·5 69·6	30·6 44·0		8.51	6 2.82		8 1.3	0.6

Appendix A-continued

					1							
			S.M	.R.			Death rat	es per i	million	popula	tion	
ICD No.	Causes of death	Country	Alla	iges	All	ages	1-	4	5	-14	1 15	5-24
			M	F	M	F	M	F	M	F	M	1
Rem. 530-587	Other digestive diseases	England and Wales Scotland Northern Ireland	95 148 109	97 128 109	36·6 54·5 39·4	41·2 49·7 40·2	17·2 48·6 17·4	26·5 84·8	4.79 4.54 7.40	9.5.		
590-594	Nephritis and nephrosis	England and Wales Scotland Northern Ireland	99 99 143	98 112 112		75·0 76·4 70·6	5.03 5.40		8·17 6·82 7·40	11.9	22.9	17 16 18
610	Hyperplasia of prostate	England and Wales Scotland Northern Ireland	100 100 89	_	160·2 145·1 131·3	=	=	=	=		=	-
600-609, 611-637	Other diseases of the genito-urinary system	England and Wales Scotland Northern Ireland	97 133 91	99 112 104	66·7 84·6 56·9	81·4 80·8 69·3	7.90 10.8 17.4	4·54 5·65		7.14		
640-689	Complications of preg- nancy, childbirth, and the puerperium	England and Wales Scotland Northern Ireland	=	97 103 182	_	12·3 13·3 23·5		_		0·30 —		20 16 37
750-759	Congenital malformations	England and Wales Scotland Northern Ireland	98 115 111	107	114·4 151·1 160·4	102·5 126·4 188·4	128·5 162·1 69·6	117.9 135.7 147.6	37·5 27·3 37·0	29·8 21·4 54·4	28·3 25·8 17·6	23- 13- 18-
760-776	Certain diseases of early infancy	England and Wales Scotland Northern Ireland	97 122 109	111	251·6 369·2 371·9	162·0 215·4 300·6	-		0.28	, <u> </u>		1
Rem. 210-795	All other diseases	England and Wales Scotland Northern Ireland	96 118 176	109	359·7 409·3 612·5	527·7 496·1 709·1	92·6 140·5 <i>139·1</i>	77.9 130.0 73.8	46·8 63·6 59·2	32·2 19·0 31·1	68·0 86·1 52·7	49. 62. 46.
E963, E970- E979	Suicide	England and Wales Scotland Northern Ireland	103 86 41	76	142·4 111·4 49·6	89·0 60·8 33·2		_	0·85 —	0·30 —	41·1 48·8 17·6	23.
E810- E845	Motor vehicle and other road transport accidents	England and Wales Scotland Northern Ireland	101 91 96	96	206·8 184·4 196·9	70·9 64·1 58·2	96·2 113·5 121·7	65.8 79.2 73.8	73.8 88.6 66.6	34·5 64·3 54·4	432·5 278·3 228·5	66: 27: 9:
E870- E936 pt.	Accidents in the home and residential institutions	England and Wales Scotland Northern Ireland	93 165 85	146	115·1 194·4 102·1	191·1 245·4 119·1	83·3 97·3 69·6	73·3 56·5 110·7	18·0 18·2 14·8	15·6 11·9	18·0 14·3 17·6	10- 19- 28-
Rem. E800- E999	Other violence	England and Wales Scotland Northern Ireland	95 144 93	75	150·6 220·9 140·0	48·1 32·3 66·5	68·9 75·7 69·6	29·5 11·3 55·4	81·2 120·4 74·0	23·6 16·7 7·77	145·4 157·8 105·4	14.
Estimated in thousa	mid-year population nds)	England and Wales Scotland Northern Ireland			21,885 2,495 686	2,697	1,393 185 58	1,323 177 54	3,548 440 135	3,388 420 129	2,895 349 114	2,8

Corrigenda

Appendix A 1958. Northern Ireland, All causes line:

substitute the following:

			3 - 11 -								
		S.N	I.R.			Death r	ates pe	r millio	n popu	lation	
Cause of death (and ISC Nos.)	Country	All ages		All	ages	17	4	571	14	15:	724
		M	F	M	F	M	F	M	F	M	F
All causes	Northann Insland	100	111	11 504	10.027	1 147	002.2	442.0	224.5	0150	244.2

Appendix A-continued

Death rates per million population 85 and										Deaths 1 ye					
4	35-4	14	45-5	54	55-	64	65-	74	75-	84	85 a		per thou	usand	ICD No.
F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
5·78 14·2 21·7	12·3 12·2 24·4	9·70 5·75	31·2 56·6 49·8	26·7 27·9	62·6 100·0 96·5	51·0 85·5 97·5	132·0 203·5 187·2	117·4 100·4 143·4	251·3 414·0 271·7	223·2 251·8 193·1	400·0 344·6	450-8 761-1 1,081	0·18 0·23 0·06	0·18 0·25 0·20	Rem. 530- 587
26·2 34·2 10·9	54·6 51·8 61·1	33·5 48·9 45·1	84·8 77·5 111·9	57·4 69·7 68·7	161·6 180·1 225·1	98·7 108·5 111·4	302-6 294-7 374-3	229·0 229·4 307·4	572·2 557·3 923·9	393·7 402·9 386·1	1,033 1,493 1,667	715·0 1,078 810·8	0·04 —	0.01 0.06	590-594
=			5.68 5.96 12.4		81·9 76·0 80·4		636·7 779·0 508·0	_	2,874 2,675 2,174		7,856 7,122 10,417	exception of the contract of t		=	610
12·2 8·55 10·9	14·5 24·4 36·7	27·2 37·4 67·7	40·1 38·7 62·2	43·7 64·1 <i>45</i> ·8	86·9 116·0 80·4	107·2 128·3 83·6	268·4 393·0 213·9	236·8 286·8 286·9	828·5 1,226 597·8	586·2 513·7 540·5	1,611 1,838 1,250	1,078 951·4 540·5	0.06 0.10 0.06	0·03 0·06 0·07	600-609 611-637
47.6 57.0 76.1	_	27·9 28·8 67·7		0·30 —	_	_		_		_	_		_	=	640-689
15·3 17·1 21·7	24·9 6·10 36·7	21.6 11.5 11.3	32·2 32·8 —	38·2 30·7 91·6	24·3 36·0	24·1 32·9 13·9	47.8 21.1 53.5	30·2 4·78 41·0	34·0 31·8 54·3	29·7 10·1	11·1 —	46·6 —	4·47 5·69 5·79	4·61 5·61 7·03	750-759
_	_					=		_	=		_	generated generated	14·3 18·0 16·1	10·5 12·1 14·5	760-776
68·7 68·4 97·8	97·9 149·4 110·0	102·7 158·2 124·2	183·2 289·0 199·0	203·0 209·0 320·7	422·3 712·3 707·4	416·1 618·3 487·5	952·9 1,488 1,444	1,051 1,429 1,516	3,767 3,376 8,098	3,670 3,787 6,293	16,500 12,522 47 ,917	14,779	0.80	0·51 0·71 0·74	Rem. 210- 795
50·3 37·0 10·9	135·1 125·0 48·9	87.6 106.5 33.9	206·2 196·7 149·3	139·9 108·7 57·3	316·1 236·1 144·7	199.6 134.8 <i>139.3</i>	416·8 238·6 80·2	194·9 105·2 82·0	412.6 286.6 54.3	147·5 40·3 38·6	366-7 229-8	82·9 —		=	E963, E970- E979
32·0 28·5 21·7	139·3 161·6 <i>171·1</i>	28·5 28·8 45·1	153.6 152.0 199.0	49·2 39·0 34·4	214·5 244·1 289·4	83.5 108.5 83.6	331·9 294·7 240·6	151·6 152·9 143·4	616·3 589·1 652·2	304·6 201·4 231·7	855.6 574.4 416.7	269·4 190·3 270·3	0.02 0.02 —	0·01 0·07	E810- E845
14·6 25·6 32·6	29·4 79·3 61·1	21·3 46·0 45·1	52·3 154·9 87·1	43.7 97.5 45.8	101·2 204·1 48·2	91·3 121·7 55·7	283·4 435·1 374·3	360·1 463·6 327·9	1,219 1,815 <i>978-3</i>	1,669 2,488 849-4	4,256 6,088 4,167	9,514	1.70	1.02	E936 pt.
15.6 19.9 10.9	138·0 286·5 122·2	18-2 14-4 33-9	147.9 324.8 136.8	20·6 22·3 57·3	201·1 308·1 209·0	41·4 42·8	228·4 308·8 267·4	77.5 62.1 123.0	431·2 414·0 543·5	295.0 211.5 733.6	1,000 344·6 1,250	126.9	0·10 0·08 0·19		
2,941 351 92	328	348	336	359	. 250	304	142	209	63	99	9	16			
	5.78 14-2 221-7 26-2 110-9	5.78 12.3 14.2 12.2 21.7 24.4 26.2 54.6 61.1 — — — — — — — — 12.2 14.5 8.55 24.4 10.9 36.7 47.6 — — — — — — — — — — — — — — — — — — —	F M F 5.78 12.3 9-70 14-2 12-2 5-75 21-7 24-4 — 26-2 54-6 33-5 34-2 51-8 48-9 10-9 61-1 45-1 — — — — — — — — — 12-2 14-5 27-2 8-55 24-4 37-4 10-9 36-7 67-7 47-6 — 28-8 76-1 — 28-8 76-1 — — — — — — — — - 28-8 76-7 76-1 — 28-8 76-1 — 28-8 76-1 — — — — — — — — — — — —	F M F M 5.78 12.3 9.70 31.2 14.2 12.2 5.75 56.6 21.7 24.4 — 49.8 26.2 54.6 33.5 84.8 34.2 51.8 48.9 77.5 10.9 61.1 45.1 111.9 — — 5.68 — — 12.4 10.9 36.7 67.7 62.2 47.6 — 27.9 — 12.4 18.55 24.4 37.4 38.7 10.9 36.7 67.7 62.2 47.6 — 27.9 — 57.0 — 28.8 — 77.5 11.3 24.9 21.6 32.2 17.1 6.10 11.5 32.8 11.3 — — — 68.7 97.9 102.7 183.2 17.1 6.10 11.5 32.8 11.3 — — — 68.7 97.9 102.7 183.2 17.1 6.10 11.5 32.8 11.3 — — — 1.5 32.8 11.3 33.9 14.9 11.5 33.9 14.9 11.	F M F M F 5.78 12.3 9.70 31.2 26.7 14.2 12.2 5.75 56.6 27.9 21.7 24.4 — 49.8 — 26.2 54.6 33.5 84.8 57.4 34.2 51.8 48.9 77.5 69.7 10.9 61.1 45.1 111.9 68.7 — — 5.68 — — — 12.4 — 12.2 14.5 27.2 40.1 43.7 8.55 24.4 37.4 38.7 64.1 10.9 36.7 67.7 62.2 45.8 47.6 — 27.9 — 0.30 57.0 — 28.8 — 64.1 10.9 36.7 67.7 62.2 45.8 47.6 — 27.9 — 0.30 15.1 6.10 11.5 32.8 30.7 21.7 36.7 11.3 — 91.6 68.7 97.9 102.7 183.2 203.0 11.5 32.8 30.7 21.7 36.7 11.3 — 91.6 68.7 97.9 102.7 183.2 203.0 68.4 149.4 158.2 289.0 209.0 50.3 135.1 87.6 206.2 139.9 37.0 125.0 106.5 196.7 108.7 10.9 48.9 33.9 149.3 57.3 32.0 139.3 28.5 153.6 49.2 21.7 171.1 45.1 199.0 34.4 14.6 29.4 21.3 52.3 43.7 25.6 79.3 46.0 154.9 97.5 32.6 61.1 45.1 87.1 45.8 15.6 138.0 18.2 147.9 20.6 19.9 286.5 14.4 324.8 22.3 10.9 122.2 33.99 136.8 57.3 32.9 139.9 34.8 33.17 3,295 351 328 348 336 359	F M F M F M F M 5.78 12.3 9.70 31.2 26.7 62.6 14.2 12.2 5.75 56.6 27.9 100.0 96.5 21.7 24.4 — 49.8 — 96.5 21.7 24.4 1.11.9 68.7 225.1 10.9 61.1 45.1 111.9 68.7 225.1 10.9 61.1 45.1 111.9 68.7 225.1 12.2 14.5 27.2 40.1 43.7 86.9 12.2 14.5 27.2 40.1 43.7 86.9 12.2 14.5 27.2 40.1 43.7 86.9 12.2 14.5 27.2 40.1 43.7 86.9 12.2 14.5 27.2 40.1 43.7 86.9 12.2 14.5 27.2 40.1 43.7 86.9 12.2 14.5 27.2 40.1 43.7 86.9 12.2 14.5 27.2 40.1 43.7 86.9 12.2 14.5 27.2 40.1 43.7 86.9 12.2 14.5 27.2 40.1 43.7 86.9 12.2 14.5 27.2 40.1 43.7 86.9 12.2 14.5 27.2 40.1 43.7 86.9 12.2 14.5 27.2 40.1 43.7 86.9 12.2 14.5 27.2 40.1 43.7 86.9 12.2 14.5 27.2 40.1 43.7 86.9 12.2 14.5 27.2 40.1 43.7 86.9 12.2 14.5 27.2 40.1 43.7 86.9 12.2 14.5 27.2 40.1 43.7 86.9 12.2 14.5 27.2 40.1 43.7 86.9 12.2 44.5 80.4 47.6 — 27.9 — 0.30 — 28.8 7.0 — 28.8 7.0 — 29.8 7.0 11.5 32.8 30.7 36.0 21.7 36.7 11.3 — 91.6 — 27.0 — 28.8 7.0 11.5 32.8 30.7 36.0 91.6 — 28.8 7.0 11.5 32.8 30.7 36.0 91.6 1.0 12.2 12.9 19.9 316.1 37.0 12.5 12.5 10.6 13.5 196.7 10.8 7 236.1 10.9 48.9 33.9 149.3 57.3 144.7 32.0 13.9 3 28.5 153.6 49.2 21.7 171.1 45.1 199.0 34.4 289.4 14.6 29.4 21.3 52.3 43.7 101.2 25.6 79.3 46.0 154.9 97.5 20.1 12.5 25.6 61.1 45.1 87.1 45.8 48.2 13.3 30.8 1 10.9 12.2 2.3 33.9 136.8 57.3 209.0 2.44.1 32.6 61.1 45.1 87.1 45.8 48.2 23.3 30.8 1 10.9 12.2 2.3 33.9 136.8 57.3 209.0 2.43.1 32.8 34.8 336 35.9 2.58 35.9 2.58 35.1 32.8 34.8 336 35.9 2.58 35.9 2.58 35.1 32.8 34.8 336 35.9 2.58 35.9 2.5	F M F M F M F M F M F M F M F M F M F M	F M F M F M F M F M F M F M F M F M F M	F M F M F M F M F M F M F M F M F M F M	F M F M F M F M F M F M F M F M F M F M	F M F M F M F M F M F M F M F M F M F M	F M F M F M F M F M F M F M F M F M F M	F M F M F M F M F M F M F M F M F M F M	F M F	F M F

Corrigenda—continued

				Deat	h rates	per mil	lion po	pulation	1				
25-	-34	35-	44	45-	-54	55-	-64	65-	-74	75-	84		and ver
M	F	M	F	M	F	M	F	M	F	M	F	F	F
1,267	786.0	2,689	2,154	7,681	5,039	21,700	12,751	53,200	36,335	117,516	92,016	301,264	264,196

APPENDIX B

Abridged life table, 1959, England and Wales

Apart from its use as a basis for calculations of probabilities of death or survival, the life table represents one useful way of providing summary indices of mortality free from peculiarities in the sex and age structure of the population. These summary indices, whether it be the number surviving out of a specified number of births or the expectation of life beyond a specified age, are sex and age standardised. They summarise the individual age death rates for each sex. For this particular purpose the following life table has been constructed from the mortality experience of 1959. Though the functions are summary indices of the mortality of a particular year they will by the same token be sensitive to fluctuations in mortality from one year to another as a result of changes in the weather conditions, irregular incidence of epidemics, etc., and they are not reliable as a basis for calculations of the probability of survival over a period of years. Life table functions for use in such computations should be representative of the current level of mortality and should therefore be based on more than one year's experience. For this latter purpose another life table has been constructed based on the three years 1957 to 1959, a larger body of data more representative of the general mortality of recent years; this has been published in the *Registrar General's Quarterly Return* for the June Quarter 1960, No. 446 and will be published in Part III of the *Statistical Review* for 1959.

Mal	es		Fem	ales
l_x	$\overset{\circ}{e_{x}}$	Age x	l_x	$\stackrel{\circ}{e_x}$
10,000	68-1	0	10,000	73.8
9,755	68·8	1	9,802	74.3
9,739	67·9	2	9,789	73.4
9,730	67·0	3	9,782	72.4
9,722	66·0	4	9,777	71.5
9,716	65·1	5	9,772	70·5
9,693	60·2	10	9,755	65·6
9,674	55·3	15	9,741	60·7
9,629	50·6	20	9,724	55·8
9,574	45.8	25	9,699	51·0
9,525	41.1	30	9,668	46·1
9,467	36.3	35	9,623	41·3
9,379	31.6	40	9,556	36·6
9,235	27·1	45	9,450	32·0
9,002	22·7	50	9,290	27·5
8,587	18·7	55	9,046	23·1
7,878	15·1	60	8 676	19·0
6,850	12·0	65	8,106	15·2
5,515	9·3	70	7,231	11·7
3,919	7·1	75	5,915	8·8
2,321	5·3	80	4,168	6·4
984	4.1	85	2,294	4.6

This abridged life table is constructed from the estimated *home* population and the total deaths in the year 1959.

The column headed l_x shows, for each sex, the numbers who would survive to exact age x out of 10,000 born who were subject throughout their lives to the recorded age death rates of the period.

Column e_x is the "expectation of life", that is, the average future lifetime which would be lived by persons aged exactly x, if likewise subject to those death rates.

Appendix C. Crude death rates per million living from certain causes, 1954 to 1958

(a) Southern Region as constituted prior to 1st January 1959
(b) ,, ,, ,, on and after ,, ,, ,,
(c) South Western Region as constituted prior to 1st January 1959
(d) ,, ,, ,, on and after ,, ,, ,,

The constitution of the standard regions has been changed by the transfer of Dorset (except Poole M.B.) from the Southern Region to the South Western Region. See explanatory note 12.

Cause of death and ICD No.	Region	1954	1955	1956	1957	1958
	a	136	96	92	76	77
	b	139	97	93	74	79
Tuberculosis, all forms (001-019)	c - d	166 162	134 131	106 104	98 97	93
	a	1,942	1,953	1,995	1,983	2,032
	b	1,940	1,953	1,980	1,975	2,001
All malignant neoplasms (140-205)	c	2,070	2,040	2,054	2,059	2,144
	d	2,063	2,035	2,062	2,060	2,163
1	a	268	276	273	243	251
	b	264	273	268	243	242
Malignant neoplasm of stomach (151)	c	326	331	299	310	294
	d	325	329	301	306	299
M. C. A. A. A. A. A. A. A. A. A. A. A. A. A.	a	315	344	387	383	398
	b	320	346	395	390	394
Malignant neoplasm of trachea, bronchus and lung (162, 163)	c	325	312	327	339	364
	d	321	313	325	337	369
	a	1,577	1,626	1,670	1,542	1,681
	b	1,564	1,610	1,650	1,522	1,655
Vascular lesions affecting central nervous system (330-334)	c	1,808	1,872	1,817	1,768	1,878
	d	1,802	1,868	1,823	1,770	1,886
(420)	a	1,482	1,579	1,652	1,689	1,818
	b	1,484	1,564	1,627	1,691	1,800
Arteriosclerotic heart disease (420)	c	1,527	1,605	1,699	1,756	1,891
	d	1,523	1,615	1,716	1,750	1,901
01. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	a	1,758	1,904	1,842	1,616	1,727
	b	1,724	1,875	1,811	1,580	1,670
Other heart disease (410-416, 421-434)	c	2,387	2,418	2,397	2,163	2,176
	d	2,372	2,406	2,385	2,157	2,194
D (100 403 763)	a	434	461	545	539	535
	b	432	458	543	543	536
Pneumonia (490-493, 763)	c	434	438	558	491	478
	d	436	442	560	492	480
D 1111 (500 500)	a	364	438	491	410	461
	b	366	446	502	416	458
Bronchitis (500-502)	c	407	473	493	413	441
	d	402	464	484	407	444
(B	10,129	10,569	10,795	10,321	10,720
	b	10,083	10,493	10,693	10,236	10,581
All diseases (001-795)	c	11,613	11,902	12,039	11,481	11,834
	d	11,551	11,873	12,038	11,473	11,875
And the second of the second Control C	a	452	492	464	477	477
	b	453	486	465	482	485
Accidents, poisoning and violence (E800-E999)	c	464	487	472	465	489
	d	462	492	471	462	482
<u></u>	m b	10,581 10,535	11,061	11,260 11,158	10,798	11,197 11,066
All causes	c d	12,077 12,014	12,389 12,365	12,511	11,946	12,324 12,357

MINISTRY OF HEALTH AND GENERAL REGISTER OFFICE

Report on Hospital In-patient Enquiry for the year 1958

Part I: Preliminary Tables

This Report is the first of a new series published jointly by the Ministry of Health and the General Register Office; it contains summary tables and data on selected important conditions for 1958 and certain figures for 1955–57. (Part II will contain detailed tables with commentary.) The Enquiry, based on a 10 per cent sample of discharges (including deaths) from National Health Service hospitals (other than psychiatric hospitals) in England and Wales, covered the whole country for the first time in 1958 and figures for each hospital region can therefore be studied.

Price 1s. 6d. net. By post 1s. 8d.

Obtainable from HER MAJESTY'S STATIONERY OFFICE

at the addresses shown on cover page iv or through any bookseller





